



DAFTAR PUSTAKA

- Aghbashlo, M., Mobli, H., Rafiee, S., & Madadlou, A. (2012). Optimization of emulsification procedure for mutual maximizing the encapsulation and exergy efficiencies of fish oil microencapsulation. *Powder Technology*, 225, 107–117
- Akhavan, S. dan Jafari, S. M. (2017) ‘Nanoencapsulation of natural food colorants’. *Nanoencapsulation of Food Bioactive Ingredients*, Elsevier: Amsterdam, Netherlands, 1, 223-260.
- Anandharamakrishnan, C. (2014). Techniques for nanoencapsulation of food ingredients. In *Techniques for Nanoencapsulation of Food Ingredients*, 1, 1–6.
- Assadpour, E. dan Jafari, M.S. (2019) ‘A systematic review on nanoencapsulation of food bioactive ingredients and nutraceuticals by various nanocarriers’, *Critical Reviews in Food Science and Nutrition*, 59(19), 3129-3151.
- Badan Pusat Statistik. 2015. Produktivitas Ubi Jalar Menurut Provinsi (kuintal/ha), 1993 – 2015. <https://www.bps.go.id/linkTableDinamis/view/id/884>. Diakses tanggal 13 April 2022 pukul 16.59 WIB.
- Bae, E. K. dan Lee, S. J. (2008). Microencapsulation of avocado oil by spray drying using whey protein and maltodextrin. *Journal of Microencapsulation*, 25(8), 549-560.
- Barclay, T., Ginic-Markovic, M., Cooper, P., dan Petrovsky, N. (2010) ‘Inulin-a versatile polysaccharide with multiple pharmaceutical and food chemical uses’, *Journal of Excipients and Food Chemicals*, 1(3), 27–50.
- Caparino, O. A., Tang, J., Nindo, C. I., Sablani, S. S., Powers, J. R., dan Fellman, J. K. (2012) ‘Effect of drying methods on the physical properties and microstructures of mango (*Philippine ‘Carabao’ var.*) powder’, *Journal of Food Engineering*, 111(1), 135-148.
- Caro, Y., Anamale, L., Fouillaud, M., Laurent, P., Petit, T., dan Dufossé, L. (2012) ‘Natural hydroxyanthraquinoid pigments as potent food grade colorants: an overview’, *Natural Products and Bioprospecting*, 2(5), 174-193.
- Choi, K. O., Ryu, J., Kwak, H. S., dan Ko, S. (2010). Spray-dried conjugated linoleic acid encapsulated with Maillard reaction products of whey proteins and maltodextrin. *Food Science and Biotechnology*, 19(4), 957-965.
- Correâ-Filho, L. C., Lourenço, M. M., Moldão-Martins, M., dan Alves, V. D. (2019). Microencapsulation of β-carotene by Spray Drying: Effect of Wall



Material Concentration and Drying Inlet Temperature. *International Journal of Food Science*, 2019, 1–12.

Drusch, S. (2007) ‘Sugar beet pectin: A novel emulsifying wall component for microencapsulation of lipophilic food ingredients by spray-drying’, *Food Hydrocolloids*, 21(7), 1223-1228.

Eastman, J. E. dan Moore, C. O. (1984) ‘U.S. Patent No. 4,465,702’, Washington DC: *U.S. Patent and Trademark Office*.

Erbay, Z., dan Koca, N. (2015) ‘Effects of whey or maltodextrin addition during production on physical quality of white cheese powder during storage’, *Journal of Dairy Science*, 98(12), 8391-8404.

Etzbach, L., Meinert, M., Faber, T., Klein, C., Schieber, A., dan Weber, F. (2020) ‘Effects of carrier agents on powder properties, stability of carotenoids, and encapsulation efficiency of goldenberry (*Physalis peruviana L.*) powder produced by co-current spray drying’. *Current Research in Food Science*, 3, 73-81.

Fathi, M. dan Julian, D. (2014). Nanoencapsulation of food ingredients using carbohydrate based delivery systems. *Trends in Food Science & Technology*, 39, 18–39

Fennema, O. R. (1996). *Food Chemistry*. In O. R. Fennema (Ed.), *Marcel Dekker, Inc.* (3 ed.). Marcel Dekker, Inc.

Fernandes, R. V. D. B., Borges, S. V., Botrel, D. A., dan Oliveira, C. R. D. (2014) ‘Physical and chemical properties of encapsulated rosemary essential oil by spray drying using whey protein–inulin blends as carriers’, *International Journal of Food Science & Technology*, 49(6), 1522-1529.

Fernandes, R. V. D. B., Silva, E. K., Borges, S. V., de Oliveira, C. R., Yoshida, M. I., da Silva, Y. F., dan Botrel, D. A. (2017). Proposing novel encapsulating matrices for spray-dried ginger essential oil from the whey protein isolate-inulin/maltodextrin blends. *Food and Bioprocess Technology*, 10(1), 115-130.

Ferrari, C. C., Ribeiro, C. P., Liserre, A. M., Moreno, I., Germer, S. P. M., dan de Aguirre, J. M. (2011) ‘Spray drying of Blackberry juice using maltodextrin or gum arabic as carrier agents’ in 2011 CIGR International Symposium: *Food Process, Bioprocessing and Food Quality Management*, Nantes, France, 18-20 April.

Ginting, E. (2013) ‘Carotenoid extraction of orange-fleshed sweet potato and its application as natural food colorant’, *Jurnal Teknologi dan Industri Pangan*, 24(1), 81-81.



- Goula, A. M. dan Adamopoulos, K. G. (2010) ‘A new technique for spray drying orange juice concentrate’, *Innovative Food Science & Emerging Technologies*, 11(2), 342-351.
- Hasna, T., Anandito, B. K., Khasanah, L. U., Utami, R., dan Manuhara, G. J. (2018). Pengaruh kombinasi maltodekstrin dan whey sebagai bahan penyalut pada karakteristik mikroenkapsul oleoresin kayu manis (*Cinnamomum burmanii*). *Agritech*, 38(3), 259-264.
- Ho, T. M., Ton, T. T., Gaiani, C., Bhandari, B. R., dan Bansal, N. (2021). Changes in surface chemical composition relating to rehydration properties of spray-dried camel milk powder during accelerated storage. *Food Chemistry*, 361, 130136.
- Ishiguro, K. (2019). Sweet potato carotenoids. In *Sweet Potato: Chemistry, Processing and Nutrition*. Elsevier Inc. 2019, 223-241.
- Jovanović, M., Ćujić-Nikolić, N., Drnić, Z., Janković, T., Marković, S., Petrović, P., dan Šavikin, K. (2021). Spray drying of *Gentiana asclepiadea* L. root extract: Successful encapsulation into powders with preserved stability of bioactive compounds. *Industrial Crops and Products*, 172, 114044.
- Karrar, E., Mahdi, A. A., Sheth, S., Ahmed, I. A. M., Manzoor, M. F., Wei, W., dan Wang, X. (2021). Effect of maltodextrin combination with gum arabic and whey protein isolate on the microencapsulation of gurum seed oil using a spray-drying method. *International Journal of Biological Macromolecules*, 171, 208-216.
- Khalid, M., Bilal, M., Iqbal, H. M., dan Huang, D. (2019) ‘Biosynthesis and biomedical perspectives of carotenoids with special reference to human health-related applications’, *Biocatalysis and Agricultural Biotechnology*, 17, 399-407.
- Kourouma, V., Mu, T. H., Zhang, M., and Sun, H. N. (2019) ‘Effects of cooking process on carotenoids and antioxidant activity of orange-fleshed sweet potato’, *LWT Food Science and Technology*, 104, 134-141.
- Kurniawan, A. dan Wicaksono, A. A. (2020). *Pemuliaan dan Budidaya Ubi Jalar Madu* (1 ed.). Depublish Publsiher, Yogyakarta.
- Le, T. H., Tran, T. M. V., Ton, N. M. N., Tran, T. T. T., Huynh, T. V., Nguyen, T. N., dan Le, V. V. M. (2017). Combination of whey protein and carbohydrate for microencapsulation of pumpkin (*Cucurbita s*) seed oil by spray-drying. *International Food Research Journal*, 24(3), 1227–1232.



- Lekshmi, R. K., Tejpal, C. S., Anas, K. K., Chatterjee, N. S., Mathew, S., dan Ravishankar, C. N. (2021). Binary blend of maltodextrin and whey protein outperforms gum Arabic as superior wall material for squalene encapsulation. *Food Hydrocolloids*, 121, 106976.
- Lingua, M. S., Salomón, V., Baroni, M. V., Blajman, J. E., Maldonado, L. M., dan Páez, R. (2020) ‘Effect of spray drying on the microencapsulation of Blueberry Natural Antioxidants’, in *Multidisciplinary Digital Publishing Institute Proceedings*. 70 (1), 26.
- Loksuwan, J. (2007). Characteristics of microencapsulated β -carotene formed by spray drying with modified tapioca starch, native tapioca starch and maltodextrin. *Food hydrocolloids*, 21(5-6), 928-935.
- Machmudah, S. dan Goto, M. (2013) ‘Methods for extraction and analysis of carotenoids’, *Natural Products*, 3367-3411.
- Mahdi, A. A., Mohammed, J. K., Al-Ansi, W., Ghaleb, A. D., Al-Maqtari, Q. A., Ma, M., dan Wang, H. (2020). Microencapsulation of fingered citron extract with gum arabic, modified starch, whey protein, and maltodextrin using spray drying. *International journal of biological macromolecules*, 152, 1125-1134.
- Medeiros, A., Gomes, C. C., Amaral, M., Medeiros, L., Medeiros, I., Porto, D. L., Aragão, C., Maciel, B., Morais, A., dan Passos, T. S. (2019) ‘Nanoencapsulation improved water solubility and color stability of carotenoids extracted from Cantaloupe melon (*Cucumis melon L.*)’, *Food Chemistry*, 270, 562–572.
- Minj, S., dan Anand, S. (2020). Whey proteins and its derivatives: Bioactivity, functionality, and current applications. *Dairy*, 1(3), 233-258.
- Noello, C., Carvalho, A. G. S., Silva, V. M. D., dan Hubinger, M. D. (2016). Spray dried microparticles of chia oil using emulsion stabilized by whey protein concentrate and pectin by electrostatic deposition. *Food Research International*, 89, 549-557.
- Paulo, F. dan Santos, L. (2017) ‘Design of experiments for microencapsulation applications: A review’, *Materials Science and Engineering*, 77, 1327-1340.
- Rehman, A., Tong, Q., Jafari, S. M., Assadpour, E., Shehzad, Q., Aadil, R. M., Iqbal, M. W., Rashed, M. M. A., Mushtaq, B. S., dan Ashraf, W. (2020). Carotenoid-loaded nanocarriers: A comprehensive review. *Advances in Colloid and Interface Science*, 275, 102048.
- Ribeiro, A. M., Shahgol, M., Estevinho, B. N., dan Rocha, F. (2020). Microencapsulation of Vitamin A by spray-drying, using binary and ternary



blends of gum arabic, starch and maltodextrin. *Food Hydrocolloids*, 108 (December 2019), 106029.

Ribeiro, J. S. dan Veloso, C. M. (2021). Microencapsulation of natural dyes with biopolymers for application in food: A review. *Food Hydrocolloids*, 112 (September 2020), 106374.

Rodriguez-Amaya, D. B. (2016) ‘Natural food pigments and colorants’, *Current Opinion in Food Science*, 7, 20-26.

Santos, de Freitas, P. D., Rubio, F. T. V., da Silva, M. P., Pinho, L. S., dan Favaro-Trindade, C. S. (2021). Microencapsulation of carotenoid-rich materials: A review. *Food Research International*, 147, 110571.

Satriyanto, B., Widjanarko, S. B., dan Yunianta, Y. (2013). Heat Stability of Red Fruit Extract (*Pandanus conoideus*) Color as Potential Source of Natural Pigments. *Jurnal Teknologi Pertanian*, 13(3), 157–168.

Schuck, P. (2011) ‘Milk powder: physical and functional properties of milk powders’, *Encyclopedia of Dairy Sciences 2nd ed.* Vol. 2, 117-124.

Setiowati, A. D., Wijaya, W., dan Van der Meeren, P. (2020). Whey protein-polysaccharide conjugates obtained via dry heat treatment to improve the heat stability of whey protein stabilized emulsions. *Trends in Food Science & Technology*, 98, 150-161.

Shi, Q., Fang, Z., dan Bhandari, B. (2013) ‘Effect of addition of whey protein isolate on spray-drying behavior of honey with maltodextrin as a carrier material’, *Drying Technology*, 31(13-14), 1681-1692.

Shishir, M. R. I., dan Chen, W. (2017). Trends of spray drying: A critical review on drying of fruit and vegetable juices. *Trends in Food Science and Technology*, 65, 49–67.

Takahata, Y., Noda, T., dan Nagata, T. (1993) ‘HPLC determination of β-carotene content of sweet potato cultivars and its relationship with color values’, *Japanese Journal of Breeding*, 43(3), 421-427.

Teichert, J., Cais-Sokolińska, D., Danków, R., Pikul, J., Chudy, S., Bierzuńska, P., dan Kaczyński, Ł. K. (2020). Color stability of fermented mare’s milk and a fermented beverage from cow’s milk adapted to mare’s milk composition. *Foods*, 9(2), 217.

Tuyen, C. K., Nguyen, M. H., dan Roach, P. D. (2010) ‘Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder’, *Journal of Food Engineering*, 98(3), 385-392.



Villalobos-Castillejos, F., Lartundo-Rojas, L., Leyva-Daniel, D. E., Porras-Saavedra, J., Pereyra-Castro, S., Gutiérrez-López, G. F., dan Alamilla-Beltrán, L. (2021). Effect of emulsification techniques on the distribution of components on the surface of microparticles obtained by spray drying. *Food and Bioproducts Processing*, 129, 115-123.

Wang, W., Jiang, Y., dan Zhou, W. (2013). Characteristics of soy sauce powders spray-dried using dairy whey proteins and maltodextrins as drying aids. *Journal of Food Engineering*, 119(4), 724-730.

Zhang, L., Zeng, X., Fu, N., Tang, X., Sun, Y., dan Lin, L. (2018). ‘Maltodextrin: A consummate carrier for spray-drying of xylooligosaccharides, *Food Research International*, 106, 383-393.