UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abarghuei, M.J., Y. Rouzbehan, A.Z.M. Salem and M.J. Zamiri. 2021. Effects of pomegranate peel extract on ruminal and post-ruminal *in vitro* degradation of rumen inoculum of the dairy cow. J. Anim. Biotech. 32(3): 366-374.

Abdullah, M.A.M., M.M. Farghaly and I.M.I. Youssef. 2018. Effect of feeding Acacia nilotica pods to sheep on nutrient digestibility, nitrogen balance, ruminal protozoa and rumen enzymes activity.J. Anim Physiol. Anim Nutr. 102(3): 662-669.

Aiman-Zakaria, A., G. Yong-Meng, M. Ali-Rajion, S. Jafari, M. Faseleh-Jahromi, P. Shokriyazdan and M. Ebrahimi. 2017. The influence of plant polyphenols from oil palm (Elaeis guineensis Jacq.) leaf extract on fermentation characteristics, biohydrogenation of C18 PUFA, and microbial populations in rumen of goats: *in vitro* study. Acta Agriculturae Scandinavica, Section A. J. Anim. Sci. 67(1-2): 76-84.

Al-Kindi, A., A. Schiborra, A. Buerkert and E. Schlecht. 2017. Effects of quebracho tannin extract and activated charcoal on nutrient digestibility, digesta passage and faeces composition in goats. J. Anim. Physiol. Anim. Nutr. 101(3): 576-588.

Ampapon, T., and M. Wanapat. 2019. Rambutan fruit peel powder and dietary protein level influencing on fermentation characteristics, nutrient digestibility, ruminal microorganisms and gas production using in vitro fermentation techniques. J. Trop. Anim. Health Prod. 51(6): 1489-1496.

Animut, G., R. Puchala, A.L. Goetsch, A.K. Patra, T. Sahlu, V.H. Varel and J. Wells. 2008. Methane emission by goats consuming diets with different levels of condensed tannins from lespedeza. J. Anim. Feed Sci. Technol. 144(3-4): 212-227.

AOAC. 2005. Official Method of Analysis of the Association of Official Analitycal Chemist. 18th ed. Maryland: AOAC International. William Harwitz (ed). United Stated of America.

Aprianto, M. A. 2020. Pengaruh Penggunaan Bungkil Pala (Myristica fragrans Houtt.) dalam Ransum terhadap Parameter Fermentasi dan Keragaman Bakteri Metanogenik Rumen secara In Vitro. Skirpsi. Sarjana Fakultas Peternakan, Universitas Gadjah Mada,Yogyakarta.

Arora, S. P. 1995. Pencernaan Mikroba pada Ruminansia. Cetakan kedua.Diterjemahkan oleh Retno Murwani. Gadjah Mada University Press.Yogyakarta.

Arrizqiyani, T., S. Sri and M. Mila. 2018. Aktivitas antibakteri daging buah dan daun pala (Myristica fragrans) terhadap Escherichia coli. J. kesehat. Vokasional. 4(2): 81-84.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Arumugam, G., K.S. Mallappa and R.S. Uma. 2016. "Plectranthus amboinicus (Lour.) Spreng: Botanical, Phytochemical, Pharmacological and Nutritional Significance" Molecules 21. 4: 369.

Bach, A., S. Calsamiglia and M.D. Stern. 2005. Nitrogen metabolism in the rumen. J. Dairy. Sci. 88: E9-E21.

Bae, H. D., T.A. McAllister, J. Yanke, K.J. Cheng, and A.D. Muir. 1993. Effects of condensed tannins on endoglucanase activity and filter paper digestion by Fibrobacter succinogenes S85. Appl. Environ. Microbiol. 59(7): 2132-2138.

Balasundram, N., K. Sundram and S. Samman. 2006. Phenolic compounds in plants and agri-industrial by-products: Antioxidant activity, occurrence, and potential uses. J. Foodchem. 99(1): 191-203.

Baldwin, R.L and M.J. Allison. 1983. Rumen metabolism. J. Anim. Sci. 57 Suppl. 2:461-477.

Banskalieva, V., T.A. Sahlu and A.L. Goetsch. 2000. Fatty acid composition of goat muscles and fat depots: a review. Small Rumin. Ress. *37*(3): 255-268.

Barducci, R. S., M.C.S. Franzói, L.M.N. Sarti, D.D. Millen, T.C. Putarov, A. Perdigão and M.D.B. Arrigoni. 2016. Perfil de ácidos graxos e características da carne de bovinos Nelore confinados com diferentes fontes lipídicas protegidas. J. Arq. Bras. Med. Vet. Zootec. 68: 233-242.

Bauman, D.E and A.L. Lock. 2006. Concepts in lipid digestion and metabolism in dairy cows. In Proceedings of the 2006 Tri-State Dairy Nutrition Conference, Fort Wayne, Indiana, USA, 25-26 April, 2006 (pp. 1-14). Ohio State University.

Bauman, D.E., J.W. Perfield, M.J. de Veth, and A.L. Lock. 2003. New perspectives on lipid digestion and metabolism in ruminants. Pages 175-189 in Proceedings Cornell Nutrition Conference for Feed Manufactures. Cornell University, Ithaca, New York.

Behan, A. A., T.C. Loh, S. Fakurazi, U. Kaka, A. Kaka, and A.A. Samsudin. 2019. Effects of supplementation of rumen protected fats on rumen ecology and digestibility of nutrients in sheep. Animals. 9(7): 400.

Bergmeyer, H.U., J. Bergmeyer and M. Grassl.1983. Method of Enzymatic Analysis Vol. 2. Weinhein, Deerfiel Beach, Florida.

Bhatta, R., M. Saravanan, L. Baruah and K.T. Sampath. 2012. Nutrient content, in vitro ruminal fermentation characteristics and methane reduction potential of tropical tannin-containing leaves. J. Food Sci. Agric. 92(15): 2929-2935.

Bhatta, R., Y. Uyeno, K. Tajima, A. Takenaka, Y. Yabumoto, I. Nonaka and M. Kurihara. 2009. Difference in the nature of tannins on in vitro ruminal methane and volatile fatty acid production and on methanogenic archaea and protozoal populations. J. Dairy Sci. 92(11): 5512-5522.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Boadi D.A and K.M. Wittenberg. 2002. Methane production from dairy and beef heifers fed forages differing in nutrient density using the sulphur hexafl uoride (SF6) tracer gas technique. Can. J. Anim. Sci. 82: 201–206. http://dx.doi.org/10.4141/A01-017.

Bravo, L. 1998. Polyphenols: chemistry, dietary sources, metabolism, and nutritional significance. Nutrition reviews, 56(11), 317-333. http://dx.doi.org/10.1111/j.1753-4887.1998.tb01670.

Buccioni, A., M. Decandia, S. Minieri, G. Molle, and A. Cabiddu. 2012. Lipid metabolism in the rumen: New insights on lipolysis and biohydrogenation with an emphasis on the role of endogenous plant factors. Anim. Feed Sci. Technol. 174:1–25. https://doi.org/10.1016/j.anifeedsci.2012.02.009.

Buccioni, A., M. Pauselli, C. Viti, S.A.R.A. Minieri, S, G. Pallara, V. Roscini and M. Mele. 2015. Milk fatty acid composition, rumen microbial population, and animal performances in response to diets rich in linoleic acid supplemented with chestnut or quebracho tannins in dairy ewes. J. Dairy Sci. 98(2): 1145-1156.

Buddle, B. M., M. Denis, G.T. Attwood, E. Altermann, P.H. Janssen, R.S. Ronimus and D.N. Wedlock. 2011. Strategies to reduce methane emissions from farmed ruminants grazing on pasture.J. Vet. 188(1): 11-17.

Cabiddu, A., L. Salis, J.K. Tweed, G. Molle, M. Decandia and M.R. Lee. 2010. The influence of plant polyphenols on lipolysis and biohydrogenation in dried forages at different phenological stages: in vitro study.J. Sci. Food Agric. 90(5): 829-835.

Carreño, D., G. Hervás, P.G. Toral, A. Belenguer, and P. Frutos. 2015. Ability of different types and doses of tannin extracts to modulate in vitro ruminal biohydrogenation in sheep.J. Anim. Feed Sci. Technol. 202: 42-51.

Carulla, J. E., M. Kreuzer, A. Machmüller and H.D. Hess. 2005. Supplementation of Acacia mearnsii tannins decreases methanogenesis and urinary nitrogen in forage-fed sheep.J. Aust. Agric. Res. 56(9): 961-970.

Castillo-González, A. R., M.E. Burrola-Barraza, J. Domínguez-Viveros and A. Chávez-Martínez. 2014. Rumen microorganisms and fermentation.J. Arch. Med. Vet. 46(3): 349-361.

Castro-Montoya, J. M., H.P.S. Makkar and K. Becker. 2011. Chemical composition of rumen microbial fraction and fermentation parameters as affected by tannins and saponins using an in vitro rumen fermentation system.Can. J. Anim. Sci, 91(3): 433-448.

Chen, X. B. 1996. An Excel Application Program for Processing Feed Degradability Data: User Manual. Rowett Res. Insitute Aberdeen, UK.

Cheng, K.J and J. W. Costerton. 1980. Adherent rumen bacteria-their role in the digestion of plant material, urea and dead epithelial cells. In: Y. Ruckebush

PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN
MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

and P. Thivend (Ed.) Digestion and Metabolism in the Ruminant. p 227. MTP Press, Lancaster, U.K.

Chilliard, Y.,F. Glasser, A. Ferlay, L. Bernard, J. Rouel and M. Doreau. 2007. Diet, rumen biohydrogenation and nutritional quality of cow and goat milk fat. Eur. J. Lipid Sci. Technol. 109(8): 828-855.

Choi, Y., S.J. Lee, H.S. Kim, J.S. Eom, S.U. Ju, L.L. Guan and S.S. Lee. 2021. Effects of seaweed extracts on in vitro rumen fermentation characteristics, methane production, and microbial abundance. Sci. Rep. 11(1): 1-12.

Choudhury, P. K., A. Z. M. Salem, R. Jena, S. Kumar, R. Singh, and A. K. Puniya. 2015. Rumen Microbiology: From Evolution to Revolution. Rumen Microbiology: An Overview. A. K. Puniya, R. Singh, and D. N. Kamra (eds.). Springer. New Delhi. pp 4-12.

Cieslak, A., P. Zmora, E. Pers-Kamczyc, A. Stochmal, A. Sadowinska, A.Z. Salem and M. Szumacher-Strabel. 2014. Effects of two sources of tannins (Quercus L. and Vaccinium vitis idaea L.) on rumen microbial fermentation: an in vitro study. Ital. J. Anim. Sci. 13(2): 3133.

Cieslak, A., Zmora, P., Matkowski, A., Nawrot-Hadzik, I., Pers-Kamczyc, E., El-Sherbiny, M., and Szumacher-Strabel, M. 2016. Tannins from sanguisorba officinalis affect in vitro rumen methane production and fermentation. J. Anim. Plant Sci. 26(1): 54-62

Correa, L. B., A.S. Netto, J.S. da Silva, N.R.B. Cônsolo, S.M.P. Pugine, M.P. de Melo and M.A. Zanetti. 2022. Changes on meat fatty acid profile, cholesterol and hepatic metabolism associated with antioxidants and canola oil supplementation for Nellore cattle. J. Livest. Sci. 257: 104850.

Correddu, F., M.F. Lunesu, G. Buffa, A.S. Atzori, A. Nudda, G. Battacone and G. Pulina. 2020. Can agro-industrial by-products rich in polyphenols be advantageously used in the feeding and nutrition of dairy small ruminants?. Animals. 10(1): 131-125

Costa, M., S.P. Alves, A. Cappucci, S.R. Cook, A. Duarte, R.M. Caldeira and R.J. Bessa. 2018. Effects of condensed and hydrolyzable tannins on rumen metabolism with emphasis on the biohydrogenation of unsaturated fatty acids. J. Agric. Food Chem. 66(13): 3367-3377.

Czerkawski, J. W. 1974. Metabolic hydrogen as an index in the integrated approach to the studies of rumen fermentation. In K. H. Menke, H. J. Lantzsch and J. R. Reichl (Ed.) 6th Symposium on Energy Metabolism of Farm Animals. p. 95. European Ass. Anita. Prod. Pub. 14. Stuttgardt.

De Nardi, R., G. Marchesini, S. Li, Plaizier, E. Khafipour, K.J.C. Plaizier, M. Gianesella, R. Ricci, I. Andrighetto and S. Segato. 2016. Metagenomic analysis of rumen microbial population in dairy heifers fed a high grain diet supplemented with dicarboxylic acids or polyphenols. BMC. Vet. Res. 12(1):1-9.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Dentinho, M. T. P., O.C. Moreira, M.S. Pereira and R.J.B. Bessa. 2007. The use of a tannin crude extract from Cistus ladanifer L. to protect soya-bean protein from degradation in the rumen. Animal. 1(5):645-650.

Dewanckele, L., B. Vlaeminck, E. Hernandez-Sanabria, A. Ruiz-González, S. Debruyne, J. Jeyanathan and V. Fievez. 2018. Rumen biohydrogenation and microbial community changes upon early life supplementation of 22: 6n-3 enriched microalgae to goats. Front. Microbiol. 9: 573.

Diaz, A., M. Avendano, and A. Escobar. 1993. Evaluation of Sapindus saponaria as a defaunating agent and its effects on different ruminal digestion parameters. Livest. Res. Rural Dev. 5:1–6.

Ditjen Perkebunan. 2019. Statistik Perkebunan Indonesia 2018-2020. Gartina, D. and Sukriya, L.L. eds. Jakarta: Direktorat Jenderal Perkebunan.

Duckett, S. K and M. H. Gillis. 2010. Effects of oil source and fish oil addition on ruminal biohydrogenation of fatty acids and conjugated linoleic acid formation in beef steers fed finishing diets. J Anim Sci. 88: 2684-2691. http://dx.doi.org/10.2527/jas.2009-2375

Durmic, Z., C.S. McSweeney, G.W. Kemp, P. Hutton, R.J. Wallace and P.E. Vercoe.2008. Australian plants with potential to inhibit bacteria and processes involved in ruminal biohydrogenation of fatty acids.Anim. Feed Sci. Technol. 145(1-4): 271-284.

Ebrahimi, M., M.A. Rajion, G.Y. Meng, P. Shokryzada, A.Q. Sazili and M.F. Jahromi. 2015. Feeding oil palm (Elaeis guineensis,Jacq.) fronds alters rumen protozoal population and ruminal fermentation pattern in goats. Ital. J. Anim. Sci. 14: 3877.

El-Waziry, A. M., M.E.A. Nasser and S.M.A. Sallam. 2005. Processing Methods of Soybean Meal: 1-Effect of roasting and tannic acid treated-soybean meal on gas production and rumen fermentation in vitro. J. Appl. Sci. Res.1(3): 313-320.

Faleiro, M.L. 2011. The Mode of Antibacterial Action of Essential Oils. In: Mendez-Vilas, A., Ed., Science against Microbial Pathogens: Communicating Current Research and Technological Advances, Formatex Research Center. Badajoz: 1143-1156.

Ferlay, A., L. Bernard, A. Meynadier and C. Malpuech-Brugère. 2017. Production of trans and conjugated fatty acids in dairy ruminants and their putative effects on human health: A review. Biochimie, 141, 107-120.

Fern, K. 2018. Tropical plants database, Ken Fern. tropical. theferns. info. http://tropical.theferns.info/viewtropical.php?id=Myristica+fragrans

Ferry, J.G and K.A. Kastead. 2007. Methanogenesis. In: Cavicchioli R (ed) Archaea: molecular and cellular biology. ASM Press. Washington, DC. 288-314.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Filípek, J and R. Dvořák. 2009. Determination of the volatile fatty acid content in the rumen liquid: Comparison of gas chromatography and capillary isotachophoresis. Acta Vet. Brno. 78(4):627-633.

Finlay, B. J., G. Esteban, K.J. Clarke, A.G. Williams, T.M. Embley and R.P. Hirt. 1994. Some rumen ciliates have endosymbiotic methanogens. FEMS Microbiol. Lett. 117(2): 157-161.

Fitriastuti, R., L.M. Yusiati, B.P. Widyobroto, Z. Bachruddin and C. Hanim. 2019. Effect of Cashew Nutshell Oil Supplementation as Phenol Source for Protein Protection on In Vitro Nutrient Digestibility.Bul. Peternak. 43(4): 225-230.

Frutos, P., G. Hervas, F.J. Giráldez and A.R. Mantecón. 2004. Tannins and ruminant nutrition. Span. J. Agric. Res. 2(2): 191-202.

Fuentes, M. C., S. Calsamiglia, P.W. Cardozo and B. Vlaeminck. 2009. Effect of pH and level of concentrate in the diet on the production of biohydrogenation intermediates in a dual-flow continuous culture. J. Dairy Sci. 92(9): 4456-4466.

Goel, G and H.P. Makkar. 2012. Methane mitigation from ruminants using tannins and saponins. Trop. Anim. Health Prod. 44(4): 729-739.

Goopy, J. P and R.S. Hegarty. 2004. Repeatability of methane production in cattle fed concentrate and forage diets. J. Anim. Feed Sci.13: 75-78.

Grainger, C., T. Clarke, M.J. Auldist, K.A. Beauchemin, S.M. McGinn, G.C. Waghorn and R.J. Eckard. 2009. Potential use of Acacia mearnsii condensed tannins to reduce methane emissions and nitrogen excretion from grazing dairy cows. Can. J. Anim. Sci. 89(2): 241-251.

Hadianto, I. 2020. Kajian penggunaan sinamaldehid kulit kayu manis (Cinnamomum burmanni Ness ex Bl.) untuk proteksi protein pakan secara in vitro. Tesis. Pascasarjana. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Hafif, B. 2021. Strategi mempertahankan Indonesia sebagai produsen utama pala dunia. JPPTP. 40(1): 58-70.

Halliwel, G., N.N.B.A. Wahab and A.H. Patle. 1985. Chemical composition of endo1,4-β-glucanase to cellulotic in Trichoderma koninglii. J. App. Biochem. 7:43-45.

Han, X., Y. Yang., H. Yan, X. Wang, L. Qu and Y. Chen. 2015. Rumen bacterial diversity of 80 to 110-day-old goats using 16S rRNA sequencing. PloS one, 10(2), e0117811.

Hartadi, H., S. Reksohadiprodjo, dan A. D. Tillman. 2005. Tabel Komposisi Pakan untuk Indonesia. Gadjah Mada University Press. Yogyakarta.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hartanto, E. S., and R.F. Silitonga . 2018. Ekstraksi Asam Miristat asal Biji Pala (Myristica Fragrans Houtt) dan Limbah Industri Olahannya. J. Agric. Food Ind. Organ: 38-45.

Hartemink, E., D. Giorgio, R. Kaur, A. Di Trana and P. Celi. 2015. The effect of Yerba Mate (Ilex paraguariensis) supplementation on nutrient degradability in dairy cows: an in sacco and in vitro study. Asian Australas. J. Anim. Sci. 28(11):1606-1613.

Hartley, R. D., and E.C. Jones. 1977. Phenolic components and degradability of cell walls of grass and legume species. Phytochemistry, 16(10), 1531-1534.

Hegarty, R.S. 1999. Mechanisms for competitively reducing ruminal methanogenesis. Aust. J. Agric. Res. 50(8): 1299-1306.

Henderson, G., F. Cox, S. Ganesh, A. Jonker, W. Young and P.H. Janssen. 2015. Rumen microbial community composition varies with diet and host, but a core microbiome is found across a wide geographical range.Sci. Rep. 5(1): 1-15.

Hino, T., and J. B. Russell. 1985. Effect of reducing-equivalent disposal and NADH/NAD on deamination of amino acids by intact rumen microorganisms and their cell extracts. Appl. Environ. Microbiol. 50: 1368–1374.

Hristov, A. N., M. Vander Pol, M. Agle, S. Zaman, C. Schneider, P. Ndegwa, V.K.Vadella, K. Johnson, K.J. Shingfield., and S.K.R. Karnati. 2009. Effect of Lauric Acid And Coconut Oil on Ruminal Fermentation, Digestion, Ammonia Losses From Manure, and Milk Fatty Acid Composition in Lactating Cows. J. Dairy Sci. 92(11):5561-5582.

Hu, C., L. Liu, and S. Yang. 2012. Protein enrichment, cellulase production and in vitro digestion improvement of pangolagrass with solid state fermentation. J. Microbiol. Immunol. Infect. 45(1): 7-14.

Hu, W. L., J.X. Liu, J.A. Ye, Y.M. Wu and Y.Q. Guo. 2005. Effect of tea saponin on rumen fermentation in vitro. Anim. Feed Sci. Technol. 120(3-4): 333-339.

Hudson, J. A., B. Morvan and K.N. Joblin. 1998. Hydration of linoleic acid by bacteria isolated from ruminants. FEMS Microbiol. Lett. 169(2): 277-282.

Ifani, M., E.A. Rimbawanto and F.M. Suhartati. 2021. Effect of Protection of Soybean Meal Using Mahogany Leaf Extract in Ruminant Diet on Rumen Fermentation Products. J. Anim. Vet Sci. 26(3): 96-107.

Jadhav, R.V., A. Kannan, R. Bhar, O.P. Sharma, A. Gulati, K. Rajkumar and M.R. Verma. 2018. Effect of tea (Camellia sinensis) seed saponins on in vitro rumen fermentation, methane production and true digestibility at different forage to concentrate ratios.J. Appl. Anim. Res. 46(1): 118-124.

Jafari, S., A. Alizadeh, A. Imani, Y.M. Goh, M.A. Rajion and M. Ebrahimi. 2015. In situ degradation of almond(Prunus dulcis L.) hulls, a potential feed material for ruminants. Turkish J. Vet. Anim Sci. 39: 676–681.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Jafari, S., M. Ebrahimi, G.Y. Meng, M.A. Rajion and J.M. Faseleh. 2018. Dietary supplementation of papaya (Carica papaya l.) leaf affects abundance of Butyrivibrio fibrisolvens and modulates biohydrogenation of C18 polyunsaturated fatty acids in the rumen of goats. Ital. J. Anim. Sci. 17(2): 326-335.

Jafari, S., Y.M. Goh, M.A. Rajion, J.M. Faseleh and M. Ebrahimi. 2016. Ruminalmethanogenesis and biohydrogenation reduction potential of papaya (Carica papaya) leaf: an in vitro study. Ital. J. Anim. Sci. 15(1): 157-165.

Jami, E., A. Israel, A. Kotser, and I. Mizrahi. 2013. Exploring the bovine rumen bacterial community from birth to adulthood. ISME. J. 7:1069–1079.

Janssen, P.H and M. Kirs. 2008. Structure of the archaeal community of the rumen. Appl. Environ. Microbiol. 74:3619–3625.

Jayanegara A., M. Kreuzer, E. Wina, L. Florian. 2011. Significance of phenolic compounds in tropical forages for the ruminal bypass of polyunsaturated fatty acids and the appearance of biohydrogenation intermediates as examined in vitro. Anim. Prod. Sci 51: 1127-1136.

Jayanegara, A. 2014. Ruminal biohydrogenation pattern of poly-unsaturated fatty acid as influenced by dietary tannin. WARTAZOA. Indonesian Bulletin of Animal and Veterinary Sciences, 23(1), 8-14.

Jayanegara, A., A. Yaman and L. Khotijah. 2019. Reduction of proteolysis of high protein silage from Moringa and Indigofera leaves by addition of tannin extract. Vet. World. 12(2): 211.

Jayanegara, A., F. Leiber, and M. Kreuzer. 2012. Meta-analysis of the relationship between dietary tannin level and methane formation in ruminants from in vivo and in vitro experiments.J. Anim. Physiol.Anim. Nutr. 96(3): 365-375.

Jayanegara, A., G. Goel, H.P.S. Makkar and K. Becker. 2010. Reduction in methane emissions from ruminants by plant secondary metabolites: Effects of polyphenols and saponins. Sustainable Improvement of Animal Production and Health. Food and Agriculture Organization of the United Nations, Rome. 2010: 151-157.

Jayanegara, A., N. Togtokhbayar, H.P. Makkar and K. Becker. 2009. Tannins determined by various methods as predictors of methane production reduction potential of plants by an in vitro rumen fermentation system. Anim. Feed Sci. Technol. 150(3-4): 230-237.

Jenkins T.C.1993. Lipid metabolism in the rumen. J Dairy.Sci. 76 (12): 3851-3863.

Jones, G. A., T.A. McAllister, A.D. Muir and K.J. Cheng. 1994. Effects of sainfoin (Onobrychis viciifolia Scop.) condensed tannins on growth and proteolysis

PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN
MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

by four strains of ruminal bacteria. Appl. Environ. Microbiol. 60(4): 1374-1378.

Jouany, J. P. 1991. Defaunation of the rumen. In : The Rumen Microbial Metabolism and Ruminant Digestion. J. P. Jouany (editor). Institute Nationale de La Recherché Agronomique. INRA, SaintGenes Champanelle.

Jouany, J. P., and B. Lassalas. 2000. Effect of protozoa on methane production in the rumen; consequences on carbon and hydrogen distribution among the other end products of fermentation. In Methane Mitigation, Proceedings of Second International Conference (pp. 121-123).

Kamalak, A. D. E. M. 2005. Comparison of in vitro gas production technique with in situ nylon bag technique to estimate dry matter degradation. Czech J. Anim. Sci., 50, 2005 (2): 60–67.

Kamra, D. N., A.N.F. Perera, Z.Q. Xie and Q.Y. Diao. 2009. The use of plant secondary metabolites as medicine and feed additives for eco-friendly livestock production. Harvesting knowledge–pharming opportunities. British Society of Animal Science, Edinburgh.8-20.

Kamra, D.N. 2005. Rumen Microbial Ecosystem. Curr. Sci. 89: 124-135.

Keidane, D., and E. Birgele. 2003. The efficacy of feed on the intra ruminal and intra abomasal pH dynamics in goats.Vet. ir Zootech. 22(44): 58-61.

Kemp, P., and D. J. Lander. 1984. Hydrogenation in vitro of α-linolenic acid to stearic acid by mixed cultures of pure strains of rumen bacteria. Microbiology 130: 527–533.

Kerley, M. S., K.A. Garleb, G.C. Fahey Jr, L.L. Berger, K.J. Moore, G.N. Phillips, and J.M. Gould. 1988. Effects of alkaline hydrogen peroxide treatment of cotton and wheat straw on cellulose crystallinity and on composition and site and extent of disappearance of wheat straw cell wall phenolics and monosaccharides by sheep. J. Anim. Sci. 66(12): 3235-3244.

Kim, Y. J., R.H. Liu, J.L. Rychlik and J.B. Russell. 2002. The enrichment of a ruminal bacterium (Megasphaera elsdenii YJ-4) that produces the trans-10, cis-12 isomer of conjugated linoleic acid. J. Appl. Microbiol. *92*(5): 976-982.

Kozloski, G. V., C.J. Härter, F. Hentz, S.C. de Ávila, T. Orlandi and C.M. Stefanello. 2012. Intake, digestibility and nutrients supply to wethers fed ryegrass and intraruminally infused with levels of Acacia mearnsii tannin extract. Small Rumin. Res. 106(2-3): 125-130.

Kurihara, M., T. Magner, R.A. Hunter and G.J. McCrabb. 1999. Methane production and energy partition of cattle in the tropics. Br. J. Nutr. 81(3): 227-234.

Lange, M., P. Westermann and B.K. Ahring. 2005. Archaea in protozoa and metazoa. Appl. Microbiol. Biotechnol. 66(5): 465-474.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lee, M. R., A.L. Winters, N.D. Scollan, N. D., Dewhurst, R. J., Theodorou, M. K., and F.R. Minchin. 2004. Plant-mediated lipolysis and proteolysis in red clover with different polyphenol oxidase activities. J. Sci. Food Agric. 84(13): 1639-1645.

Leo, P., B. 2004. Pola Pengembangan Usaha Ternak Kambing Melalui Pendekatan Integrasi dengan Sistem Usaha Perkebunan Karet dan Kelapa Sawit. Prosiding Lokakarya Nasional Kambing Potong. Pusat Penelitian dan Pengembangan Peternakan Bogor. 129-135.

Lila, Z. A., N. Mohammed, S. Kanda, T. Kamada and H. Itabashi. 2003. Effect of sarsaponin on ruminal fermentation with particular reference to methane production in vitro. J. Dairy Sci. 86(10): 3330-3336.

Lima, R. K., M.D.G. Cardoso, M.A. Andrade, P.L. Guimarães, L.R. Batista, and D.L. Nelson. 2012. Bactericidal and antioxidant activity of essential oils from Myristica fragrans Houtt and Salvia microphylla HBK. J. Am. Oil. Chem Soc. 89(3): 523-528.

Liu, J. X., A. Susenbeth and K.H. Südekum. 2002. In vitro gas production measurements to evaluate interactions between untreated and chemically treated rice straws, grass hay, and mulberry leaves.J. Anim Sci. 80(2): 517-524.

Liu, K., Q. Xu, L. Wang, J. Wang, W. Guo and M. Zhou. 2017. The impact of diet on the composition and relative abundance of rumen microbes in goat. Asian-australas. J. Anim. Sci. 30(4): 531.

Liu, Y and W.B. Whitman. 2008. Metabolic, phylogenetic, and ecological diversity of the methanogenic archaea. Ann. N. Y. Acad. Sci. 1125:171–189.

Loomis, W. D., and J. Battaile. 1966. Plant phenolic compounds and the isolation of plant enzymes. Phytochemistry. 5(3): 423-438.

Lourenço, M., E. Ramos-Morales and R.J. Wallace. 2010. The role of microbes in rumen lipolysis and biohydrogenation and their manipulation. Animal. 4(7): 1008-1023.

Lu, C. D., and N.A. Jorgensen.1987. Alfalfa saponins affect site and extent of nutrient digestion in ruminants.J. Nutr. Sci. 117(5): 919-927.

Madruga, M. S., and M.C. Bressan. 2011. Goat meats: Description, rational use, certification, processing and technological developments. Small Rumin. Res. *98*(1-3): 39-45.

Maia, M. R., L.C. Chaudhary, L. Figueres and R.J. Wallace. 2007. Metabolism of polyunsaturated fatty acids and their toxicity to the microflora of the rumen. Antonie Van Leeuwenhoek. 91(4): 303-314.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Makkar, H. P. S. 2003. Effects and fate of tannins in ruminant animals, adaptation to tannins, and strategies to overcome detrimental effects of feeding tannin-rich feeds. Small Rumin. Ress. 49(3): 241-256.

Makkar, H. P. S., G. Francis and K. Becker. 2007. Bioactivity of phytochemicals in some lesser-known plants and their effects and potential applications in livestock and aquaculture production systems. Animal. 1(9): 1371-1391.

Makmur, M., M. Zain, Y. Marlida, K. Khasrad dan A. Jayanegara. 2019. Fatty acids composition and biohydrogenation reduction agents of tropical forages.J. Biodivers. 20(7): 1917-1922.

Makmur, M., M. Zain, Y. Marlida, K. Khasrad, and A. Jayanegara. 2020. In vitro ruminal biohydrogenation of C18 fatty acids in mixtures of Indigofera zollingeriana and Brachiaria decumbens. J. Indones. Trop. Anim. Agric. 45(2): 124-135.

Mannelli, F., A. Cappucci, F. Pini, R. Pastorelli, F. Decorosi, L. Giovannetti and A. Buccioni. 2018. Effect of different types of olive oil pomace dietary supplementation on the rumen microbial community profile in Comisana ewes. Sci. Rep. 8(1): 1-11.

Marzuki, I., B. Joefrie, S.A. Aziz, H. Agusta and M. Surahman. 2014. Physico-chemical characterization of Maluku nutmeg oil. Int. J. Comput. Sci. Eng. 7(1): 61-64.

McAllister, T. A., H.D. Bae, G.A. Jones and K.J. Cheng. 1994. Microbial attachment and feed digestion in the rumen. J. Anim. Sci. 72(11): 3004-3018.

McAllister, T.A., and C.J. Newbold. 2008. Redirecting rumen fermentation to reduce methanogenesis.Aust. J. Exp. Agric. 48(2): 7-13.

McCann, J. C., T.A. Wickersham and J.J. Loor. 2014. High-throughput methods redefine the rumen microbiome and its relationship with nutrition and metabolism. Bioinformatics and biology insights. 8:BBI-S15389.

McDonald, P., R. A. Edwards, J. F. D. Greenhalgh, C. A. Morgan, L. A. Sinclair, dan R. G. Wilkinson. 2011. Animal Nutrition. 7th ed. Pearson, UK.

McDonald, P., R.A. Edwards, R.A., Greenhalgh, J.F.D., and C.A. Morgan. 2002. Animal Nutrition. 6th Ed. Pretice all, London.

McIntosh, F. M., P. Williams, R. Losa, R.J. Wallace, D.A. Beever and C.J. Newbold. 2003. Effects of essential oils on ruminal microorganisms and their protein metabolism.Appl. Environ. Microbiol. 69(8)5011-5014.

McManus, J. P., K.G. Davis, T.H. Lilley and E. Haslam. 1981. The association of proteins with polyphenols. J. Chem. Soc., Chem. Commun. (7): 309b-311.

Mehta, D., and T. Satyanarayana. 2016. Bacterial and Archeal α-Amylase: Diversity and Ameolioration of the Desirable Characteristics for Industrial

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Applications. Front. Microbiol. 7:1-21

Menke, K. H., and H. Steingass. 1988. Estimation of the energetic feed value obtained from chemical analysis and in vitro gas production using rumen fluid. Anim. Res. Dev. 28:7–55.

Min, B. R., W.E. Pinchak, J.D. Fulford and R. Puchala. 2005. Wheat pasture bloat dynamics, in vitro ruminal gas production, and potential bloat mitigation with condensed tannins. J. Anim. Sci. 83(6): 1322-1331.

Minato, H., M. Misumori and K. J. Cheng. 1993. Attachment of microorganisms to solid substrates in the rumen. Pages 139–145 in Proc. MIE Bioforum on Genetic, Biochemistry and Ecology of Lignocellulose Degradation. Institut Pasteur, Paris, France.

Miri, V. H., S.H. Ebrahimi and A.K. Tyagi. 2015. The effect of cumin (Cuminum cyminum) seed extract on the inhibition of PUFA biohydrogenation in the rumen of lactating goats via changes in the activity of rumen bacteria and linoleate isomerase enzyme. Small Rumin. Res. 125: 56-63.

Molan, A. L., G.T. Attwood, B.R. Min and W.C. McNabb. 2001. The effect of condensed tannins from Lotus pedunculatus and Lotus corniculatus on the growth of proteolytic rumen bacteria in vitro and their possible mode of action. Can. J. Microbiol. *47*(7): 626-633.

Moon, C. D., D.M. Pacheco, W.J. Kelly, S.C. Leahy, D. Li, J. Kopečný and G.T. Attwood. 2008. Reclassification of Clostridium proteoclasticum as Butyrivibrio proteoclasticus comb. nov., a butyrate-producing ruminal bacterium.Int. J, Syst. Evol. 58(9): 2041-2045.

Morales, R., and E.M. Ungerfeld. 2015. Use of tannins to improve fatty acids profile of meat and milk quality in ruminants: A review. Chil. J. Agric. Res. *75*(2): 239-248.

Mueller-Harvey, I. 2006. Unravelling the conundrum of tannins in animal nutrition and health. J. Sci. Food Agric. 86(13): 2010-2037.

Nagaraja, T. G. 2016. Microbiologi of The Rumen.Pages 39–61 in Rumenology. Milen, D.D., Arrigoni, M.D.B., Pacheco, R.D.L., eds. Springer, Switzerland.

Naumann, H. D., L.O. Tedeschi, W.E. Zeller and N.F. Huntley. 2017. The role of condensed tannins in ruminant animal production: advances, limitations and future directions. Rev. Bras. De Zootec. 46: 929-949.

Newbold, C. J., G. De la Fuente, A. Belanche, E. Ramos-Morales and N.R. McEwan. 2015. The role of ciliate protozoa in the rumen. Front. Microbiol: 1313.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Newbold, C. J., S.M. El Hassan, J. Wang, M.E. Ortega and R.J. Wallace. 1997. Influence of foliage from African multipurpose trees on activity of rumen protozoa and bacteria. Br. J. Nutr. 78(2):237-249.

Nigam, P.S. 2013. Microbial enzymes with special characteristics for biotechnological applications. Biomol. 3(3):597-611.

Nurhasanah, N. 2014. Antimicrobial activity of nutmeg (Myristica fragrans Houtt) fruit methanol extract againts growth Staphylococus aureus and Escherichia coli. Bioedukasi Universitas Khairun.3(1): 89548.

Nurjanah, S., I.L. Putri and D.P. Sugiarti. 2017. Antibacterial activity of nutmeg oil. KnE. Life. Sci, 563-569.

Nurjannah, N. 2007. Teknologi pengolahan pala. Badan Penelitian dan Pengembangan Pertanian, Balai Besar Penelitian dan Pengembangan Pasca Panen Pertanian.

O'Brein, R. D. 2009. Fats and Oils: formulating and Processing for Applications. *.Aufl., CRCPress, Boca Raton–London–New York*, 13-40.

Oh, S., R. Shintani, S. Koike and Y. Kobayashi. 2017. Ginkgo fruit extract as an additive to modify rumen microbiota and fermentation and to mitigate methane production. J. Dairy Sci. 100(3): 1923-1934.

Orpin, C. G., and K.N. Joblin. 1997. The rumen anaerobic fungi. In *The rumen microbial ecosystem* (pp. 140-195). Springer, Dordrecht.

Ørskov, E. R. 1992: Protein nutrition of ruminants. 2nd Ed., Academic Press, London, 175.

Ørskov, E. R. 1998. Feed evaluation with emphasis on fibrous roughages and fluctuating supply of nutrients: a review. Small Rumin. Res. 28(1): 1-8.

Owens, F. N., and M. Basalan. 2016. Ruminal Fermentation. Pages 63-102 in Rumenology. Millen, D., D. Beni, M. Arrigoni, Lauritano, R. Pacheco. Springer, Cham.

Ozdal, T., E. Capanoglu and F. Altay. 2013. A review on protein–phenolic interactions and associated changes. Int. Food Res.J. 51(2): 954-970.

Ozkan, C. O., and M. Sahin. 2006. Comparison of in situ dry matter degradation with in vitro gas production of oak leaves supplemented with or without polyethylene glycol (PEG). Asian-australas. J. Anim. Sci. 19(8): 1120-1126.

Paillard, D., N. McKain, L.C. Chaudhary, N.D. Walker. F. Pizette, I. Koppova, and R.J. Wallace. 2007. Relation between phylogenetic position, lipid metabolism and butyrate production by different Butyrivibrio-like bacteria from the rumen. Antonie Van Leeuwenhoek. 91(4): 417-422.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Patra, A. K., and J. Saxena. 2011. Exploitation of dietary tannins to improve rumen metabolism and ruminant nutrition.J. Sci. Food Agric. 91(1): 24-37.

Patra, A. K., B.R. Min, and J. Saxena. 2012. Dietary tannins on microbial ecology of the gastrointestinal tract in ruminants.Phytochem Anal: 237-262.

Patra, A. K., D.N. Kamra and N. Agarwal. 2010. Effects of extracts of spices on rumen methanogenesis, enzyme activities and fermentation of feeds in vitro. J. Sci. Food Agric. 90(3): 511-520.

Peclzar, M. J. and E.C.S. Chan. 1988. Dasar-Dasar Mikrobiologi II. (diterjemahkan oleh R. S. Hadioetomo, Teja Imam, SW. S. Tjitrosomo dan Sri Lestari Angka). Indonesia University Press, Jakarta.

Pen, B., C. Sar, B. Mwenya, K. Kuwaki, R. Morikawa, and J. Takahashi. 2006. Effects of Yucca schidigera and Quillaja saponaria extracts on in vitro ruminal fermentation and methane emission.Anim. Feed Sci. Technol. 129(3-4): 175-186.

Plummer, D. T. 1987. An Introduction to Practical Biochemistry. 3rd Edition. Mc. Graw-Hill Book Company Publ. New Delhi.

Pusdatin. 2020. Outlook Komoditas Perkebunan Pala. eds. Jakarta: Sekjen Kementan.

Ramaiyulis, R., M. Zain, R.W.S. Ningrat and L. Warly. 2019. Protection of protein in cattle feed supplement from rumen microbial degradation with addition of gambier leaf residue.Int. J. Zool. 15(1): 6-12.

Rana, M. S., A. Tyagi, S.A. Hossain and A.K. Tyagi. 2012. Effect of tanniniferous Terminalia chebula extract on rumen biohydrogenation,∆ 9-desaturase activity, CLA content and fatty acid composition in longissimus dorsi muscle of kids. Meat Sci. 90(3): 558-563.

Rey, M., F. Enjalbert, and V. Monteils. 2012. Establishment of ruminal enzyme activities and fermentation capacity in dairy calves from birth through weaning. J. Dairy Sci. 95(3): 1500–1512.

Rira, M., D.P. Morgavi, H. Archimède, C. Marie-Magdeleine, M. Popova, H. Bousseboua, and M. Doreau. 2015. Potential of tannin-rich plants for modulating ruminal microbes and ruminal fermentation in sheep. J. Anim. Sci. 93(1): 334-347.

Robertson, T. B. 1929. Animal Nutrition. 7th editio. Pearson, Harlow, UK

Rozbicka-Wieczorek, A. J., M. Czauderna, E. Więsyk, and A. Radzik-Rant. 2016. containing carnosic acid, fish and rapeseed oils affect fatty acid profiles in lamb muscles. J. Anim. Feed Sci. *25*: 216-225.

Russell, J. B., and J.L. Rychlik. 2001. Factors that alter rumen microbial ecology. Science. 292(5519): 1119-1122.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Salami, S. A., B. Valenti, M. Bella, M.N. O'Grady, G. Luciano, J.P. Kerry and C.J. Newbold. 2018. Characterisation of the ruminal fermentation and microbiome in lambs supplemented with hydrolysable and condensed tannins. FEMS Microbiol Ecol. 94(5):1-13. doi: 10.1093/femsec/fiy061

Salem, A. Z. M., M. Olivares, S. Lopez, M. Gonzalez-Ronquillo, R. Rojo, L.M. Camacho and H.P. Mejia. 2011. Effect of natural extracts of Salix babylonica and Leucaena leucocephala on nutrient digestibility and growth performance of lambs. Anim. Feed Sci. Technol. 170(1-2): 27-34.

Samal, L., L.C. Chaudhary, N. Agarwal and D.N. Kamra. 2016. Effects of plants containing secondary metabolites as feed additives on rumen metabolites and methanogen diversity of buffaloes. Anim. Prod. Sci. *56*(3): 472-481.

Samanta, A. K., K.K. Singh, M.M. Das, S.B. Maity and S.S. Kundu. 2003. Effect of complete feed block on nutrient utilisation and rumen fermentation in Barbari goats. Small Rumin. Res. 48(2): 95-102.

Saminathan, M., C.C. Sieo, H.M. Gan, S. Ravi, K. Venkatachalam, N. Abdullah, and Y. W. Ho. 2016. Modulatory effects of condensed tannin fractions of different molecular weights from a Leucaena leucocephala hybrid on the bovine rumen bacterial community in vitro. J Sci. Food Agri. 96(13): 4565-4574.

Santos-Buelga, C., and V. de Freitas. 2009. Influence of fenolics on wine organoleptic properties. In: Wine Industry and Biochemistry. Springer New York. pp 529-570.

Sasongko, W. T., L.M. Yusiati and Z. Bachruddin. 2010. Optimalisasi Pengikatan Tanin Daun Nangka dengan Protein Bovine Serum Albumin (Optimalisation Binding of Jackfruit Leaves Tannin with Bovine Serum Albumin Protein). Bul. Peternak. 34(3): 154-158.

Satter, L. D., and L. L. Slyter. 1974. Effect of ammonia concentration on rumen microbial protein production in vitro. Br. J. Nutr. 32:199–208.

Saxena, K.K., and S.K. Ranjhan. 1980. Effect of cobalt and copper supplementation on the ruminal pH, total nitrogen, ammonia and TVFA concentration in Hariana [Haryana] calves. Indian. J. Anim. Sci. 50(1): 21-25.

Scheller, H. V., and P. Ulvskov. 2010. Hemicelluloses. Annual review of plant biology, 61, 263-289.

Shakeri, P., A. Riasi, and R. Tahmasbi. 2020. The effect of pistachio by-product extracts treatment in protecting soybean meal and canola meal protein from rumen microbial degradation.J. Sci. Food Agric. 100(14): 5222-5229.

Shingfield, K. J., and R. J. Wallace. 2014. Synthesis of conjugated linoleic acid in ruminants and humans. In Conjugated Linoleic Acids and Conjugated Vegetable Oils. B. Sels, A. Philippaerts, ed. Royal Society of Chemistry, Cambridge, UK.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Silanikove, N., A. Perevolotsky and F.D. Provenza. 2001. Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants.Anim. Feed Sci. Technol. 91(1-2): 69-81.

Sirohi, S. K., N. Pandey, B. Singh and A.K. Puniya. 2010. Rumen methanogens: a review. Indian J. Mcrobiol. 50(3): 253-262.

Slyter, L. L., L. D. Satter, and D. A. Dinius. 1979. Effect of ruminal ammonia concentration on nitrogen utilization by steers. J. Anim.Sci. 48:906–912.

Smith, A. H., E. Zoetendal and R.I. Mackie. 2005. Bacterial mechanisms to overcome inhibitory effects of dietary tannins. Micro Eco. 50(2):197-205.

Stewart, C. S., H. J. Flint and M. P. Bryant. 1997. The rumen bacteria. In: The Rumen Microbial Ecosystem (Ed. P. N. Hobson and C. S. Stewart). Blackie Academic and Professional Publishers, London. 10-72.

Suárez, A., M. del Carmen Ramírez, M.J. Faus and A. Gil. 1996. Dietary long-chain polyunsaturated fatty acids influence tissue fatty acid composition in rats at weaning. J. Nutr. 126(4): 887-897.

Suharlina, S., D.A. Astuti, N. Nahrowi, A. Jayanegara and L. Abdullah. 2016. In Vitro evaluation of concentrate feed containing Indigofera zollingeriana in goat.J. Indones. Trop. Anim. Agric. 41(4): 196-203.

Suloi, A. F. 2021. Bioaktivitas Pala (Myristica fragrans Houtt) Ulasan Ilmiah. J. Teknologi Pengolahan Pertanian, 3(1), 11-18.

Tamminga, S. 1996. A review on environmental impacts of nutritional strategies in ruminants. J. Anim. Sci. 74(12): 3112-3124.

Tan H.Y., C.C. Sieo, N. Abdullah, J.B. Liang, X.D. Huang, Y.W. Ho. 2011. Effects of condensed tannins from Leucaena on methane production, rumen fermentation and populations of methanogens and protozoa in vitro. Anim. Feed. Sci Technol. 169: 185–93.

Tapio, I., T.J. Snelling, F. Strozzi., and R.J. Wallace. 2017. The ruminal microbiome associated with methane emissions from ruminant livestock. J. Anim. Sci. Biotechnol. 8(1): 1-11.

Thalib, C., H.M. Rasali dan H. Tati. 2011. Model Pembibitan Kambing dan Domba di Indonesia. Prosiding Workshop Nasional Diversifikasi Pangan Daging Ruminansia Kecil. Puslitangnak Bekerjasama dengan Puslitbangbun. Jakarta. 55-63.

Tilley, J. M. A., and R. A. Terry. 1963. a Two-Stage Technique for the in Vitro Digestion of Forage Crops. Grass Forage Sci. 18:104–111.

Toral, P. G., A. Belenguer, K.J. Shingfield, G. Hervás, V. Toivonen and P. Frutos. 2012. Fatty acid composition and bacterial community changes in the rumen

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

fluid of lactating sheep fed sunflower oil plus incremental levels of marine algae. J. Dairy. Sci. 95(2): 794-806.

Totakul, P., M. Matra, S. Sommai and M. Wanapat. 2021. Cnidoscolus aconitifolius leaf pellet can manipulate rumen fermentation characteristics and nutrient degradability. Anim Biosci. 34(10): 1607.

Troegeler-Meynadier, A., L. Bret-Bennis, and F. Enjalbert. 2006. Rates and efficiencies of reactions of ruminal biohydrogenation of linoleic acid according to pH and polyunsaturated fatty acids concentrations. Reprod. Nutr. Dev. 46(6): 713-724.

Ungerfeld, E. M. 2020. Metabolic Hydrogen Flows in Rumen Fermentation: Principles and Possibilities of Interventions. Front. Microbiol. 11:589.

Ungerfeld, E. M., S.R. Rust and R. Burnett. 2003. Use of some novel alternative electron sinks to inhibit ruminal methanogenesis. Reprod. Nutr. Dev. 43: 189–202.

Unnawong, N., A. Cherdthong and S. So, 2021. Crude saponin extract from Sesbania grandiflora (L.) Pers pod meal could modulate ruminal fermentation, and protein utilization, as well as mitigate methane production. Trop. Anim. Health Prod. 53(2): 1-9.

Utomo, R. 2012. Evaluasi Pakan dengan Metode Noninvasif. PT. Citra Aji Parama. Yogyakarta.

Vasta V., D.R. Yáñez-Ruiz, M. Mele, A. Serra, G. Luciano, M. Lanza, L. Biondi, A. Priolo. 2010. Bacterial and protozoal communities and fatty acid profile in the rumen of sheep fed a diet containing added tannins. Appl. Environ. Microbiol 76: 2549-2555.

Vasta, V., D.R. Yáñez-Ruiz, M. Mele, A. Serra, G. Luciano, M. Lanza, dan A. Priolo. 2010. Bacterial and protozoal communities and fatty acid profile in the rumen of sheep fed a diet containing added tannins. Appl. Environ. Microbiol. 76(8): 2549-2555.

Vasta, V., H.P. Makkar, M. Mele, and A. Priolo. 2008. Ruminal biohydrogenation as affected by tannins in vitro. Br. J. Nutr. 102(1): 82-92.

Verge, X.P.C., C. De Kimp, and R.L. Desjardins. 2007. Agricultural production, greenhouse gas emissions and mitigation potential. Agric. For. Meteorol. 142(2-4): 255-269.

Vincent, L., G.R. Hemalatha, D. Elodie, P.M. Coutinho and H. Bernard. 2014.The carbohydrate-active enzymes database (CAZy) in 2013. Nucleic Acids Res.42: D490–D495.

Wallace, R. J., N.R. McEwan, F.M. McIntosh, B. Teferedegne and C.J. Newbold. 2002. Natural products as manipulators of rumen fermentation. Asian-Australas. J. Anim. Sci. 15(10): 1458-1468.

UNIVERSITAS GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Wallace, R. J., R. Onodera and M.A. Cotta. 1997. Metabolism of nitrogen-containing compounds. In The rumen microbial ecosystem. Springer, Dordrecht. 283-328.

Wanapat, M., A. Cherdthong, K. Phesatcha and S. Kang. 2015. Dietary sources and their effects on animal production and environmental sustainability. Anim nutr, 1(3), 96-103.

Wanapat, M., P. Gunun, N. Anantasook and S. Kang. 2014. Changes of rumen pH, fermentation and microbial population as influenced by different ratios of roughage (rice straw) to concentrate in dairy steers. J. Agric. Sci. 152(4), 675-685.

Wang, C., Li, Y., T. MaiTiSaiYiDi, H. Yang and K. Yang. 2020. Effect of dietary gossypol supplement on fermentation characteristics and bacterial diversity in the rumen of sheep. *PloS one*, *15*(6): e0234378.

Wang, W., C. Li, F. Li, X. Wang, X. Zhang, T. Liu, F. Nian, X. Yue, F. Li, X. Pan, Y. La, F. Mo, F. Wang, and B. Li. 2016. Effects of early feeding on the host rumen transcriptome and bacterial diversity in lambs. Sci Rep. 6: 1-14.

Watanabe, Y., R. Suzuki, S. Koike, K. Nagashima, M. Mochizuki, R.J.Forster and Y. Kobayashi. 2010. In vitro evaluation of cashew nut shell liquid as a methane-inhibiting and propionat-enhancing agent for ruminants. J. Dairy Sci. 93(11), 5258-5267.

Weatherburn, M. W. 1967. Phenol-hypochlorite reaction for determination of ammonia. Anal. Chem. 39: 971.

Williams, A. G., and G.S. Coleman. 1997. The rumen protozoa. In The rumen microbial ecosystem. Springer, Dordrecht. 73-139.

Williams, A. G., and N. H. Strachan. 1984. Polysaccharide degrading enzymes in microbial populations from the liquid and solid fractions of bovine rumen digesta. Can. J. Anim. Sci. 64:58–59.

Williams., A, G and G.S. Coleman. 1992.The rumen protozoa. Springer, New York, pp 4–83.

Wina, E., and I.W.R. Susana. 2013. Manfaat lemak terproteksi untuk meningkatkan produksi dan reproduksi ternak ruminansia. Wartazoa, 23(4): 176-184.

Wiryawan KG, B. Tangendjaja and Suryahadi. 1999. Tannin degrading bacteria of Indonesian ruminants. ACIAR Proceeding of the International Workshop on Tannins in Animals and Human Nutrition. Adelaide, Australia. 123–126.

Yuliana, P., E.B. Laconi, A. Jayanegara, S.S. Achmadi and A.A. Samsudin. 2019. Extracted saponin from sapindus rarak and hibiscus sp. As an additive in cassava leaf silage: effects on chemical composition, rumen fermentation and microbial population Adv. Anim. Vet. Sci. 7(7): 530-536.

UNIVERSITAS
GADJAH MADA
PENGARUH PENAMBAHAN BUNGKIL PALA DALAM PAKAN TINGGI ASAM LEMAK TIDAK JENUH TERHADAP KERAGAMAN MIKROBA,PARAMETER FERMENTASI DAN PROFIL ASAM LEMAK CAIRAN RUMEN KAMBING SECARA IN VITRO
RENNA AMBAR PRATIWI, Ir. Muhlisin, S.Pt., M.Agr., Ph.D., IPP.;Ir. Andriyani Astuti, S.Pt., M.Sc., Ph.D., IPM
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Zmora, P., A. Cieslak, E. Pers-Kamczyc, A. Nowak, J. Szczechowiak and M. Szumacher-Strabel. 2012. Effect of Mentha piperita L. on in vitro rumen methanogenesis and fermentation. Acta Agric. Scand. Anim. Sci. 62(1): 46-52