

DAFTAR PUSTAKA

- Abdul Khalil, H. P. S., Lai, T. K., Tye, Y. Y., Rizal, S., Chong, E. W. N., Yap, S. W., Hamzah, A. A., Nurul Fazita, M. R., & Paridah, M. T. (2018). A review of extractions of seaweed hydrocolloids: Properties and applications. *Express Polymer Letters*, 12(4), 296–317. <https://doi.org/10.3144/expresspolymlett.2018.27>
- Abou-taleb, K. A., & Galal, G. F. (2018). A comparative study between one-factor-at-a-time and minimum runs resolution-IV methods for enhancing the production of polysaccharide by *Stenotrophomonas daejeonensis* and *Pseudomonas geniculate*. *Annals of Agricultural Sciences*, 63(2), 173–180. <https://doi.org/10.1016/j.aos.2018.11.002>
- Al-Alawi, A. A., Al-Marhubi, I. M., Al-Belushi, M. S. M., & Soussi, B. (2011). Characterization of Carrageenan Extracted from *Hypnea bryoides* in Oman. *Marine Biotechnology*, 13(5), 893–899. <https://doi.org/10.1007/s10126-010-9350-7>
- Al-Nahdi, Z. M., Al-Alawi, A., & Al-Marhobi, I. (2019). The Effect of Extraction Conditions on Chemical and Thermal Characteristics of Kappa-Carrageenan Extracted from *Hypnea bryoides*. *Journal of Marine Biology*, 2019. <https://doi.org/10.1155/2019/5183261>
- Alavijeh, R. S., Karimi, K., Wijffels, R. H., van den Berg, C., & Eppink, M. (2020). Combined bead milling and enzymatic hydrolysis for efficient fractionation of lipids, proteins, and carbohydrates of *Chlorella vulgaris* microalgae. *Bioresource Technology*, 309(February). <https://doi.org/10.1016/j.biortech.2020.123321>
- Awaliyah, A., Ikhwan, H., Nugiasari, V., Zainul, R., Padang, U. N., Padang, U. N., Kimia, L., Padang, U. N., Fisika, L., Padang, U. N., & Milling, F. (2018). Prinsip Dasar Milling. *Laboratorium Kimia, FMIPA, Universitas Negeri Padang, Indonesia*, 21.
- Bahari, A., Moelants, K., Wallecan, J., Mangiante, G., Mazoyer, J., Hendrickx, M., & Grauwet, T. (2021). Understanding the effect of time, temperature and salts on carrageenan extraction from *Chondrus crispus*. *Algal Research*, 58(October 2020), 102371. <https://doi.org/10.1016/j.algal.2021.102371>
- Balasundaram, B., Skill, S. C., & Llewellyn, C. A. (2012). A low energy process for the recovery of bioproducts from cyanobacteria using a ball mill. *Biochemical Engineering Journal*, 69, 48–56. <https://doi.org/10.1016/j.bej.2012.08.010>
- Barba, F. J., Grimi, N., & Vorobiev, E. (2014). New Approaches for the Use of Non-conventional Cell Disruption Technologies to Extract Potential Food Additives and Nutraceuticals from Microalgae. *Food Engineering Reviews*, 7(1), 45–62. <https://doi.org/10.1007/s12393-014-9095-6>
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escalera, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta*, 76(5), 965–977. <https://doi.org/10.1016/j.talanta.2008.05.019>

- Borhan, M. Z., Ahmad, R., Rusop, M., & Abdullah, S. (2013). Optimization of ball milling parameters to produce *Centella asiatica* herbal nanopowders. *Journal of Nanostructure in Chemistry*, 3(1), 2–9. <https://doi.org/10.1186/2193-8865-3-79>
- Bouanati, T., Colson, E., Moins, S., Cabrera, J. C., Eeckhaut, I., Raquez, J. M., & Gerbaux, P. (2020). Microwave-assisted depolymerization of carrageenans from *Kappaphycus alvarezii* and *Eucheuma spinosum*: Controlled and green production of oligosaccharides from the algae biomass. *Algal Research*, 51(April). <https://doi.org/10.1016/j.algal.2020.102054>
- Byreddy, A. R., Barrow, C. J., & Puri, M. (2016). Bead milling for lipid recovery from thraustochytrid cells and selective hydrolysis of *Schizochytrium* DT3 oil using lipase. *Bioresource Technology*, 200, 464–469. <https://doi.org/10.1016/j.biortech.2015.10.019>
- Campo, V. L., Kawano, D. F., Silva, D. B. da, & Carvalho, I. (2009). Carrageenans: Biological properties, chemical modifications and structural analysis - A review. *Carbohydrate Polymers*, 77(2), 167–180. <https://doi.org/10.1016/j.carbpol.2009.01.020>
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Fabiano-Tixier, A. S., & Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry*, 34, 540–560. <https://doi.org/10.1016/j.ultsonch.2016.06.035>
- Clavijo Rivera, E., Montalescot, V., Viau, M., Drouin, D., Bourseau, P., Frappart, M., Monteux, C., & Couallier, E. (2018). Mechanical cell disruption of *Parachlorella kessleri* microalgae: Impact on lipid fraction composition. *Bioresource Technology*, 256(February), 77–85. <https://doi.org/10.1016/j.biortech.2018.01.148>
- Das, S. K., Das, A. R., Guha, A. K., Nagrale, D. T., Gaikwad, A. P., Sharma, L., Lilia Anghel, G. D., Marcin NOWICKI, Marzena NOWAKOWSKA, A. N., KOZIK, E. U., Mazumdar H., H. N., Rautaray, D., Sanyal, A., Adyanthaya, S. D., Ahmad, A., Sastry, M., Samuel, J. S., Abraham, S. S. and J., Gade, A., Ingle, A., ... Ikram, S. (2013). A study on biosynthesis of iron nanoparticles by *Pleurotus* sp. *Vegetable Crops Research Bulletin*, 8(1), 5–19. <https://doi.org/10.1016/j.jare.2015.02.007>
- Diharmi, A. (2016). KARAKTERISTIK FISIKO-KIMIA KARAGENAN RUMPUT LAUT MERAH *Eucheuma spinosum* DARI PERAIRAN NUSA PENIDA, SUMENEP, DAN TAKALAR. *Science of Surveying and Mapping*, 41.
- Diharmi, A., Rusnawati, & Irasari, N. (2019). Characteristic of carrageenan *Eucheuma cottonii* collected from the coast of Tanjung Medang Village and Jaga Island, Riau. *IOP Conference Series: Earth and Environmental Science*, 404(1). <https://doi.org/10.1088/1755-1315/404/1/012049>
- Distantina, S. (2013). MEKANISME PROSES TAHAP EKSTRAKSI KARAGENAN DARI *Eucheuma cottonii* MENGGUNAKAN PELARUT ALKALI (The Mechanism of Carrageenan Extraction from *Eucheuma cottonii* Using Alkaline Solvent). *Jurnal Agritech*, 32(04), 397–402.

- <https://doi.org/10.22146/agritech.9583>
- Distantina, S., & Fahrurrozi, M. (2010). *Proses Ekstraksi Karagenan dari Eucheuma cottonii*. 4–5.
- Distantina, S., & Fahrurrozi, M. (2011). Carrageenan Properties Extracted From *Eucheuma cottonii*, Indonesia. *World Academy of Science, Engineering and Technology*, 54(June 2011), 738–742. <http://www.waset.org/journals/waset/v54/v54-141.pdf>
- Distantina, S., Rochmadi, Fahrurrozi, M., & Wiratni. (2013). Preparation and characterization of glutaraldehyde-crosslinked kappa carrageenan hydrogel. *Engineering Journal*, 17(3), 57–66. <https://doi.org/10.4186/ej.2013.17.3.57>
- Dumondor, B., Makapedua, D. M., Taher, N., Dotulong, V., Mongi, E. L., & Montolalu, R. I. (2018). KUALITAS SEMI-REFINED CARRAGEENAN CHIPS PADA RUMPUT LAUT MERAH *Kappaphycus alvarezii* YANG DIKERINGKAN DENGAN MENGGUNAKAN CABINET DRYER. *Media Teknologi Hasil Perikanan*, 7(1), 1. <https://doi.org/10.35800/mthp.7.1.2019.21306>
- Ega, L., Lopulalan, C. G. C., & Rangkoratat, R. (2016). Kajian Mutu Karaginan Rumput Laut *Eucheuma cottonii* Berdasarkan Sifat Fisiko-Kimia pada Tingkat Konsentrasi Kalium Hidroksida (KOH) yang Berbeda. *Jurnal Aplikasi Teknologi Pangan*, 5(2), 38–44.
- Eliza, M. Y., Shahrudin, M., Noormaziah, J., & Rosli, W. D. W. (2015). Carboxymethyl Cellulose (CMC) from oil palm empty fruit bunch (OPEFB) in the new solvent dimethyl sulfoxide (DMSO)/tetrabutylammonium fluoride (TBAF). *Journal of Physics: Conference Series*, 622(1). <https://doi.org/10.1088/1742-6596/622/1/012026>
- Fateha, Ulya, N., Asmanah, & Agusman. (2021). Comparison of Gel Preparation Methods on Gel Strength Measurement of Carrageenan. In *IOP Conference Series: Earth and Environmental Science* (Vol. 715, Issue 1). <https://doi.org/10.1088/1755-1315/715/1/012055>
- Gomez, L. P., Alvarez, C., Zhao, M., Tiwari, U., Curtin, J., Garcia-Vaquero, M., & Tiwari, B. K. (2020). Innovative processing strategies and technologies to obtain hydrocolloids from macroalgae for food applications. *Carbohydrate Polymers*, 248(July), 116784. <https://doi.org/10.1016/j.carbpol.2020.116784>
- Günerken, E., D'Hondt, E., Eppink, M. H. M., Garcia-Gonzalez, L., Elst, K., & Wijffels, R. H. (2015). Cell disruption for microalgae biorefineries. *Biotechnology Advances*, 33(2), 243–260. <https://doi.org/10.1016/j.biotechadv.2015.01.008>
- Heriyanto, H., Kustiningsih, I., & Sari, D. K. (2018). The effect of temperature and time of extraction on the quality of Semi Refined Carrageenan (SRC). *MATEC Web of Conferences*, 154. <https://doi.org/10.1051/matecconf/201815401034>
- Ilhamdy, Aidil Fadli, Jumsurizal, W. K. S. (2019). PENERAPAN TEKNOLOGI PROSES PENCAMPURAN SEMI REFINED CARRAGEENAN (SRC) DAN REFINED CARRAGEENAN (RC) RUMPUT LAUT MERAH (*Kappaphycus alvarezii*) TERHADAP KARAKTERISTIK FISIKO-KIMIA KARAGINAN. *Marinade*, 02(02), 1–10.
- Khuri, A. I., & Mukhopadhyay, S. (2010). Response surface methodology. Wiley

- Interdisciplinary Reviews: Computational Statistics*, 2(2), 128–149. <https://doi.org/10.1002/wics.73>
- Kiran-Yildirim, B., Hale, J., Wefers, D., & Gaukel, V. (2021). Ice recrystallization inhibition of commercial κ -, ι -, and λ -carrageenans. *Journal of Food Engineering*, 290(July 2020), 110269. <https://doi.org/10.1016/j.jfoodeng.2020.110269>
- Lee, S. Y., Cho, J. M., Chang, Y. K., & Oh, Y. K. (2017). Cell disruption and lipid extraction for microalgal biorefineries: A review. *Bioresource Technology*, 244, 1317–1328. <https://doi.org/10.1016/j.biortech.2017.06.038>
- Loh, Z. H., Samanta, A. K., & Sia Heng, P. W. (2014). Overview of milling techniques for improving the solubility of poorly water-soluble drugs. *Asian Journal of Pharmaceutical Sciences*, 10(4), 255–274. <https://doi.org/10.1016/j.ajps.2014.12.006>
- Lorbeer, A. J., Lahnstein, J., Fincher, G. B., Su, P., & Zhang, W. (2015). Kinetics of conventional and microwave-assisted fucoidan extractions from the brown alga, *Ecklonia radiata*. *Journal of Applied Phycology*, 27(5), 2079–2087. <https://doi.org/10.1007/s10811-014-0446-8>
- Made Joni, I., Vanitha, M., Panatarani, C., & Faizal, F. (2020). Dispersion of amorphous silica nanoparticles via beads milling process and their particle size analysis, hydrophobicity and anti-bacterial activity. *Advanced Powder Technology*, 31(1), 370–380. <https://doi.org/10.1016/j.appt.2019.10.029>
- Mahyati, & Azis, A. (2019). Optimization of temperature and time in carrageenan extraction of seaweed (*Kappaphycus alvarezii*) using ultrasonic wave extraction methods. *IOP Conference Series: Earth and Environmental Science*, 370(1). <https://doi.org/10.1088/1755-1315/370/1/012076>
- Marlina, O., Gevanny, L., Yolla, A., & Zainul, R. (2019). A review Grinding: Teknik dan Prinsip Dasar pada Pengolahan Material. 48.
- Mawarni, R. T., & Widjanarko, S. B. (2015). TERHADAP PENURUNAN OKSALAT TEPUNG PORANG Grinding By Ball Mill With Chemical Purification on Reducing Oxalate in Porang Flour. *Jurnal Pangan Dan Agroindustri*, 3(2), 571–581.
- Max Robinson Wenno, Johanna LourethaThenu, dan C. G. C. L. (2012). KARAKTERISTIK KAPPA KARAGINAN DARI *Kappaphycus alvarezii* Characteristics of Kappa Carrageenan from *Kappaphycus alvarezii* at Different Harvesting Times. *JPB Perikanan*, 7(1), 61–67.
- Meullemiestre, A., Breil, C., Abert-Vian, M., & Chemat, F. (2016). Microwave, ultrasound, thermal treatments, and bead milling as intensification techniques for extraction of lipids from oleaginous *Yarrowia lipolytica* yeast for a biojetfuel application. *Bioresource Technology*, 211, 190–199. <https://doi.org/10.1016/j.biortech.2016.03.040>
- Moelyono. (2016). Farmasi Bahari. Yogyakarta: Deepublish
- Montalescot, V., Rinaldi, T., Touchard, R., Jubeau, S., Frappart, M., Jaouen, P., Bourseau, P., & Marchal, L. (2015). Optimization of bead milling parameters for the cell disruption of microalgae: Process modeling and application to *Porphyridium cruentum* and *Nannochloropsis oculata*. *Bioresource Technology*, 196, 339–346. <https://doi.org/10.1016/j.biortech.2015.07.075>

- Musa, S., Sanger, G., & Dien, H. A. (2017). *Angka Lempeng Total Gracilaria edulis*. 5(3), 184–189.
- Najib, Ahmad. (2018). Ekstraksi Senyawa Bahan Alam. Yogyakarta: Deepublish
- Nurhayati, A. (2020). Substitusi Rumput Laut (*Eucheuma Cottonii*) Pada Pembuatan Nugget Pisang Sebagai Alternatif Makanan Tinggi Serat. *Jurnal Gizi Dan Kesehatan*.
- Nurmiah, S., Syarief, R., Sukarno, S., Peranginangin, R., & Nurmata, B. (2013). Aplikasi Response Surface Methodology Pada Optimalisasi Kondisi Proses Pengolahan Alkali Treated Cottonii (ATC). *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 8(1), 9. <https://doi.org/10.15578/jpbkp.v8i1.49>
- Pan, Z., Huang, Y., Wang, Y., & Wu, Z. (2017). Disintegration of Nannochloropsis sp. cells in an improved turbine bead mill. *Bioresource Technology*, 245(August), 641–648. <https://doi.org/10.1016/j.biortech.2017.08.146>
- Peranginangin, R., Sinurat E., Darmawan, M. (2013). Memproduksi Karaginan Dari Rumput Laut. Penebar Swadaya Grup.
- Postma, P. R., Miron, T. L., Olivieri, G., Barbosa, M. J., Wijffels, R. H., & Eppink, M. H. M. (2015). Mild disintegration of the green microalgae *Chlorella vulgaris* using bead milling. *Bioresource Technology*, 184, 297–304. <https://doi.org/10.1016/j.biortech.2014.09.033>
- Postma, P. R., Suarez-Garcia, E., Safi, C., Olivieri, G., Olivieri, G., Wijffels, R. H., & Wijffels, R. H. (2017). Energy efficient bead milling of microalgae: Effect of bead size on disintegration and release of proteins and carbohydrates. *Bioresource Technology*, 224, 670–679. <https://doi.org/10.1016/j.biortech.2016.11.071>
- Princewill, N. C. (2017). Development and Performance Evaluation of Improved Hammer Mill Available online www.jsaer.com Journal of Scientific and Engineering Research , 2017 , 4 (8) : 159-164 Development and Performance Evaluation of Improved Hammer Mill Nwadinobi Chibundo Prince. *Journal of Scientific and Engineering Research*, 4(8), 159–164.
- Priastami, C. C. (2011). Karagenan Sebagai Bahan Penstabil pada Proses Pembuatan
- Melorin. Institut Pertanian Bogor. Bogor. [Skripsi].
- Rahman, I. (n.d.). *Pengolahan mineral*.
- Rhein-Knudsen, N., Ale, M. T., Ajallouelian, F., Yu, L., & Meyer, A. S. (2017). Rheological properties of agar and carrageenan from Ghanaian red seaweeds. *Food Hydrocolloids*, 63, 50–58. <https://doi.org/10.1016/j.foodhyd.2016.08.023>
- Rizal, M., Mappiratu, M., & Razak, A. R. (2016). OPTIMALISASI PRODUKSI SEMI REFINED CARAGINAN (SRC) DARI RUMPUT LAUT(*Eucheuma cottonii*). *Kovalen*, 2(1), 33–38. <https://doi.org/10.22487/j24775398.2016.v2.i1.6043>
- Rodriguez-Jasso, R. M., Mussatto, S. I., Pastrana, L., Aguilar, C. N., & Teixeira, J. A. (2011). Microwave-assisted extraction of sulfated polysaccharides (fucoidan) from brown seaweed. *Carbohydrate Polymers*, 86(3), 1137–1144. <https://doi.org/10.1016/j.carbpol.2011.06.006>

- Roosta, M., Ghaedi, M., Daneshfar, A., & Sahraei, R. (2014). Experimental design based response surface methodology optimization of ultrasonic assisted adsorption of safranin O by tin sulfide nanoparticle loaded on activated carbon. In *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* (Vol. 122, pp. 223–231). <https://doi.org/10.1016/j.saa.2013.10.116>
- Rusli, A., Metusalach, Salengke, & Tahir, M. M. (2017). Karakterisasi Edible Film Karagenan Dengan. *Jphpi*, 20(2), 219–229.
- Safia, W., Budiyanti, & Musrif. (2020). KANDUNGAN NUTRISI DAN SENYAWA BIOAKTIF RUMPUT LAUT (*Eucheuma cottonii*) YANG DIBUDIDAYAKAN DENGAN TEKNIK RAKIT GANTUNG PADA KEDALAMAN BERBEDA. *Jphpi*, 23(2), 261–272.
- Samarasinghe, N., Fernando, S., Lacey, R., & Faulkner, W. B. (2012). Algal cell rupture using high pressure homogenization as a prelude to oil extraction. *Renewable Energy*, 48, 300–308. <https://doi.org/10.1016/j.renene.2012.04.039>
- Sandria, N., Uju, U., & Suptijah, P. (2017). The Depolymerization of Kappa Carrageenan Using Peracetic Acid. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(3), 524. <https://doi.org/10.17844/jphpi.v20i3.19809>
- Sarafraz, M. M., Tlili, I., Tian, Z., Bakouri, M., & Safaei, M. R. (2019). Smart optimization of a thermosyphon heat pipe for an evacuated tube solar collector using response surface methodology (RSM). *Physica A: Statistical Mechanics and Its Applications*, 534, 122146. <https://doi.org/10.1016/j.physa.2019.122146>
- Sari, D. K., Barleany, D., Lestari, R. S. D., & Mustikawati, L. (2019). Extraction refined carrageenan using ultrasonic irradiation in from Kappaphycus Alvarezii originated from Lontar. *IOP Conference Series: Materials Science and Engineering*, 673(1). <https://doi.org/10.1088/1757-899X/673/1/012015>
- Schober, P., & Schwarte, L. A. (2018). Correlation coefficients: Appropriate use and interpretation. *Anesthesia and Analgesia*, 126(5), 1763–1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Setijawati, D., Nursyam, H., & Salis, H. (2018). Carrageenan :the difference between PNG and KCL gel precipitation method as Lactobacillus acidophilus encapsulation material. *IOP Conference Series: Earth and Environmental Science*, 137(1). <https://doi.org/10.1088/1755-1315/137/1/012073>
- Siregar, R. F., Santoso, J., & Uju. (2016). Karakteristik Fisiko Kimia Kappa Karagenan Hasil Degradasi Menggunakan Hidrogen Peroksida. *Jphpi*, 19(3), 256–266. <https://doi.org/10.17844/jphpi.2016.19.3.256>
- Soares, A. P. (2013). PENGARUH LAMA WAKTU PERENDAMAN YANG BERBEDA TERHADAP KUALITAS AGAR-AGAR *Gracilaria verrucosa*. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Suarez Garcia, E., Lo, C., Eppink, M. H. M., Wijffels, R. H., & van den Berg, C. (2019). Understanding mild cell disintegration of microalgae in bead mills for the release of biomolecules. *Chemical Engineering Science*, 203, 380–390. <https://doi.org/10.1016/j.ces.2019.04.008>
- Suliman, R. (2017). *Open PRAIRIE : Open Public Research Access Institutional*

- Repository and Information Exchange Response Surface Methodology and Its Application in Optimizing the Efficiency of Organic Solar Cells.*
- Sulistiawati, S., Ain, N. H., Uju, & Tarman, K. (2019). Characterization of refined carrageenan from *Kappaphycus alvarezii* extracted using marine fungi. *IOP Conference Series: Earth and Environmental Science*, 404(1). <https://doi.org/10.1088/1755-1315/404/1/012071>
- Supriyanti, E., Santosa, G. W., & Dermawan, A. (2017). Kualitas Ekstrak Karagenan Dari Rumput Laut “*Kappaphycus alvarezii*” Hasil Budidaya Di Perairan Pantai Kartini Dan Pulau Kemojan Karimunjawa Kabupaten Jepara. *Buletin Oseanografi Marina*, 6(2), 88. <https://doi.org/10.14710/buloma.v6i2.16556>
- Syahrudin. (2019). Optimization of extraction and quality assessment based on physicochemical properties of Carrageenan from red algae (*Kappaphycus alvarezii*) origin of South Sulawesi Indonesia. *Journal of Physics: Conference Series*, 1341(7). <https://doi.org/10.1088/1742-6596/1341/7/072013>
- Teo, H. L., & Wahab, R. A. (2020). Towards an eco-friendly deconstruction of agro-industrial biomass and preparation of renewable cellulose nanomaterials: A review. *International Journal of Biological Macromolecules*, 161, 1414–1430. <https://doi.org/10.1016/j.ijbiomac.2020.08.076>
- Tranquilar-Aranilla, C., Nagasawa, N., Bayquen, A., & Dela Rosa, A. (2012). Synthesis and characterization of carboxymethyl derivatives of kappa-carrageenan. *Carbohydrate Polymers*, 87(2), 1810–1816. <https://doi.org/10.1016/j.carbpol.2011.10.009>
- Vitelli, M., Rajabzadeh, A. R., Tabatabaei, S., Assatory, A., Shahnam, E., & Legge, R. L. (2020). Effect of hammer and pin milling on triboelectrostatic separation of legume flour. *Powder Technology*, 372, 317–324. <https://doi.org/10.1016/j.powtec.2020.06.007>
- Wang, M., Bi, W., Huang, X., & Chen, D. D. Y. (2016). Ball mill assisted rapid mechanochemical extraction method for natural products from plants. *Journal of Chromatography A*, 1449, 8–16. <https://doi.org/10.1016/j.chroma.2016.04.044>
- Webber, V., de Carvalho, S. M., Ogliari, P. J., Hayashi, L., & Barreto, P. L. M. (2012). Otimização da extração de carragenana de *kappaphycus alvarezii* utilizando metodologia de superfície de resposta. *Ciencia e Tecnologia de Alimentos*, 32(4), 812–818. <https://doi.org/10.1590/S0101-20612012005000111>
- Wenno, M. R., Thenu, J. L., & Cristina Lopulalan, C. G. (2012). Karakteristik Kappa Karagenan dari *Kappaphycus alvarezii* Pada Berbagai Umur Panen. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 7(1), 61. <https://doi.org/10.15578/jpbkp.v7i1.69>
- Wibowo, A., Ridlo, A., & Sedjati, S. (2013). Pengaruh Suhu Ekstraksi Terhadap Kualitas Alginat Rumput Laut *Turbinaria* sp. dari Pantai Krakal, Gunung Kidul-Yogyakarta. *Journal of Marine Research*, 2(3), 78–84.
- Wibowo, A. (2019). Rumput Laut, Komoditas Penting Yang Belum Dioptimalkan. Dapat diakses secara online di <https://kkp.go.id/djpdspkp/bbp2hp/artikel/14127-rumput-laut-komoditas->

penting-yang-belum-dioptimalkan

- Wirawan, S. K., & Anasta, N. (2013). ANALISIS PERMEASI AIR PADA DEHIDRASI OSMOSIS PEPAYA (*Carica papaya*) Water Permeation Analysis on Osmotic Dehydration of Papaya (*Carica papaya*). *Agritech*, 33(3), 303–310.
- Wulandari, N. S., Pramesti, R., & Susanto, A. (2019). Analisis Parameter Fisika dan Kimia Karaginan *Kappaphycus alvarezii* Doty 1985 (Florideophyceae : Solieriaceae) Dengan Variasi Ekstraksi dari Perairan Bluto. *Journal of Marine Research*, 8(4), 409–415. <https://doi.org/10.14710/jmr.v8i4.25275>
- Yolanda, N. T., & Agustono, A. (2018). Proses Ekstraksi dan Karakterisasi Fisika Kimia Bubuk Agar *Gracilaria* sp. Skala Laboratorium di PT. Java Biocolloid Surabaya. *Journal of Marine and Coastal Science*, 7(3), 127.
- Youssof, L., Lallemand, L., Giraud, P., Soulé, F., Bhaw-Luximon, A., Meilhac, O., D'Hellencourt, C. L., Jhurry, D., & Couprie, J. (2017). Ultrasound-assisted extraction and structural characterization by NMR of alginates and carrageenans from seaweeds. *Carbohydrate Polymers*, 166, 55–63. <https://doi.org/10.1016/j.carbpol.2017.01.041>
- Zinkoné, T. R., Gifuni, I., Lavenant, L., Pruvost, J., & Marchal, L. (2018). Bead milling disruption kinetics of microalgae: Process modeling, optimization and application to biomolecules recovery from *Chlorella sorokiniana*. *Bioresource Technology*, 267(July), 458–465. <https://doi.org/10.1016/j.biortech.2018.07.080>