

## REFERENCES

- An, S., Kim, T. and Yoon, B., 2017. Epidemiology, Risk Factors, and Clinical Features of Intracerebral Hemorrhage: An Update. *Journal of Stroke*, 19(1), pp.3-10.
- Banks, J. and Marotta, C., 2007. Outcomes Validity and Reliability of the Modified Rankin Scale: Implications for Stroke Clinical Trials. *Stroke*, 38(3), pp.1091-1096.
- Bar, B. & Hemphill, J.C., 2011. Charlson Comorbidity Index Adjustment in Intracerebral Hemorrhage. *Stroke*, 42(10), pp.2944–2946.
- Biffi, A., Cortellini, L., Nearnberg, C., Ayres, A., Schwab, K., Gilson, A., Rost, N., Goldstein, J., Viswanathan, A., Greenberg, S. and Rosand, J., 2011. Body Mass Index and Etiology of Intracerebral Hemorrhage. *Stroke*, 42(9), pp.2526-2530.
- Broderick, J., Adeoye, O. and Elm, J., 2017. Evolution of the Modified Rankin Scale and Its Use in Future Stroke Trials. *Stroke*, 48(7), pp.2007-2012.
- Caceres, J. and Goldstein, J., 2012. Intracranial Hemorrhage. *Emergency Medicine Clinics of North America*, 30(3), pp.771-794.
- Cao, Z., Liu, X., Li, Z., Gu, H., Jiang, Y., Zhao, X., and Wang, Y., 2021. Body mass index and clinical outcomes in patients with intracerebral haemorrhage: results from the China Stroke Center Alliance. *Stroke and Vascular Neurology*, 6(3), pp.424-432.
- Charan, J. and Biswas, T., 2013. How to calculate sample size for different study designs in medical research?. *Indian Journal of Psychological Medicine*, 35(2), p.121.
- Chaturbedi, A. and Thakur, J., 2020. Functional Outcome Survival and Independent Risk Factors in Patients with Spontaneous Intracerebral Hemorrhage from Chronic Arterial Hypertension. *Journal of Neurology & Neurophysiology*, 11(7).
- Chen, C., Ding, D., Ironside, N., Buell, T., Southerland, A., Koch, S., Flaherty, M., Woo, D. and Worrall, B., 2019. Cigarette Smoking History and Functional Outcomes After Spontaneous Intracerebral Hemorrhage. *Stroke*, 50(3), pp.588-594.

- Dangayach, N., Grewal, H., De Marchis, G., Sefcik, R., Bruce, R., Chhatlani, A., Connolly, E., Falo, M., Agarwal, S., Claassen, J., Schmidt, J. and Mayer, S., 2018. Does the obesity paradox predict functional outcomes in intracerebral hemorrhage?. *Journal of Neurosurgery*, 129(5), pp.1125-1129.
- Doehner, W., Schenkel, J., Anker, S., Springer, J. and Audebert, H., 2012. Overweight and obesity are associated with improved survival, functional outcome, and stroke recurrence after acute stroke or transient ischaemic attack: observations from the TEMPiS trial. *European Heart Journal*, 34(4), pp.268-277.
- Edjoc, R., Reid, R., Sharma, M. and Fang, J., 2013. The Prognostic Effect of Cigarette Smoking on Stroke Severity, Disability, Length of Stay in Hospital, and Mortality in a Cohort with Cerebrovascular Disease. *Journal of Stroke and Cerebrovascular Diseases*, 22(8), pp.e446-e454.
- Feigin, V., Norrving, B. and Mensah, G., 2017. Global Burden of Stroke. *Circulation Research*, 120(3), pp.439-448.
- Harrison, J.K., McArthur, K.S. & Quinn, T.J., 2013. Assessment scales in stroke: Clinimetric and clinical considerations. *Clinical Interventions in Aging*, 8, pp.201–211.
- Hegde, A., Menon, G., Kumar, V., Lakshmi Prasad, G., Kongwad, L., Nair, R., and Nayak, R., 2020. Clinical Profile and Predictors of Outcome in Spontaneous Intracerebral Hemorrhage from a Tertiary Care Centre in South India.
- Ikram, M., Wieberdink, R. and Koudstaal, P., 2012. International Epidemiology of Intracerebral Hemorrhage. *Current Atherosclerosis Reports*, 14(4), pp.300-306.
- James, W.P.T., Jackson-Leach, R., Mhurchu, C.N., Kalamara, E., Shayeghi, M., Rigby, N.J., Nishida, C., and Rodgers, A., 2004. Overweight and obesity (high body mass index). *Comparative quantification of health risks: global and regional burden of disease attributable to selected major risk factors*, 1, pp.497-596.
- Javalkar, V., Kuybu, O., Davis, D. and Kelley, R., 2020. Factors Associated with Inpatient Mortality after Intracerebral Hemorrhage: Updated Information from the United States Nationwide Inpatient Sample. *Journal of Stroke and Cerebrovascular Diseases*, 29(3), p.104583.
- Johnson, C.O., Nguyen, M., Roth, G.A., Nichols, E., Alam, T., Abate, D., Abd-Allah, F., Abdelalim, A., Abraha, H.N., Abu-Rmeileh, N.M. and Adebayo, O.M., 2019. Global, regional, and national burden of stroke, 1990–2016: a

systematic analysis for the Global Burden of Disease Study 2016. *The Lancet Neurology*, 18(5), pp.439-458.

Kementrian Kesehatan Republik Indonesia, 2019. *Epidemi Obesitas*. Jakarta: Kementrian Kesehatan Republik Indonesia.

Lofissa, S., Ong, P. and Atik, N., 2018. Demographic and Risk Factors of Intracerebral Hemorrhage Stroke Patients in Dr. Hasan Sadikin General Hospital Bandung in 2007–2016. *Althea Medical Journal*, 5(1), pp.32-37.

Lučić Prokin, A., Čuzdi, A., Zivanovic, Z., Sekarić, J., Kokai Zekić, T., Popovic, N. and Novaković Paro, J., 2014. Dyslipidemia as a risk factor for primary intracerebral hemorrhage. *Medicinski glasnik: official publication of the Medical Association of Zenica-Doboj Canton, Bosnia and Herzegovina*, 11(1), pp.6-31.

Ministry of Health Republic of Indonesia, 2020. *Laporan Nasional RISKESDAS 2018*. Jakarta: Health Research and Development Agency.

O'Donnell, M., Xavier, D., Liu, L., Zhang, H., Chin, S., Rao-Melacini, P., Rangarajan, S., Islam, S., Pais, P., McQueen, M., Mondo, C., Damasceno, A., Lopez-Jaramillo, P., Hankey, G., Dans, A., Yusuf, K., Truelsen, T., Diener, H., Sacco, R., Ryglewicz, D., Czlonkowska, A., Weimar, C., Wang, X. and Yusuf, S., 2010. Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. *The Lancet*, 376(9735), pp.112-123.

Oesch, L., Tatlisumak, T., Arnold, M. and Sarikaya, H., 2017. Obesity paradox in stroke – Myth or reality? A systematic review. *PLOS ONE*, 12(3), p.e0171334.

Øie, L., Madsbu, M., Solheim, O., Jakola, A., Giannadakis, C., Vorhaug, A., Padayachy, L., Jensberg, H., Dodick, D., Salvesen, Ø. and Gulati, S., 2018. Functional outcome and survival following spontaneous intracerebral hemorrhage: A retrospective population-based study. *Brain and Behavior*, 8(10), p.e01113.

Olsen, T., Dehlendorff, C., Petersen, H. and Andersen, K., 2008. Body Mass Index and Poststroke Mortality. *Neuroepidemiology*, 30(2), pp.93-100.

Park, D., Lee, J. and Han, S., 2017. Underweight: another risk factor for cardiovascular disease?. *Medicine*, 96(48), p.e8769.

Pengpid, S. and Peltzer, K., 2017. The Prevalence of Underweight, Overweight/Obesity and Their Related Lifestyle Factors in Indonesia, 2014–15. *AIMS Public Health*, 4(6), pp.633-649.

- Pezzini, A., Grassi, M., Paciaroni, M., Zini, A., Silvestrelli, G., Iacoviello, L., Di Castelnuovo, A., Del Zotto, E., Caso, V., Nichelli, P., Giossi, A., Volonghi, I., Simone, A., Lanari, A., Costa, P., Poli, L., Pentore, R., Falzone, F., Gamba, M., Morotti, A., Ciccone, A., Ritelli, M., Guido, D., Colombi, M., De Gaetano, G., Agnelli, G. and Padovani, A., 2013. Obesity and the Risk of Intracerebral Hemorrhage. *Stroke*, 44(6), pp.1584-1589.
- Quinn, T., Dawson, J., Walters, M. and Lees, K., 2009. Reliability of the Modified Rankin Scale. *Stroke*, 40(10), pp.3393-3395.
- Qureshi, A., Tuhrim, S., Broderick, J., Batjer, H., Hondo, H. and Hanley, D., 2001. Spontaneous Intracerebral Hemorrhage. *New England Journal of Medicine*, 344(19), pp.1450-1460.
- Rachmi, C., Li, M. and Alison Baur, L., 2017. Overweight and obesity in Indonesia: prevalence and risk factors—a literature review. *Public Health*, 147, pp.20-29.
- Radholm, K., Arima, H., Lindley, R., Wang, J., Tzourio, C., Robinson, T., Heeley, E., Anderson, C., and Chalmers, J., 2014. Older age is a strong predictor for poor outcome in intracerebral haemorrhage: the INTERACT2 study. *Age and Ageing*, 44(3), pp.422-427.
- Romero-Corral, A., Montori, V., Somers, V., Korinek, J., Thomas, R., Allison, T., Mookadam, F. and Lopez-Jimenez, F., 2006. Association of bodyweight with total mortality and with cardiovascular events in coronary artery disease: a systematic review of cohort studies. *The Lancet*, 368(9536), pp.666-678.
- Rost, N., Smith, E., Chang, Y., Snider, R., Chanderraj, R., Schwab, K., FitzMaurice, E., Wendell, L., Goldstein, J., Greenberg, S. and Rosand, J., 2008. Prediction of Functional Outcome in Patients With Primary Intracerebral Hemorrhage. *Stroke*, 39(8), pp.2304-2309.
- Sanyasi, R. and Pinzon, R., 2018. Clinical Symptoms and Risk Factors Comparison of Ischemic and Hemorrhagic Stroke. *Jurnal Kedokteran dan Kesehatan Indonesia*, 9(1), pp.5-15.
- Song, Y., Sung, J., Smith, G. and Ebrahim, S., 2004. Body Mass Index and Ischemic and Hemorrhagic Stroke. *Stroke*, 35(4), pp.831-836.
- Strazzullo, P., D'Elia, L., Cairella, G., Garbagnati, F., Cappuccio, F. and Scalfi, L., 2010. Excess Body Weight and Incidence of Stroke. *Stroke*, 41(5).
- Sun, W., Huang, Y., Xian, Y., Zhu, S., Jia, Z., Liu, R., Li, F., Wei, J., Wang, J., Liu, M., and Anderson, C., 2017. Association of body mass index with

- mortality and functional outcome after acute ischemic stroke. *Scientific Reports*, 7(1).
- Sun, W., Xian, Y., Huang, Y., Sun, W., Liu, R., Li, F., Wei, J., Wang, J., Liu, M., Wu, Y., Wong, L., and Anderson, C., 2016. *Obesity is associated with better survival and functional outcome after acute intracerebral hemorrhage*.
- Truelsen, T., Begg, S. and Mathers, C., 2006. The Global Burden Of Cerebrovascular Disease. [pdf] World Health Organization [cited 2020 October 8]. Available from: URL: [https://www.who.int/healthinfo/statistics/bod\\_cerebrovasculardiseasestroke.pdf?ua](https://www.who.int/healthinfo/statistics/bod_cerebrovasculardiseasestroke.pdf?ua)
- van Asch, C., Luitse, M., Rinkel, G., van der Tweel, I., Algra, A. and Klijn, C., 2010. Incidence, case fatality, and functional outcome of intracerebral haemorrhage over time, according to age, sex, and ethnic origin: a systematic review and meta-analysis. *The Lancet Neurology*, 9(2), pp.167-176.
- Wang, Q., Huang, G., Chen, F., Hu, P., Ren, W., Luan, X., Zhou, C. and He, J., 2020. Prediabetes is associated with poor functional outcome in patients with intracerebral hemorrhage. *Brain and Behavior*, 10(4).
- World Health Organization Expert Consultation, 2004. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*, 363(9403), pp.157-163.
- Wilson, P., D'Agostino, R., Sullivan, L., Parise, H. and Kannel, W., 2002. Overweight and Obesity as Determinants of Cardiovascular Risk. *Archives of Internal Medicine*, 162(16), p.1867.
- World Health Organization, International Diabetes Federation, 2006. Definition and diagnosis of diabetes mellitus and intermediate hyperglycaemia. Geneva: World Health Organization, p.3.
- Xing, Y., An, Z., Zhang, X., Yu, N., Zhao, W., Ning, X. and Wang, J., 2017. Sex Differences in the Clinical Features, Risk Factors, and Outcomes of Intracerebral Hemorrhage: a Large Hospital-based Stroke Registry in China. *Scientific Reports*, 7(1).
- Xu, J., Wang, A., Meng, X., Jing, J., Wang, Y., Wang, Y., Dong, Q., Cui, L., Zhou, S., Yu, F., Zhao, X., Wang, C., Zheng, H., Jia, Q., Zhou, Y., Liu, L., Liu, G., Wang, Z., Wu, H., Sun, Y., Yu, F., Sun, H., Li, J., Li, G., Guo, L., Cao, Y., Yuan, X., Li, J., Wu, Y., Zhang, J., Xu, Y., Zhou, S., Li, G., Guo, M., Li, S., Sun, S., Wang, W., Xiao, B., Huang, R., Chen, K., Wu, X., Bai, Q., Sun, X., Li, X., Gu, D., Luo, B., Zheng, R., Cai, Y., Mo, X., Gao, L., Gao, X., Qi, C., Gao, L., Niu, J., Wu, Y. and Shan, Y., 2019. Obesity-Stroke Paradox

Exists in Insulin-Resistant Patients But Not Insulin Sensitive Patients. *Stroke*, 50(6), pp.1423-1429.

Yudiarto, F., Machfoed, M., Darwin, A., Ong, A., Karyana, M. and Siswanto, 2014. Indonesia Stroke Registry (S12.003). *Neurology*, 02(10 Supplement).

Zhu, Y., Wang, Q., Pang, G., Lin, L., Origasa, H., Wang, Y., Di, J., Shi, M., Fan, C. and Shi, H., 2015. Association between Body Mass Index and Health-Related Quality of Life: The "Obesity Paradox" in 21,218 Adults of the Chinese General Population. *PLOS ONE*, 10(6), p.e0130613.