

DAFTAR PUSTAKA

- Adi, A. P. 2022. *Industri Gula Sebagai Pilar Ketahanan Pangan Nasional*. Badan Pangan Nasional, Indonesia.
- Agustina, N. I., dan Waluyo, B. 2017. Keragaman karakter morfo-agronomis dan keanekaragaman galur-galur cabai besar (*Capsicum annuum* L.). *Jurnal Agro*, 4(2), 120–130. <https://doi.org/10.15575/1608>
- Ahmed, A. Z., dan K. A. M. Khaled. 2008. Detection of genetic similarity of sugarcane genotypes. Sugar crops res. *Inst.Agric. Res Center, Giza, Egypt*.
- Aitken, K. and McNeil, M. 2010. *Diversity analysis. In Genetics, Genomics and Breeding of Sugarcane*. Pp. 419-442. CRC Press. New York, USA.
- Amalraj, V. A. and N. Balasundaran. 2006. On the taxonomy of the member of ‘*Saccharum complex*’. *Genetic Resources and Crop Evolution*, 53: 35-41.
- Amzeri, A. K., Badami, Pawana, G., Alfiansyah M., Daryono, B. S. 2021. Phenotypic and genetic diversity of watermelon (*Citrullus lanatus*) in East Java, Indonesia. *Biodiversitas* 22 (11): 5223-5230.
- Anggereini, E. 2008. Random Amplified Polymorphic DNA (RAPD), suatu metode analisis DNA dalam menjelaskan berbagai fenomena biologi. *Biospecies*.1 (2): 73-76.
- Arif, M. F. 2019. Variasi Genetik dan Hubungan Kekerabatan Sambilo di Indonesia Berdasarkan Penanda Molekuler ISSR dan RAPD. Tesis. Universitas Gadjah Mada, Yogyakarta.
- Avivi, S., Suliswanto, E. N., Restanto, D. P., Miswar, Syamsunihar, A., Soeparjono, S. and Hartatik, S. 2019. Morphological Diversity and Molecular RAPD Markers of Sugarcane Mutane (*Saccharum officinarum* L.) in Inundation Tolerance. *AGRIVITA Journal of Agricultural Science* 41(2): 221–229.
- Boom, R., Sol, C. J., Salimans, M. M., Jansen, C. L., Weirtheim-van Dillen, P. M., and van der Noorda, J. 1990. Rapid and simple method for purification of nucleic acids. *Journal of Clinical Microbiology* 28 (3): 495-503.
- Boonsrangsom, T. 2020. Genetic diversity of ‘Wan Chak Motluk’ (*Curcuma comosa* Roxb.) in Thailand using morphological characteristics and random amplification of polymorphic DNA (RAPD) markers. *South African Journal of Botani* 130: 224-230.

- Cahyarini, R. D., Ahmad, Y., dan Edi, P. 2004. Identifikasi Keragaman genetik Beberapa Varietas Lokal Kedelai di Jawa Berdasarkan Analisis Isozim. Tesis. Universitas Sebelas Maret, Surakarta.
- Chaiyabut, A., Poeaim, S., Poeaim, A., and Distabanjong, K. 2014. Genetic diversity analysis of sugarcane (*Saccharum* sp.) in Thailand using RAPD technique. *Journal of Agricultural Technology* 10(1):159-165.
- Daniels, J., and Roach, B. T. 1987. *Taxonomy and Evolution*. In D'Heinz (Eds). sugarcane improvement throughbreeding. Development In Crop Science II. Elsevier. Hlm 9.
- Daryono, B. S., and Natsuaki, K. T. 2002. Application of random amplified polymorphic DNA markers for detection of resistant cultivars of melon (*Cucumis melo*) against Cucurbitaceae viruses. *Acta Horticulturae* 588: 321-329.
- Devarumath, R. M., S. B. Kalwade., P. G. Kavar., and K. V. Sushir. 2012. Assessment of genetic diversity in sugarcane germplasm using ISSR and SSR markers. *Sugar Tech* 14(4):334-344.
- D'Hont, A., Lu, Y. H., Feldmann, P. and Glaszmann, J. C. 1993. Cytoplasmic diversity in sugar cane revealed by heterologous probes. *Sugar cane*. 1. 12-15.
- D'Hont, A., Paulet, F. and Glaszmann, J. C. 2002. Oligoclonal interspecific origin on 'North Indian' and 'Chinese' sugarcanes. *Chromosome Research* 10, 253-256.
- D'Hont, A., Souza, G. M., Menossi, M., Vincentz, M., Van-Sluys, M. A., Glaszmann, J.C and Ulian, E. 2008. *Sugar cane: A major source of sweetness, alcohol, and bionergy*. In *Genomics of Tropical Crop Plants*.,pp. 483-513. Springer, Germany.
- Doyle, J.J., and Doyle, J. L. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin* 19:11-15.
- Ekpelikepeze, O.S., Agre, P., Dossou-Aminon, I., Adjatin, A., Dassou, A., and Dansi A. 2016. Characterization of sugarcane (*Saccharum officinarum* L.) cultivars of Republic of Benin. *Int J Curr Res Biosci Plant Bio* 13 (5):147-156.
- Elford, S. dan Stansfield, W. 2007. *Genetika*. Jakarta: Erlangga.
- Ghane, A. A., Ghorpade, B. B., Fargade, S. A., Autade, R. A., Gaikwad, D. K., Chavan, R. S., Sarode, D. K. 2017. Molecular profiling and genetic diversity in sugarcane (*Saccharum officinarum* L.) genotypes using RAPD markers. *Contemp Res India* 7: 133-138.
- Gil, J. dan Cubero, J. I., 1993, Multivariate analysis of the *Vicia sativa* L. aggregate, *Botanical Journal of the Linnean Society* 113 (4): 389-400.

- Govindra, M., Vetriventhan, M., and Srinivasan, M. 2015. Importance of Genetic Diversity Assesment in Crop Plants and Its Recent Advances: An Overview of Its Analytical Perpectives. *Genetic Research International* Article ID 431487.
- Grivet, L., Glaszmann, J. C. and D'Hont, A. 2006. *Molecular evidence of sugarcane evolution and domestification. In Darwin's Harvest. New Approaches to the Origins, Evolution, and Conservation of Crops.* Pp. 49-66. Columbia University Press. New York, USA.
- Grosberg, Richard K., Donald R. L., Brenda, B., and Cameron. 1996. *Characterization of genetic structure and genealogies using RAPD-pcr markers: a random primer for the novice and nervous.* Wiley-Liss, Inc. California. hal. 67-97.
- Hamida, R., dan Parnidi. 2019. Kekerabatan Plasma Nuftah Tebu Berdasarkan Karakter Morfologis. *Buletin Tanaman Tembakau, Serat & Minyak Industri*, 11(1):24-32.
- Hapsoro, D. 2019. *Kultur In Vitro Tanaman Tebu dan Manfaatnya untuk Mutagenesis dengan Sinar Gamma*, Anugrah Utama Raharja. Lampung.
- Hapsoro, D., Hayane A. W., Setyo D. U., Nanik, S., and Yusnita. 2015. Genetic Diversity Among Sugarcane (*Saccharum officinarum* L.) Genotypes As Shown By Randomly Amplified Polymorphic DNA (RAPD). *Agrivita*. 37:3
- Harvey, M., Hockett, B. I., and Botha, F.C. 1994. Use of the polymerase chain reaction (PCR) and random amplification of polymorphic DNAs (RAPDs) for the determination of genetics distances between 21 sugarcane varieties. *Proceedings of The South African Sugar Technologist Association* :36-40.
- Herzer, S. 2001. *Molecular Biology Problem Solver: A Laboratory Guide.* John Willey & Sons, Inc. New York. Pp 167-196.
- Hidayat, T dan Pancoro, A. 2008. Kajian Filogenetika Molekuler dan Peranannya dalam Menyediakan Informasi Dasar untuk Meningkatkan Kualitas Sumber Genetik Anggrek. *Jurnal AgroBiogen* 4(1):35-40.
- Hidayati, N. Z., Saptadi, D dan Soetopo, L. 2016. Analisis Hubungan Kekerabatan 20 Spesies Anggrek Dendrobium Berdasarkan Karakter Morfologis. *Jurnal Produksi Tanaman* 4 (4): 291-297.
- Hussain, K., Nisar, M. F., Nawaz, K., Majeed, A., and Bhatti, K. H. 2010. Morphological traits vs. genetic diversity: reliable basis for sugarcane varieties identification. *The BIOL (E-Journal of Life Sciences)* 1(2): 41-43.
- James, G. L. 2004. *An Introduction to Sugarcane, In Sugarcane, Vol. 2, ed. GL.* Blackwell Science. Oxford. USA. 216 p.

- Kasiamdari, R. S., Aristya, G. R., Prabowo, H., Ariesta, C., Arif, M. F. 2019. Genetic diversity of Indonesian's sugarcane varieties (*Saccharum officinarum*) based on RAPD molecular markers. *Biodiversitas* 20 (10): 3005-3010.
- Kaur, G., Anurabh J., Devendra J., Ravish C., and Divya V., 2016. Diversity analysis of green gram (*Vigna radiata* (L.) Wilczek) through morphological and molecular markers. *Turk J Agricultural and Forestry*. 40:229-240.
- Kawar, P. G., Devarumath P. M., Neckar, Y. 2009. Use RAPD marker for assement of genetic diversity in sugarcane cultivars. *International Journal of Biotechnology* 8, 67-71.
- Kawengian, Y. B., Lengkong, E., and Mandang, J. 2016. Genetic Diversity of Several Varieties of Potato (*Solanumtuberosum* L) Based on Random Amplified Polymorphic DNA (RAPD). *Bioslogos Journal*, Vol. 6 No. 2.
- Khan, I. A., Dahot, M. U., and Khatri, A. 2007. Study of genetic variability in sugarcane induced through mutation breeding. *Pak. J. Bot.* 39(5):1489-1501.
- Khikmah, U. N., Yulianti, E., Sartika, I., Ratnawati, Djukri dan Sugiarto, L. 2018. Analisis Variasi Genetik Anggrek *Rhynchostylis retusa* (L.) Blume dengan Marka Molekuler RAPD. *J. Prodi Biologi*. 7(6):410-415.
- Kovach. 2007. *Multi-Variate Statistical Package. Ver. 3.1*. Published by Kovach Computing Services, Pentraeth, Wales, U.K.
- Kumawat, N., Singh, R. R., Kumar R., Yadav, T. P., and Om H. 2015. Effect of integrated nutrient management on productivity, nutrient uptake and economics of rainfed pigeonpea (*Cajanus cajan*) and blackgram (*Vigna mungo*) intercropping system. *Indian Journal of Agricultural Sciences* 85 (2): 171–6.
- Langenheim, J. H., and Thimann, K. V. 1982. *Botany Its Relation to Human Affairs*. Toronto (CA): John Wiley and Sons, Inc.
- Liu, J.J., A.K.M. Ekramoddoullah, R. Hunt, A. Zainal. 2006. Identification and characterization of RAPD markers linked to a major gene (Cr2) for resistant to *Cronartium ribicola* (Fish.) in *Pinus monticola* (D.Don.). *Phytopathol.* 96:395-399.
- Lu, Y. H., D'Hont, A., Walker, D. I. T., Rao, P. S., Feldmann, P. and Glaszmann, J. C. 1994. Relationships among ancestral species of sugarcane revealed with RFLP using single copy maize nuclear probes. *Euphyta*. 78, 7-18.
- Lucic, Isajev, Rakonjan, Mataruga, Babic, Ristic & Drinic. 2011. Application of Various Methods to Analyze Genetik Diversity of Austrian Pine (*Pinus nigra*) and Scots Pine (*Pinus cyluestris*). *Genetika* 43(3): 477– 486.

- Mahfut, Handayani, T.T., Wahyuningsih, S. and Sukimin. 2021. Identification of *Dendrobium* (Orchidaceae) in Liwa Botanical Garden Based on Leaf Morphological Characters. *Journal of Tropical Biodiversity and Biotechnology* Volume 06, Issue 01 DOI: 10.22146/jtbb.59423.
- Mansyah, E., Baihaki, A., Setiamiharja, R., Darsa, J. S., dan Sobir. 2003. Analisis variabilitas genetik manggis (*Garcinia mangostana* L.) di Jawa dan Sumatra Barat menggunakan teknik RAPD. *Jurnal Zuriat* 14 (1) : 35 – 44.
- Martiwi, I. N. A., Nugroho, L. H., Daryono, B. S., Susandarini, R. 2020. Morphological Variability and Taxonomic Relationship of *Sorghum bicolor* (L.) Moench Accessions Based on Qualitative Characters. *Annual Research & Review in Biology* 35 (6): 40-52.
- Martono, B and Udarno, L. 2014. Genetic Variability of Nine Tea Genotypes Based on Random Amplified Polymorphic DNA (RAPD) Markers. *J. Tidp* 1(1), 1-6.
- Melchinger, A. E. 1999. *Genetic diversity and heterosis, The genetics and exploitation of heterosis incrops*, Coors. J.G. and Pandey S. (ed). American Society of Agronomy, Crop Science Society of America, and Soil Science Society of America, Madison, WI.
- Moore, P. H. 1987. *Anatomy and Morphology*. Chapter 3. In: DJ Heinz, ed. Sugarcane Improvement Through Breeding. Elsevier. Amsterdam. pp 85-142.
- Mursyidin, D. H and Daryono, B.S. 2016. Genetic diversity of local durian (*Durio zibethinus* Murr.) cultivars of South Kalimantan's province based on RAPD markers. *AIP Conf. Proc.* 1755, 040008-1–040008-7.
- Nadhifah, A., Suratman and Pitoyo, A. 2016. Phenetic relationship among ciplukan (*Physalis angulata* L.) in Surakarta based on variation. *Jurnal Tumbuhan Obat Indonesia*, 9(1), 1–10. DOI: 10.22435/toi.v9i1.6336.1-10
- Nadhifah, F and Daryono B, S. 2016. The Genetic Variations and Relationship of Madura Tobaccos (*Nicotiana tabacum* L.) Based on Molecular Characteristics. *Indonesian Journal of Biotechnology* Vol. 21, No. 2, pp. 70–75.
- Normala, J., Okomoda, V. T., Mohd, A. A., Nur, A. A., Abol-Munafi, A. B., and Sheriff, S. M. 2021. Genetic Variation between Triploid and Diploid *Clarias gariepinus* (Burchell, 1822) using RAPD Markers. *Vet. Sci*, 8, 75.
- Ongala, J., Mwanga, D and Nuani, F. 2016. On the use of principal component analysis in sugarcane clone selection. *J. Indian Soc. Agric. Stat.*, 70(1): 33-39.
- Palupi, D and Daryono, B. S. 2021. Genetic diversity of jackfruit (*Artocarpus heterophyllus* Lam.) provenances based on morphological parameters. *SABRAO Journal of Breeding and Genetics*. 53 (3): 479-498

- Pervaiz, Z., Turi, N., Khaliq I., Rabbani, M., and Malik, S. 2011. A modified method for high-quality DNA extraction for molecular analysis in cereal plants. *Genetics and Molecular Research Journal* 10: 1669-1673.
- Plantamor. 2016. Database-tumbuhan.
<http://plantamor.com/species/info/saccharum/officinarum>. Diakses pada 03 Februari 2021.
- Podani, J. 1999. Extending Gower's general coefficient of similarity to ordinal characters. *TAXON* 48.
- Poerba, Y. S. dan Martanti, D. 2008. Keragaman genetik berdasarkan markarandom amplified polymorphic DNA pada *Amorphophallus muelleri* Blume di Jawa. *Jurnal Biodiversitas* 9 (4) : 245 – 249.
- Pramono, A. K and Daryono, B. S. 2012. Genetic Variation Analysis of Mold (*Magnaporthe oryzae* B.Couch) Using Random Amplified Polymorphic DNA. *Indonesian Journal of Biotechnology* Vol. 17, No. 2, pp.90-95.
- Price, C. W., Leslie, D. C., and Landers, J. P. 2009. Nucleic acid extraction techniques and application to the microchip. *Lab on a chip* 9(17): 2484-2494.
- PT. Gunung Madu Plantation. 2015. Sejarah perusahaan.
<http://www.gunungmadu.co.id>. Diakses pada tanggal 03 Februari 2021.
- Purnomo, Daryono, B. S., and Sentori, B. S. 2013. Variability and Intraspecies Classification of Pumpkin (*Cucurbita Moschata* (Duch. Ex Lam.) Duch. Ex Poir.) Based on Morphological Characters. *ISSN 2413-0877* Volume 2, 286-293.
- Purnomo, Daryono, B. S., Rugayah, Sumardi, I. and Shiwachi, H. 2016. Genetic Variability and Classification of Indonesian Yams (*Dioscorea* Spp.) Based on RAPD Analysis. *SABRAO Journal of Breeding and Genetics* 48 (4) 377-390.
- Randriani, E., Tresniawati, C dan Syafaruddin. 2012. Pemanfaatan Teknik Random Amplified Polymorphic DNA (RAPD) untuk Pengelompokan secara Genetik Plasma Nutfah Jambu Mete (*Anacardium occidentale* L.). *Buletin RISTRI* Vol 3 (1).
- Roldan-Ruiz, I., Calsyn, E., Gilliland, T. J., Coll, R., Eijk, M. J. T., and Loose, M. D. 2000. Estimating genetic conformity between related ryegrass (*Lolium*) varieties 2 AFLP characterization. *Molecular Breeding* 6: 593-602.
- Salisbury, F. B dan Ross, C. W. 1992. *Fisiologi Tumbuhan Jilid 3: Biokimia Tumbuhan*. D.R. Lukman dan Sumargono (Penerjemah). Penerbit ITP. Bandung. 173 Hal. Terjemahan dari: Plant Physiology: Plant Biochemistry.

- Sambrook, J. and Russel, D. W. 1989. *Molecular Cloning: A Laboratory Manual 2 nd ed.* Cold-Spring Harbor Laboratory Press. New York. Pp.165-166.
- Senapati, S. K and Rout G R. 2011. In vitro mutagenesis in *Rosa hybrida* using oryzalin as a mutagen and screening of mutants by randomly amplified polymorphic DNA (RAPD) marker. *African Journal of Biotechnology* Vol. 10(30), pp. 5705-5712
- Sera, T., Ruas, P. M., Ruas, C. F., Diniz, L. E. C., Carvalho, V. P., Rampim, L., Ruas, E. A., and da Silveira, S. R. 2003. Genetic polymorphism among 14 elite *Coffea arabica* L. cultivars using RAPD markers associated with restriction digestion. *Genetics and Molecular Biology*, 26(1):59-64
- Sharma, R., Sharma S., Kumar, S. 2018. Pair-wise combinations of RAPD primers for diversity analysis with reference to protein and single primer RAPD in soybean. *Annals of Agrarian Science*. 16: 243-249.
- Shete, S., Tiwari, H., and Elston, R. C. 2000. On estimating the heterozygosity and polymorphism information content value. *Theoretical Population Biology* 57: 265-271.
- Shivashankar, N. M. Guruprasad, and Chandan, N. 2013. Heterogeneity in honeybees populations of India revealed by RAPD analysis. *Journal of Chemical, Biological and Physical Science*. 3(2): 1155–1159.
- Siahaan, H. S. W., Sari S., Waluyo, B. 2020. Variation of Morphological Characters and Components of Several F1 Clones Preliminary Selection Results of Sugarcane (*Saccharum officinarum* L.). *Plant Production Journal* 8 (11): 1028-1034.
- Singh, G. 1999. *Plant Systematics*. New Hampshire: Science Publisher.
- Singh, G., Sandhu, S. K., Meeta, M. Singh, K., Gill, R., Gosal, S. S. 2008. In vitro induction and characterization of somaclonal variation for red rot and other agronomic traits in sugarcane. *Euphytica* 160:35–47.
- Sokal, R. R and Sneath, P. A. 1963. *Principles of numerical taxonomy*. W.H. Freeman and Co., San Francisco.
- Sokal, R. R. 1983. *Numerical Taxonomy*. Springer. New York. PP 384-385.
- Stace, C. A. 1981. *Plant Taxonomy and Biosystematics*. Edward Arnold, London.
- Stammers, M., Harris, J., Evans, G. M., Hayward, M. D. 1995. Use of random PCR (RAPD) technology to analyse phylogenetic relationships in the *Lolium/Festuca* complex. *Heredity* 74 (Pt 1): 19-27.

- Suprpto dan Narimah, M. K. 2007. Variasi Genetik, Heritabilitas, Tindak Gen dan Kemajuan Genetik Kedelai (*Glycine max* Merril) Pada Ultisol. *Jurnal Ilmu-Ilmu Pertanian Indonesia*. 9(2): 183-190.
- Susantidiana, Wijaya, A., Lakitan, B., and Surahman, M. 2009. The Identification of Some Accessions of *Jatropha curcas* L. Using Morphological and RAPD Analysis. *J. Agron. Indonesia* 37 (2): 167– 173.
- Tabasum, S., F. A. Khan, S. Nawaz, M. Z. Iqbal, and A. Saeed. 2010. DNA profiling of sugarcane genotypes using randomly amplified polymorphic DNA. *Genetics and Molecular Research*. 9(1): 471-483.
- Tai, P. Y. P., Miller, J. D and Legendre, B. L. 1996. Evaluation of the world collection of *Saccharum spontaneum* L. *Biology Breeding*: 250-260.
- Thapa, D. B., Sharma, R. C., Mudwari, A., Ferrara, G.O., Sharma, S., Basnet, R. K., Witcombe, J. R., Virik, D. S., Joshi, K. D. 2009. Identifying superior wheat cultivars in participatory research on resource poor farms. *Field Crop Res.* 12: 124-130.
- Tuteja, N. 2012. *Improving Crop Productivity in Sustainable Agriculture*. Wiley VCH.
- Ubayasena, W. L. C and Perera, A. L. T. 1999. Assesment of genetic diversity within wild sugarcane germplasm using randomly amplified polymorphic DNA techniques (RAPD). *Tropical Agricultural Research* (11):110-122
- Utama, R. 2020. *Analisis Perkembangan Harga Bahan Pangan Pokok di Pasar Domestik dan Internasional*. Pusat Pengkajian Perdagangan Dalam Negeri, Kementrian Perdagangan Republik Indonesia.
- Utami, D.F.F., Ellis N., dan M. Roviq. 2019. Pengelompokkan 6 Klon Tanaman Tebu (*Saccharum officinarum* L.) pada Fase Vegetatif Berdasarkan Karakter Morfologis dan Fisiologi. *Jurnal Produksi Tanaman*, Vol. 7 No.9.
- Wang, X., Zhao, X., Xiao, H., & Wang, F. 2012. Isolation of High-Quality DNA from a Desert Plant *Reaumuria soongorica*. *Genetic Diversity in Plants*, 1(1), 1-10.
- Williams, J. G. K., A. R. K. Kubelik, J. L. Livak, J. A. Rafalski, and S. V. Tingey. 1990. DNA polymorphisms amplified by random primers are useful as genetic markers. *Nucl. Acid Res.* 18: 6531- 6535.
- Yu, Kangfu, dan Pauls, K. P. 1992. Optimization of the PCR program for RAPD analysis. *Nucleic Acids Research*. 20 (10): 2606.
- Zhang, G. M., Li, Y. R., He, W. Z., He, H., Liu, X. H., Song, H. Z., Liu, H. B., Zhu, R. C., and Fang, W. L. 2010. Analysis of genetic diversity in *Saccharum spontaneum* L. accession from guangxi province of China with RAPD-PCR. *Sugar Tech.* 12 (1):31-35

- Zhang, H. Y., Li, F. S., HeI, L., Zhong, H. Q., Yang, Q. H., and He, S. C. 2008. Identification of sugarcane interspecies hybrids with RAPDs. *African Journal of Biotechnology*. 7 (8):1072-1074.
- Zhang, X.Q., Ma, X., Gu, X. Y., Chen, T. T., Chen, S. Y., Huang, L. K. 2013. Genetic relationships between *Lolium* (Poaceae) species revealed by RAPD markers. *Genetics and Molecular Research* 12 (3): 3246-3255.
- Zhou, H., Yang, R-Z and Li, Y. R. 2015. Principal component and cluster analyses for quantitative traits in GT sugarcane germplasm (*Saccharum* spp. Hybrids). *IJAIR*, 3(6): 1686-1690