

## DAFTAR PUSTAKA

- Alonso-Pimentel, H., H.G. Spangler, R. Rogers & D.R. Papaj. 2000. Acoustic component and social context of the wing display of the walnut fly *Rhagoletis juglandis*. *Journal of Insect Behavior*. 13 (4): 511-524. <https://doi.org/10.1023/A:1007859518070>
- Aubin, T. & P. Jouventin. 1998. Cocktail-party effect in king penguin colonies. *Proceedings of the Royal Society of London. Series B: Biological Sciences*. 265 (1406): 1665-1673. <https://doi.org/10.1098/rspb.1998.0486>
- Audacity Team. 2021. Audacity(R): Free Audio Editor and Recorder [Computer application]. Version 3.0.0 retrieved March 17th 2021. [www.audacityteam.org](http://www.audacityteam.org) (diakses 12 Januari 2021).
- Bardeli, R., D. Wolff, F. Kurth, M. Koch, K.H. Tauchert & K.H. Frommolt. 2010. Detecting bird sounds in a complex acoustic environment and application to bioacoustic monitoring. *Pattern Recognition Letters*. 31 (12): 1524-1534. <https://doi.org/10.1016/j.patrec.2009.09.014>
- Bateson, P.P.G. 1966. The characteristics and context of imprinting. *Biological Reviews*. 41 (2): 177-217. <https://doi.org/10.1111/j.1469-185X.1966.tb01489.x>
- Bee, M.A., M.S. Reichert & J. Tumulty. 2016. Assessment and recognition of rivals in anuran contests. *In: Naguib, M., C. John, Mitani, W. Leigh, Simmons, L. Barrett, S. Healy & M. Zuk. Advances in the Study of Behavior (Vol. 48). Academic Press. Cambridge. Massachusetts. 161-249 p.* <https://doi.org/10.1016/bs.asb.2016.01.001>
- Benelli, G., A. Canale, G. Bonsignori, G. Ragni, C. Stefanini & A. Raspi. 2012. Male wing vibration in the mating behavior of the olive fruit fly *Bactrocera oleae* (Rossi)(Diptera: Tephritidae). *Journal of Insect Behavior*. 25 (6): 590-603. <https://doi.org/10.1007/s10905-012-9325-9>
- Benelli, G., K.M. Daane, A. Canale, C.Y. Niu, R.H. Messing & R.I. Vargas. 2014. Sexual communication and related behaviours in Tephritidae: current knowledge and potential applications for Integrated Pest Management. *Journal of Pest Science*. 87 (3): 385-405. <https://doi.org/10.1007/s10340-014-0577-3>
- Bennet-Clark, H.C. 1998. Size and scale effects as constraints in insect sound communication. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*. 353 (1367): 407-419. <https://doi.org/10.1098/rstb.1998.0219>
- Beranek, L.L. 1988. *Acoustical Measurement*. Acoustical Society of America. New York.
- Boettiger, E.G. & E. Furshpan. 1952. The mechanics of flight movements in Diptera. *The Biological Bulletin*. 102 (3): 200-211. <https://doi.org/10.1093/biol/bul102.3.200>
- Bradbury, J.W. & S.L. Vehrencamp. 2011. *Principles of Animal Communication*.

Sinauer Associates, Inc. Massachusetts.

- Briscoe, A.D. & L. Chittka. 2001. The evolution of color vision in insects. *Annual Review of Entomology*. 46 (1): 471-510. <https://doi.org/10.1146/annurev.ento.46.1.471>.
- Brüggemeier, B., M.A. Porter, J.O. Vigoreaux & S.F. Goodwin. 2018. Female *Drosophila melanogaster* respond to song-amplitude modulations. *Biology Open*. 7 (6): bio032003. <https://doi.org/10.1242/bio.032003>
- Brumm, H. 2013. *Animal Communication and Noise* (Vol. 2). Springer-Verlag. Berlin Heidelberg. [https://doi.org/10.1007/978-3-642-41494-7\\_1](https://doi.org/10.1007/978-3-642-41494-7_1)
- Burk, T. 1981. Signaling and sex in acalyptrate flies. *The Florida Entomologist*. 64 (1): 30-43. <https://doi.org/3494599>
- CABI. 2021. *Bactrocera carambolae* (carambola fruit fly). *In*: Description. Wallingford, UK: CAB International. [www.cabi.org/isc/datasheet/8700#todescription](http://www.cabi.org/isc/datasheet/8700#todescription) (diakses 28 Mei 2021).
- CABI. 2022. Invasive species compendium, datasheet report for *Bactrocera cucurbitae* (melon fly). [www.cabi.org/isc/datasheetreport/17683](http://www.cabi.org/isc/datasheetreport/17683) (diakses 28 Maret 2022).
- Castilho, A.P., J. Pasinato, J.E.V.D Santos, A. Costa, D.E. Nava, C.R.D. Jesus & R. Adaime. 2019. Biology of *Bactrocera carambolae* (Diptera: Tephritidae) on four hosts. *Revista Brasileira de Entomologia*. 63: 302-307. <https://doi.org/10.1016/j.rbe.2019.09.002>
- Charif, R.A., A.M. Waack & L.M. Strickman. 2010. *Raven Pro 1.4 User's Manual*. The Cornell Lab of Ornithology. New York. Ithaca .
- Christensen-Dalsgaard, J. 2019. Acoustical signals—in air and water. *In*: Choe, J.C. *Encyclopedia of Animal Behavior*. Academic Press. London. 438-448 p.
- Chua, T.H. 1994. Egg batch size of the carambola fruit fly, *Bactrocera* Sp (Malaysian A) (Diptera Tephritidae). *Pertanika Journal of Tropika Agriculture Science*. 17 (2): 107-109.
- Chua, T.H. & S.G. Khoo. 1995. Variations in carambola infestation rates by *Bactrocera carambolae* Drew and Hancock (Diptera: Tephritidae) with fruit availability in a carambola orchard. *Research of Population Ecology*. 37 (2): 151-157. <https://doi.org/10.1007/BF02515815>
- Clarke, A.R. 2019. *Biology and Management of Bactrocera and Related Fruit Flies*. CSIRO Publishing. Australia. Victoria. 89 p.
- Čokl, A.A. & J.G. Millar. 2009. Manipulation of insect signaling for monitoring and control of pest insects. *In*: *Biorational Control of Arthropod Pests*. Springer. Dordrecht. 279-316 p. [https://doi.org/10.1007/978-90-481-2316-2\\_11](https://doi.org/10.1007/978-90-481-2316-2_11)
- De Meyer, M., H. Delatte, M. Mwatawala, S. Quilici, J.F. Vayssières & M. Virgilio. 2015. A review of the current knowledge on *Zeugodacus cucurbitae* (Coquillett)

- (Diptera, Tephritidae) in Africa, with a list of species included in *Zeugodacus*. *ZooKeys*. (540): 539. <https://doi.org/10.3897/zookeys.540.9672>
- Dhillon, M.K., R. Singh, J.S. Naresh & H.C. Sharma. 2005. The melon fruit fly, *Bactrocera cucurbitae*: a review of its biology and management. *Journal of Insect Science*. 5 (1): 40. <https://doi.org/10.1093/jis/5.1.40>
- Digby, A., M. Towsey, B.D. Bell & P.D. Teal. 2013. A practical comparison of manual and autonomous methods for acoustic monitoring. *Methods in Ecology and Evolution*. 4 (7): 675-683. <https://doi.org/10.1111/2041-210X.12060>
- Derlink, M., P. Pavlovčič, A.J. Stewart & M. Virant-Doberlet. 2014. Mate recognition in duetting species: the role of male and female vibrational signals. *Animal Behaviour*. 90: 181-193. <https://doi.org/10.1016/j.anbehav.2014.01.023>
- Doorendeerd, C., L. Leblanc, A.L. Norrbom, M. San Jose & D. Rubinoff. 2018. A global checklist of the 932 fruit fly species in the tribe Dacini (Diptera, Tephritidae). *ZooKeys*. (730): 19. <https://doi.org/10.3897/zookeys.730.21786>
- Drew, R.A. 1973. Revised descriptions of species of Dacini (Diptera: Tephritidae) from the South Pacific area. I. Genus *Callantra* and the *Dacus* group of subgenera of genus *Dacus*. *Bulletin of the Queensland Department of Primary Industries, Division. Plant Industries*. 652: 1-39.
- Drew, R.A. 1989. The tropical fruit flies (Diptera: Tephritidae: Dacinae) of the Australasian and Oceanian Regions. *Memoirs of the Queensland Museum*. 26: 1-521.
- Drew, R.A. & D.L. Hancock. 1994. The *Bactrocera dorsalis* complex of fruit flies (Diptera: Tephritidae: Dacinae) in Asia. *Bulletin of Entomological Research Supplement Series*. 2: 1-68. <https://doi.org/10.1017/S1367426900000278>
- Ekesi, S. & S.A. Mohamed. 2011. Mass rearing and quality control parameters for tephritid fruit flies of economic importance in Africa. *In: Akyar, I. Wide Spectra of Quality Control. InTech. Rijeka. Croatia.* 387-410 p. <https://doi.org/10.5772/21330>
- Eliopoulos, E. 2005. Sound and techniques in sound analysis. *In: Drosopoulos, S. & M.F. Claridge. Insect Sounds and Communication: Physiology, Behaviour, Ecology, and Evolution. CRC Press. Boca Raton.* 11-32 p. <https://doi.org/10.1201/9781420039337>
- EPPO. 2018. PM 7/135 (1) *Zeugodacus cucurbitae*. *Bulletin OEPP/EPPO Bulletin*. 48 (3). 432-437. <https://doi.org/10.1111/epp.12543>
- EPPO. 2021. *Bactrocera carambolae*. EPPO datasheets on pests recommended for regulation. <https://gd.eppo.int> (diakses 15 November 2021).
- Ewing, A.W. & H.C. Bennet-Clark. 1968. The courtship songs of *Drosophila*. *Behaviour*. 31 (3-4): 288-301. <https://doi.org/10.1163/156853968X00298>
- Ewing, A.W. 1989. *Arthropod bioacoustics: neurobiology and behaviour*. Cornell University Press. New York.

- Falls J.B. 1992. Playback: A historical perspective. *In*: McGregor P.K. (Eds.). Playback and Studies of Animal Communication. NATO ASI Series (Series A: Life Sciences). Springer. Boston. MA. 11-19 p. [https://doi.org/10.1007/978-1-4757-6203-7\\_2](https://doi.org/10.1007/978-1-4757-6203-7_2)
- Fletcher, B.S. 1987. The biology of Dacine fruit flies. Annual Review of Entomology. 32: 115-144. <https://doi.org/10.1146/annurev.en.32.010187.000555>
- Foelix, R.F., R.F. Stocker & R.A. Steinbrecht. 1989. Fine structure of a sensory organ in the arista of *Drosophila melanogaster* and some other dipterans. Cell and Tissue Research. 258: 277-287. <https://doi.org/10.1007/BF00239448>
- Gerhardt, H.C. & G.M. Klump. 1988. Masking of acoustic signals by the chorus background noise in the green tree frog: a limitation on mate choice. Animal Behaviour. 36 (4): 1247-1249. [https://doi.org/10.1016/S0003-3472\(88\)80090-3](https://doi.org/10.1016/S0003-3472(88)80090-3)
- Gerhardt, H.C. 1991. Female mate choice in treefrogs: static and dynamic acoustic criteria. Animal Behaviour. 42 (4): 615-635. [https://doi.org/10.1016/S0003-3472\(05\)80245-3](https://doi.org/10.1016/S0003-3472(05)80245-3)
- Gerhardt, H.C. 1992. Multiple messages in acoustic signals. Seminars in Neuroscience. 4 (6): 391-400. [https://doi.org/10.1016/1044-5765\(92\)90047-6](https://doi.org/10.1016/1044-5765(92)90047-6)
- Gerhardt, H.C. 1995. Phonotaxis in female frogs and toads: execution and design of experiments. *In*: Klump, G.M., R.J. Dooling, R. Fay & W.C. Stebbins. Methods in Comparative Psychoacoustics. Birkhäuser. Basel. 209-220 p. [https://doi.org/10.1007/978-3-0348-7463-2\\_18](https://doi.org/10.1007/978-3-0348-7463-2_18)
- Gerhardt, H.C. & F. Huber. 2002. Acoustic Communication in Insects and Anurans: Common Problems and Diverse Solutions. University of Chicago Press. Chicago. 7 p.
- Griffin, A.S. 2004. Social learning about predators: a review and prospectus. Animal Learning & Behavior. 32: 131-140. <https://doi.org/10.3758/BF03196014>
- Hammond, T. & W. Bailey. 2003. Eavesdropping and defensive auditory masking in an Australian bushcricket, *Caedicia* (Phaneropterinae: Tettigoniidae: Orthoptera). Behaviour. 140 (1): 79-95. <https://doi.org/10.1163/156853903763999917>
- Hopp, S.L. & E.S. Morton. 1998. Sound playback studies. *In*: Hopp, S.L., M.J. Owren. & C.S. Evans (Eds.). Animal Acoustic Communication. Springer. Berlin. 323-352 p. Heidelberg. [https://doi.org/10.1007/978-3-642-76220-8\\_10](https://doi.org/10.1007/978-3-642-76220-8_10)
- Hopp, S.L., P. Jablonski & J.L. Brown. 2001. Recognition of group membership by voice in Mexican jays, *Aphelocoma ultramarina*. Animal Behaviour. 62 (2): 297-303. <https://doi.org/10.1006/anbe.2001.1745>
- Iwahashi, O. & T. Majima. 1986. Lek formation and male-male competition in the melon fly, *Dacus cucurbitae* Coquillett: Diptera: Tephritidae. Applied Entomology and Zoology. 21 (1): 70-75. <https://doi.org/10.1303/aez.21.70>
- K. Lisa Yang Center for Conservation Bioacoustics. 2022. Raven Pro: Interactive

Sound Analysis Software (Versio 1.6.2) [Computer Software]. Ithaca, NY: The Cornell Lab of Ornithology. <https://ravensoundsoftware.com/>. (diakses 15 Januari 2021).

- Kanmiya, K. 1983. Acoustical analysis of courtship sounds observed in *Dacus scutellatus* Hendel. *Pulex*. 68: 307. (in Japanese).
- Kanmiya, K., A. Tanaka, H. Kamiwada, K. Nakagawa & T. Nishioka. 1987. Time-domain analysis of the male courtship songs produced by wild, mass-reared, and by irradiated melon flies, *Dacus cucurbitae* Coquillett (Diptera: Tephritidae). *Applied Entomology and Zoology*. 22 (2): 181-194. <https://doi.org/10.1303/aez.22.181>
- Kanmiya, K. 1988. Acoustic studies on the mechanism of sound production in the mating songs of the melon fly, *Dacus cucurbitae* Coquillett (Diptera: Tephritidae). *Journal of Ethology*. 6 (2): 143-151. <https://doi.org/10.1007/BF02350880>
- Kanmiya, K., K.Y. Kaneshiro, K.M. Kanegawa & T.S. Whittier. 1991. Time-domain acoustic analyses on the male melon fly mating songs between populations of Hawaii and Japan. *Proceedings of the International Symposium on the Biology and Control of Fruit Flies*. Japan. Okinawa. 297-301 p.
- Keiser, I., R.M. Kobayashi, D. Chambers & E.L. Schneider. 1973. Relation of sexual dimorphism in the wings, potential stridulation, and illumination to mating of oriental fruit flies, melon flies, and mediterranean fruit flies in Hawaii. *Annals of the Entomological Society of America*. 66 (5): 937-941. <https://doi.org/10.1093/aesa/66.5.937>
- Kettle, R. & J. Viellard. 1991. Documentation standards for wildlife sound recordings. *Bioacoustics*. 3 (3): 235-238. <https://doi.org/10.1080/09524622.1991.9753183>
- King, M.J. & S.L. Buchmann. 1996. Sonication dispensing of pollen from *Solanum laciniatum* flowers. *Functional Ecology*. 10 (4): 449-456. <https://doi.org/10.2307/2389937>
- Kowalski, K.N., R. Lakes-Harlan, G.U. Lehmann & J. Strauß. 2014. Acoustic defence in an insect: characteristics of defensive stridulation and differences between the sexes in the tettigoniid *Poecilimon ornatus* (Schmidt 1850). *Zoology*. 117 (5): 329-336. <https://doi.org/10.1016/j.zool.2014.04.007>
- Kroodsma, D.E., G.F. Budney, R.W. Grotke, J.M.E. Vieillard, S.L.L. Gaunt, R. Ranft & O.D. Veprintseva. 1996. Natural sound archives: guidance for recordists and a request for cooperation. *In*: Kroodsma, D.E & E.H. Miller (Eds.). *Ecology and Evolution of Acoustic Communication in Birds*. Cornell University Press. New York. 474-486 p.
- Kuba, H. & J. Koyama. 1982. Mating behavior of the melon fly, *Dacus cucurbitae* Coquillett (Diptera: Tephritidae): comparative studies of one wild and two laboratory strains. *Applied Entomology and Zoology*. 17 (4): 559-568. <https://doi.org/10.1303/aez.17.559>
- Kuba, H. & J. Koyama. 1985. Mating behavior of wild melon flies, *Dacus cucurbitae* Coquillett (Diptera: Tephritidae) in a field cage: courtship behavior. *Applied*



Entomology and Zoology. 20 (4): 365-372. <https://doi.org/10.1303/aez.20.365>

- Kuba, H. & H. Soemori. 1988. Characteristics of copulation duration, hatchability of eggs and remating intervals in the melon fly, *Dacus cucurbitae* Coquillett (Diptera: Tephritidae). Japanese Journal of Applied Entomology and Zoology. 32 (4): 321-324. <https://doi.org/10.1303/jjaez.32.321>
- Kuba, H. & Y. Sokei. 1988. The production of pheromone clouds by spraying in the melon fly, *Dacus cucurbitae* Coquillett (Diptera: Tephritidae). Journal of Ethology. 6: 105-110. <https://doi.org/10.1007/BF02350875>
- Leblanc, L., M.A. Hossain, C. Doorenweerd, S.A. Khan, M. Momen, M. San Jose & D. Rubinoff. 2019. Six years of fruit fly surveys in Bangladesh: a new species, 33 new country records and discovery of the highly invasive *Bactrocera carambolae* (Diptera, Tephritidae). ZooKeys. 876: 87-109. <https://doi.org/10.3897/zookeys.876.38096>
- Malavasi, A., D. Midgarden & M. Meyer. 2013. Bactrocera species that pose a threat to Florida: *B. carambolae* and *B. invadens*. In: Peña, J.E. Potential Invasive Pests of Agricultural Crops. CABI. 216 p. <https://doi.org/10.1079/9781845938291.0214>
- Mankin, R.W., M. Lemon, A.M.T. Harmer, C.S. Evans & P.W. Taylor. 2008. Time-pattern and frequency analyses of sounds produced by irradiated and untreated male *Bactrocera tryoni* (Diptera: Tephritidae) during mating behavior. Annals of the Entomological Society of America. 101 (3): 664-674. [https://doi.org/10.1603/0013-8746\(2008\)101\[664:TAFSAOS\]2.0.CO;2](https://doi.org/10.1603/0013-8746(2008)101[664:TAFSAOS]2.0.CO;2)
- Mankin, R.W., D.W. Hagstrum, M.T. Smith, A.L. Roda & M.T.K. Kairo. 2011. Perspective and promise: a century of insect acoustic detection and monitoring. American Entomologist. 57 (1): 30-44. <https://doi.org/10.1093/ae/57.1.30>
- Marchioro, C.A. 2016. Global potential distribution of *Bactrocera carambolae* and the risks for fruit production in Brazil. PLoS One. 11 (11): e0166142. <https://doi.org/10.1371/journal.pone.0166142>
- Margaritis, L.H. 1985. Comparative study of the eggshell of the fruit flies *Dacus oleae* and *Ceratitis capitata* (Diptera: Trypetidae). Canadian Journal of Zoology. 63 (9): 2194-2206. <https://doi.org/10.1139/z85-324>
- McGregor, P.K., C.K. Catchpole, T. Dabelsteen, J.B. Falls, L. Fusani, H.C. Gerhardt, F. Gilbert, A.G. Horn, G.M. Klump, D.E. Kroodsma, M.M. Lambrechts, K.E. McComb, D.A. Nelson, I.M. Pepperberg, L. Ratcliffe, W.A. Searcy & D.M. Weary. 1992. Design of playback experiments: the Thornbridge Hall NATO ARW consensus. In: McGregor, P.K. Playback and Studies of Animal Communication. Springer. Boston. MA. 1-9 p. [https://doi.org/10.1007/978-1-4757-6203-7\\_1](https://doi.org/10.1007/978-1-4757-6203-7_1)
- McGregor, P.K. 2000. Playback experiments: design and analysis. Acta Ethologica. 3: 3-8. <https://doi.org/10.1007/s102110000023>
- McInnis, D.O., P. Rendon, E. Jang, A. Van Sauers-Muller, R. Sugayama & A. Malavasi. 1999. Interspecific mating of introduced, sterile *Bactrocera dorsalis* with wild *B. carambolae* (Diptera: Tephritidae) in Suriname: a potential case for

cross-species Sterile Insect Technique. *Annals of the Entomological Society of America*. 92: 758-765. <https://doi.org/10.1093/aesa/92.5.758>

- McQuate, G.T. & T. Teruya. 2015. Melon fly, *Bactrocera cucurbitae* (Diptera: Tephritidae), infestation in host fruits in the Southwestern Islands of Japan before the initiation of island-wide population suppression, as recorded in publications of Japanese public institutions. *International Journal of Insect Science*. 7: 27-37. <https://doi.org/10.4137/IJIS.S24582>
- Mir, S.H., S.A. Dar, G.M. Mir & S.B. Ahmad. 2014. Biology of *Bactrocera cucurbitae* (Diptera: Tephritidae) on cucumber. *Florida Entomologist*. 97 (2): 753-758. <https://doi.org/10.1653/024.097.0257>
- Miyatake, T. & K. Kanmiya. 2004. Male courtship song in circadian rhythm mutants of *Bactrocera cucurbitae* (Tephritidae: Diptera). *Journal of Insect Physiology*. 50 (1): 85-91. <https://doi.org/10.1016/j.jinsphys.2003.10.002>
- Morton, E.S. 1975. Ecological sources of selection on avian sounds. *The American Naturalist*. 109 (965): 17-34. <https://doi.org/10.1086/282971>
- Nishida, T. & H.A. Bess. 1957. Studies on the ecology and control of the melon fly *Dacus (Strumeta) cucurbitae* Coquillett (Diptera: Tephritidae). Hawaii Agricultural Experiment Station. University of Hawaii. 19 p.
- Plant Health Australia. 2018. The Australian Handbook for the Identification of Fruit Flies. Version 3.1. Plant Health Australia. Canberra. Australia.
- Poramarcom, R. & C.R. Boake. 1991. Behavioural influences on male mating success in the Oriental fruit fly, *Dacus dorsalis* Hendel. *Animal Behaviour*. 42 (3): 453-460. [https://doi.org/10.1016/S0003-3472\(05\)80044-2](https://doi.org/10.1016/S0003-3472(05)80044-2)
- Prokopy, R.J. 1980. Mating behavior of frugivorous Tephritidae in nature. Symposium on Fruit Fly Problems. XVI International Congress of Entomology. Japan. Kyoto. 37-46 p.
- Ranganath, H.R., M.A. Suryanarayana & K. Veenakumari. 1997. Management of melon fly (*Bactrocera (Zeugodacus) cucurbitae* Coquillett) in cucurbits in South Andaman. *Insect Environment*. 3 (2): 32-33.
- Reichard, D.G. & R.C. Anderson. 2015. Why signal softly? The structure, function and evolutionary significance of low-amplitude signals. *Animal Behaviour*. 105: 253-265. <https://doi.org/10.1016/j.anbehav.2015.04.017>
- Riabinina, O., M. Dai, T. Duke & J.T. Albert. 2011. Active process mediates species-specific tuning of *Drosophila* ears. *Current Biology*. 21 (8): 658-664. <https://doi.org/10.1016/j.cub.2011.03.001>
- Rosenthal, G.G. 2019. Playbacks in behavioral experiments. *In*: Choe, J.C. *Encyclopedia of Animal Behavior*. Academic Press. London. 745-749 p. <https://doi.org/10.1016/b978-0-08-045337-8.00283-7>
- Ryan, M.J. & E.A. Brenowitz. 1985. The role of body size, phylogeny, and ambient noise in the evolution of bird song. *The American Naturalist*. 126 (1): 87-100.

<https://doi.org/10.1086/284398>

- Samarra, F.I., K. Klappert, H. Brumm & P.J. Miller. 2009. Background noise constrains communication: acoustic masking of courtship song in the fruit fly *Drosophila montana*. Behaviour. 1635-1648. <https://doi.org/10.1163/156853909X463713>
- Schutze, M.K., N. Aketarawong, W. Amornsak, K.F. Armstrong, A.A. Augustinos, N. Barr, W. Bo, K. Bourtzis, L.M. Boykin, C. Cáceres, S.L. Cameron, T.A. Chapman, S. Chinvinijkul, A. Chomič, M. De Meyer, E. Drosopoulou, A. Englezou, S. Ekesi, A. Gariou-papalexidou, S.M. Geib, D. Hailstones, M. Hasanuzzaman, D. Haymer, A.K.W. Hee, J. Hendrichs, A. Jessup, Q. Ji, F.M. Khamis, M.N. Krosch, L. Leblanc, K. Mahmood, A.R. Malacrida, P. Mavragani-tsipidou, M. Mwatawala, R. Nishida, H. Ono, J. Reyes, D. Rubinoff, M. San Jose, T.E. Shelly, S. Srikachar, K.H. Tan, S. Thanaphum, I. Haq, S. Vijaysegaran, S.L. Wee, F. Yesmin, A. Zacharopoulou & A.R. Clarke. 2015. Synonymization of key pest species within the *Bactrocera dorsalis* species complex (Diptera: Tephritidae): taxonomic changes based on a review of 20 years of integrative morphological, molecular, cytogenetic, behavioural and chemoecological data. Systematic Entomology. 40: 456-471. <https://doi.org/10.1111/syen.12113>
- Scolari, F., F. Valerio, G. Benelli, N.T. Papadopoulos & L. Vaníčková. 2021. Tephritid fruit fly semiochemicals: current knowledge and future perspectives. Insects. 12 (5): 408. <https://doi.org/10.3390/insects12050408>
- Shelly, T.E. & K.Y. Kaneshiro. 1991. Lek behavior of the oriental fruit fly, *Dacus dorsalis*, in Hawaii (Diptera: Tephritidae). Journal of Insect Behavior. 4 (2): 235-241. <https://doi.org/10.1007/BF01054615>
- Shelly, T.E. & T.S. Whittier. 1997. Lek behavior of insects. In: Choe, J.C. & B.J. Crespi (Eds.). Mating Systems in Insects and Arachnids. Cambridge University Press. Cambridge. 273-293 p.
- SigmaPlot. 2018. Version 14.0. Systat Software. San Jose. CA. USA.
- Silva, O.L.R., R. Suman & J.R. Silva. 1997. Mosca da carambola (*Bactrocera carambolae* Drew & Hancock)—Alerta quarentenário 1. Ministério da Agricultura e do Abastecimento. Brasília. 10 p.
- Sivinski, J.M, T. Burk & J.C. Webb. 1984. Acoustic courtship signals in the caribbean fruit fly, *Anastrepha suspensa* (Loew). Animal Behaviour. 32 (4): 1011-1016. [https://doi.org/10.1016/S0003-3472\(84\)80214-6](https://doi.org/10.1016/S0003-3472(84)80214-6)
- Sivinski, J.M. & J.C. Webb. 1985. The form and function of acoustic courtship signals of the papaya fruit fly, *Toxotrypana curvicauda* (Tephritidae). Florida Entomologist. 634-641. <https://doi.org/3494866>
- Sivinski, J.M. & J.C. Webb. 1986. Changes in a caribbean fruit fly acoustic signal with social situation (Diptera: Tephritidae). Annals of the Entomological Society of America. 79 (1): 146-149. <https://doi.org/10.1093/aesa/79.1.146>
- Sivinski, J.M. 1993. Longevity and fecundity in the caribbean fruit fly (Diptera: Tephritidae): effects of mating, strain and body size. The Florida Entomologist. 76 (4): 635-644. <https://doi.org/10.2307/3495798>



- Siwi, S.S., H. Purnama & Suputa. 2006. Taksonomi dan bioekologi lalat buah penting di Indonesia (Diptera: Tephritidae). Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumber Daya Genetik Pertanian dengan Department of Agriculture, Fisheries and Forestry Australia. Bogor.
- Stapells, D.R., T.W. Picton & A.D. Smith. 1982. Normal hearing thresholds for clicks. The Journal of the Acoustical Society of America. 72 (1): 74-79. <https://doi.org/10.1121/1.388026>
- Sugimoto, A. 1979. Smoke emission by the melon fly, *Dacus cucurbitae* Coquillett. Japanese Journal of Applied Entomology and Zoology. 23 (1): 40-44.
- Suzuki, Y. & J. Koyama. 1980. Temporal aspects of mating behavior of the melon fly, *Dacus cucurbitae* Coquillett (Diptera: Tephritidae): a comparison between laboratory and wild strains. Applied Entomology and Zoology. 15 (3): 215-224. <https://doi.org/10.1303/aez.15.215>
- Suzuki, Y. & J. Koyama. 1981. Courtship behavior of the melon fly, *Dacus cucurbitae* Coquillett. Applied Entomology and Zoology. 16 (2): 164-166. <https://doi.org/10.1303/aez.16.164>
- Tan, K.H. 2000. Behaviour and chemical ecology of fruit flies. In: Tan, K.H. Area-wide Control of Fruit Flies and Other Insect Pests. Penerbit Universiti Sains Malaysia. Pulau Pinang. 647-656 p.
- Tati-Subahar, S.S. 1999. Dampak Konsumsi Metil Egenol terhadap Perilaku dan Keberhasilan Perkawinan Lalat Buah *Bactrocera carambolae* (Diptera: Tephritidae). Jurnal Perlindungan Tanaman Indonesia. 5 (2): 144-199. <https://doi.org/10.22146/jpti.12760>
- Thornhill, R. & J. Alcock. 1983. The Evolution of Insect Mating Systems. Harvard University Press. <https://doi.org/10.4159/harvard.9780674433960>
- Tibbetts, E.A. & J. Dale. 2007. Individual recognition: it is good to be different. Trends in Ecology & Evolution. 22 (10): 529-537. <https://doi.org/10.1016/j.tree.2007.09.001>
- Vargas, R.I., D. Miyashita & T. Nishida. 1984. Life history and demographic parameters of three laboratory-reared tephritids (Diptera: Tephritidae). Annals of the Entomological Society of America. 77 (6): 651-656. <https://doi.org/10.1093/aesa/77.6.651>
- Vargas, R.I., J.C. Piñero & L. Leblanc. 2015. An overview of pest species of *Bactrocera* fruit flies (Diptera: Tephritidae) and the integration of biopesticides with other biological approaches for their management with a focus on the Pacific region. Insects. 6 (2). 297-318. <https://doi.org/10.3390/insects6020297>
- Vayssières, J.F., J.Y. Rey & L. Traoré. 2007. Distribution and host plants of *Bactrocera cucurbitae* in West and Central Africa. Fruits. 62 (6): 391-396. <https://doi.org/10.1051/fruits:2007037>
- Virgilio, M., K. Jordaens, C. Verwimp, I.M. White & M. De Meyer. 2015. Higher phylogeny of frugivorous flies (Diptera, Tephritidae, Dacini): localised partition

- conflicts and a novel generic classification. *Molecular Phylogenetics and Evolution*. 85: 171-179. <https://doi.org/10.1016/j.ympev.2015.01.007>
- Walker, T.J. 1988. Acoustic traps for agriculturally important insects. *Florida Entomologist*. 484-492. <https://doi.org/3495008>
- Walker, T.J. 1996. Acoustic methods of monitoring and manipulating insect pests and their natural enemies. *In*: Rosen, D., F.D. Bennett & J.L. Capinera. *Pest Management in the Subtropics: Integrated Pest Management – A Florida Perspective*. Intercept Ltd. Andover. Hants. UK. 245-257 p.
- Webb, J.C., J.L. Sharp, D.L. Chambers, J.J. McDow & J.C. Benner. 1976. Analysis and identification of sounds produced by the male caribbean fruit fly, *Anastrepha suspensa*. *Annals of the Entomological Society of America*. 69 (3): 415-420. <https://doi.org/10.1093/aesa/69.3.415>
- Webb, J.C., C.O. Calkins, D.L. Chambers, W. Schwenbacher & K. Russ. 1983. Acoustical aspects of behavior of mediterranean fruit fly, *Ceratitidis capitata*: analysis and identification of courtship sounds. *Entomologia Experimentalis et Applicata*. 33 (1): 1-8. <https://doi.org/10.1111/j.1570-7458.1983.tb03224.x>
- Webb, J.C., J.M. Sivinski & C. Litzkow. 1984. Acoustical behavior and sexual success in the caribbean fruit fly, *Anastrepha suspensa* (Loew) (Diptera: Tephritidae). *Environmental Entomology*. 13 (3): 650-656. <https://doi.org/10.1093/ee/13.3.650>
- Wee, S.L. & K.H. Tan, 2005. Female sexual response to male rectal volatile constituents in the fruit fly, *Bactrocera carambolae* (Diptera: Tephritidae). *Applied Entomology and Zoology*. 40 (2): 365-372. <https://doi.org/10.1303/aez.2005.365>
- Weems, H.V.Jr., J.B. Heppner & T.R. Fasulo. 2015. Melon Fly, *Bactrocera cucurbitae* (Coquillett) (Insecta: Diptera: Tephritidae). EENY-199 originally published as DPI Entomology Circulars 29 and 315. <http://edis.ifas.ufl.edu/pdf/IN/IN35600.pdf>
- White, I.M. & M.M. Elson-Harris. 1992. *Fruit Flies of Economic Significance: Their Identification and Bionomics*. CAB International. Wallingford. UK.
- Wiley, R.H. 2013. Specificity and multiplicity in the recognition of individuals: implications for the evolution of social behaviour. *Biological Reviews*. 88 (1): 179-195. <https://doi.org/10.1111/j.1469-185X.2012.00246.x>
- Wilkins, M.R., N. Seddon & R.J. Safran. 2013. Evolutionary divergence in acoustic signals: causes and consequences. *Trends in Ecology & Evolution*. 28 (3): 156-166. <https://doi.org/10.1016/j.tree.2012.10.002>
- Win, N.Z., K.M. Mi, T.T. Oo, K.K. Win, J. Park & J.K. Park. 2014. Occurrence of fruit flies (Diptera: Tephritidae) in fruit orchards from Myanmar. *Korean Journal of Applied Entomology*. 53 (4): 323-329. <https://doi.org/10.5656/KSAE.2014.06.0.011>
- Wollerman, L. & R.H. Wiley. 2002. Background noise from a natural chorus alters female discrimination of male calls in a Neotropical frog. *Animal Behaviour*. 63 (1): 15-22.
- Wong, T.T.Y., D.O. McInnis & J.I. Nishimoto. 1986. Melon fly (Diptera: Tephritidae):

sexual maturation rates and mating responses of laboratory-reared and wild flies. *Annals of the Entomological Society of America*. 79 (4): 605-609. <https://doi.org/10.1093/aesa/79.4.605>

Wytenbach, R.A. & H.E. Farris. 2004. Psychophysics in insect hearing. *Microscopy Research and Technique*. 63 (6): 375-387. <https://doi.org/10.1002/jemt.20054>

Yamagishi, M. & Y. Tsubaki. 1990. Copulation duration and sperm transfer in the melon fly, *Dacus cucurbitae* Coquillett (Diptera: Tephritidae). *Applied Entomology and Zoology*. 25 (4): 517-519. <https://doi.org/10.1303/aez.25.517>