

DAFTAR PUSTAKA

- Abraham, M. T., Satyam, N., Lokesh, R., Pradhan, B., & Alamri, A. (2021). Factors affecting landslide susceptibility mapping: Assessing the influence of different machine learning approaches, sampling strategies and data splitting. *Land*, 10(9). <https://doi.org/10.3390/land10090989>
- Ajiboye, A. R., Abdullah-Arshah, R., Qin, H., & Isah-Kebbe, H. (2015). Evaluating the Effect of Dataset Size on Predictive Model Using Supervised Learning Technique. *International Journal of Computer Systems & Software Engineering*, 1(1), 75–84. <https://doi.org/10.15282/ijsecs.1.2015.6.0006>
- Alvioli, M., Mondini, A. C., Fiorucci, F., Cardinali, M., & Marchesini, I. (2018). Geomatics, Natural Hazards and Risk Topography-driven satellite imagery analysis for landslide mapping Topography-driven satellite imagery analysis for landslide mapping. <https://doi.org/10.1080/19475705.2018.1458050>
- Arabameri, A., Saha, S., Roy, J., Chen, W., Blaschke, T., & Bui, D. T. (2020). Landslide susceptibility evaluation and management using different machine learning methods in the Gallicash River Watershed, Iran. *Remote Sensing*, 12(3). <https://doi.org/10.3390/rs12030475>
- Arnous, M. O. (2011). Integrated remote sensing and GIS techniques for landslide hazard zonation: A case study Wadi Watier area, South Sinai, Egypt. *Journal of Coastal Conservation*, 15(4), 477–497. <https://doi.org/10.1007/s11852-010-0137-9>
- Bera, S., Upadhyay, V. K., Guru, B., & Oommen, T. (2021). *Landslide inventory and susceptibility models considering the landslide typology using deep learning: Himalayas, India*. *Natural Hazards* (Vol. 108). Springer Netherlands. <https://doi.org/10.1007/s11069-021-04731-8>
- BNPB. (2016). *Risiko bencana indonesia*. Jakarta: BNPB.
- Bordoni, M., Corradini, B., Lucchelli, L., Valentino, R., Bittelli, M., Vivaldi, V., & Meisina, C. (2019). Empirical and physically based thresholds for the occurrence of shallow landslides in a prone area of Northern Italian Apennines. *Water (Switzerland)*, 11(12). <https://doi.org/10.3390/W11122653>
- Çellek, S. (2020). Effect of the Slope Angle and Its Classification on Landslide. *Natural Hazards and Earth System Sciences*, (87). <https://doi.org/10.5194/nhess-2020-87>
- Chen, L., Guo, Z., Yin, K., Pikha Shrestha, D., & Jin, S. (2019). The influence of land use and land cover change on landslide susceptibility: A case study in Zhushan Town, Xuan'en County (Hubei, China). *Natural Hazards and Earth System Sciences*, 19(10), 2207–2228. <https://doi.org/10.5194/nhess-19-2207-2019>
- Christanto, N., Hadmoko, D. S., Western, C. J., Lavigne, F., Sartohadi, J., & Setiawan, M. A. (2009). Characteristic and Behavior of Rainfall Induced

Landslides in Java Island, Indonesia : an Overview. *Geophysical Research Abstracts EGU General Assembly J. Sartohadi*, 11(12123412), 2009–4069. Retrieved from <http://meetingorganizer.copernicus.org/EGU2009/EGU2009-4069-7.pdf>

Corominas, J., van Westen, C., Frattini, P., Cascini, L., Malet, J. P., Fotopoulou, S., ... Smith, J. T. (2014). Recommendations for the quantitative analysis of landslide risk. *Bulletin of Engineering Geology and the Environment*, 73(2), 209–263. <https://doi.org/10.1007/s10064-013-0538-8>

Dahal, B. K., & Dahal, R. K. (2017). Landslide Hazard Map: Tool for Optimization of Low-cost Mitigation. *Geoenvironmental Disasters*, 4(8). <https://doi.org/10.1186/s40677-017-0071-3>

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit ANDI.

Darminto, M. R., Widodo, A., Alfatinah, A., & Chu, H. J. (2021). High-Resolution Landslide Susceptibility Map Generation using Machine Learning (Case Study in Pacitan, Indonesia). *International Journal on Advanced Science, Engineering and Information Technology*, 11(1), 369–379. <https://doi.org/10.18517/IJASEIT.11.1.11679>

Dou, J., Yunus, A. P., Merghadi, A., Shirzadi, A., Nguyen, H., Hussain, Y., ... Yamagishi, H. (2020). Different sampling strategies for predicting landslide susceptibilities are deemed less consequential with deep learning. *Science of the Total Environment*, 720(February), 137320. <https://doi.org/10.1016/j.scitotenv.2020.137320>

Epifânio, B., Zêzere, J. L., & Neves, M. (2014). Susceptibility assessment to different types of landslides in the coastal cliffs of Lourinhã (Central Portugal). *Journal of Sea Research*, 93, 150–159. <https://doi.org/10.1016/j.seares.2014.04.006>

Fell, R., Corominas, J., Bonnard, C., Cascini, L., Leroi, E., & Savage, W. Z. (2008). Guidelines for landslide susceptibility, hazard and risk zoning for land-use planning. *Engineering Geology*, 102(3–4), 99–111. <https://doi.org/10.1016/j.enggeo.2008.03.014>

Garcia-Urquia, E., & Yamagishi, H. (2017). Landslide susceptibility mapping based on aerial photograph interpretation inventory for Tegucigalpa, Honduras: An application of the matrix method. In *GIS Landslide* (pp. 163–181). Springer Japan. https://doi.org/10.1007/978-4-431-54391-6_9

Gholami, M., Ghachkanlu, E. N., Khosravi, K., & Pirasteh, S. (2019). Landslide prediction capability by comparison of frequency ratio, fuzzy gamma and landslide index method. *Journal of Earth System Science*, 128(2). <https://doi.org/10.1007/S12040-018-1047-8>

Guzzetti, F., Cardinali, M., Reichenbach, P., & Carrara, A. (2000). Comparing landslide maps: A case study in the upper Tiber River basin, central Italy. *Environmental Management*, 25(3), 247–263.

<https://doi.org/10.1007/s002679910020>

- Guzzetti, Fausto, Cesare, A., Cardinali, M., Fiorucci, F., Santangelo, M., & Chang, K. (2012). Landslide inventory maps : New tools for an old problem. *Earth Science Reviews*, (112), 42–66. <https://doi.org/10.1016/j.earscirev.2012.02.001>
- Guzzetti, Fausto, Reichenbach, P., Ardizzone, F., Cardinali, M., & Galli, M. (2006). Estimating the quality of landslide susceptibility models. *Geomorphology*, 81(1–2), 166–184. <https://doi.org/10.1016/j.geomorph.2006.04.007>
- Habumugisha, J. M., Chen, N., Rahman, M., Islam, M. M., Ahmad, H., Elbeltagi, A., ... Dewan, A. (2022). Landslide Susceptibility Mapping with Deep Learning Algorithms. *Sustainability (Switzerland)*, 14(3), 1–22. <https://doi.org/10.3390/su14031734>
- Hadmoko, D. S., Lavigne, F., Sartohadi, J., Hadi, P., & Winaryo. (2010). Landslide hazard and risk assessment and their application in risk management and landuse planning in eastern flank of Menoreh Mountains, Yogyakarta. *Nat Hazard*, 54, 623–642. <https://doi.org/10.1007/s11069-009-9490-0>
- Harabinová, S. (2017). Assessment of Slope Stability on the Road. *Procedia Engineering*, 190, 390–397. <https://doi.org/10.1016/j.proeng.2017.05.354>
- Heckmann, T., Gegg, K., Gegg, A., & Becht, M. (2014). Sample size matters: Investigating the effect of sample size on a logistic regression susceptibility model for debris flows. *Natural Hazards and Earth System Sciences*, 14(2), 259–278. <https://doi.org/10.5194/nhess-14-259-2014>
- Hemasinghe, H., Rangali, R. S. S., Deshapriya, N. L., & Samarakoon, L. (2018). Landslide susceptibility mapping using logistic regression model (a case study in Badulla District, Sri Lanka). *Procedia Engineering*, 212, 1046–1053. <https://doi.org/10.1016/j.proeng.2018.01.135>
- Hidalgo, C. A., Vega, J. A., & Obando, M. P. (2018). Effect of the Rainfall Infiltration Processes on the Landslide Hazard Assessment of unsaturated Soils in Tropical Mountainous Regions. *Engineering and Mathematical Topics in Rainfall*. <https://doi.org/DOI:10.5772/intechopen.70821>
- Highland, L. M., & Bobrowsky, P. (2008). *The landslide Handbook - A guide to understanding landslides. US Geological Survey Circular*. Reston, Virginia. <https://doi.org/10.3133/cir1325>
- Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of landslide types, an update. *Landslides*, 11(2), 167–194. <https://doi.org/10.1007/s10346-013-0436-y>
- Jiao, Y., Zhao, D., Ding, Y., Liu, Y., Xu, Q., Qiu, Y., ... Li, R. (2019). Performance evaluation for four GIS-based models purposed to predict and map landslide susceptibility: A case study at a World Heritage site in Southwest China. *Catena*, 183. <https://doi.org/10.1016/J.CATENA.2019.104221>
- Kalantar, B., Pradhan, B., Amir Naghibi, S., Motevalli, A., & Mansor, S. (2018).

Assessment of the effects of training data selection on the landslide susceptibility mapping: a comparison between support vector machine (SVM), logistic regression (LR) and artificial neural networks (ANN). *Geomatics, Natural Hazards and Risk*, 9(1), 49–69. <https://doi.org/10.1080/19475705.2017.1407368>

Karantanellis, E., Marinos, V., Vassilakis, E., & Christaras, B. (2020). Object-Based Analysis Using Unmanned Aerial Vehicles (UAVs) for Site-Specific Landslide Assessment. *Remote Sensing*, 12(1711). <https://doi.org/10.3390/rs12111711>

Khanna, K., Martha, T. R., Roy, P., & Kumar, K. V. (2021). Effect of time and space partitioning strategies of samples on regional landslide susceptibility modelling. *Landslides*, (January). <https://doi.org/10.1007/s10346-021-01627-3>

Kornejady, A., Ownegh, M., & Bahremand, A. (2017). Landslide susceptibility assessment using maximum entropy model with two different data sampling methods. *Catena*, 152, 144–162. <https://doi.org/10.1016/j.catena.2017.01.010>

Li, G., Wan, L., Cui, M., Wu, B., & Zhou, J. (2019). Influence of canopy interception and rainfall kinetic energy on soil erosion under forests. *Forests*, 10(6). <https://doi.org/10.3390/f10060509>

Liu, L. L., Yang, C., Huang, F. M., & Wang, X. M. (2021). Landslide susceptibility mapping by attentional factorization machines considering feature interactions. *Geomatics, Natural Hazards and Risk*, 12(1), 1837–1861. <https://doi.org/10.1080/19475705.2021.1950217>

Lovelace, R., Nowosad, J., & Münchow, J. (2019). Geocomputation with R. Retrieved June 9, 2021, from <https://geocompr.robinlovelace.net/spatial-cv.html>

Makealoun, S., Eka Putra, D. P., & Wilopo, W. (2015). Landslide Susceptibility Assessment of Kokap Area Using Multiple Logistic Regression. *Journal of Applied Geology*, 6(2), 53–61. <https://doi.org/10.22146/jag.7217>

Mersha, T., & Meten, M. (2020). GIS-Based Landslide Susceptibility Mapping And Assessment Using Bivariate Statistical Methods in Simada Area, Northwestern Ethiopia. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-00155-x>

Nam, K., & Wang, F. (2020). An Extreme Rainfall-Induced Landslide Susceptibility Assessment Using Autoencoder Combined With Random Forest in Shimane Prefecture, Japan. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-0143-7>

Ngadisih, Samodra, G., Bhandary, N. P., & Yatabe, R. (2017). Landslide Inventory; Challenge for Landslide Hazard Assessment in Indonesia. In H. Yamagishi & N. P. Bhandary (Eds.), *GIS Landslide* (pp. 135–159). Tokyo: Springer.

Nhu, V. H., Mohammadi, A., Shahabi, H., Ahmad, B. Bin, Al-Ansari, N., Shirzadi, A., ... Nguyen, H. (2020). Landslide detection and susceptibility modeling on

cameron highlands (Malaysia): A comparison between random forest, logistic regression and logistic model tree algorithms. *Forests*, 11(8). <https://doi.org/10.3390/F11080830>

Niode, D. F., Rindengan, Y. D. Y., & Karouw, S. D. . (2016). Geographical Information System (GIS) untuk Mitigasi Bencana Alam Banjir di Kota Manado. *Jurnal Teknik Elektro Dan Komputer*, 5(2), 14–20.

Nurdin, P. F., & Kubota, T. (2018). Gis-Based Landslide Susceptibility Assessment and Factor Effect Analysis By Certainty Factor in Upstream of Jeneberang River, Indonesia. *Geoplanning: Journal of Geomatics and Planning*, 5(1), 75. <https://doi.org/10.14710/geoplanning.5.1.75-90>

O'Brien, R. M. (2007). A Caution Regarding Rules of Thumb for Variance Inflation Factors. *Quality and Quantity*, 41(5), 673–690. <https://doi.org/10.1007/s11135-006-9018-6>

Oh, H. J., Kadavi, P. R., Lee, C. W., & Lee, S. (2018). Evaluation Of Landslide Susceptibility Mapping by Evidential Belief Function, Logistic Regression And Support Vector Machine Models. *Geomatics, Natural Hazards and Risk*, 9(1), 1053–1070. <https://doi.org/10.1080/19475705.2018.1481147>

Pellicani, R., Argentiero, I., & Spilotro, G. (2017). GIS-Based Predictive Models For Regional-Scale Landslide Susceptibility Assessment And Risk Mapping Along Road Corridors. *Geomatics, Natural Hazards and Risk*, 8(2), 1012–1033. <https://doi.org/10.1080/19475705.2017.1292411>

Pourghasemi, H. R., Kornejady, A., Kerle, N., & Shabani, F. (2020). Investigating The Effects of Different Landslide Positioning Techniques, Landslide Partitioning Approaches, And Presence-Absence Balances on Landslide Susceptibility Mapping. *Catena*, 187(April), 104364. <https://doi.org/10.1016/j.catena.2019.104364>

Pratiwi, E. S., & Hadmoko, D. S. (2019). Penerapan Model Statistik Multivariat dalam Studi Kerawanan Longsorlahan di Daerah Aliran Sungai Kodil, Jawa Tengah. *Jurnal Geografi*, 16(1), 16–24. <https://doi.org/10.15294/jg.v16i1.4961>

Pulungan, N. A., Setyawan, C., Jatiningtyas, S., & Sartohadi, J. (2013). Soil Conservation Strategy for Potentially Landslide Areas in Gintung Sub-Watershed , Central Java Province , Indonesia. *The International Symposium on Agricultural and Biosystem Engineering (ISABE) 2013*, 1–14.

R Core Team. (2020). R: a Language and Environment for Statistical Computing.

Rabby, Y. W., Li, Y., Abedin, J., & Sabrina, S. (2022). Impact of Land Use/Land Cover Change on Landslide Susceptibility in Rangamati Municipality of Rangamati District, Bangladesh. *ISPRS International Journal of Geo-Information*, 11(2). <https://doi.org/10.3390/ijgi11020089>

Rachma, Y. S., Prasetyo, Y., & Yuwono, B. D. (2018). Analisis Akurasi Ketelitian Vertikal Menggunakan Foto Udara Hasil Pemotretan Pesawat Tanpa Awak untuk Pembentukan Digital Terrain Model (DTM). *Jurnal Geodesi Undip*,

7(4).

Rahardjo, W., Sukandarrumidi, & Rosidi, H. M. . (1995). *Peta Geologi Lembar Yogyakarta, Jawa*.

Rasyid, A. R., Bhandary, N. P., & Yatabe, R. (2019). Implementing landslide susceptibility map at watershed scale of Lompobattang mountain South Sulawesi, Indonesia. *Indonesian Journal of Geography*, 50(2), 197–204. <https://doi.org/10.22146/ijg.16632>

Reichenbach, P, Busca, C., Mondini, A. C., & Rossi, M. (2014). The Influence of Land Use Change on Landslide Susceptibility Zonation : The Briga Catchment Test Site (Messina, Italy). *Environmental Management*, (54), 1372–1384. <https://doi.org/10.1007/s00267-014-0357-0>

Reichenbach, Paola, Rossi, M., Malamud, B. D., Mihir, M., & Guzzetti, F. (2018). A review of statistically-based landslide susceptibility models. *Earth-Science Reviews*, 180(March), 60–91. <https://doi.org/10.1016/j.earscirev.2018.03.001>

Rogers, J. D., & Chung, J. won. (2016). Mapping earthflows and earthflow complexes using topographic indicators. *Engineering Geology*, 208, 206–213. <https://doi.org/10.1016/J.ENGGEOL.2016.04.025>

Rogers, J. D., & Doyle, B. C. (2004). *Mapping of Seismically Induced Landslippage in the Benton Hills and Crowley's Ridge, New Madrid Seismic Zone, Missouri and Arkans*.

Sambodo, A. P., Sukmawijaya, A., & Budianto, Y. (2019). Pengaruh Sudut Kamera Uav Terhadap Kualitas Foto Udara Wilayah Bencana Longsor (Studi Kasus: Bentanglahan Vulkanik Transisi Tersier Kuarter). *Seminar Nasional Geomatika*, 3(0), 1001–1008.

Samodra, G., Chen, G., Sartohadi, J., & Kasama, K. (2017). Comparing data-driven landslide susceptibility models based on participatory landslide inventory mapping in Purwosari area, Yogyakarta, Java. *Environmental Earth Sciences*, 76(4), 1–19. <https://doi.org/10.1007/s12665-017-6475-2>

Samodra, G., Chen, G., Sartohadi, J., & Kasama, K. (2018). Generating landslide inventory by participatory mapping: an example in Purwosari Area, Yogyakarta, Java. *Geomorphology*, 306, 306–313. <https://doi.org/10.1016/j.geomorph.2015.07.035>

Shahabi, H., & Hashim, M. (2015). Landslide susceptibility mapping using GIS-based statistical models and Remote sensing data in tropical environment. *Scientific Reports*, 5(9899), 1–15. <https://doi.org/10.1038/srep09899>

Sharifi Teshnizi, E., Golian, M., Sadeghi, S., & Rastegarnia, A. (2022). Application of analytical hierarchy process (AHP) in landslide susceptibility mapping for Qazvin province, N Iran. *Computers in Earth and Environmental Sciences*, 55–95. <https://doi.org/10.1016/B978-0-323-89861-4.00041-5>

Shu, H., Guo, Z., Qi, S., Song, D., Pourghasemi, H. R., & Ma, J. (2021). Integrating landslide typology with weighted frequency ratio model for landslide

- susceptibility mapping: A case study from lanzhou city of northwestern china. *Remote Sensing*, 13(18). <https://doi.org/10.3390/rs13183623>
- Snaveley, N., Seitz, S. M., & Szeliski, R. (2007). Modeling the World from Internet Photo Collections. *International Journal of Computer Vision* 2007 80:2, 80(2), 189–210. <https://doi.org/10.1007/S11263-007-0107-3>
- Soma, A. S., & Kubota, T. (2018). Landslide susceptibility map using certainty factor for hazard mitigation in mountainous areas of ujung-loe watershed in South Sulawesi. *Forest and Society*, 2(1), 79–91. <https://doi.org/10.24259/fs.v2i1.3594>
- Sudaryatno, Widayani, P., Wibowo, T. W., Wiratmoko, B., & Nurbandi, W. (2019). Evidence Based Landslide Hazard Mapping in Purworejo using Information Value Model Approach. *Forum Geografi*, 33(1), 25–38. <https://doi.org/10.23917/forgeo.v33i1.7592>
- Sujatha, E. R., & Sridhar, V. (2021). Landslide susceptibility analysis: A logistic regression model case study in Coonoor, India. *Hydrology*, 8(1). <https://doi.org/10.3390/hydrology8010041>
- Sumaryono, Arifianti, Y., Triana, Y. D., Ika, W., Irawan, W., & Suantika, G. (2014). The Application of Landslide Inventory Data Base of Indonesia (LIDIA) For Supporting Landslide Susceptibility Mapping in Cianjur Regency, West Java, Indonesia. *International Journal of Geological Sciences*, 1(2), 23–27. <https://doi.org/10.5176/2335-6774>
- Taalab, K., Cheng, T., & Zhang, Y. (2018). Mapping landslide susceptibility and types using Random Forest. *Big Earth Data*, 2(2), 159–178. <https://doi.org/10.1080/20964471.2018.1472392>
- Temme, A., Guzzetti, F., Samia, J., & Mirus, B. B. (2020). The future of landslides' past—a framework for assessing consecutive landsliding systems. *Landslides*, 17(7), 1519–1528. <https://doi.org/10.1007/s10346-020-01405-7>
- Thaden, R. E., Sumardijda, H., & Richards, P. W. (1975). *Peta Geologi Lembar Magelang dan Semarang, Jawa*.
- Tien Bui, D., Pradhan, B., Lofman, O., & Revhaug, I. (2012). Landslide Susceptibility Assessment in Vietnam Using Support Vector Machines, Decision Tree, And Nave Bayes Models. *Mathematical Problems in Engineering*, 2012(April). <https://doi.org/10.1155/2012/974638>
- USGS. (2004). *Landslide Types and Processes*. USGS. <https://doi.org/10.1002/2015GC006147>
- Varnes, D. J. (1978). Slope movement types and processes. In *Special Report 176: Landslides: Analysis and Control* (pp. 11–33). Washington D.C.: Transportation and Road Research Board, National Academy of Science.
- Wubalem, A. (2020). Landslide Susceptibility Mapping using Statistical Methods in Uatzau Catchment Area, Northwestern Ethiopia, 1–21. <https://doi.org/10.21203/rs.3.rs-15731/v2>

Wulan, T. R., Ambarwulan, W., Putra, A. S., Ibrahim, F., Putra, M. D., Maryanto, D., ... Maulana, E. (2017). Pemetaan Cepat Kawasan Terdampak Bencana Longsor dan Banjir di Kabupaten Bangli, Provinsi Bali | Wulan | Majalah Geografi Indonesia. *Majalah Geografi Indonesia*, 31(2).

Yamagishi, H., & Bhandary, N. P. (2017). *GIS landslide*. *GIS Landslide*. Springer Japan. <https://doi.org/10.1007/978-4-431-54391-6>

Zêzere, J. L. (2002). Landslide susceptibility assessment considering landslide typology. A case study in the area north of Lisbon (Portugal). *Natural Hazards and Earth System Sciences*, 2(1–2), 73–82. <https://doi.org/10.5194/nhess-2-73-2002>

Zhu, L., & Huang, J. F. (2006). GIS-based logistic regression method for landslide susceptibility mapping in regional scale. *Journal of Zhejiang University: Science*, 7(12), 2007–2017. <https://doi.org/10.1631/jzus.2006.A2007>