

DAFTAR PUSTAKA

- Ali, T., and D. H. El-Ghonemy. 2014. Optimization of culture conditions for the highest lipid production from some oleaginous fungi for biodiesel preparation. *Asian Journal of Applied Sciences*. 2(5): 600-603.
- Athenaki, M., C. Gardeli, P. Diamantopoulou, S. S. Tchakouteu, D. Sarris, A. Philippoussis, S. Papanikolaou. 2017. Lipids from yeasts and fungi: physiology, production, and analytical considerations. *Journal of Applied Microbiology*. 124(2):336-367. doi: 10.1111/jam.13633.
- Bagy, M. M. K., M. H. Abd-Alla, F. M. Morsy, and E. H. Hassan. 2014. Two stage biodiesel and hydrogen production from molasses by oleaginous fungi and *Clostridium acetobutylicum* ATCC 824. *International Journal of Hydrogen Energy*. 39(7): 3185-3197. doi: 10.1016/j.ijhydene.2013.12.106.
- Bautista, L. F., G. Vicente, and V. Garre. 2012. *Biodiesel from Microbial Oil*. Woodhead Publishing. London. p. 179-190.
- Bayizit, A. A. 2014. Fungal lipids: the biochemistry of lipid accumulation. *International Journal of Chemical Engineering and Applications*. 5(5): 409. doi: 10.7763/IJCEA.2014.V5.419.
- Bento, H. B., A. K. Carvalho, C. E. Reis, and H. F. De Castro. 2020. Single cell oil production and modification for fuel and food applications: assessing the potential of sugarcane molasses as culture medium for filamentous fungus. *Industrial Crops & Products*. 145:112141. doi: 10.1016/j.indcrop.2020.112141
- Beopoulus, A., Z. Mrozova, F. Thevenieau, M. T. Le Dall, I. Hapala, S. Papanikolaou, T. Chardot, and J. M. Nicaud. 2008. Control of lipid accumulation in the yeast *Yarrowia lipolytica*. *Journal of Applied and Environmental Microbiology*. 74(24):7779-7789. doi: 10.1128/AEM.01412-08.
- Braunwald, T., L. Schwemmlin, S. G. Honninger, W. T. French, R. Hernandez, W. E. Holmes, and W. Claupein. 2013. Effect of different C/N-ratios on carotenoid and lipid production by *Rhodotorula glutinis*. *Applied Microbiology and Biotechnology*. 97(14):6581. doi: 10.1007/s00253-013-5005-8.
- Bremer, E., and R. Kramer. 2019. Responses of microorganisms to osmotic stress. *Annual Review of Microbiology*. p. 1-22. doi: 10.1146/annurev-micro-020518-115504.
- Campbell, N. A., J. B. Reece, and L.G. Mitchell. *Biologi Edisi Lima Jilid 1*. Erlangga. Jakarta. p. 70.
- Chen, H. 2015. *Lignocellulose biorefinery engineering*. Woodhead Publishig. Cambrige. p. 37.
- Chang, L., X. Tang, H. Lu, H. Zhang, Y. Q. Chen, H. Chen, and W. Chen. 2019. Role of AMP Deaminase during fatty acids accumulation in oleaginous fungus *Mortierella*



alpha. Journal of Agricultural and Food Chemistry. 67(34):9551-9559. doi: 10.1021/acs.jafc.9b03603.

Egli, H. 2008. *Kjeldahl Guide*. Buchi Labortechnik AG. Switzerland. p. 9-19.

Garay, L. A., K. L. Boundy-Mills, and J. B. German. 2014. Accumulation of high-value lipids in single-cell microorganisms: a mechanistic approach and future perspectives. *Journal of Agricultural and Food Chemistry*. 62(13):2709- 2727. doi: 10.1021/jf4042134.

Godshall, M.A. 2013. An Overview of the Industrial Food Uses of Sugar. *International Journal of Sugar*. 115(1374):400-06.

Heide, V. D., M. C. Stuart, and B. Poolman. 2001. On the osmotic signal and osmosensing mechanism of an ABC transport system for glycine betaine. *Journal of European Molecular Biology Organization*. 20(24):7022. doi: 10.1093/emboj/20.24.7022.

Herrera, J. R. 2012. *Fungal Cell Wall: Structure, Synthesis, and Assembly 2nd Edition*. CRC Press. Boca Raton. p. 45.

Hossain, M. Z. 2014. *Use of common wastes in agriculture as soil conditioner and fertilizer: a review* [Thesis]. Faculty of Agricultural Sciences Georg-August-University of Göttingen. Germany.

Julaeha, E., S. Rustiyaty. N. N Fajri. F. Ramdhani. R. Tantra 2016. Pemanfaatan tepung gadung (*Dioscorea hispida* Dennst.) pada produksi amilase menggunakan *Bacillus sp*. *Jurnal Edufortech*. 1(1): 45-52. doi: 10.17509/edufortech.v1i1.3973.

Karatay, S. E., and G. Donmez. 2010. Improving the lipid accumulation properties of the yeast cells for biodiesel production using molasses. *Journal of Bioresource Technology*. 101 (20): 7988-7990. doi: 10.1016/j.biortech.2010.05.054.

Lee, J. W., L. C. Thomas, J. Jerrell, H. Feng, K. R. Cadwallader, and S. J. Schmidt. 2011. Investigation of thermal decomposition as the kinetic process that causes the loss of crystalline structure in sucrose using a chemical analysis approach. *Journal of Agriculture Food Chemistry*. 59(2):702-12. doi: 10.1021/jf104235d.

Liaud, N., C. Ginies, D. Navarro, N. Fabre, S. Crapart, I. H. Gimbert, A. Levasseur, S. Raouche, and J. C. Sigoillot. 2014. Exploring fungal biodiversity: organic acid production by 66 strains of filamentous fungi. *Journal of Fungal Biology and Biotechnology*. 1:1. doi: <https://doi.org/10.1186/s40694-014-0001-z>

Meeuwse, P., P. Akbari, J. Tramper, and A. Rinzema. 2012. Modeling growth, lipid accumulation and lipid turnover in submerged batch cultures of *Umbelopsis isabellina*. *Journal of Bioprocess and Biosystems Engineering*. 35: 591-603. doi: doi.org/10.1007/s00449-011-0632-x.

Mihaljev, Z. A., S. M. Jaksic, N. B. Prica, Z. N. Cupic, and M. M. Zivkov-Balos. 2015. Comparison of the Kjeldahl method, Dumas method, and NIR method for total nitrogen determination in meat and meat Product. *Journal of Agroalimentary Processes and Technologies*. 21(4): 365-370.



Min, D. B. 2008. *Food lipids: chemistry, nutrition, and biotechnology 3rd edition*. Taylor & Francis. London. p. 4-5.

Minhas, A. K., P. Hodgson, C. J. Barrow, and A. Adholeya. 2016. A review on the assessment of stress conditions for simultaneous production of microalgae lipid and carotenoids. *Frontiers in Microbiology*. 7(54): 1-19. doi: 10.3389/fmicb.2016.00546

Morris, G. J., L. Winters, G. E. Coulson, and K. J. Clarke. 1986. Effect of osmotic stress on the ultrastructure and viability of the yeast *Saccharomyces cerevisiae*. *Journal of General Microbiology*. 129: 2023-2034.

PanReac AppliChem [Internet]. 2018. *Nitrogen Determination by Kjeldahl Method*. ITW Reagents.p 2-5. [cited 2022 Feb 18]. Available from: https://www.itwreagents.com/uploads/20180114/A173_EN.pdf.

Papanikolaou, S., L. Muniglia, I. Chevalot, G. Aggelis, and I. Marc. 2002. *Yarrowia lipolytica* as potential producer of citric acid from raw glycerol. *Journal of Applied Microbiology*. 92: 737-744. doi: <https://doi.org/10.1046/j.1365-2672.2002.01577.x>

Powers-Fletcher, M. V., B. A. Kendall, A. T. Griffin, and K. E. Hanson. 2016. Filamentous Fungi. *Journal of Microbiology Spectrum*. 4(3):1-2. doi: 10.1128/microbiolspec.DMIH2-0002-2015.

Rajbhar, K., H. Dawda, and U. Mukundan. 2016. Quantitative spectrophotometric estimation of specific monosaccharides by DNSA method. *Journal of Biological Science*. 2(1): 112-126. doi: 10.53555/bs.v2i1.1592.

Ratledge, C., and J.P. Wynn. 2002. The biochemistry and molecular biology of lipid accumulation in oleaginous microorganisms. *Journal of Advances in Applied Microbiology*. 53: 17-20. doi: [https://doi.org/10.1016/s0065-2164\(02\)51000-5](https://doi.org/10.1016/s0065-2164(02)51000-5).

Riquelme, M., J. Aguirre, S. B. Garcia, G. H. Braus, M. Feldbrugge, U. Fleig, W. Handberg, A. H. Estrella, J. Kamper, U. Kuck, R. R. Perez, N. Takeshita, and R. Fischer. 2018. Fungal morphogenesis, from the polarized growth of hyphae to complex reproduction and infection structures. *Microbiology and Molecular Biology Reviews*. 82(2): 17. doi: 10.1128/MMBR.00068-17.

Rizki, M. A. A. H., and M. Ilmi 2021. The Potential of Oleaginous Filamentous Fungi Isolated from Soil of Baturraden Botanical Garden, Central Java, Indonesia. International Conference on Biodiversity. *IOP Publishing*. doi: 10.1088/1755-1315/736/1/012060.

Rossi, M., A. Amaretti, S. Raimondi, and A. Leonardi. 2011. Getting lipids for biodiesel production from oleaginous fungi. *Journal of Biodiesel-Feedstocks and Processing Technologies*. doi: <https://doi.org/10.5772/25864>.

Ruan, Z., M. Zanotti, S. Archer, W. Liao, and Y. Liu. 2014. Oleaginous fungal lipid fermentation on combined acid- and alkali-pretreated corn stover hydrolysate for advanced biofuel production. *Journal of Bioresource Technology*. 163: 12-17. doi: 10.1016/j.biortech.2014.03.095



- Shoaib, A., A. Bhran, A. H. Rasmey, and Y. Mikky. 2018. Optimization of cultural conditions for lipid accumulation by *Aspergillus wentii* Ras101 and its transesterification to biodiesel: application of response surface methodology. *Journal of Biotechnology*. 8(10):417. doi: 10.1007%2Fs13205-018-1434-5.
- Silva, N. D., M. H. Taniwaki, V. C. Junqueira, N. F. Silveira, M. D. Nascimento, and R. A. Gomes. 2013. *Microbiological Examination Methods of Food and Water: A Laboratory Manual*. CRC Press. Leiden. p. 30.
- Somashekar, D., G. Venkateshwaran, K. Sambaiah, B.R. Lokesh. 2002. Effect of culture conditions on lipid and gamma-linolenic acid production by mucoraceous fungi. *Journal of Process Biochemistry*. 38(2002):1719. doi: [http://dx.doi.org/10.1016/S0032-9592\(02\)00258-3](http://dx.doi.org/10.1016/S0032-9592(02)00258-3).
- Sun, Y., X. Zhenzhen, Z. Yafeng, Z. Jinjie, and X. Zhilong. 2019. Efficient production of lactic acid from sugarcane molasses by a newly microbial consortium CEE- DL15. *Journal of Process Biochemistry*. 81(2019):132-138. doi: 10.1016/j.procbio.2019.03.022.
- Veiter, L., V. Rajamanickam, and C. Herwig. 2018. The filamentous fungal pellet-relationship between morphology and productivity. *Journal of Applied Microbiology and Biotechnology*. 102(7):2997-3006. doi: 10.1007/s00253-018-8818-7.
- Weber, R. W. S., and D. Pitt. 2001. Filamentous fungi-growth and physiology. *Journal of Applied Mycology and Biotechnology*. 1:13-54. doi: 10.1016/S1874-5334(01)80004-6.
- Zapata-Vélez, A. M., and M. A. Trujillo-Roldán. 2010. The lack of a nitrogen source and/or the C/N ratio affects the molecular weight of alginate and its productivity in submerged cultures of *Azotobacter vinelandii*. *Journal of Annual Microbiology*. 60(4): 661–668. doi: <https://doi.org/10.1007/s13213-010-0111-7>.
- Zhu, L. Y., M. H. Zong, and H. Wu. 2008. Efficient lipid production with *Trichosporon fermentans* and its use for biodiesel preparation. *Journal of Bioresource Technology*. 99(16):7881-788. doi: 10.1016/j.biortech.2008.02.033.