

## DAFTAR PUSTAKA

- Altringham JD. 1996. Bats. Biology and Behaviour. New York: Oxford University.
- Arita HT. 1996. The conservation of cave-roosting bats in Yucatan, Mexico. *Biol Conserv.* 76(2):177–185. doi:10.1016/0006-3207(95)00105-0.
- Avila-Flores R, Medellín RA. 2004. Ecological, taxonomic, and physiological correlates of cave use by Mexican bats. *J Mammal.* 85(4):675–687. doi:10.1644/BOS-127.
- Barros J de S, Bernard E, Ferreira RL. 2020. Ecological preferences of neotropical cave bats in roost site selection and their implications for conservation. *Basic Appl Ecol.* 45:31–41. doi:10.1016/j.baae.2020.03.007. <https://doi.org/10.1016/j.baae.2020.03.007>.
- Baudinette RK, Wells RT, Sanderson KJ, Clark B. 1994. Microclimatic conditions in maternity caves of the bent-wing bat, *Miniopterus schreibersii*: An attempted restoration of a former maternity site. *Wildl Res.* 21(6):607–619. doi:10.1071/WR9940607.
- Bayyinah S. 2019. Analisis ketersediaan air kawasan karst. Institut Pertanian Bogor.
- Black HL. 1974. A North Temperate Bat Community : Structure and Prey Populations. *Am Soc Mammal.* 55(1):138–157.
- BPS Malang. 2021. Badan Pusat Statistik Kabupaten Malang. <https://malangkab.bps.go.id/>.
- Brunet AK, Medellín RA. 2001. The species-area relationship in bat assemblages of tropical caves. *J Mammal.* 82(4):1114–1122. doi:10.1644/1545-1542(2001)082<1114:TSARIB>2.0.CO;2.
- Chao A, Lee SM. 1992. Estimating the number of classes via sample coverage. *J Am Stat Assoc.* 87(417):210–217. doi:10.1080/01621459.1992.10475194.
- Chao A, Ma KH, Hsieh TC, Chiu CH. 2016. A brief introduction to Spader (R package): species-richness prediction and diversity estimation. 26:1–7.
- Chao A, Shen T-J. 2003. Nonparametric estimation of Shannon's index of diversity

- when there are unseen species in sample. (July 2011):1–6.
- Clements R, Sodhi NS, Schilthuizen M, Ng PKL. 2006. Limestone karsts of southeast Asia: Imperiled arks of biodiversity. *Bioscience*. 56(9):733–742.  
doi:10.1641/0006-3568(2006)56[733:LKOSAI]2.0.CO;2.
- Deleva S, Chaverri G. 2018. Diversity and conservation of cave-dwelling bats in the Brunca region of Costa Rica. *Diversity*. 10(2). doi:10.3390/D10020043.
- Dias-Silva L, Duarte GT, Alves R, Pereira MJR, Paglia A. 2018. Feeding and social activity of insectivorous bats in a complex landscape: The importance of gallery forests and karst areas. *Mamm Biol*. 88:52–63.  
doi:10.1016/j.mambio.2017.11.005.  
<http://dx.doi.org/10.1016/j.mambio.2017.11.005>.
- Eduardo André, Lacerda B De, Kanashiro M, Sebbenn AM, Eduardo Andre, Lacerda B De, Kanashiro M, Sebbenn AM. 2014. Long-Pollen Movement and Deviation of Random Mating in a Low-Density Continuous Population of a Tropical Tree *Hymenaea courbaril* in the Brazilian Amazon Long-pollen Movement and Deviation of Random Mating in a Low-density Continuous Population of a Tropic. 40(4):462–470.
- Ellis BM. 1976. Cave surveys. In: Ford, Academic Press, editor. London.
- Fajri SR, Idrus A Al, Hadiprayitno G. 2014. Kekayaan Spesies Kelelawar Ordo Chiroptera Di Gua Wilayah Selatan Pulau Lombok, Nusa Tenggara Barat. *Bioedukasi J Pendidik Biol*. 7(2):5. doi:10.20961/bioedukasi-uns.v7i2.2926.
- Fleming TH, Geiselman C, Kress WJ. 2009. The evolution of bat pollination: A phylogenetic perspective. *Ann Bot*. 104(6):1017–1043.  
doi:10.1093/aob/mcp197.
- Furey NM, Mackie IJ, Racey PA. 2010. Bat diversity in Vietnamese limestone karst areas and the implications of forest degradation. *Biodivers Conserv*. 19(7):1821–1838. doi:10.1007/s10531-010-9806-0.
- Furman A, Özgül A. 2004. The distribution of cave-dwelling bats and conservation status of underground habitats in Northwestern Turkey. *Biol Conserv*.

- 120(2):243–248. doi:10.1016/j.biocon.2004.02.019.
- Glover AM, Altringham JD. 2008. Cave selection and use by swarming bat species. *Biol Conserv.* 141(6):1493–1504. doi:10.1016/j.biocon.2008.03.012.
- Heaney LR, Jr BRT, Rickart EA, Danilo S, Ingle NR, Heaney LR, Tabaranza BR, Rickart EA, Balete DS, Ingle NR. 2006. The Mammals of Mt. Kitanglad Nature Park, Mindanao, Philippines. *Fieldiana Zool.* 112:1–63. doi:10.3158/0015-0754(2006)186[1:tmomkn]2.0.co;2.
- Holsinger JR, Culver DC. 1988. The invertebrate cave fauna of Virginia and part of eastern Tennessee: Zoogeography and ecology. *Brimleyana.* 14:1–162.
- Hutson AM, Mickleburgh SP, Racey PA. 2001. *Microchiropteran Bats : Global Status Survey and Conservation Action Plan.* Cambridge: IUCN, Gland, Switzerland and Cambridge.
- Ikranegara RDF, Pamungkas RP, Hasanah U, Broto RIW, Erviana A, Rhozman MF, Yuliatingsih SS. 2015. Inventarisasi Keanekaragaman Jenis Kelelawar (Chiroptera) Penghuni Gua di Kawasan Karst Ciampea, Jawa Barat, Indonesia. *J Pendidik Biol Fak MIPA Univ Negeri Yogyakarta.*
- IMPALA. 2012. *Karst di desa Kedungsalam: tinjauan speleologi.* Malang: Ikatan Mahasiswa Pecinta Alam Universitas Brawijaya.
- Iskali G, Zhang Y. 2015. Guano subsidy and the invertebrate community in bracken cave: The world's largest colony of bats. *J Cave Karst Stud.* 77(1):28–36. doi:10.4311/2013LSC0128.
- Jiang T, Metzner W, You Y, Liu S, Lu G, Li S, Wang L, Feng J. 2010. Variation in the resting frequency of *Rhinolophus pusillus* in Mainland China: Effect of climate and implications for conservation. *J Acoust Soc Am.* 128(4):2204–2211. doi:10.1121/1.3478855.
- Katunzi T, Soisook P, Webala PW, Armstrong KN, Bumrungsri S. 2021. Bat activity and species richness in different land-use types in and around Chome Nature Forest Reserve, Tanzania. *Afr J Ecol.* 59(1):117–131. doi:10.1111/aje.12783.
- Kominfo Malang. 2021. *Dinas Komunikasi dan Informatika Kab. Malang.*

<https://kominfo.malangkab.go.id/pd//download>.

Kunz TH. 1988. *Ecological and Behavioural Methods for Study of Bats*. Washington DC: Smithsonian Institute Press.

Kunz TH, Betke M, Hristov NI, Vonnhof MJ. 2009. Kunz et al. - Unknown - Methods for assessing colony size, and relative abundance of bats.pdf. *Ecol Behav Methods*.:133–157.

Kunz TH, Racey PA. 1998. *Bat biology and conservation*. Washington DC: Smithsonian Institute Press.

Kunz TH, de Torrez EB, Bauer D, Lobova T, Fleming TH. 2011. Ecosystem services provided by bats. *Ann N Y Acad Sci*. 1223(1):1–38. doi:10.1111/j.1749-6632.2011.06004.x.

Labib MA, Suprianto A, Fitriani D, Sahrina A, Hidayat K, Irianto PA, A AA. 2020. Morfometri Dan Tipologi Lorong Gua Di Kabupaten Malang. *Media Komun Geogr*. 21(1):52. doi:10.23887/mkg.v21i1.24236.

Luo J, Jiang T, Lu G, Wang L, Wang J, Feng J. 2013. Bat conservation in China: Should protection of subterranean habitats be a priority? *Oryx*. 47(4):526–531. doi:10.1017/S0030605311001505.

Machado MC, Monsalve MA, Castelló A, Almenar D, Alcocer A, Monrós JS. 2017. Population Trends of Cave-Dwelling Bats in the Eastern Iberian Peninsula and the Effect of Protecting Their Roosts. *Acta Chiropterologica*. 19(1):107–118. doi:10.3161/15081109ACC2017.19.1.008.

McKenzie NL, Gunnell AC, Yani M, Williams MR. 1995. Correspondence between pligh morphology and foraging ecology in some palaeotropical bats. *Aust J Zool*. 43(3):241–257. doi:10.1071/ZO9950241.

Medellin RA, Wiederholt R, Lopez-Hoffman L. 2017. Conservation relevance of bat caves for biodiversity and ecosystem services. *Biol Conserv*. 211:45–50. doi:10.1016/j.biocon.2017.01.012.  
<http://dx.doi.org/10.1016/j.biocon.2017.01.012>.

Meyer CFJ, Aguiar LMS, Aguirre LF, Baumgarten J, Clarke FM, Cosson JF, Villegas

- SE, Fahr J, Faria D, Furey N, et al. 2010. Long-term monitoring of tropical bats for anthropogenic impact assessment: Gauging the statistical power to detect population change. *Biol Conserv.* 143(11):2797–2807.  
doi:10.1016/j.biocon.2010.07.029.  
<http://dx.doi.org/10.1016/j.biocon.2010.07.029>.
- Morni MA, Khan FAA, Rosli QS, Dee JW, Tingga RCT, Rahman MRA. 2018. Bats roost site preferences in wind cave nature reserve, Bau, Sarawak. *Malaysian Appl Biol.* 47(1):57–64.
- Niu H, Wang N, Zhao L, Liu J. 2007. Distribution and underground habitats of cave-dwelling bats in China. *Anim Conserv.* 10(4):470–477. doi:10.1111/j.1469-1795.2007.00136.x.
- O’Hara RB, Kotze DJ. 2010. Do not log-transform count data. *Methods Ecol Evol.* 1(2):118–122. doi:10.1111/j.2041-210x.2010.00021.x.
- O’Keefe JM, Loeb SC, Lanham JD, Hill HS. 2009. Macrohabitat factors affect day roost selection by eastern red bats and eastern pipistrelles in the southern Appalachian Mountains, USA. *Ecol Manage.* 257(8):1757–1763.  
doi:10.1016/j.foreco.2009.01.037.
- Otto MS, Becker NI, Encarnação JA. 2016. Roost characteristics as indicators for heterothermic behavior of forest-dwelling bats. *Ecol Res.* 31(3):385–391.  
doi:10.1007/s11284-016-1348-9.
- Phelps K, Jose R, Labonite M, Kingston T. 2016. Correlates of cave-roosting bat diversity as an effective tool to identify priority caves. *Biol Conserv.* 201:201–209. doi:10.1016/j.biocon.2016.06.023.  
<http://dx.doi.org/10.1016/j.biocon.2016.06.023>.
- Quibod MNRM, Alviola PA, de Guia APO, Cuevas VC, Lit IL, Pasion BO. 2019. Diversity and threats to cave-dwelling bats in a small island in the southern Philippines. *J Asia-Pacific Biodivers.* 12(4):481–487.  
doi:10.1016/j.japb.2019.06.001. <https://doi.org/10.1016/j.japb.2019.06.001>.
- R Core Team. 2021. A language and environment for statistical computing. R

Foundation for Statistical Computing.

- Rodríguez-Durán A, Soto-Centeno JA. 2003. Temperature selection by tropical bats roosting in caves. *J Therm Biol.* 28(6–7):465–468. doi:10.1016/S0306-4565(03)00046-9.
- Ross A. 1967. Ecological aspects of food habits of insectivorous bats. *Proc West Found Vertebr Zool.* 1:205–263.
- Shalekah N. 2019. Diversitas kelelawar (chiroptera) di gua – gua kawasan karst malang selatan.
- Sritongchuay T, Kremen C, Bumrungsri S. 2016. Effects of forest and cave proximity on fruit set of tree crops in tropical orchards in Southern Thailand. *J Trop Ecol.* 32(4):269–279. doi:10.1017/S0266467416000353.
- Suyanto A. 2001. Kelelawar di Indonesia. Bogor: Pusat Penelitian dan Pengembangan Biologi. LIPI.
- Suyanto A, Struebig MJ. 2007. Bats of the Sangkulirang limestone karst formations, East Kalimantan - A priority region for Bornean bat conservation. *Acta Chiropterologica.* 9(1):67–95. doi:10.3161/1733-5329(2007)9[67:BOTSLK]2.0.CO;2.
- Tamasuki K, Wijayanti F, Fitriana N. 2016. Komunitas Kelelawar (Ordo Chiroptera) di Beberapa Gua Karst Gunung Kendeng Kabupaten Pati Jawa Tengah. *AL-Kauniah J Biol.* 8(2):88–100. doi:10.15408/kauniah.v8i2.2694.
- Tanalgo KC, Tabora JAG. 2015. Cave-dwelling Bats (Mammalia: Chiroptera) and Conservation Concerns in South Central Mindanao, Philippines. *J Threat Taxa.* 15:8185–8194. doi:dx.doi.org/10.11609/jott.1757.7.15.8185-8194.
- Tanalgo KC, Teves RD, Salvaña FRP, Baleva RE, Tabora JAG. 2016. Human-bat interactions in caves of South Central Mindanao, Philippines. *Wildl Biol Pract.* 12(1):1–14. doi:10.2461/wbp.2016.12.2.
- Torquetti CG, Silva MX, Talamoni SA. 2017. Differences between caves with and without bats in a Brazilian karst habitat. *Zoologia.* 34:1–7. doi:10.3897/zoologia.34.e13732.

- Trajano E. 2012. Ecological classification of subterranean organisms. Elsevier Inc.  
<http://dx.doi.org/10.1016/B978-0-12-383832-2.00035-9>.
- Vargas-Mena JC, Cordero-Schmidt E, Rodriguez-Herrera B, Medellin RA, Bento DDM, Venticinque EM. 2020. Inside or out? Cave size and landscape effects on cave-roosting bat assemblages in Brazilian Caatinga caves. *J Mammal*. 101(2):464–475. doi:10.1093/jmammal/gyz206.
- Vermeulen J, Whitten T. 1999. Biodiversity and cultural property in the management of limestone resources: Lessons from East Asia.
- Voigt C, Kingston T. 2015. Bats in the anthropocene: Conservation of bats in a changing world.
- Wanger TC, Darras K, Bumrungsri S, Tschardt T, Klein AM. 2014. Bat pest control contributes to food security in Thailand. *Biol Conserv*. 171:220–223. doi:10.1016/j.biocon.2014.01.030.  
<http://dx.doi.org/10.1016/j.biocon.2014.01.030>.
- Wiantoro S. 2012. Diversity and Roosting Characteristic of Bats in Buni Ayu Cave , Sukabumi Limestone Area , West Java. *Zoo Indones*. 21(1):32–36.
- Wickramasinghe LP, Harris S, Jones G, Vaughan N. 2003. Bat activity and species richness on organic and conventional farms: Impact of agricultural intensification. *J Appl Ecol*. 40(6):984–993. doi:10.1111/j.1365-2664.2003.00856.x.
- Wijayanti F. 2011. Ekologi, relung pakan, dan strategi adaptasi kelelawar penghuni gua di karst gombong Kebumen Jawa Tengah.
- Wijayanti F., Maryanto I. 2017. Diversity and pattern of nest preference of bat species at bat-dwelling caves in Gombong Karst, Central Java, Indonesia. *Biodiversitas*. 18(3):864–874. doi:10.13057/biodiv/d180302.
- Zahn A, Hager I. 2005. A cave-dwelling colony of *Myotis daubentonii* in Bavaria, Germany. *Mamm Biol*. 70(4):250–254. doi:10.1016/j.mambio.2005.01.002.