

DAFTAR PUSTAKA

- Altanzagas, B., Luo, Y., Altansukh, B., Dorjsuren, C., Fang, J., Hu, H., 2019. Allometric Equations for Estimating the Above-Ground Biomass of Five Forest Tree Species in Khangai, Mongolia 1–17.
- Alvarez, E., Duque, A., Saldarriaga, J., Cabrera, K., de las Salas, G., del Valle, I., Lema, A., Moreno, F., Orrego, S., Rodríguez, L., 2012. Tree above-ground biomass allometries for carbon stocks estimation in the natural forests of Colombia. *For. Ecol. Manage.* 267, 297–308. <https://doi.org/10.1016/j.foreco.2011.12.013>
- Ariza-Carricondo, C., Di Mauro, F., De Beeck, M.O., Roland, M., Gielen, B., Vitale, D., Ceulemans, R., Papale, D., 2019. A comparison of different methods for assessing leaf area index in four canopy types. *Cent. Eur. For. J.* 65, 67–80. <https://doi.org/10.2478/forj-2019-0011>
- Baral, S., Gautam, A.P., Vacik, H., 2018. Ecological and economical sustainability assessment of community forest management in Nepal: A reality check. *J. Sustain. For.* 37, 820–841. <https://doi.org/10.1080/10549811.2018.1490188>
- Badan Meteorologi Klimatologi dan Geofisika.2021. Data Iklim dan Cuaca Kabupaten Jepara
- Badan Pusat Statistika.2021. Kabupaten Jepara dalam Angka
- Brownstein, N.C., Adolffson, A., Ackerman, M., 2019. Descriptive statistics and visualization of data from the R datasets package with implications for clusterability. *Data Br.* 25, 104004. <https://doi.org/10.1016/j.dib.2019.104004>
- Buttaro, D., Roupheal, Y., Rivera, C.M., Colla, G., Gonnella, M., 2015. Simple and accurate allometric model for leaf area estimation in *Vitis vinifera* L. genotypes. *Photosynthetica* 53, 342–348. <https://doi.org/10.1007/s11099-015-0117-2>
- Cano, I.M., Muller-Landau, H.C., Joseph Wright, S., Bohlman, S.A., Pacala, S.W., 2019. Tropical tree height and crown allometries for the Barro Colorado Nature Monument, Panama: A comparison of alternative hierarchical models incorporating interspecific variation in relation to life history traits. *Biogeosciences* 16, 847–862. <https://doi.org/10.5194/bg-16-847-2019>
- Caselli, M., Loguercio, G.Á., Urretavizcaya, M.F., Defossé, G.E., 2021. Stand level volume increment in relation to leaf area index of *Austrocedrus chilensis* and *Nothofagus dombeyi* mixed forests of Patagonia, Argentina. *For. Ecol. Manage.* 494. <https://doi.org/10.1016/j.foreco.2021.119337>
- Colaizzi, P.D., Evett, S.R., Brauer, D.K., Howell, T.A., Tolk, J.A., Copeland, K.S., 2017. Allometric method to estimate leaf area index for row crops. *Agron. J.* 109, 883–894. <https://doi.org/10.2134/agronj2016.11.0665>
- Coombes, A., Martin, J., Slater, D., 2019. Defining the allometry of stem and crown diameter of urban trees. *Urban For. Urban Green.* 44, 126421. <https://doi.org/10.1016/j.ufug.2019.126421>
- Mattos, E.M., Binkley, D., Campoe, O.C., Alvares, C.A., Stape, J.L., 2020. Variation in canopy structure, leaf area, light interception and light use efficiency among *Eucalyptus* clones. *For. Ecol. Manage.* 463, 118038. <https://doi.org/10.1016/j.foreco.2020.118038>

- Dutcă, I., Mather, R., Ioraş, F., 2020. Sampling trees to develop allometric biomass models: How does tree selection affect model prediction accuracy and precision? *Ecol. Indic.* <https://doi.org/10.1016/j.ecolind.2020.106553>
- Ekoungoulou, R., Niu, S., Joël Loumeto, J., Averti Ifo, S., Enock Bock, Y., Mikieleko, F., Eusebe, D.M., Senou, H., Liu, X., 2015. Evaluating the Carbon Stock in Above-and Below- Ground Biomass in a Moist Central African Forest " Evaluating the Carbon Stock in Above-and Below-Ground Biomass in a Moist Central African. *Appl. Ecol. Environ. Sci.* 3, 51–59. <https://doi.org/10.12691/aees-3-2-4>
- González-García, M., Hevia, A., Majada, J., Barrio-Anta, M., 2013. Above-ground biomass estimation at tree and stand level for short rotation plantations of *Eucalyptus nitens* (Deane & Maiden) Maiden in Northwest Spain. *Biomass and Bioenergy* 54, 147–157. <https://doi.org/10.1016/j.biombioe.2013.03.019>
- Goude, M., Nilsson, U., Holmström, E., 2019. Comparing direct and indirect leaf area measurements for Scots pine and Norway spruce plantations in Sweden. *Eur. J. For. Res.* 138, 1033–1047. <https://doi.org/10.1007/s10342-019-01221-2>
- Hakamada, R., Hubbard, R.M., Ferraz, S., Stape, J.L., Lemos, C., 2017. Biomass production and potential water stress increase with planting density in four highly productive clonal *Eucalyptus* genotypes. *South. For.* 79, 251–257. <https://doi.org/10.2989/20702620.2016.1256041>
- He, H., Zhang, C., Zhao, X., Fousseni, F., Wang, J., Dai, H., Yang, S., Zuo, Q., 2018. Allometric biomass equations for 12 tree species in coniferous and broadleaved mixed forests, Northeastern China. *PLoS One* 13, 1–16. <https://doi.org/10.1371/journal.pone.0186226>
- Hombegowda, H.C., Straaten, O. Van, Köhler, M., Hölscher, D., 2016. On the rebound: soil organic carbon stocks can bounce back to near forest levels when agroforests replace agriculture in southern India 13–23. <https://doi.org/10.5194/soil-2-13-2016>
- Idris, M.H., Latifah, S., Setiawan, B., Mahakam, I., Aji, L., Sari, D.P., 2021. Vegetation and Soil Carbon under Various Forest Management Types : Case of Karang Sidemen Community Forest in Lombok , Eastern Indonesia 16, 641–648.
- Islam, M.R., Azad, M.S., Mollick, A.S., Kamruzzaman, M., Khan, M.N.I., 2021. Allometric equations for estimating stem biomass of *Artocarpus chaplasha* Roxb. in Sylhet hill forest of Bangladesh. *Trees, For. People* 4, 100084. <https://doi.org/10.1016/j.tfp.2021.100084>
- Jhou, H.C., Wang, Y.N., Wu, C.S., Yu, J.C., Chen, C.I., 2017. Photosynthetic gas exchange responses of *Swietenia macrophylla* King and *Melia azedarach* L. plantations under drought conditions. *Bot. Stud.* 58. <https://doi.org/10.1186/s40529-017-0212-8>
- Kafuti, C., Van den Bulcke, J., Beeckman, H., Van Acker, J., Hubau, W., De Mil, T., Hatakiwe, H., Djiofack, B., Fayolle, A., Loubota Panzou, G.J., Bourland, N., 2022. Height-diameter allometric equations of an emergent tree species from the Congo Basin. *For. Ecol. Manage.* 504, 119822. <https://doi.org/10.1016/j.foreco.2021.119822>

- Kang, Y., Özdoğan, M., Zipper, S.C., Román, M.O., Walker, J., Hong, S.Y., Marshall, M., Magliulo, V., Moreno, J., Alonso, L., Miyata, A., Kimball, B., Loheide, S.P., 2016. How universal is the relationship between remotely sensed vegetation indices and crop leaf area index? A global assessment. *Remote Sens.* 8. <https://doi.org/10.3390/rs8070597>
- Kiran, N., Lamb, D.W., Reid, N., Wilson, B., 2014. Forest Ecology and Management An allometric model for estimating DBH of isolated and clustered Eucalyptus trees from measurements of crown projection area. *For. Ecol. Manage.* 326, 125–132. <https://doi.org/10.1016/j.foreco.2014.04.003>
- Kusmana, C., Hidayat, T., Tiryan, T., Rusdiana, O., Istomo, 2018. Allometric models for above- and below-ground biomass of *Sonneratia* spp. *Glob. Ecol. Conserv.* 15, e00417. <https://doi.org/10.1016/j.gecco.2018.e00417>
- Kuyah, S., Dietz, J., Muthuri, C., Jamnadass, R., Mwangi, P., Coe, R., Neufeldt, H., 2012. Allometric equations for estimating biomass in agricultural landscapes: I. Aboveground biomass. *Agric. Ecosyst. Environ.* 158, 216–224. <https://doi.org/10.1016/j.agee.2012.05.011>
- Labbafi, M., Khalaj, H., Allahdadi, I., Nadjafi, F., Akbari, G.A., 2019. Using models for estimation of leaf area index in *Cucurbita pepo* L. *J. Saudi Soc. Agric. Sci.* 18, 55–60. <https://doi.org/10.1016/j.jssas.2016.12.006>
- Larekeng, S.H., Restu, M., Arsyad, M.A., Mutia, 2019. Observation of morphological and physiological characteristics on Abangares Mahogany (*Swietenia macrophylla* King.) in South Sulawesi. *IOP Conf. Ser. Earth Environ. Sci.* 270. <https://doi.org/10.1088/1755-1315/270/1/012022>
- Lee, H.T., Park, J., Cho, S., Lee, M., Kim, H.S., 2019. Impact of leaf area index from various sources on estimating gross primary production in temperate forests using the JULES land surface model. *Agric. For. Meteorol.* 276–277, 107614. <https://doi.org/10.1016/j.agrformet.2019.107614>
- Liu, C., Liu, Y., Lu, Y., Liao, Y., Nie, J., Yuan, X., Chen, F., 2019. Use of a leaf chlorophyll content index to improve the prediction of above-ground biomass and productivity. *PeerJ* 2019, 1–15. <https://doi.org/10.7717/peerj.6240>
- Liu, F., Wang, C., Wang, X., 2021. Sampling protocols of specific leaf area for improving accuracy of the estimation of forest leaf area index. *Agric. For. Meteorol.* 298–299, 108286. <https://doi.org/10.1016/j.agrformet.2020.108286>
- Mason, E.G., Diepstraten, M., Pinjuv, G.L., Lasserre, J.P., 2012. Comparison of direct and indirect leaf area index measurements of *Pinus radiata* D. Don. *Agric. For. Meteorol.* 166–167, 113–119. <https://doi.org/10.1016/j.agrformet.2012.06.013>
- Meggio, F., Pitacco, A., 2019. Partitioning of seasonal above-ground biomass of four vineyard-grown varieties: Development of a modelling framework to infer temperature-rate response functions. *Sci. Hortic. (Amsterdam)*. 258, 108796. <https://doi.org/10.1016/j.scienta.2019.108796>
- Moualeu-Ngangue, D.P., Chen, T.W., Stützel, H., 2017. A new method to estimate photosynthetic parameters through net assimilation rate–intercellular space CO₂ concentration (A–C_i) curve and chlorophyll fluorescence measurements. *New Phytol.* 213, 1543–1554. <https://doi.org/10.1111/nph.14260>
- Munz, S., Präger, A., Merkt, N., Claupein, W., Graeff-Hönninger, S., 2018. Leaf

- area index, light interception, growth and steviol glycoside formation of *Stevia rebaudiana* Bertoni under field conditions in southwestern Germany. *Ind. Crops Prod.* 111, 520–528. <https://doi.org/10.1016/j.indcrop.2017.11.021>
- Nakagawa, S., Johnson, P.C.D., Schielzeth, H., 2017. The coefficient of determination R^2 and intra-class correlation coefficient from generalized linear mixed-effects models revisited and expanded. *J. R. Soc. Interface* 14. <https://doi.org/10.1098/rsif.2017.0213>
- Ogana, F.N., 2019. Modelling Crown-Stem Diameters Relationship for the Management of *Tectona grandis* Linn f. Plantation in Omo Forest reserve, Western Nigeria. *Ann. Silv. Res.* 43, 89–96. <https://doi.org/10.12899/asr-1865>
- Patil, P., Biradar, P., U. Bhagawathi, A., S. Hejjegar, I., 2018. A Review on Leaf Area Index of Horticulture Crops and Its Importance. *Int. J. Curr. Microbiol. Appl. Sci.* 7, 505–513. <https://doi.org/10.20546/ijcmas.2018.704.059>
- Paul, K.I., Radtke, P.J., Roxburgh, S.H., Larmour, J., Waterworth, R., Butler, D., Brooksbank, K., Ximenes, F., 2018. Validation of allometric biomass models: How to have confidence in the application of existing models. *For. Ecol. Manage.* 412, 70–79. <https://doi.org/10.1016/j.foreco.2018.01.016>
- Pretzsch, H., Biber, P., Uhl, E., Dahlhausen, J., Rötzer, T., Caldentey, J., Koike, T., van Con, T., Chavanne, A., Seifert, T., Toit, B. du, Farnden, C., Pauleit, S., 2015. Crown size and growing space requirement of common tree species in urban centres, parks, and forests. *Urban For. Urban Green.* 14, 466–479. <https://doi.org/10.1016/j.ufug.2015.04.006>
- Rao, G., Raju, B., Reddy, P., Kumar, P., 2017. Developing Allometric Equations for Prediction of Total Standing Biomass of *Pongamia pinnata* L.: an important Biodiesel Plant. *J. Sci. Ind. Res.* 76, 320–324.
- Raptis, D., Kazana, V., Kazaklis, A., Stamatiou, C., 2018. A crown width-diameter model for natural even-aged black pine forest management. *Forests* 9. <https://doi.org/10.3390/f9100610>
- Räsänen, A., Juutinen, S., Kalacska, M., Aurela, M., Heikkinen, P., Mäenpää, K., Rimäli, A., Virtanen, T., 2020. Peatland leaf-area index and biomass estimation with ultra-high resolution remote sensing. *GIScience Remote Sens.* 57, 943–964. <https://doi.org/10.1080/15481603.2020.1829377>
- Riikonen, A., Lindén, L., Pulkkinen, M., Nikinmaa, E., 2011. Post-transplant crown allometry and shoot growth of two species of street trees. *Urban For. Urban Green.* 10, 87–94. <https://doi.org/10.1016/j.ufug.2010.09.001>
- Sekhar, K.M., Sreeharsha, R.V., Reddy, A.R., 2015. Differential responses in photosynthesis, growth and biomass yields in two mulberry genotypes grown under elevated CO₂ atmosphere. *J. Photochem. Photobiol. B Biol.* 151, 172–179. <https://doi.org/10.1016/j.jphotobiol.2015.08.008>
- Shi, P., Liu, M., Ratkowsky, D.A., Gielis, J., Su, J., Yu, X., Wang, P., Zhang, L., Lin, Z., Schrader, J., 2019. Leaf area–length allometry and its implications in leaf shape evolution. *Trees - Struct. Funct.* 33, 1073–1085. <https://doi.org/10.1007/s00468-019-01843-4>
- Shin, N., Kotani, A., Sato, T., Sugimoto, A., Maximov, T.C., Nogovitsyn, A., Miyamoto, Y., Kobayashi, H., Tei, S., 2020. Direct measurement of leaf area

- index in a deciduous needle-leaf forest, eastern Siberia. *Polar Sci.* 25, 100550. <https://doi.org/10.1016/j.polar.2020.100550>
- Simkin, A.J., López-Calcano, P.E., Raines, C.A., 2019. Feeding the world: Improving photosynthetic efficiency for sustainable crop production. *J. Exp. Bot.* 70, 1119–1140. <https://doi.org/10.1093/jxb/ery445>
- Sinha, S.K., Padalia, H., Dasgupta, A., Verrelst, J., Pablo, J., 2020. Int J Appl Earth Obs Geoinformation Estimation of leaf area index using PROSAIL based LUT inversion , MLRA- GPR and empirical models: Case study of tropical deciduous forest. *Int J Appl Earth Obs Geoinf.* 86, 102027. <https://doi.org/10.1016/j.jag.2019.102027>
- Smyth, D.R., 2016. Helical growth in plant organs: Mechanisms and significance. *Dev.* 143, 3272–3282. <https://doi.org/10.1242/dev.134064>
- Stirbet, A., Lazár, D., Guo, Y., Govindjee, G., 2020. Photosynthesis: Basics, history and modelling. *Ann. Bot.* 126, 511–537. <https://doi.org/10.1093/aob/mcz171>
- Swedan, N., 2020. Photosynthesis as a thermodynamic cycle. *Heat Mass Transf. und Stoffuebertragung* 56, 1649–1658. <https://doi.org/10.1007/s00231-019-02768-x>
- Tetemke, B.A., Birhane, E., Rannestad, M.M., Eid, T., 2019. Allometric models for predicting aboveground biomass of trees in the dry afro-montane forests of Northern Ethiopia. *Forests* 10, 1–15. <https://doi.org/10.3390/F10121114>
- van Loon, M.P., Schieving, F., Rietkerk, M., Dekker, S.C., Sterck, F., Anten, N.P.R., 2014. How light competition between plants affects their response to climate change. *New Phytol.* 203, 1253–1265. <https://doi.org/10.1111/nph.12865>
- Vyas, D., Mehta, N., Dinakaran, J., Krishnayya, N.S.R., 2010. Allometric equations for estimating leaf area index (LAI) of two important tropical species (*Tectona grandis* and *Dendrocalamus strictus*). *J. For. Res.* 21, 197–200. <https://doi.org/10.1007/s11676-010-0032-0>
- Wang, J., Xiao, X., Bajgain, R., Starks, P., Steiner, J., Doughty, R.B., Chang, Q., 2019. Estimating leaf area index and aboveground biomass of grazing pastures using Sentinel-1, Sentinel-2 and Landsat images. *ISPRS J. Photogramm. Remote Sens.* 154, 189–201. <https://doi.org/10.1016/j.isprsjprs.2019.06.007>
- Widagdo, F.R.A., Xie, L., Dong, L., Li, F., 2020. Origin-based biomass allometric equations, biomass partitioning, and carbon concentration variations of planted and natural *Larix gmelinii* in northeast China. *Glob. Ecol. Conserv.* 23. <https://doi.org/10.1016/j.gecco.2020.e01111>
- Wirabuana, P., Putra, Mullyana, B., Meinata, A., 2021. Allometric equations for estimating merchantable wood and aboveground biomass of community forest tree species in Jepara District 27, 496–515.
- Wirabuana, P.Y.A.P., Alam, S., Matatula, J., Harahap, M.M., Nugroho, Y., Idris, F., Meinata, A., Sekar, D.A., 2021. The growth, aboveground biomass, crown development, and leaf characteristics of three eucalyptus species at initial stage of planting in Jepara, Indonesia. *Biodiversitas* 22, 2859–2869. <https://doi.org/10.13057/biodiv/d220550>
- Wirabuana, P.Y.A.P., Sadono, R., Juniarto, S., 2019. Fertilization Effects on Early Growth, Aboveground Biomass, Carbon Storage, and Leaf Characteristics of

- Eucalyptus pellita F. Muell. In South Sumatera. J. Manaj. Hutan Trop. 23, 154–163. <https://doi.org/10.7226/jtfm.25.3.154>
- Wirabuana, P.Y.A.P., Setiahadi, R., Sadono, R., Lukito, M., Martono, D.S., Matatula, J., 2020. Allometric equations for estimating biomass of community forest tree species in Madiun, Indonesia. Biodiversitas 21, 4291–4300. <https://doi.org/10.13057/biodiv/d210947>
- Xue, Y., Yang, Z., Wang, X., Lin, Z., Li, D., Su, S., 2016. Tree biomass allocation and its model Additivity for Casuarina equisetifolia in a tropical forest of Hainan Island, China. PLoS One 11, 1–20. <https://doi.org/10.1371/journal.pone.0151858>
- Yan, G., Hu, R., Luo, J., Weiss, M., Jiang, H., Mu, X., Xie, D., Zhang, W., 2019. Review of indirect optical measurements of leaf area index: Recent advances, challenges, and perspectives. Agric. For. Meteorol. 265, 390–411. <https://doi.org/10.1016/j.agrformet.2018.11.033>
- Yang, X., Xu, Z., Liao, H., 2017. Correlation coefficients of hesitant multiplicative sets and their applications in decision making and clustering analysis. Appl. Soft Comput. J. 61, 935–946. <https://doi.org/10.1016/j.asoc.2017.08.011>
- Yuen, J.Q., Fung, T., Ziegler, A.D., 2016. Review of allometric equations for major land covers in SE Asia: Uncertainty and implications for above- and below-ground carbon estimates. For. Ecol. Manage. 360, 323–340. <https://doi.org/10.1016/j.foreco.2015.09.016>
- Zeng, W.S., Tang, S.Z., 2012. Modeling Compatible Single-Tree Aboveground Biomass Equations of Masson Pine (Pinus massoniana) in South China. Nat. Preced. <https://doi.org/10.1038/npre.2012.6754.1>