

## DAFTAR PUSTAKA

- Ahmed, M., Shaikh, A., and Fida, M. (2018), Diagnostic validity of different cephalometric analyses for assessment of the sagittal skeletal pattern, *Dental Press J Orthod*, 23(5): 75 – 81.
- Alam, M. K., Qamruddin, I., Muraoka, R., Nakano, K., and Okafuji, N. (2014), Validity of W angle and Yen angle in a sample from Pakistani and Bangladeshi populations, *J Hard Tissue Biol*, 23(3): 351 – 6.
- Alam, M. K., Qamruddin, I., Basri, R., Al Harun, K. M. A., Mat Arifin, M. N. A., and Kamarazaman, K. (2016), Cephalometric comparison of sagittal analyses between Malay and Bangladeshi population: old and recent approach, *Int Medical J*, 23(4): 417 – 9.
- Alassiry, A. M. (2020), Accuracy of different cephalometric analysis in the diagnosis of class III malocclusion in Saudi and Yemeni population, *J Orthod Sci*, 9(14): 28 – 33.
- Ali, S. M., Manjunath, G., and Sheetal, A. (2018), A comparison of 3 new cephalometric angles with ANB and Wits appraisal for assessing sagittal jaw relationship, *Int J Oral Care Res*, 6(2): 28 – 32.
- Anonim (2020), *DBSWIN 5.17 Dental Imaging Software: Installation and Operating Instructions*, p. 4 – 5, tersedia di [E7203-2.pdf \(airtechniques.com\)](http://E7203-2.pdf.airtechniques.com), diakses pada 31 Januari 2022.
- Athanasίου, A. E. (1995), *Orthodontic Cephalometry*, Mosby-Wolfe, London, p. 61.
- Baik, C. Y. and Veveridou, M. (2004), A new approach of assessing sagittal discrepancy: the Beta angle, *Am J Orthod Dentofacial Orthop*, 126(1): 100 – 5.
- Bajjad, A. A., Chauhan, A. K., Sharma, A., and Kumar, S. (2021), Cephalometric analysis for assessing sagittal jaw relationship: A comparative study, *IP Indian J Orthod Dentofacial Res*, 7(2): 150 – 9.
- Bhalajhi, S. I. (2004), *Orthodontics: The Art and Science*, 3<sup>rd</sup> ed, Arya (MEDI) Publishing House, New Delhi, pp. 2 – 4, 67 – 9.
- Blumenfeld, J. P. (2000), Racial identification in the skull and teeth, *UWOJA*, 8(1): 20 – 33.
- Braun, S., Rudman, R. T., Murdoch, H. J., Hicken, S., Kittleson, R., and Ferguson, D. J. (1999), C-axis: a growth vector for maxilla, *Angle Orthod*, 69(6): 539 – 42.
- Braun, S., Kittleson, R., and Kyonghwan, K. (2004), The G-axis: a growth vector for the mandible, *Angle Orthod*, 74(3): 328 – 31.
- Capelli, J. and Almeida, R. C. C. (2012) Orthosurgical treatment of patients in the growth period: at what cost?, *Dent Press J Orthod*, 17(1): 159 – 77.

- Dahlan, M. S. (2009), *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat*, 3<sup>rd</sup> ed, Salemba Medika, Jakarta, hh. 53, 158 – 9.
- Dahlan, M. S. (2014), *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat*, 6<sup>th</sup> ed, Salemba Medika, Jakarta, hh. 64, 71, 74, 213, 223 – 4, 230
- Daokar, S., Rajput, R., Syed, J., Phatak, S., and Hadole, P. (2018), Comparison and evaluation of various AP skeletal analysis: a cephalometric study, *J Res Adv Dent*, 8(2): 219 – 26.
- Darkwah, W. K., Kadri, A., Adormaa, B. B., dan Aidoo, G. (2018), Cephalometric study of the relationship between facial morphology and ethnicity: review article, *Transl Res Anat*, 12: 20 – 4.
- Darwis, R. dan Editiawarni, T. (2018), Hubungan antara sudut interinsisal terhadap profil jaringan lunak wajah pada foto sefalometri, *J Ked Gi Unpad*, 30(1): 15 – 9.
- Dubey J., Kallury, A., Balani, R. K., Bharti, C., Dubey, C., and Dhali, D. (2020), Comparative assessment of sagittal jaw discrepancies by various cephalometric parameters in skeletal class I and class II malocclusion among Bhopal population: a cephalometric study, *J Contemp Orthod*, 4(2): 25 – 32.
- Ghom, A. G. and Ghom, S. A. (2016), *Textbook of Oral Radiology*, 2<sup>nd</sup> ed, Elsevier, New Delhi, pp. 331 – 3, 358.
- Gu, Y., McNamara, J. A., Sigler, L. M., and Baccetti, T. (2011), Comparison of craniofacial characteristics of typical Chinese and Caucasian young adults, *Eur J Orthod*, 33(2): 205 – 11.
- Gupta, A. K., Kumar, A., Ashraf, K., Hussain, K., Kumar, A., and Kulshrestha R. (2019), Establishment of cephalometric norms of Yen, W and Beta angle with assessment of sagittal jaw relationship in Eastern Indian population, *IP Indian J of Orthod Dentofac Res*, 5(2): 63 – 6.
- Hartati, A., Wuryandari, T., and Wilandari, Y. (2013), Analisis varian dua factor dalam rancangan pengamatan berulang (repeated measures), *Gaussian*, 2(4): 279 – 88.
- Imani, M. M., Farzaneh, S., Ghanbari, A., and Arab S. (2019), Cephalometric norms in an Iranian Kurdish population according to Steiner analysis, *Iran J Ortho*, 14(1): e63439.
- Indra, I. M. dan Cahyaningrum, I. (2019), *Cara Mudah Memahami Metodologi Penelitian*, Deepublish, Yogyakarta, h. 35.
- Irsa, R., Syaifullah, dan Tjong, D. H. (2013), Variasi kefalometri pada beberapa suku di Sumatera Barat, *J Bio UA*, 2(2): 130 – 137.
- Kapadia, R. M., Diyora, S. D., Shah, R. B., and Modi, B. N. (2017), Comparative evaluation of Yen angle and W angle with ANB angle, Wits appraisal and

- Beta angle for predicting sagittal jaw dysplasia: a cephalometric study, *Int J Clin Dent*, 1(1): 26 – 31.
- Katti, C. G., Mohan, A., and Abhi, A. (2020), Predictability of ANB, Beta, and Yen angle as anteroposterior dysplasia indicators in Gulbarga population, *J Indian Orthod Soc*, 54(4): 321 – 4.
- Komalawati, Indriaty, E., dan Supartinah, Al. (2013), Profil jaringan lunak dan keras wajah lelaki dan perempuan dewasa etnis Aceh berdasarkan keturunan campuran Arab, Cina, Eropa, dan Hindia, *Cakradonya Dent J*, 5(2): 542 – 618.
- Kumar, V. and Sundareswaran, S. (2014), Cephalometric assessment of sagittal dysplasia: a review of twenty-one methods, *J Indian Orthod Soc*, 48(1): 33 – 41.
- Larasati, A. K., Koesbardiati, T., dan Yudianto, A. (2018), Estimasi tinggi badan berdasarkan ukuran kepala pada ras Mongoloid di Pandean, Surabaya, *J Biosains Pascasarjana*, 20(2): 107 – 13.
- Lindauer, S. J., Shroff, B., Tufekci, E., Taylor, M. (2015), Orthodontics and Pediatric Dentistry dalam Dowd, F., *Mosby's Review for The NBDE Part Two*, 2<sup>nd</sup> ed, Elsevier Mosby, St. Louis, pp. 161 – 4.
- Maharjan S. dan Lili, C. (2019), Comparison of AN B angle, Yen angle, and W angle in Chinese population, *Orthodontic J Nepal*, 9(1): 35 – 9.
- McHugh, M. L. (2012), Interrater reliability: the kappa statistic, *Biochem Med (Zagreb)*, 22(3): 276 – 82.
- Mersha, T. B. and Abebe, T. (2015), Self-reported race/ethnicity in the age of genomic research: its potential impact on understanding health disparities, *Human Genomics*, 9(1): 1 – 15.
- Mitchell, L. (2007), *An Introduction to Orthodontics*, 3<sup>rd</sup> ed, Oxford University Press, Oxford, pp. 30, 36 – 7, 63, 65 – 6.
- Mittal, A., Bohra, S., Murali, P. S., Saidath, K., and Krishnanyak, U. S. (2016), An evaluation of Yen and W angle in the assessment of anteroposterior jaw relationship, *J Indian Orthod Soc*, 50(1): 26 – 30.
- Naikmasur, V. G., Shrivastava, R., and Mutalik, S. (2010), Determination of sex in South Indians and immigrant Tibetans from cephalometric analysis and discriminant functions, *Forensic Sci Int*, 197: 122.e1 – 122.e6.
- Naing, L., Winn, T., Rusli, B. N. (2006), Practical issues in calculating the sample size for prevalence studies, *Arch Orofac Sci*, 1: 9 – 14.
- Nanda, R. S. and Merrill, R. M. (1994), Cephalometric assessment of sagittal relationship between maxilla and mandible, *Am J Orthod Dentofacial Orthop*, 105(4): 328 – 44.
- Neela, P. K., Mascarenhas, R., and Husain, A. (2009), A new sagittal dysplasia indicator: the Yen angle, *World J Orthod*, 10(2): 147 – 51.

- Ngeow, W. C. dan Aljunid, S. T. (2009), Craniofacial anthropometric norms of Malays, *Singapore Med J*, 50(5): 525 – 8.
- Phulari, B. S. (2011), *Orthodontics: Principle and Practices*, Jaypee Brothers Medical Publishers, New Delhi, pp. 4, 55 – 61, 95, 181, 454.
- Premkumar, S. (2011), *Textbook of Craniofacial Growth*, Jaypee Brothers Medical Publishers, New Delhi, pp. 46 – 7, 183.
- Premkumar, S. (2015), *Textbook of Orthodontics*, Elsevier India, New Delhi, pp. 4, 279.
- Premkumar, S. (2020), *Essentials of Orthodontics*, 4<sup>th</sup> ed, Elsevier India, New Delhi, p. 194.
- Proffit, W. R., Fields H. W., Sarver, D. M., and Ackerman, J. L. (2013), *Contemporary Orthodontics*, 5<sup>th</sup> ed, Elsevier, St. Louis, p. 20.
- Qamaruddin, I., Alam, M. K., Shahid, F., Tanveer, S., Umer, M., dan Amin, E. (2018), Comparison of popular sagittal cephalometric analyses for validity and reliability, *Saudi Dent J*, 30(1): 43 – 46.
- Rahardjo, P. (2012), *Ortodonti Dasar*, 2<sup>nd</sup> ed, Airlangga University Press, Surabaya, hh. 2 – 3, 9, 12 – 3, 15 – 8, 82 – 3, 164 – 6, 169, 173.
- Riedel, R. A. (1952), The relation of maxillary structures to cranium in malocclusion and in normal occlusion, *Angle Orthod*, 22(3): 142 – 5.
- Roomi, S. M. M., Virasundarii, S. L., Selvamegala, S., Jevanandham, S., and Hariharasudhan, D. (2011), Race classification based on facial features, *2011 Third national conference on computer vision, pattern recognition, image processing, and graphics*, IEEE, pp. 54 – 7.
- Sappaile, B. I. (2010), Konsep penelitian *ex-post facto*, *Jurnal Pendidikan Matematika*, 1(2): 105 – 13.
- Soni, G., Goel, S., Gupta, N., Kotecha, T., Yadav, N., and Datar, S. (2021), Comparative evaluation of Yen angle and W angle with ANB angle and Wits appraisal for predicting sagittal jaw dysplasia, *Eur J Mol Clin Med*, 8(2): 2234 – 42.
- Sutardjo, I. (2011), Pertimbangan dan permasalahan pemakaian alat interseptik ortodonsi secara dini pada anak masa tumbuh kembang, *Stomatognathic JKG Unej*, 8(1): 1 – 10.
- Syabira, T. A. dan Sahelangi, O. P. (2019), Gambaran nilai pengukuran parameter sefalometrik pasien ras Deutro Melayu usia 6 – 12 tahun menggunakan analisis Steiner, *JKGT*, 1(1): 48 – 52.
- Syamsuni, H. R. (2019), *Statistik dan Metodologi Penelitian dengan Implementasi Pembelajaran Android*, Penerbit KBM Indonesia, Bojonegoro, h. 165.
- Trivedi, R., Bhattacharya, A., Mehta, F., Patel, D., Parekh, H., and Gandhi, V. (2015), Cephalometric study to test the reliability of anteroposterior skeletal



discrepancy indicators using the twin block appliance, *Prog Orthod*, 16(3): 1 – 10.

Yaacob, H., Nambiar, P., and Naidu, M. D. K. (1996), Racial characteristics of human teeth with special emphasis on the Mongoloid dentition, *Malaysian J Pathol*, 18(1): 1 – 7.

Zajac, D. J. and Vallino, L. D. (2017), *Evaluation and management of cleft lip and palate: a developmental perspective*, Plural Publishing, San Diego, p. 213.