



DAFTAR PUSTAKA

- Abdul Hamid, S. A., Abdullah, M. H., Ahmad, S. H., Mansor, A. A., dan Yusoff, A. N., 2002, Effects of Natural Rubber on Microwave Absorption Characteristics of Some Li-Ni-Zn Ferrite-Thermoplastic Natural Rubber Composites. *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers*, 9, 41, 5815–5820.
- Abdullah, B. J. (2022) ‘Size effect of band gap in semiconductor nanocrystals and nanostructures from density functional theory within HSE06’, *Materials Science in Semiconductor Processing*, 137, p. 106214.
- Abdullahi, S. S., Güner, S., Koseoglu, Y., Musa, I. M., Adamu, B. I., & Abdulhamid, and M. I., 2016, Simple Method For The Determination of Band Gap of a Nanopowdered Sample Using Kubelka Munk Theory, *Journal of the Nigerian Association of Mathematical Physics*, 35, 241–246.
- Agami, W. R. (2022) ‘Monitoring the dielectric properties of Mn-ferrite nanoparticles by controlling crystallite size and applying static magnetic field’, *Ceramics International*, pp. 1–9.
- Ahmad, Z., 2012, Polymeric Dielectric Materials, *Dielectric Material*, 3–26.
- Anderson, J., Leaver, K., Rawlings, R., dan Alexander, J., 1990, *Materials Science*, Fourth Edition, Chapman and Hall, Singapore.
- André Moliton (2007) *Applied Electromagnetism and Materials*. New York: Springer US.
- Ardiansyah, A., 2015, Sintesis Nanosilika Dengan Metode Sol-Gel Dan Uji Hidrofobisitasnya Pada Cat Akrilik, *Skripsi*, Jurusan Kimia FMIPA Universitas Negeri Semarang, Semarang.
- Arisandi dan Mia, D., 2007, Pengaruh Pemanasan dan Jenis Surfaktan Pada Sifat Megnetik Ferofluida Berbahan Dasar Pasir Besi, *Skripsi*, Jurusan Fisika FMIPA UNNES, Semarang.
- Atiq, S. *et al.* (2017) ‘Synthesis and investigation of structural, morphological, magnetic, dielectric and impedance spectroscopic characteristics of Ni-Zn ferrite nanoparticles’, *Ceramics International*, 43(2), pp. 2486–2494.
- Bandyopadhyay, R. *et al.* (2005) ‘Application of powder X-ray diffraction in



- studying the compaction behavior of bulk pharmaceutical powders', *Journal of Pharmaceutical Sciences*, 94(11), pp. 2520–2530.
- Bhagyaraj, S. M., Kalarikkal, N., Thomas, S., dan Oluwafemi, O. S., 2018, Quantum-dot-filled Epoxy Nanocomposites with Enhanced Thermal, Mechanical, and Optical Properties, *Characterization of Nanomaterials: Advances and Key Technologies*, 237-267.
- Batoo, K. M. *et al.* (2009) 'Finite size effect and influence of temperature on electrical properties of nanocrystalline Ni-Cd ferrites', *Current Applied Physics*, 9(5), pp. 1072–1078.
- Bornado, D., dan Siburian, R., 2021, Analisis Struktur Nanopartikel Silika dari Abu Ampas Tebu Menggunakan Metode XRD. *Jurnal Einstein*, 1, 9, 13–20.
- Buschow, K. H. J., 1997, *Handbook of Magnetic Materials*, Vol. 10, Chapter 3-4, Elsevier B.V, Netherlands
- Buurma, A. J. C., Blake, G. R., Palstra, T. T. M., & Adem, U., 2016, Multiferroic Materials: Physics and Properties, In *Reference Module in Materials Science and Materials Engineering*, Elsevier Ltd.
- Carranza-Celis, D., Cardona-Rodríguez, A., Narváez, J., Moscoso-Londono, O., Muraca, D., Knobel, M., Ornelas-Soto, N., Reiber, A., & Ramírez, J. G., 2019, Control of Multiferroic properties in BiFeO₃ nanoparticles. *Scientific Reports*, 1, 9, 1–9.
- Catalan, G., & Scott, J. F., 2009, Physics and Applications of Bismuth Ferrite. *Advanced Materials*, 24, 21, 2463–2485.
- Chaturvedi, S., Shirolkar, M. M., Rajendra, R., Singh, S., Ballav, N., & Kulkarni, S., 2014, Coercivity and exchange bias of bismuth ferrite nanoparticles isolated by polymer coating, *Journal of Applied Physics*, 12, 115.
- Chauhan, S. *et al.* (2016) 'A comparative study on structural, vibrational, dielectric and magnetic properties of microcrystalline BiFeO₃, nanocrystalline BiFeO₃and core-shell structured BiFeO₃@SiO₂nanoparticles', *Journal of Alloys and Compounds*, 666, pp. 454–467.
- Cullity, B. . (1956) *Elements of X-ray diffraction*. United States: Addison-Weseley Publishing.



- Dhabekar, K. and Kant, K. M. (2021) ‘Structural and dielectric properties of cobalt ferrite based nanocomposites’, *Physica B: Condensed Matter*, 603(December 2020), p. 412752.
- de Oliveira, L. A. S., López-Ruiz, R., & Pirota, K. R., 2015, Multiferroic and heterogeneous ferromagnetic nanowires prepared by sol-gel, electrodeposition, and combined techniques, *Magnetic Nano- and Microwires: Design, Synthesis, Properties and Applications*, 105–124.
- Dewi, N. H., 2019, Kajian Sifat Dielektrik Magnetic Nanoparticles (MNPs) Zinc Nickel Ferrite (Zn-NiFe₂)₄ yang Dienkapsulasi dengan Silika (SiO₂), *Thesis*, Jurusan Fisika FMIPA UGM, Yogyakarta.
- Dongol, M., El-Denglawey, A., Abd El Sadek, M. S., dan Yahia, I. S., 2015, Thermal Annealing Effect On The Structural and The Optical Properties of Nano CdTe Films, *Optik*, 126, 14, 1352–1357.
- El-Denglawey, A., Dongol, M., dan El-Nahass, M. M. (2010). Photoinduced Absorption Edge Shift of As₂₀Se₆₀Tl₂₀ Films. *Journal of Luminescence*, 130, 5, 801–804.
- Ferawati, R., dan Toifur, M., 2014, Penentuan Nilai Rugi Tangen (Loss Tangent) Kaldu Daging Sapi Berbantuan Software Logger Pro, *Prosiding Pertemuan Ilmiah XXV Himpunan Fisika Indonesia Jateng-DIY 2011*, Yogyakarta.
- Fernandez, B. R., 2012, Sintesis Nanopartikel SiO₂ Menggunakan Metode Sol-Gel dan Aplikasinya Terhadap Aktifitas Sitotoksik Sel, *Jurnal Nanoteknologi*, 3, 2.
- Fox, M., 2001, Optical Properties of Solids, First Edition, *Oxford University Press Inc.*, New York.
- Gao, T., Chen, Z., Niu, F., Zhou, D., Huang, Q., Zhu, Y., Qin, L., Sun, X., dan Huang, Y., 2015, Shape-controlled Preparation of Bismuth Ferrite by Hydrothermal Method and Their Visible-Light Degradation Properties, *Journal of Alloys and Compounds*, 648, 564–570.
- Gil-González, E., Perejón, A., Sánchez-Jiménez, P. E., Criado, J. M., & Pérez-Maqueda, L. A., 2018, Thermoanalytical Characterization Techniques for Multiferroic Materials, In *Handbook of Thermal Analysis and Calorimetry*,



Vol. 6, 643-683.

- Heri, J., Yuningtyastuti, dan Syakur, A., 2012, Studi Arus Bocor Permukaan Bahan Isolasi Resin Epoksi Silane dengan Variasi Pengisi Pasir Silika (dengan Polutan Pantai). *Transmisi*, 1, 14, 20–37.
- Hermet, P., Goffinet, M., Kreisel, J., dan Ghosez, P., 2007, Raman and Infrared Spectra of Multiferroic Bismuth Ferrite from First Principles. *Physical Review B - Condensed Matter and Materials Physics*, 22, 75, 3–6.
- Hill, N. A., 2000, Why are there so few magnetic ferroelectrics? *Journal of Physical Chemistry B*, 29, 104, 6694–6709.
- Hu, D. *et al.* (2018) ‘Synthesis and magnetic properties of monodisperse CoFe₂O₄ nanoparticles coated by SiO₂’, *Ceramics International*, 44(18), pp. 22462–22466.
- Hippel, A. R. Von., 1962. *Dielectric And Waves*, Third Edition, John Wiley & Sons, New York.
- Iqbal, Y. *et al.* (2016) ‘Magnetic heating of silica-coated manganese ferrite nanoparticles’, *Journal of Magnetism and Magnetic Materials*, 409, pp. 80–86.
- Juwita, E. (2022) *Sintesis Nanopartikel Bismuth Ferrite/SiO₂ dan Bismuth Ferrite/PEG Serta Karakterisasi dan Potensinya Sebagai Hipertemia Magnetik*, Thesis, Universitas Gadjah Mada.
- Kalam, A., Al-Sehemi, A. G., Assiri, M., Du, G., Ahmad, T., Ahmad, I., dan Pannipara, M., 2018, Modified Solvothermal Synthesis of Cobalt Ferrite (CoFe₂O₄) Magnetic Nanoparticles Photocatalysts for Degradation of Methylene Blue with H₂O₂/Visible Light. *Results in Physics*, 8, 1046–1053.
- Kasap, S. O., 2006, *Principles of Electronic Materials and Devices*, Third Edition, McGraw-Hill Companies Inc., New York.
- Khera, S. and Chand, P. (2019) ‘Influence of different solvents on the structural, optical, impedance and dielectric properties of ZnO nanoflakes’, *Chinese Journal of Physics*, 57(August 2018), pp. 28–46.
- Khopkar, S., 1990, *Konsep Dasar Kimia Analitik*. diterjemahkan oleh : A.



Saptohardjo, UI-Press, Jakarta.

- Kim, H. P., Kang, W. S., Hong, C. H., Lee, G. J., Choi, G., Ryu, J., & Jo, W., 2019, Piezoelectrics. In *Advanced Ceramics for Energy Conversion and Storage*, 157-206.
- Kumar, P., Chand, P., & Joshi, A., 2019, Effect of Annealing Temperature on Structural and Dielectric Properties of Bismuth Ferrite Nanostructures. *AIP Conference Proceedings* 2142, Published Online, 29 Agustus.
- Li, J., Wang, Y., Ling, H., Qiu, Y., Lou, J., Hou, X., Bag, S. P., Wang, J., Wu, H., & Chai, G., (2019), Significant enhancement of the visible light photocatalytic properties in 3d BiFeO₃/graphene composites, *Nanomaterials*, 1, 9, 1-12.
- Lumbantoruan, M. A., 2019, Kajian Sifat Dielektrik dan Energi Gap Pada Nanopartikel Magnetik Co_{1-x}Zn_xFe₂O₄, *Tesis*, Jurusan Fisika FMIPA UGM, Yogyakarta.
- Loan, N. T. T., Lan, N. T. H., Thuy Hang, N. T., Hai, N. Q., Anh, D. T. T., Hau, V. T., Tan, L. Van, dan Tran, T. Van., 2019, CoFe₂O₄ Nanomaterials: Effect of Annealing Temperature on Characterization, Magnetic, Photocatalytic, and Photo-Fenton Properties. *Processes*, 12, 7, 1–14.
- Lv, L. *et al.* (2011) ‘Grain size effect on the dielectric and magnetic properties of NiFe 2O4 ceramics’, *Physica E: Low-Dimensional Systems and Nanostructures*, 43(10), pp. 1798–1803.
- Lvovich, V. F., 2012, *Impedance Spectroscopy: Applications to Electrochemical and Dielectric Phenomena*, John Wiley & Sons, New York.
- Macdonald, J. R., dan Barsoukov, E., 2005, *Impedence Spectroscopy Theory , Experiment , and Applications*, Second Edition. John Wiley & Sons, New Jersey.
- Majid, N., 2012, Rancang Bangun Sistem Spektroskopi Impedansi untuk Menentukan Tetapan Dielektrik Kompleks Material dalam Rentang Frekuensi 5 – 120 kHz, *Skripsi*, Jurusan Fisika Universitas Gadjah Mada, Yogyakarta.
- Mannu, A., Cardano, F., Baldino, S., dan Fin, A., 2021, Behavior of Ternary Mixtures of Hydrogen Bond Acceptors and Donors in Terms of Band Gap



- Energies. *Materials*, 12, 14, 1–8.
- Maslakah, U., 2015, Analisis Lebar Cela Pita Energi dan Ikatan Molekul Lapisan Tipis A-Si:H yang Ditumbuhkan dengan Metode PECVD, *Skripsi*, Jurusan Fisika Institut Teknologi Surabaya, Surabaya.
- Masruroh, Manggara, A., Papilaka, T., dan T, R. T., 2013, Penentuan Ukuran Kristal (*crystalline size*) Lapisan Tipis PZT dengan Metode XRD Melalui Pendekatan Persamaan Debye Scherrer. *Journal of Educational Innovatioan*, 2, 1, 24–29.
- Merdekani, S., 2013, Sintesis Partikel Nanokomposit Fe₃O₄/SiO₂ dengan Metode Kopresipitasi, *Prosiding Seminar Nasional Sains Dan Teknologi Nuklir PTNBR-BATAN*, Bandung, 4 Juli.
- Missa, M. M. ., Pingak, R. K., dan Sutaji, H. I., 2018, Penentuan Cela Energi Optik Ekstrak Daun Alpukat (Persea Americana Mill) Asal Desa Oinlasi Menggunakan Metode Tauc Plot, *Jurnal Fisika : Fisika Sains Dan Aplikasinya*, 1, 3, 86–90.
- Mocherla, P. S. V. *et al.* (2013) ‘Tunable bandgap in BiFeO₃ nanoparticles: The role of microstrain and oxygen defects’, *Applied Physics Letters*, 103(2).
- Monshi, A., Foroughi, M. R., dan Monshi, M. R., 2012, Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD, *World Journal of Nano Science and Engineering*, 3, 2, 154–160.
- Nadeem, K., Krenn, H., *et al.* (2014) ‘Comparison of surface effects in SiO₂ coated and uncoated nickel ferrite nanoparticles’, *Applied Surface Science*, 288, pp. 677–681.
- Nadeem, K., Ali, L., Gul, I., Rizwan, S., dan Mumtaz, M., 2014, Effect of silica coating on the structural, dielectric, and magnetic properties of maghemite nanoparticles, *Journal of Non-Crystalline Solids*, 404, 72–77.
- Nadeem, K., Zeb, F., Azeem Abid, M., Mumtaz, M., dan Anis Ur Rehman, M., 2014, Effect of amorphous silica matrix on structural, magnetic, and dielectric properties of cobalt ferrite/silica nanocomposites, *Journal of Non-Crystalline Solids*, 400, 45–50.
- Neethirajan, S., Gordon, R., dan Wang, L., 2009, Potential of silica Bodies



- (Phytoliths) for Nanotechnology. *Trends in Biotechnology*, 8 27, 461–467.
- Ni, Y., Shi, D., Luo, B., Yang, Z., Xiong, Z., Lu, C., Fang, L., Xia, Y., Gong, J., Cao, L., & Gao, Z., 2019, Tailoring Morphologies, Photocatalytic Activity, and Energy Bands of Bi₂₅FeO₄₀ via Valence State Transformation of Doped v Ions [Research-article], *Inorganic Chemistry*, 10, 58, 6966–6973.
- Nisa, R. A., 2015, Sintering Material Zn_{0,9}Mg_{0,1}TiO₃ Variasi Penambahan V₂O₅ dengan Metode Reaksi Padat, *Skripsi*, Jurusan Fisika Institut Teknologi Surabaya, Surabaya.
- Nogueira, R. F., dan Jardim, W. F., 1993, Photodegradation of Methylene Blue, *J. Chem. Educ.*, 10, 70, 861–862.
- Nowak, M., Kauch, B. and Szperlich, P. (2009) ‘Determination of energy band gap of nanocrystalline SbSI using diffuse reflectance spectroscopy’, *Review of Scientific Instruments*, 80(4), pp. 4–7.
- Pandey, R., Panda, C., Kumar, P., & Kar, M., 2018, Phase diagram of Sm and Mn co-doped bismuth ferrite based on crystal structure and magnetic properties, *Journal of Sol-Gel Science and Technology*, 1, 85, 166–177.
- Picozzi, S., dan Ederer, C., 2009, First principles studies of multiferroic materials. *Journal of Physics Condensed Matter*, 30, 21, 30320-3039.
- Prihatmoko, C. H., 2021, Struktur Kristal, Sifat Dielektrik Dan Energi Gap Pada Silika (SiO₂) Yang Diekstraksi Dari Abu Sekam Padi, *Skripsi*, Jurusan Fisika UGM, Yogyakarta.
- Puji, A., Luluk, I. H., Malik, A. B., dan Pratapa, S., 2011, Pengaruh Aktivasi Mekanik Terhadap Pembentukan Fasa MgTiO₃ Dan MgTi₂O₅, *Seminar Nasional Fisika 2011*, 5, 12–13.
- Puri, R. ., dan Babbar, V., 1997, *Solid State Physics*, Third Edition, S. Chand & Company, New Delhi.
- Rhaman, M. M., Matin, M. A., Al Mamun, M. A., Hussain, A., Hossain, M. N., Das, B. C., Hakim, M. A., & Islam, M. F., 2020, Enhanced electrical conductivity and multiferroic property of cobalt-doped bismuth ferrite nanoparticles, *Journal of Materials Science: Materials in Electronics*, 11, 31, 8727–8736.



- Rout, J., dan Choudhary, R. N. P., 2018, Structural, electrical and magnetic behavior of mechanothermally synthesized multidoped bismuth ferrite, *Ceramics International*, 10, 44, 11543–11553.
- Rout, J., Choudhary, R. N. P., Sharma, H. B., dan Shannigrahi, S. R., 2015, Effect Of Co-Substitutions (Ca-Mn) On Structural, Electrical And Magnetic Characteristics Of Bismuth Ferrite, *Ceramics International*, 7, 41, 9078–9087.
- Rusman, L. O. (2018) *KAJIAN SIFAT KEMAGNETAN NANOPARTIKEL COBALT ZINC FERRITE (Co0,5Zn0,5Fe2O4) YANG DIENKAPSULASI DENGAN SILIKA (SiO2) DAN POLYETHYLENE GLYCOL (PEG-4000)*, Thesis. Universitas Gadjah Mada.
- Saafan, S. A. and Assar, S. T. (2012) ‘Dielectric behavior of nano-structured and bulk Li Ni Zn ferrite samples’, *Journal of Magnetism and Magnetic Materials*, 324(19), pp. 2989–3001.
- Saleh, M. H. (2017) ‘Study of Structural , Optical and Electrical Properties of PbI₂ Thin Films Prepared by Flash – Evaporation Technique’.
- Sheoran, N., Kumar, V., & Kumar, A., 2019, Comparative study of structural, magnetic and dielectric properties of CoFe₂O₄ @ BiFeO₃ and BiFeO₃@ CoFe₂O₄ core-shell nanocomposites, *Journal of Magnetism and Magnetic Materials*, 475, 30–37.
- Sholihah, L. K., 2010, Sintesis Dan Karakterisasi Partikel Nano Fe₃O₄ Yang Berasal Dari Pasir Besi Dan Fe₃O₄ Bahan Komersial (Aldrich). *Skripsi*, Jurusan Fisika FMIPA Institut Teknologi Surabaya, Surabaya.
- Sijabat, R. C., 2021, Kajian Sifat Dielektrik dan Energi Gap Nanopartikel Magnetik Core-Shell CoFe₂O₄@ZnO, *Thesis*, Jurusan Fisika FMIPA Universitas Gadjah Mada. Yogyakarta.
- Singh, M., Goyal, M. and Devlal, K. (2018) ‘Size and shape effects on the band gap of semiconductor compound nanomaterials’, *Journal of Taibah University for Science*, 12(4), pp. 470–475.
- Singh, S. K., Tomy, C. V., Era, T., Itoh, M., & Ishiwara, H., 2012, Improved multiferroic properties in Sm-doped BiFeO₃ thin films deposited using



- chemical solution deposition method, *Journal of Applied Physics*, 10, 111, 1–5.
- Smallman, R. E., & Bishop, R. J., 2000, Metalurgi Fisik Modern dan Rekayasa Material, Erlangga, Jakarta.
- Soibam, I. *et al.* (2008) ‘Effects of Cobalt substitution on the dielectric properties of Li-Zn ferrites’, *Solid State Communications*, 148(9–10), pp. 399–402.
- Suhartati, T., 2017, *Dasar-Dasar SPektofotometri UV-Vis dan SPektofotometri Massa Untuk Penentuan Struktur Senyawa Organik*, AURA, Lampung.
- Sulanjari *et al.* (2015) ‘Kajian Sifat Kemagnetan pada Nanopartikel Cobalt Ferrite (CoFe₂O₄) yang dicoating dengan Polyethylene Glykol (PEG-4000) dan Silika, *Jurnal Fisika Indonesia*, 18(54), pp. 103–107.
- Suharyadi, E., & Abraha, K., 1998, Analisis Tanggapan Frekuensi Dielektrik dalam Bahan-Bahan Batuan Alam dan NaCl, 5, 2.
- Sukron, M., Setyarsih, W., & Rohmawati, L., 2015, *Studi Dielektrik Polyvinilidene Fluoride (PVDF)/SiO₂ Dari Lumpur Sidoarjo Muhammad*, 1, 4, 19–22.
- Sulastri, S., & Kristianingrum, S., 2010, Berbagai Macam Senyawa Silika : Sintesis, Karakterisasi dan Pemanfaatan, *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA*, Yogyakarta, 15 Mei.
- Sulistyo, D. H., 2017, Dampak Ukuran Butir Nanopartikel Copper Ferrite (CuFe₂O₄) Terhadap Sifat Dielektrik, *Jurnal Mekanikal*, 2, 8, 777–783.
- Suvarna, R. P., Rao, K. R., & Subbarangaiah, K., 2002, A simple technique for a.c. conductivity measurements, *Bulletin of Materials Science*, 7, 25, 647–651.
- Taufiq, A., & Pratapa, S., 2008, Sintesis Partikel Nano Fe_{3-x}Mn_xO₄ Berbasis Pasir Besi dan Karakterisasi Struktur serta Kemagnetannya, *Jurnal Nanosains & Teknologi*, 2, 1, 67–73.
- Tipler, P. A., & Mosca, G., 2008, *Physics for scientists and engineers*, Sixth Edition, W.H. Freeman and Company, New York.
- Wang, G. *et al.* (2019) ‘Enhanced visible-light responsive photocatalytic activity of Bi₂₅FeO₄₀/Bi₂Fe₄O₉ composites and mechanism investigation’, *Journal of Materials Science: Materials in Electronics*, 30(11), pp. 10923–10933.
- Wang, J., Neaton, J. B., Zheng, H., Nagarajan, V., Ogale, S. B., Liu, B., Viehland,



- D., Vaithyanathan, V., Schlom, D. G., Waghmare, U. V., Spaldin, N. A., Rabe, K. M., Wuttig, M., dan Ramesh, R., 2003, Epitaxial BiFeO₃ Multiferroic Thin Film Heterostructures, *Science*, 5613, 299, 1719–1722.
- Wang, L. L., dan Jiang, J. Sen., 2009, Preparation of Fe 3O 4 Spherical Nanoporous Particles Facilitated by Polyethylene Glycol 4000, *Nanoscale Research Letters*, 12, 4, 1439–1446.
- Wang, X., Zhang, Y., dan Wu, Z., 2010., Magnetic and Optical Properties of Multiferroic Bismuth Ferrite Nanoparticles by Tartaric Acid-Assisted Sol-Gel Strategy, *Materials Letters*, 3, 64, 486–488.
- Wang, Xingfu, Mao, W., Wang, Q., Zhu, Y., Min, Y., Zhang, J., Yang, T., Yang, J., Li, X., & Huang, W., 2017, Low-temperature fabrication of Bi₂₅FeO₄₀/rGO nanocomposites with efficient photocatalytic performance under visible light irradiation, *RSC Advances*, 17, 7, 10064–10069.
- Warren, B. E. and Biscce, J. (1938) ‘the Structure of Silica Glass By X-Ray Diffraction Studies’, *Journal of the American Ceramic Society*, 21(2), pp. 49–54.
- West, A. R., 2014, *Solid State Chemistry and Its Applications*, Second Edition, Vol. 41, John Wiley & Sons, New York.
- Xiong, Z. and Cao, L. (2019) ‘Tailoring morphology, enhancing magnetization and photocatalytic activity via Cr doping in Bi₂₅FeO₄₀’, *Journal of Alloys and Compounds*, 773, pp. 828–837.
- Xu, H. M., Wang, H., Shi, J., Lin, Y., dan Nan, C., 2016, Photoelectrochemical Performance Observed In Mn-Doped Bifeo₃ Heterostructured Thin Films, *Nanomaterials*, 11, 6, 1–9.
- Yang, Y., Hu, J., dan He, J., 2016, Mesoporous Nano-Silica Serves as the Degradation Inhibitor in Polymer Dielectrics, *Scientific Reports*, 1, 6, 1-9.
- Young D.H, & Freedman R.A, 2003, *Fisika Universitas ed.10 jilid ke-2*, Erlangga, Jakarta.
- Yusandika, A. D., 2014, Kajian Sifat Dielektrik pada Nanopartikel Cobalt Ferrite (CoFe₂O₄) yang DIenkapsulasi dengan Polyethylene Glycol (PEG-4000), Thesis, Jurusan Fisika FMIPA UGM, Yogyakarta.



- Zeng, F., Cao, M., Zhang, L., Liu, M., Hao, H., Yao, Z., dan Liu, H., 2017, Microstructure and dielectric properties of SrTiO₃ Ceramics By Controlled Growth of Silica Shells on SrTiO₃ Nanoparticles, *Ceramics International*, 10, 43, 7710–7716.
- Zhang, Q., Sando, D. and Nagarajan, V. (2016) ‘Chemical ROute derived Bismuth Ferrite Thin Films and Nanomaterials’, *Material Chemistry C*, 4(19), pp. 4092–4124.
- Zhang, L. *et al.* (2015) ‘Hydrothermal synthesis, influencing factors and excellent photocatalytic performance of novel nanoparticle-assembled Bi₂₅FeO₄₀ tetrahedrons’, *CrystEngComm*, 17(34), pp. 6527–6537.
- Zhang, R. *et al.* (2020) ‘Ternary Z-Scheme Heterojunction of Bi₂WO₆ with Reduced Graphene Oxide (rGO) and Bi₂₅FeO₄₀ for Enhanced Visible-Light Photocatalysis’, *Journal of Inorganic and Organometallic Polymers and Materials*, 30(6), pp. 2152–2162.
- Zhao, L., Yang, H., Cui, Y., Zhao, X., dan Feng, S., 2007, Study of Preparation and Magnetic Properties of Silica-Coated Cobalt Ferrite Nanocomposites. *Journal of Materials Science*, 11, 42, 4110–4114.
- Zulkarnain., 2020, Kajian Sifat Dielektrik Dan Energi Gap Pada Nanopartikel Magnetik Mn, *Tesis*, Jurusan Fisika FMIPA UGM, Yogyakarta.