

DAFTAR PUSTAKA

- Adeniyi ADEFEGHA, S., 2019. Antibiotics and Drug Pharmacology. *Acta Scientific Pharmaceutical Sciences*, **3**: 43–49.
- Asín-Prieto, E., Rodríguez-Gascón, A., dan Isla, A., 2015. Applications of the pharmacokinetic/pharmacodynamic (PK/PD) analysis of antimicrobial agents. *Journal of Infection and Chemotherapy*, **21**: 319–329.
- Bakker, J., de Backer, D., dan Hernandez, G., 2016. Lactate-guided resuscitation saves lives: we are not sure. *Intensive Care Medicine*, **42**: 472–474.
- Chawla, R. dan Todi, S. (Editor), 2020. *ICU Protocols: A Step-Wise Approach, Vol I*. Springer Singapore, Singapore.
- Chen, C.-M., Cheng, K.-C., Chan, K.-S., dan Yu, W.-L., 2014. Age May Not Influence the Outcome of Patients with Severe Sepsis in Intensive Care Units. *International Journal of Gerontology*, **8**: 22–26.
- Chen, H.-C., Lin, W.-L., Lin, C.-C., Hsieh, W.-H., Hsieh, C.-H., Wu, M.-H., dkk., 2013. Outcome of inadequate empirical antibiotic therapy in emergency department patients with community-onset bloodstream infections. *Journal of Antimicrobial Chemotherapy*, **68**: 947–953.
- Cunha, B.A., 2015. *Antibiotic Essentials*, Fourteenth Edition. ed. Jaypee Brothers Medical.
- Dewi, R.S., Radji, M., dan Andalusia, R., 2018. Evaluation of Antibiotic Use Among Sepsis Patients in an Intensive Care Unit: A cross-sectional study at a referral hospital in Indonesia. *Sultan Qaboos University Medical Journal [SQUMJ]*, **18**: 367.
- Ding, J., Chen, Y., dan Gao, Y., 2019. Effect of propofol, midazolam and dexmedetomidine on ICU patients with sepsis and on arterial blood gas. *Experimental and Therapeutic Medicine*, .
- Ellen, M., Baker, G.R., dan Brown, A., 2014. The impact of acute care clinical practice guidelines on length of stay: A closer look at some conflicting findings. *Journal of Hospital Administration*, **3**: 25.
- Evans, L., Rhodes, A., Alhazzani, W., Antonelli, M., Coopersmith, C.M., French, C., dkk., 2021. Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. *Intensive Care Medicine*, **47**: 1181–1247.

- Ferrer, R., Martin-Loeches, I., Phillips, G., Osborn, T.M., Townsend, S., Dellinger, R.P., dkk., 2014. Empiric Antibiotic Treatment Reduces Mortality in Severe Sepsis and Septic Shock From the First Hour: Results From a Guideline-Based Performance Improvement Program. *Critical Care Medicine*, **42**: 7.
- Fleischmann, C., Scherag, A., Adhikari, N.K.J., Hartog, C.S., Tsaganos, T., Schlattmann, P., dkk., 2016. Assessment of Global Incidence and Mortality of Hospital-treated Sepsis. Current Estimates and Limitations. *American Journal of Respiratory and Critical Care Medicine*, **193**: 259–272.
- Fraser, A., Paul, M., Almanasreh, N., Tacconelli, E., Frank, U., Cauda, R., dkk., 2006. Benefit of Appropriate Empirical Antibiotic Treatment: Thirty-day Mortality and Duration of Hospital Stay. *The American Journal of Medicine*, **119**: 970–976.
- Gallagher, J.C. dan MacDougall, C., 2018. *Antibiotics Simplified*, Fourth edition. ed. Jones & Bartlett Learning, Burlington, MA.
- Giuliano, K.K. dan Baker, D., 2020. Sepsis in the Context of Nonventilator Hospital-Acquired Pneumonia. *American Journal of Critical Care*, **29**: 9–14.
- Gregoriano, C., Heilmann, E., Molitor, A., dan Schuetz, P., 2020. Role of procalcitonin use in the management of sepsis. *Journal of Thoracic Disease*, **12**: S5–S15.
- Hannam, J.A., Borrat, X., Trocóniz, I.F., Valencia, J.F., Jensen, E.W., Pedroso, A., dkk., 2016. Modeling respiratory depression induced by remifentanyl and propofol during sedation and analgesia using a continuous noninvasive measurement of pCO₂. *Journal of Pharmacology and Experimental Therapeutics*, **356**: 563–573.
- Hotchkiss, R.S., Moldawer, L.L., Opal, S.M., Reinhart, K., Turnbull, I.R., dan Vincent, J.-L., 2016. Sepsis and septic shock. *Nature Reviews Disease Primers*, **2**: 16045.
- Hu, A.M., Shan, Z.M., Zhang, Z.J., dan Li, H.P., 2021a. Comparative Efficacy of Fentanyl and Morphine in Patients with or At Risk for Acute Respiratory Distress Syndrome: A Propensity Score-Matched Cohort Study. *Drugs in R and D*, **21**: 149–155.
- Hu, A.M., Zhong, X.X., Li, Z., Zhang, Z.J., dan Li, H.P., 2021b. Comparative Effectiveness of Midazolam, Propofol, and Dexmedetomidine in Patients With or at Risk for Acute Respiratory Distress Syndrome: A Propensity Score-Matched Cohort Study. *Frontiers in Pharmacology*, **12**: 1–9.

- Kalil, A.C., Metersky, M.L., Klompas, M., Muscedere, J., Sweeney, D.A., Palmer, L.B., dkk., 2016. Management of Adults With Hospital-acquired and Ventilator-associated Pneumonia: 2016 Clinical Practice Guidelines by the Infectious Diseases Society of America and the American Thoracic Society. *Clinical Infectious Diseases*, **63**: e61–e111.
- Kang-Birken, S.L. dan Jung, S.R., 2020. Sepsis and Septic Shock, dalam: DiPiro, J.T. (Editor), *Pharmacotherapy: A Pathophysiologic Approach*. McGraw Hill Medical, New York.
- Katu, S., Suwanto, S., Pohan, H.T., dan Abdullah, M., 2017. Faktor-Faktor yang Mempengaruhi keberhasilan Terapi Antibiotik Empirik pada Pasien Sepsis Berat dan Syok Sepsis di Bangsal Rawat Inap Penyakit Dalam Rumah Sakit Cipto Mangunkusumo. *Jurnal Penyakit Dalam Indonesia*, **2**: 96.
- Kemenkes RI, 2011a. Pedoman Umum Penggunaan Antibiotik. *Peraturan Menteri Kesehatan Republik Indonesia*, 69.
- Kemenkes RI, 2011b. Pedoman Pelayanan Kefarmasian untuk Terapi Antibiotik. *Direktur Jenderal Bina Kefarmasian dan Alat Kesehatan*, 71.
- Kemenkes RI, 2017. Pedoman Nasional Pelayanan Kedokteran Tatalaksana Sepsis. *Keputusan Menteri Kesehatan Republik Indonesia No HK.01.07/MENKES/342/2017*, .
- Kemenkes RI, 2021a. Peraturan Menteri Kesehatan Republik Indonesia Nomor 28 Tahun 2021 Tentang Pedoman Penggunaan Antibiotik. *Kementerian Kesehatan Republik Indonesia*, 97.
- Kemenkes RI, 2021b. Peraturan Menteri Kesehatan Republik Indonesia Nomor 26 Tahun 2021 Tentang Pedoman Indonesian Case Base Groups (INA-CBG) Dalam Pelaksanaan Jaminan Kesehatan. *Kementerian Kesehatan Republik Indonesia*, 56.
- Lee, S.-H., Hsu, T.-C., Lee, M.G., Chao, C.C.-T., Lee, W.-C., Lai, C.-C., dkk., 2018. Nationwide Trend of Sepsis: A Comparison Among Octogenarians, Elderly, and Young Adults. *Critical Care Medicine*, **46**: 926–934.
- Lemeshow, S., Hosmer Jr, D.W., Klar, J., dan Lwanga, S.K. (Eds.), 1990. Adequacy of Sample Size in Health Studies. John Wiley & Sons, New York.
- Levitt G, D. dan Levitt D, M., 2016. Human serum albumin homeostasis: a new look at the roles of synthesis, catabolism, renal and gastrointestinal excretion,

and the clinical value of serum albumin measurements. *International Journal of General Medicine*, **Volume 9**: 229–255.

Levy, M.M., Evans, L.E., dan Rhodes, A., 2018. The Surviving Sepsis Campaign Bundle: 2018 update. *Intensive Care Medicine*, **44**: 925–928.

Liang, S.Y. dan Kumar, A., 2015. Empiric Antimicrobial Therapy in Severe Sepsis and Septic Shock: Optimizing Pathogen Clearance. *Current Infectious Disease Reports*, **17**: 36.

Lubis, I., Nurleli, ., dan Sinaga, J.P., 2019. 'Influence of Risk Factors on Nosocomial Pneumonia Events in Hospital Al-Azis Intensive Care Unit Rantauprapat:', , dalam: *Proceedings of the International Conference on Health Informatics and Medical Application Technology*. Dipresentasikan pada International Conference on Health Informatics and Medical Application Technology, SCITEPRESS - Science and Technology Publications, Medan, Indonesia, hal. 387–394.

Mandell, L.A., Wunderink, R.G., Anzueto, A., Bartlett, J.G., Campbell, G.D., Dean, N.C., dkk., 2007. Infectious Diseases Society of America/American Thoracic Society Consensus Guidelines on the Management of Community-Acquired Pneumonia in Adults. *Clinical Infectious Diseases*, **44**: S27–S72.

Martin-Loeches, I., Guia, M.C., Vallecoccia, M.S., Suarez, D., Ibarz, M., Irazabal, M., dkk., 2019. Risk factors for mortality in elderly and very elderly critically ill patients with sepsis: a prospective, observational, multicenter cohort study. *Annals of Intensive Care*, **9**: 26.

McDonald, H.I., Thomas, S.L., Millett, E.R.C., dan Nitsch, D., 2015. CKD and the Risk of Acute, Community-Acquired Infections Among Older People With Diabetes Mellitus: A Retrospective Cohort Study Using Electronic Health Records. *American Journal of Kidney Diseases*, **66**: 60–68.

Metlay, J.P., Waterer, G.W., Long, A.C., Anzueto, A., Brozek, J., Crothers, K., dkk., 2019. Diagnosis and Treatment of Adults With Community-Acquired Pneumonia. *American Journal of Respiratory and Critical Care Medicine*, **200**: E45–E67.

Minar Paskah Lianti Manik, Rizka Humardewayanti Asdie, dan Ika Puspitasari, 2020. Evaluation of empirical antibiotic usage and cost analysis of patients with nosocomial pneumonia in ICU of RSUP Dr. Sardjito, yogyakarta. *Indonesian Journal of Pharmacology and Therapy*, **1**: .

- Munarsih, F.C., Natadidjaja, R.I., dan Syamsudin, S., 2018. Pengaruh Pemberian Antibiotik berdasar Panduan terhadap Lama Tinggal pada Pasien Pneumonia Komunitas di Rumah Sakit. *Jurnal Penyakit Dalam Indonesia*, **5**: 141.
- Nainggolan, J.J.P., Kumaat, L.T., dan Laihad, M.L., 2017. Gambaran Sumber Terjadinya Infeksi pada Penderita Sepsis dan Syok Septik di ICU RSUP Prof. Dr. R. D. Kandou Manado Periode Agustus 2016 sampai dengan September 2017. *e-CliniC*, **5**: .
- Novosad, Shannon A., Sapiiano, M.R.P., Grigg, C., Lake, J., Robyn, M., Dumyati, G., dkk., 2016. Vital Signs: Epidemiology of Sepsis: Prevalence of Health Care Factors and Opportunities for Prevention. *MMWR. Morbidity and Mortality Weekly Report*, **65**: 864–869.
- Pandharipande, P., Hughes, dan McGrane, 2012. Sedation in the intensive care setting. *Clinical Pharmacology: Advances and Applications*, 53.
- Pangalila, F., Soepandi, P., Albandjar, C., Sukesih, L., dan Enty, 2019. *Pedoman Antibiotik Empirik di Ruang Rawat Intensif*, Pertama. ed. Perhimpunan Dokter Intensive Care Indonesia, Jakarta.
- Peerapornratana, S., Manrique-Caballero, C.L., Gómez, H., dan Kellum, J.A., 2019. Acute kidney injury from sepsis: current concepts, epidemiology, pathophysiology, prevention and treatment. *Kidney International*, **96**: 1083–1099.
- Prebil, S.E., ESPER, A., dan Martin, G.S., 2011. Comorbidity And Outcomes In Severe Sepsis **7**: A4676–A4676.
- Rhodes, A., Evans, L.E., Alhazzani, W., Levy, M.M., Antonelli, M., Ferrer, R., dkk., 2017. Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. *Intensive Care Medicine*, **43**: 304–377.
- Sakr, Y., Jaschinski, U., Wittebole, X., Szakmany, T., Lipman, J., Namendys-Silva, S.A., dkk., 2018. Sepsis in Intensive Care Unit Patients: Worldwide Data From the Intensive Care over Nations Audit. *Open Forum Infectious Diseases*, **5**: ofy313.
- Sari, E.F., Rumende, C.M., dan Harimurti, K., 2017. Faktor–Faktor yang Berhubungan dengan Diagnosis Pneumonia pada Pasien Usia Lanjut. *Jurnal Penyakit Dalam Indonesia*, **3**: 183.

- Shorr, A.F., Myers, D.E., Huang, D.B., Nathanson, B.H., Emons, M.F., dan Kollef, M.H., 2013. A risk score for identifying methicillin-resistant *Staphylococcus aureus* in patients presenting to the hospital with pneumonia. *BMC Infectious Diseases*, **13**: 268.
- Singer, M., Deutschman, C.S., Seymour, C.W., Shankar-Hari, M., Annane, D., Bauer, M., dkk., 2016. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, **315**: 801.
- Soepandi, P.Z., Burhan, E., Nawas, A., Isbaniah, F., Agustin, H., dan Handayani, D., 2014. Pedoman Diagnosis & Penatalaksanaan Pneumonia Komunitas di Indonesia. *Perhimpunan Dokter Paru Indonesia*, **2**: 62.
- Soong, J. dan Soni, N., 2012. Sepsis: recognition and treatment. *Clinical Medicine*, **12**: 276–280.
- Sumaryana, 2016. 'Evaluasi Kesesuaian Penggunaan Antibiotik Empiris pada Pasien Rawat Inap Hospital-Acquired Penumonia (HAP) di RSUP Dr. Sardjito Yogyakarta serta Antibiotogramnya', . Tesis, MSi, Universitas Gadjah Mada, Yogyakarta.
- Sun, W., Yan, Y., Hu, S., Liu, B., Wang, S., Yu, W., dkk., 2022. The effects of midazolam or propofol plus fentanyl on ICU mortality: a retrospective study based on the MIMIC-IV database. *Annals of Translational Medicine*, **10**: 219–219.
- Ternavasio-de la Vega, H.G., Castaño-Romero, F., Ragozzino, S., Sánchez González, R., Vaquero-Herrero, M.P., Siller-Ruiz, M., dkk., 2018. The updated Charlson comorbidity index is a useful predictor of mortality in patients with *Staphylococcus aureus* bacteraemia. *Epidemiology and Infection*, **146**: 2122–2130.
- Torres, A., Peetermans, W.E., Viegi, G., dan Blasi, F., 2013. Risk factors for community-acquired pneumonia in adults in Europe: a literature review. *Thorax*, **68**: 1057–1065.
- Wernly, B., Bruno, R.R., Mamandipoor, B., Jung, C., dan Osmani, V., 2021. Sex-specific outcomes and management in critically ill septic patients. *European Journal of Internal Medicine*, **83**: 74–77.
- Whiles, B., Deis, A., Miller, P., dan Simpson, S., 2016. Comorbid Conditions Predict Outcomes in Patients With Severe Sepsis. *Chest*, **149**: A170.

Xu, J., Tong, L., Yao, J., Guo, Z., Lui, K.Y., Hu, X., dkk., 2019. Association of Sex with Clinical Outcome in Critically Ill Sepsis Patients: A Retrospective Analysis of the Large Clinical Database MIMIC-III. *Shock*, **52**: 146–151.

Zadroga, R., Williams, D.N., Gottschall, R., Hanson, K., Nordberg, V., Deike, M., dkk., 2013. Comparison of 2 Blood Culture Media Shows Significant Differences in Bacterial Recovery for Patients on Antimicrobial Therapy. *Clinical Infectious Diseases*, **56**: 790–797.