

REFERENCES

- AlQuadeib, B.T., Eltahir, E.K.D., Banafa, R.A., Al-Hadhairi, L.A., 2018. Pharmaceutical evaluation of different shampoo brands in local Saudi market. *Saudi Pharm. J.* 26, 98–106. <https://doi.org/10.1016/j.jsps.2017.10.006>
- Anachkov, S.E., Georgieva, G.S., Abezgauz, L., Danino, D., Kralchevsky, P.A., 2018. Viscosity Peak Due to Shape Transition from Wormlike into Dislike Micelles: Effect of Dodecanoic Acid 27.
- Anestopoulos, I., Kiouisi, D.E., Klavaris, A., Galanis, A., Salek, K., Euston, S.R., Pappa, A., Panayiotidis, M.I., 2020. Surface Active Agents and Their Health-Promoting Properties: Molecules of Multifunctional Significance. *Pharmaceutics* 12, 688. <https://doi.org/10.3390/pharmaceutics12070688>
- Araújo, R., Fernandes, M., Cavaco-Paulo, A., Gomes, A., 2010. Biology of Human Hair: Know Your Hair to Control It, in: Nyanhongo, G.S., Steiner, W., Gübitz, G. (Eds.), *Biofunctionalization of Polymers and Their Applications, Advances in Biochemical Engineering/Biotechnology*. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 121–143. https://doi.org/10.1007/10_2010_88
- Barba, C., Semenzato, A., Baratto, G., Coderch, L., 2019. Action of surfactants on the mammal epidermal skin barrier. *G. Ital. Dermatol. E Venereol. Organo Uff. Soc. Ital. Dermatol. E Sifilogr.* 154, 405–412. <https://doi.org/10.23736/S0392-0488.18.05874-1>
- Benhur, A.M., Diaz, J., Amin, S., 2021. Impact of polyelectrolyte-surfactant interactions on the rheology and wet lubrication performance of conditioning shampoo. *Int. J. Cosmet. Sci.* 43, 246–253. <https://doi.org/10.1111/ics.12689>
- Bhadani, A., Kafle, A., Ogura, T., Akamatsu, M., Sakai, K., Sakai, H., Abe, M., 2020. Current perspective of sustainable surfactants based on renewable building blocks. *Curr. Opin. Colloid Interface Sci.* 45, 124–135. <https://doi.org/10.1016/j.cocis.2020.01.002>
- Burnett, C.L., Bergfeld, W.F., Belsito, D.V., Hill, R.A., Klaassen, C.D., Liebler, D., Marks, J.G., Shank, R.C., Slaga, T.J., Snyder, P.W., Andersen, F.A., 2012. Final Report of the Cosmetic Ingredient Review Expert Panel on the Safety Assessment of Cocamidopropyl betaine (CAPB). *Int. J. Toxicol.* 31, 77S–111S. <https://doi.org/10.1177/1091581812447202>
- Carey, E., Stubenrauch, C., 2010. Foaming properties of mixtures of a non-ionic (C12DMPO) and an ionic surfactant (C12TAB). *J. Colloid Interface Sci.* 346, 414–423. <https://doi.org/10.1016/j.jcis.2010.03.013>

- Chandran, S., 2013. Development and evaluation of antidandruff shampoo based on natural sources. 5.
- Charoenchai, L., Chankana, N., Theanphong, O., Jongrungruangchok, S., Meksuriyen, D., Lipipun, V., 2020. Formulation Development of Canine Antifungal Shampoo Containing *Senna tora* (L.) Roxb. Seed Extract. Key Eng. Mater. 859, 181–187. <https://doi.org/10.4028/www.scientific.net/KEM.859.181>
- Chiu, C.-H.T., Huang, S.-H., Wang, H.-M.D., 2015. A Review: Hair Health, Concerns of Shampoo Ingredients and Scalp Nourishing Treatments. Curr. Pharm. Biotechnol. 16, 1045–1052. <https://doi.org/10.2174/1389201016666150817094447>
- Clendennen, S.K., Boaz, N.W., 2019. Betaine Amphoteric Surfactants—Synthesis, Properties, and Applications, in: Biobased Surfactants. Elsevier, pp. 447–469. <https://doi.org/10.1016/B978-0-12-812705-6.00014-9>
- Cornwell, P.A., 2018. A review of shampoo surfactant technology: consumer benefits, raw materials and recent developments. Int. J. Cosmet. Sci. 40, 16–30. <https://doi.org/10.1111/ics.12439>
- Couteau, C., Diarra, H., Schmitt, Z., Coiffard, L., 2019. Study of the composition of 140 shampoos: similarities and differences depending on the sales channel used. Eur. J. Dermatol. EJD 29, 141–159. <https://doi.org/10.1684/ejd.2019.3531>
- Da, C., Alzobaidi, S., Jian, G., Zhang, L., Biswal, S.L., Hirasaki, G.J., Johnston, K.P., 2018. Carbon dioxide/water foams stabilized with a zwitterionic surfactant at temperatures up to 150 °C in high salinity brine. J. Pet. Sci. Eng. 166, 880–890. <https://doi.org/10.1016/j.petrol.2018.03.071>
- Deeksha, null, Malviya, R., Sharma, P.K., 2014. Advancement in shampoo (a dermal care product): preparation methods, patents and commercial utility. Recent Pat. Inflamm. Allergy Drug Discov. 8, 48–58. <https://doi.org/10.2174/1872213x08666140115110727>
- Draelos, Z., 2010. Essentials of hair care often neglected: Hair cleansing. Int. J. Trichology 2, 24. <https://doi.org/10.4103/0974-7753.66909>
- Draelos, Z.D., 2013. Shampoos, Conditioners, and Camouflage Techniques. Dermatol. Clin. 31, 173–178. <https://doi.org/10.1016/j.det.2012.08.004>
- D'Souza, P., Rathi, S.K., 2015. Shampoo and Conditioners: What a Dermatologist Should Know? Indian J Dermatol. 60, 248–254. <https://doi.org/10.4103/0019-5154.156355>
- Duverger, O., Morasso, M.I., 2014. To grow or not to grow: Hair morphogenesis and human genetic hair disorders. Semin. Cell Dev. Biol. 25–26, 22–33. <https://doi.org/10.1016/j.semcdb.2013.12.006>
- Erdoğan, B., 2017. Anatomy and Physiology of Hair, in: Kutlubay, Z., Serdaroglu, S. (Eds.), Hair and Scalp Disorders. InTech. <https://doi.org/10.5772/67269>

- Fameau, A.-L., Saint-Jalmes, A., Cousin, F., Houinsou Houssou, B., Novales, B., Navailles, L., Nallet, F., Gaillard, C., Boué, F., Douliez, J.-P., 2011. Smart Foams: Switching Reversibly between Ultrastable and Unstable Foams. *Angew. Chem. Int. Ed.* 50, 8264–8269. <https://doi.org/10.1002/anie.201102115>
- Fan, Y., Tang, H., Wang, Y., 2017. Synergistic Behavior and Microstructure Transition in Mixture of Zwitterionic Surfactant, Anionic Surfactant, and Salts in Sorbitol/H₂O Solvent: 1. Effect of Surfactant Compositions. *J. Surfactants Deterg.* 20, 435–443. <https://doi.org/10.1007/s11743-017-1929-9>
- Fazlolahzadeh, O., Masoudi, A., 2015. COSMETIC EVALUATION OF SOME IRANIAN COMMERCIAL NORMAL HAIR SHAMPOOS AND COMPARISON WITH NEW DEVELOPED FORMULATION. *Int. J. Pharmacogn.* 2, 7.
- Gahlawat, J., Sharma, D., Thakur, G.S., Chobdar, J., Sharma, V., 2019. FORMULATION AND EVALUATION OF POLYHERBAL LIQUID SHAMPOO 6.
- Gavazzoni Dias, M.F., 2015. Hair cosmetics: An overview. *Int. J. Trichology* 7, 2. <https://doi.org/10.4103/0974-7753.153450>
- Georgieva, G.S., Anachkov, S.E., Koynov, K., Kralchevsky, P.A., 2016. Synergistic Growth of Giant Wormlike Micelles in Ternary Mixed Surfactant Solutions: Effect of Octanoic Acid 27.
- Goodier, M., Hordinsky, M., 2015. Normal and Aging Hair Biology and Structure ♦Aging and Hair’, in: Ioannides, D., Tosti, A. (Eds.), *Current Problems in Dermatology*. S. Karger AG, pp. 1–9. <https://doi.org/10.1159/000369594>
- Heerschap, S., Marafino, J.N., McKenna, K., Caran, K.L., Feitosa, K., 2015. Foams stabilized by tricationic amphiphilic surfactants. *Colloids Surf. Physicochem. Eng. Asp.* 487, 190–197. <https://doi.org/10.1016/j.colsurfa.2015.09.025>
- Helgeson, M.E., Hodgdon, T.K., Kaler, E.W., Wagner, N.J., Vethamuthu, M., Ananthapadmanabhan, K.P., 2010. Formation and Rheology of Viscoelastic “Double Networks” in Wormlike Micelle–Nanoparticle Mixtures. *Langmuir* 26, 8049–8060. <https://doi.org/10.1021/la100026d>
- Hien, T.T., Nhut, P.T., Bach, L.G., Nhan, N.P.T., Nhan, L.T.H., 2020. Study on the formula to produce shampoo derived from Lemongrass (*Cymbopogon citratus* (D.C.) Stapf.) essential oil. *IOP Conf. Ser. Mater. Sci. Eng.* 959, 012027. <https://doi.org/10.1088/1757-899X/959/1/012027>
- Im, S.H., 2012. Shampoo compositions, in: Preedy, V.R. (Ed.), *Handbook of Hair in Health and Disease*, Human Health Handbooks No. 1. Wageningen Academic Publishers, Wageningen, pp. 434–447. https://doi.org/10.3920/978-90-8686-728-8_22

- INCIBeauty, n.d., Cocamidopropyl Betaine, quoted from <https://incibeauty.com/en/ingredients/6903-cocamidopropyl-betaine>, accessed 2 April 2022.
- INCIBeauty, n.d., Disodium Cocoamphodiacetate, quoted from <https://incibeauty.com/en/ingredients/17475-disodium-cocoamphodiacetate>, accessed 2 April 2022.
- INCIOrder, n.d., Disodium Cocoamphodiacetate, quoted from <https://incidecoder.com/ingredients/disodium-cocoamphodiacetate>, accessed 2 April 2022.
- Indrawati, T., Simanjuntak, L., Pratami, D.K., 2020. HAIR TONIC SHAMPOO FORMULATION WITH AMBON BANANA (MUSA ACUMINATA COLLA) CORM EXTRACT. *Int. J. Appl. Pharm.* 279–285. <https://doi.org/10.22159/ijap.2020v12i5.37918>
- Iwata, H., Shimada, K., 2013. *Formulas, Ingredients and Production of Cosmetics*. Springer Japan, Tokyo. <https://doi.org/10.1007/978-4-431-54061-8>
- Jones, S.A., van der Bent, V., Farajzadeh, R., Rossen, W.R., Vincent-Bonnieu, S., 2016. Surfactant screening for foam EOR: Correlation between bulk and core-flood experiments. *Colloids Surf. Physicochem. Eng. Asp.* 500, 166–176. <https://doi.org/10.1016/j.colsurfa.2016.03.072>
- Johnson, Dale H. 2018, *Hair and Hair Care, Cosmetic Sciences and Technology Volume 17*, CRC Press, New York.
- Jun, S., Pelot, D.D., Yarin, A.L., 2012. Foam Consolidation and Drainage. *Langmuir* 28, 5323–5330. <https://doi.org/10.1021/la300412u>
- Klein, K., Palefsky, I., 2007. Shampoo Formulation, in: *Handbook for Cleaning/Decontamination of Surfaces*. Elsevier, pp. 277–304. <https://doi.org/10.1016/B978-044451664-0/50008-5>
- Koch, S.L., Tridico, S.R., Bernard, B.A., Shriver, M.D., Jablonski, N.G., 2018. The biology of human hair: A multidisciplinary review 17.
- Kortemeier, U., Venzmer, J., Howe, A., Herrwerth, B.G.S., 2010. *Thickening Agents for Surfactant Systems* 8.
- Krunali, T., Dhara, P., Meshram, D.B., Mitesh, P., 2013. EVALUATION OF STANDARDS OF SOME SELECTED SHAMPOO PREPARATION. *World J. Pharm. Pharm. Sci.* 10.
- Kumar, A., Mali, R.R., 2010. EVALUATION OF PREPARED SHAMPOO FORMULATIONS AND TO COMPARE FORMULATED SHAMPOO WITH MARKETED SHAMPOOS 3, 7.
- Kumar, N., Tyagi, R., 2013. Dimeric Surfactants: Promising Ingredients of Cosmetics and Toiletries. *Cosmetics* 1, 3–13. <https://doi.org/10.3390/cosmetics1010003>
- Lai-Cheong, J.E., McGrath, J.A., 2017. Structure and function of skin, hair and nails. *Medicine (Baltimore)* 45, 347–351. <https://doi.org/10.1016/j.mpmed.2017.03.004>

- Lai-Cheong, J.E., McGrath, J.A., 2013. Structure and function of skin, hair and nails. *Medicine (Baltimore)* 41, 317–320. <https://doi.org/10.1016/j.mpmed.2013.04.017>
- Lamch, Ł., Witek, K., Jarek, E., Obłąk, E., Warszyński, P., Wilk, K.A., 2020. New mild amphoteric sulfohydroxybetaine-type surfactants containing different labile spacers: Synthesis, surface properties and performance. *J. Colloid Interface Sci.* 558, 220–229. <https://doi.org/10.1016/j.jcis.2019.09.100>
- Li, R.F., Hirasaki, G.J., Miller, C.A., Masalmeh, S.K., 2012. Wettability Alteration and Foam Mobility Control in a Layered, 2D Heterogeneous Sandpack. *SPE J.* 17, 1207–1220. <https://doi.org/10.2118/141462-PA>
- Liu, X., Dong, L., Fang, Y., 2011. A Novel Zwitterionic Imidazolium-Based Ionic Liquid Surfactant: 1-Carboxymethyl-3-Dodecylimidazolium Inner Salt. *J. Surfactants Deterg.* 14, 497–504. <https://doi.org/10.1007/s11743-011-1254-7>
- Lodha, G., 2019. Formulation and Evaluation of Polyherbal Shampoo to Promote Hair Growth and Provide Antidandruff Action. *J. Drug Deliv. Ther.* 9, 296–300. <https://doi.org/10.22270/jddt.v9i4-A.3474>
- Luengo, G.S., Fameau, A.-L., Léonforte, F., Greaves, A.J., 2021. Surface science of cosmetic substrates, cleansing actives and formulations. *Adv. Colloid Interface Sci.* 290, 102383. <https://doi.org/10.1016/j.cis.2021.102383>
- Madnani, N., Khan, K., 2013. Hair cosmetics. *Indian J. Dermatol. Venereol. Leprol.* 79, 654. <https://doi.org/10.4103/0378-6323.116734>
- Marinova, K.G., Naydenova, K.T., Basheva, E.S., Bauer, F., Tropsch, J., Franke, J., 2017. New surfactant mixtures for fine foams with slowed drainage. *Colloids Surf. Physicochem. Eng. Asp.* 523, 54–61. <https://doi.org/10.1016/j.colsurfa.2017.03.050>
- Martins, G., Dias, M.F.R.G., 2019. Hair Cosmeceuticals, in: *Alopecia*. Elsevier, pp. 285–293. <https://doi.org/10.1016/B978-0-323-54825-0.00027-2>
- Miteva, M., Tosti, A., 2012. Hair and scalp dermatoscopy. *J. Am. Acad. Dermatol.* 67, 1040–1048. <https://doi.org/10.1016/j.jaad.2012.02.013>
- Miyamoto, T., Yamazaki, N., Tomotsuka, A., Sasahara, H., Watanabe, S., Yamada, S., 2021. Tribological Properties between Taut Hair Fibers in Wet Conditions: A New Shampoo Formulation for Eliminating STICK-SLIP Friction. *J. Surfactants Deterg.* 24, 501–510. <https://doi.org/10.1002/jsde.12499>
- Moghimpour, E., Jasemnezhad, M., Mohammad Soleymani, S., Salimi, A., 2021. Preparation and evaluation of a free surfactant herbal shampoo with *Acanthophyllum Squarrosium* Saponins. *J. Cosmet. Dermatol.* 20, 181–187. <https://doi.org/10.1111/jocd.13483>
- Namita And Nimisha, 2013, Formulation And Evaluation Of Herbal Shampoo Having Antimicrobial Potential, *Int J Pharm Pharm Sci, Vol 5, Suppl 3, 708-712*, Issn- 0975-1491.

- Nakama, Y., 2017. Surfactants, in: *Cosmetic Science and Technology*. Elsevier, pp. 231–244. <https://doi.org/10.1016/B978-0-12-802005-0.00015-X>
- Osei-Bonsu, K., Shokri, N., Grassia, P., 2015. Foam stability in the presence and absence of hydrocarbons: From bubble- to bulk-scale. *Colloids Surf. Physicochem. Eng. Asp.* 481, 514–526. <https://doi.org/10.1016/j.colsurfa.2015.06.023>
- Park, A.M., Khan, S., Rawnsley, J., 2018. Hair Biology. *Facial Plast. Surg. Clin. N. Am.* 26, 415–424. <https://doi.org/10.1016/j.fsc.2018.06.003>
- Petkova, B., Tcholakova, S., Cherkova, M., Golemanov, K., Denkov, N., Thorley, D., Stoyanov, S., 2020. Foamability of aqueous solutions: Role of surfactant type and concentration. *Adv. Colloid Interface Sci.* 276, 102084. <https://doi.org/10.1016/j.cis.2019.102084>
- Piérard-Franchimont, C., Piérard, G.E., 2015. [Hair and their environment]. *Rev. Med. Liege* 70, 70–72.
- Punyani, S., Tosti, A., Hordinsky, M., Yeomans, D., Schwartz, J., 2021. The Impact of Shampoo Wash Frequency on Scalp and Hair Conditions. *Skin Appendage Disord.* 7, 183–193. <https://doi.org/10.1159/000512786>
- Richter, J.R., de Guzman, R.C., Greengauz-Roberts, O.K., Van Dyke, M., 2012. Structure–property relationships of meta-kerateine biomaterials derived from human hair. *Acta Biomater.* 8, 274–281. <https://doi.org/10.1016/j.actbio.2011.08.020>
- Robbins, C.R., 2012. Interactions of Shampoo and Conditioner Ingredients with Hair, in: *Chemical and Physical Behavior of Human Hair*. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 329–443. https://doi.org/10.1007/978-3-642-25611-0_6
- Sarkar, R., Pal, A., Rakshit, A., Saha, B., 2021. Properties and applications of amphoteric surfactant: A concise review. *J. Surfactants Deterg.* 24, 709–730. <https://doi.org/10.1002/jsde.12542>
- Segaran, R.A.T., Ng, C.H., Al-Dhalli, S., 2020. Antifungal activity of successive extracts of *Citrus limon* peel for an antidandruff shampoo formulation. *Int. J. Med. Toxicol. Leg. Med.* 23, 59. <https://doi.org/10.5958/0974-4614.2020.00010.8>
- Stanimirova, R.D., Kralchevsky, P.A., Danov, K.D., Xu, H., Ung, Y.W., Petkov, J.T., 2019. Oil drop deposition on solid surfaces in mixed polymer-surfactant solutions in relation to hair- and skin-care applications. *Colloids Surf. Physicochem. Eng. Asp.* 577, 53–61. <https://doi.org/10.1016/j.colsurfa.2019.05.044>
- Staszak, K., Wieczorek, D., Michocka, K., 2015. Effect of Sodium Chloride on the Surface and Wetting Properties of Aqueous Solutions of Cocamidopropyl Betaine. *J. Surfactants Deterg.* 18, 321–328. <https://doi.org/10.1007/s11743-014-1644-8>
- Su, L., Sun, J., Ding, F., Gao, X., Zheng, L., 2021. Effect of molecular structure on synergism in mixed zwitterionic/anionic surfactant system: An

- experimental and simulation study. *J. Mol. Liq.* 322, 114933. <https://doi.org/10.1016/j.molliq.2020.114933>
- Uongpitakpan, P., Kitsongsermthon, J., 2021. Investigation of sodium laurylglucosides hydroxypropyl sulfonate through response surface methodology – Effects of amphoteric surfactant and electrolyte 8.
- Varade, S.R., Ghosh, P., 2017. Foaming in aqueous solutions of zwitterionic surfactant: Effects of oil and salts. *J. Dispers. Sci. Technol.* 38, 1770–1784. <https://doi.org/10.1080/01932691.2017.1283509>
- Wang, X., Liu, J., Yu, L., Jiao, J., Wang, R., Sun, L., 2013. Surface adsorption and micelle formation of imidazolium-based zwitterionic surface active ionic liquids in aqueous solution. *J. Colloid Interface Sci.* 391, 103–110. <https://doi.org/10.1016/j.jcis.2012.09.073>
- Wieczorek, D., 2016. Surface and Antimicrobial Activity of Sulfobetaines 10.
- Wolff, H., Fischer, T.W., Blume-Peytavi, U., 2016. The Diagnosis and Treatment of Hair and Scalp Diseases. *Dtsch. Ärztebl. Int.* 113, 377–386. <https://doi.org/10.3238/arztebl.2016.0377>
- Wu, X., Zhao, J., Li, E., Zou, W., 2011. Interfacial dilational viscoelasticity and foam stability in quaternary ammonium gemini surfactant systems: influence of intermolecular hydrogen bonding. *Colloid Polym. Sci.* 289, 1025–1034. <https://doi.org/10.1007/s00396-011-2425-9>
- Yalovenko, O., Raietska, O., Holichenkov, O., Liashenko, V., Dugan, O., 2020. Suspension Culture of Erythrocytes in the Assessment of the Detergent Functional Component Toxicity Level. *Innov. Biosyst. Bioeng.* 4, 143–148. <https://doi.org/10.20535/ibb.2020.4.3.191121>
- Yang, J., 2017. Hair Care Cosmetics, in: *Cosmetic Science and Technology*. Elsevier, pp. 601–615. <https://doi.org/10.1016/B978-0-12-802005-0.00036-7>
- Yavrukova, V.I., Radulova, G.M., Danov, K.D., Kralchevsky, P.A., Xu, H., Ung, Y.W., Petkov, J.T., 2020. Rheology of mixed solutions of sulfonated methyl esters and betaine in relation to the growth of giant micelles and shampoo applications. *Adv. Colloid Interface Sci.* 275, 102062. <https://doi.org/10.1016/j.cis.2019.102062>
- Yu, Y., García, B.F., Saraji, S., 2020. Surfactant viscoelasticity as a key parameter to improve supercritical CO₂ foam stability/foamability and performance in porous media. *J. Non-Newton. Fluid Mech.* 282, 104311. <https://doi.org/10.1016/j.jnnfm.2020.104311>
- Yu, Y., Yang, W., Wang, B., Meyers, M.A., 2017. Structure and mechanical behavior of human hair. *Mater. Sci. Eng. C* 73, 152–163. <https://doi.org/10.1016/j.msec.2016.12.008>
- Zhang, Y., Alsop, R.J., Soomro, A., Yang, F.-C., Rheinstädter, M.C., 2015. Effect of shampoo, conditioner and permanent waving on the molecular structure of human hair. *PeerJ* 3, e1296. <https://doi.org/10.7717/peerj.1296>

- Zhao, H., He, C., Zhou, Y., Yang, J., Luo, C., Xu, B., 2019. Study on foaming properties of N-acyl amino acid surfactants: Sodium N-acyl glycinate and sodium N-acyl phenylalaninate. *Colloids Surf. Physicochem. Eng. Asp.* 567, 240–248. <https://doi.org/10.1016/j.colsurfa.2019.01.073>
- Zhao, J., 2015. The structure effect on the surface and interfacial properties of zwitterionic sulfobetaine surfactants for enhanced oil recovery. *RSC Adv.* 9.
- Zhu, J., Qing, Y., Wang, T., Zhu, R., Wei, J., Tao, Q., Yuan, P., He, H., 2011. Preparation and characterization of zwitterionic surfactant-modified montmorillonites. *J. Colloid Interface Sci.* 360, 386–392. <https://doi.org/10.1016/j.jcis.2011.04.069>
- Zieba, M., Wieczorek, D., Klimaszewska, E., Malysa, A., Kwasniewska, D., 2019. Application of new synthesized zwitterionic surfactants as hair shampoo components. *J. Dispers. Sci. Technol.* 40, 1189–1196. <https://doi.org/10.1080/01932691.2018.1503545>