UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abadi, K.M.A. and Andi, M.A. 2014. Effects of using coriander (*Coriandrum sativum* L.), savory (*Satureja hortensis* L.) and dill (*Anethum graveolens* L.) herb powder in diet on performance and some blood parameters of broilers. International Journal of Bioscience. 5: 95-103.

Abd El-Hack, M. E., M. T. El-Saadony, M. E. Shafi, N. M. Zabermawi, M. Arif, G. E. Batiha, A. F. Khafaga, Y. M. Abd El-Hakim, and A. A Al-Sagheer. 2020b. Antimicrobial and antioxidant properties of chitosan and its derivatives and their applications: a review. International Journal of Biological Macromolecules. 164: 2726–2744.

Abouelkassem, S., A.B. Abdelrazeik, and O.M. Rakha. 2015. Nanoemulsion of jojoba oil, preparation, characterization and insecticidal activity against *Sitophilus oryzae* (Coleoptera: Curculionidae) on wheat. International Journal of Agriculture Innovations and Research. 4: 72-75.

Abou-Elkhair, R., Ahmed, H.A. and Selim, S. 2014. Effects of black pepper (*Piper Nigrum*), turmeric powder (*Curcuma Longa*) and coriander seeds (*Coriandrum sativum*) and their combinations as feed additives on growth performance, carcass traits, some blood parameters and humoral immune. Asian-Australas Journal of Animal Science. 2: 847-854.

Agrawal, A.G., A. Kumar, and P.S. Gide. 2015. Self-emulsifying drug delivery system for enhanced solubility and dissolution of glipizide. Colloids and Surfaces B: Biointerfaces. 126: 553-560.

Alali, W.Q., Hofacre, C.L., Mathis, G.F., and Faltys, G. 2013. Effect of essential oil compound on shedding and colonization of *Salmonella enterica* serovar Heidelberg in broilers. Poultry Science, 92(3): 836-841.

Alleman, F. and B. Leclercq. 1997. Effect of dietary protein and environmental temperature on growth performance and water consumption of male broiler chickens. British Poultry Science. 38: 607-61

Amad, A .A., Männer, K., Wendler, K.R., Neumann, K., and Zentek, J. 2011. Effects of a phytogenic feed additive on growth performance and ileal nutrient digestibility in broiler chickens. Poultry Science Journal. 90: 2811-2816.

Anggorodi, H.R. 1996. Ilmu Makanan Ternak Umum. PT. Gramedia. Jakarta.

AOAC. 2005. Official Methods of Analysis of AOAC International. AOAC International.

Applegate, T. J., Klose, V., Steiner, T., Ganner, A., and Schatzmayr, G. 2010. Probiotics and phytogenics for poultry: myth or reality. Journal of Applied Poultry Research. 19:194-210.

Ariyadi, B., N. Isobe, and Y. Yoshimura. 2013. Induction of mucin expression by estrogen and lipopolysaccharide in the lower oviductal segments in hens. Poultry Science. 92: 3205-3213.

Awad, W.A., A. Molnár, J.R. Aschenbach, K. Ghareeb, B. Khayal, C. Hess, D. Liebhart, K. Dublecz, and M. Hess. 2014. Campylobacter infection in

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

chickens modulates the intestinal epithelial barrier function. Innate Immunity. 21: 151-160.

Aween, M.M., Hassan, Z., Muhialdin, B.J., Eljamel., Y.A., Al-Mabrok, A.S.W., and Lani, M.N. 2012. Antibacterial activity of *Lactobacillus acidophilus* strains isolated from honey marketed in Malaysia against selected multiple antibiotic resistant (MAR) Gram-positive bacteria. Journal of Food Science. 77(7): 364-371.

Balakumar, K., C.V. Raghavan, N. Tamil, R. Hari, and S. Abdu. 2013. Self-nanoemulsifying drug delivery system (SNEDDS) of rosuvastatin calcium: design, formulation, bioavailability and pharmacokinetic evaluation. Colloids and Surfaces B: Biointerfaces. 112: 337-343.

Bali, V., Ali, M., and Ali, J. 2010. Study of surfactant combinations and development of a novel nanoemulsion for minimising variations in bioavailability of ezetimibe. Colloids and Surfaces B: Biointerfaces. 76: 410-420.

Barbarestani S. Y., V. Jazi, H. Mohebodini, A. Ashayerizadeh, A. Shabani, and M. Toghyani. 2020. Effects of dietary lavender essential oil on growth performance, intestinal function, and antioxidant status of broiler chickens. Livestock Science. 233. 103958.

Bell, D.D., and W.D. Weaver. 2002. Commercial chicken meat and egg production. 5th Edition. Springer Science and Business Media. Inc. Spring Street, New York.

Bento, M. H. L., A. C. Ouwehand, K. Tiihonen, S. Lahtinen, P. Nurminen, M. T. Saarinen, H. Schulze, T. Mygind, and J. Fischer. 2013. Essential oils and their use in animal feeds for monogastric animals − effects on feed quality, gut microbiota, growth performance and food safety: a review. Veterinary Medicine. 58: 449-458.

Beyzi, E., and B. Gurbuz. 2014. Effect of different fruit sizes on essential oil ratio and components of coriander. Journal of Essential Oil Bearing Plants. 17(6): 1175-1180.

Bravo, D., V. Pirgozliev, and S. P. Rose. 2014. A mixture of carvacrol, cinnamaldehyde, and capsicum oleoresin improves energy utilization and growth performance of broiler chickens fed maize-based diet. Journal of Animal Science. 92: 1531-1536.

Brenes, A. and E. Roura. 2010. Essential oils in poultry nutrition: main effects and modes of action. Animal Feed Science Technology. 158: 1-14.

Budiarta, D.H., E. Sudjarwo, dan N. Cholis. 2014. Pengaruh kepadatan kandang terhadap konsumsi pakan, pertambahan bobot badan dan konversi pakan pada ayam pedaging. Jurnal Ternak Tropika. 15: 31-35.

Carrasco, D.J.M., Casanova, N.A. and Fernández, M.M.E. 2019. Microbiota, Gut Health and Chicken Productivity: What Is the Connection?. Microorganisms. 7(10): 374.

Cesur, S and Demiroz, A.P. 2013. Antibiotic and the mechanisms of resistance to antibiotics. Medical Journal of Islamic World Academy of Sciences. 21(4): 138-142.

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Chattopadhyay, M.K. 2014. Use of antibiotics as feed additives: a burning question. Front Microbiology. 334(5): 1-3.

Cho, J.H., H.J. Kim, and I.H. Kim. 2014. Effects of phytogenic feed additive on growth performance, digestibility, blood metabolites, intestinal microbiota, meat color and relative organ weight after oral challenge with *Clostridium perfringens* in broilers. Livestock Science. 160: 82-88.

Choi, K.Y., T. K. Lee, and W.J. Sul. 2015. Metagenomic analysis of chicken gut microbiota for improving metabolism and health of chickens-a review. Asian-Australas. Journal of Animal Science. 28: 1217-1225.

Cornick, S., Tawiah, A. and Chadee, K. 2015. Roles and regulation of the mucus barrier in the gut. Tissue Barriers. 3(1-2): 1-15.

Costa, I.C., Rodrigues, R.F., Almeida, F.B., Favacho, H.A., Falcao, D.Q., Ferreira, A.M., Vilhena, J.C.E., Florentino, A.C., Carvalho, J.C.T., and Fernandes, C.P. 2014. Development of jojoba oil (*Simmondsia chinensis* (Link) C.K. Schneid.) based nanoemulsions. Latin American Journal Pharmacy. 33: 459-463.

Darwish, W.S., Eldaly, E.A., El-Abbasy, M.T., Ikenaka Y., Nakayama S., and Ishizuka M. 2013. Antibiotic residues in food: The African scenario. Japanese Journal of Veterinary Research. 61: 13-22.

Dash, R.N., H. Mohammed, and T. Humaira. 2015. Design, optimization, and evaluation of ezetimibe solid supersaturatable self-nanoemulsifying drug delivery for enhanced solubility and dissolution. Journal of Pharmaceutical Investigation. 46: 153-168.

Davidov-Pardo, G. and D.J. McClements. 2015. Nutraceutical delivery systems: Resveratrol encapsulation in grape seed oil nanoemulsions formed by spontaneous emulsification. Food Chemistry. 167: 205-212.

Davis, W.W., and T.R. Stout. 1971. Disc plate methods of microbiological antibiotic assay. Microbiology. 22: 659-665.

Debnath, S., S. Satayanarayanaand, and Gampa, V.K. 2010. Nanoemulsion- a method to improve the solubility of lipophilic drugs. Pharmanest. 2: 72-83.

Dhama, K., S.K. Latheef, S. Manis, H.A. Samad, K. Kartik, R. Tiwari, R.U. Khan, M. Al- agawany, M.R. Farag, G.M. Alam, Laudadio V.T., and V. Farelli. 2015. Multiple beneficial applications and modes of action of herbs in poultry health and production: A review. International Journal of Pharmacol. 11: 152-176.

Diaz-Sanchez, S., D. D'Souza, D. Biswas, and I. Hanning. 2015. Botanical alternatives to antibiotics for use in organic poultry production. Poultry Science. 94: 1419-1430.

Dinev, T., G. Beev., S. Denev, D. Dermendzhieva, M. Tzanova, and E. Valkova. 2017. Antimicrobial activity of *Lactobacillus acidophilus* against pathogenic and food spoilage microorganisms: A review. Agricultural Science and Technology. 9(1): 3-9.

Dono, N.D. 2012. Nutritional strategies to improve enteric health and growth performance of poultry in the post antibiotic era. Ph.D. Thesis, The College of Medical, Veterinary and Life Sciences, University of Glasgow, Glasgow.

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Dou, Y., Wang, T., Huang, Y., Ping, V., Xie, Y., Lin, X., Gao, J., Su, Z., and Zeng, H. 2018. Self-nanoemulsifying drug delivery system of bruceine D: A new approach for anti-ulcerative colitis. International Journal Nanomedicine. 13: 5887–5907.

Du, E., W. Wang, L. Gan, Z. Li, S. Guo, and Y. Guo. 2016. Effects of thymol and carvacrol supplementation on intestinal integrity and immune responses of broiler chickens challenged with *Clostridium perfringens*. Journal of Animal Science Biotechnology. 7:1-10.

Erawati, T., E. Hendradi, and W. Soeratri. 2014. Praformulation study of p-methoxycinnamic acid (PMCA) nanoemulsion using vegetable oils (soybean oil, corn oil, VCO). International Journal of Pharmacy and Pharmaceutical Sciences. 6: 99-101.

Fascina, L., J.R. Sartori, E. Gonzales, F.B. Carvalho, G.V. Polycarpo, and I.M.G.P. Souza. 2012. Phytogenic additives and organic acids in broiler chicken diets. Brazilian Journal of Poultry Science. 41(10): 2189-2197.

Ferket, P.R., and A.G. Gernat. 2006. Factors that affected feed intake of meat birds: A review. International Journal of Poultry Science. 5(10): 905-911.

Food Agriculture Organization (FAO). 2020. OECD, Agricultural policy monitoring and evaluation 2020. OECD Publishing, Paris.

Ganguly, S. 2013. Phytogenic growth promoter as replacers for antibiotic growth promoter in poultry birds. Advances in Pharmacoepidemiology and Drug Safety. 2(3): 119-120.

Gao, J., Zhang, H.J., Yu, S.H., Wu, S.G., Yoon, I., Quigley, J., Gao, Y.P., Qi, G.H. 2008. Effects of yeast culture in broiler diets on performance and immunomodulatory functions. Poultry Science. 87(7): 1377-1384.

Gavahian, M., Farhoosh, R., Farahnaky, A., Javidnia, K., and Shahidi, F. 2015. Comparison of extraction parameters and extracted essential oils from *Mentha piperita* L. using hydrodistillation and steamdistillation. International Food Research Journal. 22(1): 283-288.

Ghazanfari, S., Z. Mohammadi, and M.A. Moradi. 2015. Effects of coriander essential oil on the performance, blood characteristics, intestinal microbiota and histological of broilers. Brazillian Journal of Poultry Science. 17(4): 419-426.

Gheisar, M., M.A. Hosseindoust, and I.H. Kim. 2015. Evaluating the effect of microencapsulated blends of organic acids and essential oils in broiler chickens diet. Journal of Applied Animal Research. 24: 511-519.

Giannenas, I., Bonos, E., Filliousis, G., Stylianaki, I., Kumar, P., Lazari, D., Christaki, E., and Florou-Paneri, P. 2018. Effect of a polyherbal or an arsenic-containing feed additive on growth performance of broiler chickens, intestinal microbiota, intestinal morphology and lipid oxidation of breast and thigh meat. Journal of Applied Poultry Research. 28: 164-175.

González-Ortiz, G., Olukosi, O.A., Jurgens, G., Apajalahti, J., Bedford, M.R. 2020. Short-chain fatty acids and ceca microbiota profiles in broilers and turkeys in response to diets supplemented with phytase at varying concentrations, with or without xylanase. Poultry Science. 99(4): 2068-2077.

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Guo, F., Qianping C., Qiong L., M. Zhang, W. Chen, H. Chen, Y. Yun, Q. Zhong and W. Chen. 2021. Antimicrobial activity and proposed action mechanism of linalool against *Pseudomonas fluorescens*. Frontiers in Microbiology. 12: 1-11.

Hamodi, S.J., Al-Mashhadani, E.H., Al-Jaff, F.K. and Al-Mashhadani, H.E. 2010. Effect of coriander seed (*Coriandrum sativum* L.) as diet ingredient on broilers performance under high ambient temperature. International Journal of Poultry Science. 9: 968-971.

Han, G.G., E.B. Kim, J. Lee, J.Y. Lee, G. Jin, J. Park, C.S.Huh, I.K. Kwon, D.Y. Kil, Y.J. Choi, and C. Kong. 2016. Relationship between the microbiota in different sections of the gastrointestinal tract, and the body weight of broiler chickens. Springerplus. 911(5): 1-9.

Handayani dan Juniarti. 2012. Ekstraksi minyak ketumbar (Coriander oil) dengan pelarut etanol dan n-heksana. Jurnal Bahan Alam Terbarukan. 1(1): 1-7.

Hashemi, S.R., and H. Davoodi. 2011. Herbal plants and their derivatives as growth and health promoters in animal nutrition. Veterinary Research Communications. 35: 169-180.

Hashemipour, H., Kermanshahi, H., Golian., A., and Veldkamp, T. 2013. Effect of thymol and carvacrol feed supplementation on performance, antioxidant enzyme activities, fatty acid composition, digestive enzyme activities, and immune response in broiler chickens. Poultry Science. 92 :2059-2069.

Hernandez, F., J. Madrid, V. Garcia, J. Orengo, and M. D. Megias. 2004. Influence of two plant extracts on broilers performance, digestibility, and digestive organ size. Poultry Science. 83: 169–174.

Hernandez-Patlan, D., B. Solis-Cruz, K.P. Pontin, X. HernandezVelasco, R. Merino-Guzman, B. Adhikari, R. Lopez-Arellano, Y.M. Kwon, B.M. Hargis, M.A. Arreguin-Nava, G. TellezIsaias, and J.D. Latorre. 2019. Impact of a Bacillus direct-fed microbial on growth performance, intestinal barrier integrity, necrotic enteritis lesions, and ileal microbiota in broiler chickens using a laboratory challenge model. Frontiers in Veterinary Science. 6: 1-11.

Hosseinzadeh, H., I. A. A Qotbi, A. Seidavi, D. Norris, & D. Brown. 2014. Effects of different levels of coriander (*Coriandrum sativum*) seed powder and extract on serum biochemical parameters, microbiota, and immunity in broiler chicks. The Science World Journal. 2014:628979.

Huzar, E., Małgorzata, D., Alicja W., Harun, O., Arda, I., and Erkan, C. 2018. Influence of hydrodistillation conditions on yield and composition of coriander (*Coriandrum sativum* L.) essential oil. Polish Journal of Food and Nutrition Science. 68(3): 243-249.

Iqbal, H., Rahman, A., Khanum, S., Arshad, M., Badar, I.H., Asif, A.R., Hayat, Z., and Iqbal, M.A. 2021. Effect of essential oil and organic acid on performance, gut health, bacterial count and serological parameters in broiler. Brazilian Journal of Poultry Science. 23(3): 1-10.

Jerzsele, A., K. Szeker, R. Csizinszky, E. Gere, C. Jakab, J. J. Mallo, and P. Galfi. 2012. Efficacy of protected sodium butyrate, a protected blend of essential oils, their combination, and *Bacillus amyloliquefaciens* spore suspension

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

against artificially induced necrotic enteritis in broilers. Poultry Science. 91: 837-843.

Kamel, C. 2001. Tracing modes of action and the roles of plant extracts in non-ruminants. In: Recent Advances in Animal Nutrition. 1: 135-150.

Karioti, A., D. Hadjipavlou-Litina, M.L.K. Mensah, T.C. Fleischer, and H. Skaltsa. 2004. Composition and antioxidant activity of the minyak atsiris of *Xylopia aethiopica* (dun) a rich (Annonaceae) leaves, stem bark, root bark, and fresh and dried fruits, growing in Ghana. Journal of Agricultural and Food Chemistry. 52: 8094-8098.

Kassem, A.A., Mohsen, A.M., Ahmed, R.S., and Essam, T.M. 2016. Self-nanoemulsifying drug delivery system (SNEDDS) with enhanced solubilization of nystatin for treatment of oral candidiasis: Design, optimization, in vitro and in vivo evaluation. Journal of Molecular Liquids. 218: 219-232.

Kazi, M., Al-Swairi, M., Ahmad, A., Raish, M., Alanazi, F.K., Badran, M.M, Khan, A.A., Alanazi, A.M., Hussain, M.D. 2019. Evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) for poorly water-soluble talinolol: Preparation, in vitro and in vivo assessment. Frontiers in Pharmacology. 10: 459.

Keskin, D., and Toroglu, S. 2011. Studies on antimicrobial activities of solvent extracts of different spices. Journal of Environmental Biology. 32: 251-256.

Khan, A.W.S.K., S.H. Ansari, R.K. Sharma, and J. Ali. 2015. Self-nanoemulsifying drug delivery system (SNEDDS) of the poorly water-soluble grapefruit flavonoid Naringenin: design, characterization, in vitro and in vivo evaluation. Drug Delivery. 22(4): 552-561.

Khan, Ishan U., Widhi D., and Vedprakash, G. 2014. Taxonomical aspect of coriander (*Coriandrum sativum*). International Journal of Current Research. 6(11): 9926-9930.

Kollanoor-Johny, A., M.J. Darre, A.M. Donoghue, D.J. Donoghue, and K. Venkitanarayanan. 2010. Antibacterial effect of trans-cinnamaldehyde, eugenol, carvacrol, and thymol on *Salmonella enteritidis* and *Campylobacter jejuni* in chicken cecal contents in vitro. Journal of Applied Poultry Research. 19: 237-244.

Krishan, G. and Asmita, N. 2014. Use of essential oils in poultry nutrition: A new approach. Journal of Advance Veterinary and Animal Research. 1(4): 156-162.

Kumar, G,P., and Divya, A. 2015. Nanoemulsion based targeting in cancer therapeutics. Medicinal Chemistry. 5(5): 272-284.

Kumar, R., G.C. Soni, and S.K. Prajapati. 2017. Formulation development and evaluation of telmisartan nanoemulsion. Prajapati International Journal of Research and Development in Pharmacy and Life Science. 4(6): 2711-2719.

Kumar, Y., Agarwal, S., Srivastava, Kumar, S., Agarwal, G., and Khan, M.Z.A. 2014. Antibacterial activity of clove (*Syzygium aromaticum*) and garlic (*Allium sativum*) on different pathogenic bacteria. International of Journal of Pure and Applied Bioscience. 2(3): 305-311.

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kurpiers, M., Julian, D. W., Christian, S., Sergey, Z., and Andreas, B.S. 2020. Zeta potential changing nanoemulsions based on phosphate moiety cleavage of a PEGylated surfactant. Journal of Molecular Liquids. 316: 1-8.

Labaque, M. C., J. L. Navarro, and M. B. Martella. 2003. Microbial contamination of artificially incubated Greater Rhea (*Rhea americana*) eggs. British Poultry Science. 44: 355-363.

Lalitha, V., Kiran, B., and Raveesha, K.A. 2011. Antifungal and antibacterial potentiality of six essential oils extracted from plant source. International Journal of Engineering Science Technology. 3: 3029-3038.

Laudadio, V., L. Passantino, A. Perillo, G. Lopresti, G. Passantino, R.U. Khan, and V. Tufarelli. 2012. Productive performance and histological features of intestinal mucosa of broiler chickens fed different dietary protein levels. Journal of Poultry Science. 91(1): 265-270.

Lee, K., J. Kim, S. Oh, C. Kang, and B. An. 2015. Effects of dietary sanguinarine on growth performance; relative organ weight; cecal microflora; serum cholesterol level and meat quality in broiler chickens. Journal of Poultry Science. 52: 15-22.

Lee, Kyungwoo and Hyun S. Lillehoj. 2011. Antimicrobials, gut microbiota and immunity in chickens. Korean Journal of Poultry Science. 38(2): 155-164.

Lenhardt, L and Mozes, S. 2003. Morphological and functional changes of the small intestine in growth-stunted broilers. Acta Veterinaria Brno. 72: 353-358.

Lesson, S., and J.D. Summer. 1991. Commercial poultry nutrition. University Books. Guelph, Ontario, Canada.

Li, H. L., P. Y. Zhao, Y. Lei, M. M. Hossain, and I. H. Kim. 2015. Phytoncide, phytogenic feed additive as an alternative to conventional antibiotics, improved growth performance and decreased excreta gas emission without adverse effect on meat quality in broiler chickens. Livestock Science. 181: 1–6.

Li, S.Y., Y.J. Ru, M. Liu, B. Xu, A. Peron, and X.G. Shi. 2012. The effect of essential oils on performance, immunity and gut microbial population in weaner pigs. Livestock Science. 145: 119-123.

Liu, Q., Meng, X., Li, Y., Zhao, C.N., Tang, G., and Li, H.B. 2017. Antibacterial and antifungal activities of spices: Review. International Journal of Molecular Sciences. 18(1283): 1-62.

Liu, Y., Chang, L., Shenyi, Z., Jishu, L., Huanyu, Z., Hua, J., and J. Xu. 2021. Comparison of different protein emulsifiers on physicochemical properties of β-Carotene-loaded nanoemulsion: Effect on formation, stability, and in vitro digestion. Nanomaterials. 11(167): 1-18.

Mahajan H.S. and S.K. Savale. 2016. Nanoemulsions: A versatile mode of drug delivery system. Indian Journal of Novel Drug delivery. 8(3): 123-132.

Mahendra, P., and Bisht, S. 2011. *Coriandrum sativum*: a daily use spice with great medicinal effect. Pharmacognosy Journal. 3: 84-8.

Malayoğlu,H. B., Baysal, Ş., Misirliŏlu, Z., Polat, M., Yilmaz, H., and Turan, N. 2010. Effects of oregano essential oil with or without feed enzymes on growth

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

performance, digestive enzyme, nutrient digestibility, lipid metabolism and immune response of broilers fed on wheat-soybean meal diets. British Poultry Science. 51: 67-80.

Mandal, S., and Manisha, M. 2015. Coriander (*Coriandrum sativum* L.) essential oil: Chemistry and biological activity. Asian Pacific Journal of Tropical Biomedicine. 5(6): 421-428.

Martien, R., Adhyatmika, Iramie D.K., Irianto, Verda, F., dan Dian, P.S. 2012. Perkembangan teknologi nanopartikel sebagai sistem penghantaran obat. Majalah Farmaseutik. 8(1): 133-144.

Masouri, L., Salari, S., Sari, M., Tabatabaei, S., and Masouri, B. 2017. Effect of feed supplementation with *Satureja khuzistanica* essential oil on performance and physiological parameters of broilers fed on wheat or maize-based diets. British Poultry Science. 58: 425-434.

McDermott, Michael P. 1999. Generalized orthogonal contrast tests for homogeneity of ordered means. The Canadian Journal of Statistics. 27(3): 457-470.

Meng, J., Chen, X., Yang, W., Song, J., Zhang, Y., Li, Z., Yang, X., and Yang, Z. 2014. Gas chromatography-mass spectrometry analysis of essential oilsfrom five parts of chaihu (radix bupleuri chinensis). Journal of Traditional Chinese Medicine. 34(6): 741-748.

Miles, R.D., Butcher, G.D., Henry, P.R., Littell, R.C. 2006. Effect of antibiotic growth promoters on broiler performance, intestinal growth parameters, and quantitative morphology. Poultry Science. 85(3): 476-485.

Modi, C.M., S.K. Mody, H.B. Patel, G.B. Dudhatra, A. Kumar, and T.J. Sheikh. 2011. Growth promoting use of antimicrobial agents in animals. Journal of Applied Pharmaceutical Science. 1: 33-36.

Mohebodini, H., V, Jazi, A. Ashayerizadeh, M. Toghyani, and G. Tellez-Isaias. 2021. Productive parameters, cecal microflora, nutrient digestibility, antioxidant status, and thigh muscle fatty acid profile in broiler chickens fed with *Eucalyptus globulus* essential oil. Poultry Science. 100: 1-10.

Mughal, M.H. 2019. Linalool: A mechanistic treatise. Journal of Nutrition. Food Research and Technology. 2(1): 1-5.

Murugesan, G.R., B. Syed, S. Haldar, and C. Pender. 2015. Phytogenic feed additives as an alternative to antibiotic growth promoters in broiler chickens. Frontiers in Veterinary Science. 2: 21-27.

Nadeem, M., Anjum, F.M., Khan, M.I., Tehseen, S., El-Ghorab, A., and Sultan, J.I. 2013. Nutritional and medicinal aspects of coriander (*Coriandrum sativum* L.) A review. British Food Journal. 115: 743-55.

Naeemasa M., A.A. Alaw Qotbi, A. Seidavi, D. Norris, D. Brown, and M. Ginindza. 2015. Effects of coriander (*Coriandrum sativum* L.) seed powder and extract on performance of broiler chickens. South African Journal of Animal Science. 45(4): 371-376.

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ngajow, M., Jemmy, A., dan Vanda, S.K. 2013. Pengaruh antibakteri ekstrak kulit batang matoa (*Pometia pinnata*) terhadap Bakteri *Staphylococcus aureus* secara in vitro. Jurnal MIPA Unsrat Online. 2(2): 128-132.

Nguyen, F., A.L. Starosta, S. Arenz, D. Sohmen, Alexandra, D., and Daniel, N. W. 2014. Tetracycline antibiotics and resistance mechanism. Biological Chemistry. 395(5): 559-575.

Oakley, B.B., H.S. Lillehoj, M.H. Kogut, W.K. Kim, J.J. Maurer, A. Pedroso, M.D. Lee, S.R. Collett, T.J. Johnson, and N.A. Cox. 2014. The chicken gastrointestinal microbiome. FEMS Microbiology Letters. 360: 100-112.

Pan, D. and Z. Yu. 2014. Intestinal microbiome of poultry and its interaction with host and diet. Gut Microbes. 5(1): 108-119.

Parmar, N., Singla, N., Amin, S., and Kohli, K. 2011. Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded (SNEDDS) self- nanoemulsifying drug delivery system. Colloids and Surfaces B: Biointerfaces. 86: 327-338.

Patel, J., Patel, A., Raval, M., and Sheth, N. 2011. Formulation and development of a self-nanoemulsifying drug delivery system of irbesartan. Journal of Advanced Pharmaceutical Technology and Research. 2(1): 9-16.

Pathak, N.L., Kasture, S.B., Bhatt, N.M. and Rathod, J.D. 2011. Phytopharmacological properties of coriander sativum as a potential medicinal tree: An overview. Journal of Applied Pharmaceutical Science. 1: 20-25

Pearl, E.J., Li, J. and Green, J.B. 2017. Cellular systems for epithelial invagination. Philosophical Transactions of the Royal Society of London: B Biological Science. 372.

Pelczar, M.J., and E.C.S., Chan. 1988. Dasar-dasar mikrobiologi. Terjemahan Universitas Indonesia Press. Jakarta.

Permentan. 2017. Peraturan Menteri Pertanian Republik Indonesia Nomor 14/Permentan/PK.350/5/2017 tentang Klasifikasi Obat Hewan. Kementerian Kesehatan. Jakarta.

Polatoglu, K., F. Demirci, B. Demirci, N. Goren, and Baser, K.H.C. 2012. Essential oil composition and antimikroba activities of *Tanacetum chilopyllum* (fisch. and mey.) from Turkey. Records of Natural Products. 6(2): 184-188.

Praes, M.F.F.M., A.A. Pereira, S. Sgavioli, K.F. Duarte, J.C.R. Alva, C.H. Domingues, M.M. Puzzoti, and O.M. Junqueira. 2011. Small intestine development of laying hens fed different fiber sources diets and crude protein levels. Brazillian Journal of Poultry Science. 13: 183-188.

Prakatur, I., M. Maja, P. Mirela, M. Ksenija, B. Valerija, M. Ivan, D. Matija. 2019. Intestinal Morphology in Broiler Chickens Supplemented with Propolis and Bee Pollen. Animals. 9(6): 301.

Proietti, P.C., A.D. Bosco, F. Hilbert, M.P. Franciosini, and C. Castellini. 2009. Evaluation of intestinal bacterial flora of conventional and organic broilers using culture-based methods. Italian Journal of Animal Science. 8: 51-63.

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ragab, E., H. Badr., A. AboElkheir, and M.I. Enbaawy. 2020. The effectiveness of methanolic extracs of five plants on different Salmonella isolates. International Journal of Veterinary Science. 9(3): 379-384.

Rajeshwari, U., and Andallu, B. 2011. Medicinal benefits of coriander (*Coriandrum sativum* L). Spatula DD. 1(1): 51-58

Rashid, M.M., Ahammad, M.U., Ali, M.S., Rana, M.S., Ali, M.Y. and Sakib, N. 2014. Effect of different levels of Dhania seed (*Coriandrum sativum*) on the performance of broiler. Bangladesh Journal of Animal Science. 43: 38-44.

Rezaei, M., M.A. Karimi Torshizi, H. Wall, and E. Ivarsson. 2018. Body growth, intestinal morphology and microflora of quail on diets supplemented with micronised wheat fibre. British Poultry Science. 59: 422-429.

Rowe, R.C., P.J. Sheskey, and M.E. Quinn. 2009. Handbook of Pharmaceutical Excipients. Sixth Edition. Pharmaceutical Press, London

Ruttanavut, J., K. Yamauchi, H. Goto, and T. Erikawa. 2009. Effects of dietary bamboo charcoal powder including vinegar liquid on growth performance and histological intestinal change in Aigamo ducks. International Journal of Poultry Science. 8(3): 229-236.

Saeed, M., A.A. Kamboh, S.F. Syed, D. Babazadeh, I. Suheryani, Q.A. Shah, M. Umar, I. Kakar, M. Naveed, M.E. Abd ElHack, M. Alagawany, and S. Chao. 2018. Phytochemistry and beneficial impacts of cinnamon (*Cinnamomum zeylanicum*) as a dietary supplement in poultry diets. World's Poultry Science Journal. 74: 331-346.

Sambasivaraju, D., and Fazeel, Z.A. 2016. Evaluation of antibacterial activity of *Coriandrum sativum* (L.) against gram-positive and gram-negative bacteria. International Journal of Basic and Clinical Pharmacology. 5(6): 2653-2656.

Shafiq, S., F. Shakeel, S. Talegaonkar, F.J. Ahmad, R.K. Khar, and M. Ali. 2007. Development and bioavailability assessment of ramipril nanoemulsion formulation. European Journal of Pharmaceutics and Biopharmaceutics. 66: 227-243.

Shang, Q. H., S. J. Liu, T. F. He, H. S. Liu, S. Mahfuz, X. K. Ma, and X. S. Piao. 2020. Effects of wheat bran in comparison to antibiotics on growth performance, intestinal immunity, barrier function, and microbial composition in broiler chickens. Poultry Science. 99: 4929-4938.

Singh, D., T.R.S. Kumar, V.K. Gupta, and P. Chaturvedi. 2012. Antimicrobial activity of some promising plants oil, molecules and formulations. Indian Journal of Experimental Biology. 50: 714-717.

Singh, P.K., G. Jairath, and S.S. Ahlawat. 2015. Nanotechnology: A future tool to improve quality and safety in meat industry. Journal of Food Science and Technology. 53: 1739-1749.

Sokkula S.R., and S. Gande. 2020. A comprehensive review on self-nano emulsifying drug delivery systems: advancements and applications. international journal of pharmaceutical sciences and drug research. 12(5): 1-8.

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Song, L., Y. Li, D. Qu, P. Ouyang, X. Ding, P. Wu, Q. Guan, and L. Yang. 2019. The regulatory effects of phytosterol esters (PSEs) on gut flora and faecal metabolites in rats with NAFLD. Food and Function. 11: 977-991.

Spring, P. 1997. Understanding the development of the avian gastrointestinal microflora: An essential key for developing competitive exclusion products. Proceeding Alltech 11th Annual Asia Pacific Lecture Tour. University of Kentucky, Lexington. 149-160.

Steel, R. G. D., J. H. Torrie and D. A. Dickey. 1997. Principles and Procedures of Statistics: A Biometrical Approach 3rd ed. McGraw-Hill, Inc. Singapore.

Suganya, S., Bharathidasan, R., Senthilkumar, G., Madhanraj, P., Panneerselvam, A. 2012. Antibacterial activity of essential oil extracted from *Coriandrum sativum* and GC-MS analysis. Journal of Chemical and Pharmaceutical Research. 4(3): 1846-1850.

Sumigray, Kaelyn D., Michael Terwilliger, Terry Lechler. 2018. Morphogenesis and compartmentalization of the intestinal crypt. Developmental Cell. 45: 183-197.

Sun, Q., Li, W., She, R., Wang, D., Han, D., Li, R., Ding, Y. and Yue, Z. 2009. Evidence for a role of mast cells in the mucosal injury induced by Newcastle disease virus. Poultry Science. 88(3): 554-561.

Sun, X., McElroy, A., Webb, Jr., Sefton, A.E.K.E. and Novak, C. 2005. Broiler performance and intestinal alterations when fed drug-free diets. Journal of Poultry Science. 84: 1294-1302.

Swick, R. A. 1999. Water quality and management for poultry. American Soybean Association, Singapore.

Taha, A. E., S. Hassan, R. S. Shewita, A. A. El-seidy, M. E. Abd El-Hack, E. O. S. Hussein, I. M. Saadeldin, A. A. Swelum, and M. A. El-Edel. 2019. Effects of supplementing broiler diets with coriander seed powder on growth performance, blood haematology, ileum microflora and economic efficiency. Journal of Animal Physiology and Animal Nutrition. 103: 1474-1483.

Teshale C, Hussien J, and Jemal A. 2013. Antimicrobial activity of the extracts of selected Ethiopian aromatic medicinal plants. Spatula DD. 3: 175-180.

Thakur, A., Manpreet, K.Walia and S.L.H Kumar. 2013. Nanoemulsion in enhancement of bioavailability of poorly soluble drugs: A review. Pharmacophore. 4(1): 15-25.

Wahju, J. 1985. Kebutuhan zat–zat makanan untuk unggas. Cetakan ketiga. Fakultas Peternakan, Institut Pertanian Bogor. Bogor.

Wahyuningsih, I., dan Putranti, W. 2015. Optimasi perbandingan tween 80 dan polietilenglikol 400 pada formulasi Self-nanoemulsifying drug delivery system (SNEDDS) minyak biji jinten hitam. Pharmacy. 12(2): 223-241.

Yang, C., Chowdhury, M.A., H. Yongqing. And G. Joshua. 2015. Phytogenic Compounds as alternatives to in-feed antibiotics: potentials and challenges in application. Pathogens. 4(1): 137–156.

UNIVERSITAS
GADJAH MADA
Potensi Nanoemulsi Minyak Atsiri Biji Ketumbar (Coriandrum sativum) sebagai Agen Antibakteri dan Growth Promoter Ayam Pedaging
KHOLIFATUS SHOLIHA, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng.; drh. Bambang Ariyadi, M.P., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Yitbarek, M. B. 2015. Phytogenics as feed additives in poultry production: A review. International Journal of Extensive Research. 3: 49-60.

Yoshida, Y., F. Kawabata, S. Tabata, Samuel E. A., Romdhane R., and H. Liu. 2021. Evolvement of taste sensitivity and taste buds in chickens during selective breeding. Poultry Science. 100(6): 101-113.

Zavarize, K.C., Sartori, J.R., Gonzales, E., and Pezzato, A.C. 2012. Morphological changes of the intestinal mucosa of broilers and layers as affected by fasting before sample collection. Brazilian Journal of Poultry Science. 14(1): 21–25.

Zhang, X., Zhao, Q., Ci, X., Chen, S., Xie, Z., Li, H., Zhang, H., C. Feng, and Xie, Q. 2020. Evaluation of the efficacy of chlorogenic acid in reducing small intestine injury, oxidative stress, and inflammation in chickens challenged with Clostridium perfringens type A. Poultry Science. 99(12): 6606-6618.