



REFERENCES

- Acharya, B.N., Saraswat, D., Tiwari, M., Shrivastava, A.K., Ghorpade, R., Bapna, S., and Kaushik, M.P., 2010, Synthesis and antimarial evaluation of 1,3,5-Trisubstituted pyrazolines, *Eur. J. Med. Chem.*, 45, 430–438.
- Aher, R.B., Wanare, G., Kawathekar, N., Kumar, R.R., Kaushik, N.R., Sahal, D., and Chauhan, S.V., 2011, Dibenzylideneacetone analogues as novel *Plasmodium falciparum* inhibitors, *Bioorg. Med. Chem. Lett.*, 21(10), 3034–3036.
- Alkazmi, A.A., Hawais, F.E., and Alasadi, Y.K., 2017, Synthesis and characterization of some pyrazoline derivatives from chalcones containing azo and ether groups, *Tikrit J. Pure Sci.*, 22(9), 69–75.
- Altintop, M. D., Özdemir, A., Turan-Zitouni, G., İlgin, S., Atlı, Ö., Demirel, R., and Kaplancıklı, Z. A., 2015, A novel series of thiazolyl-pyrazoline derivatives: synthesis and evaluation of antifungal activity, cytotoxicity and genotoxicity, *Eur. J. Med. Chem.*, 92, 342–352.
- Anonim, 2019, *Profil Data Kesehatan 2018 Kementerian Kesehatan Republik Indonesia*, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Arslan, T., and Yayli, N., 2019, Conventional and microwave-irradiated synthesis of new bischalcone derivatives, *J. Chem. Res.*, 43(1-2), 8–13.
- Asnaashari, S., Afshar, F.H., Ebrahimi, A., Moghadam, S.B., and Delazar, A., 2015, *In vitro* antimarial activity of different extracts of *Eremostachys macrophylla* Montbr. & Auch., *Bioimpacts.*, 5(3), 135–140.
- Batagin-Neto, A., and Lavarda, F.C., 2014, The correlation between electronic structure and antimarial activity of alkoxylated and hydroxylated chalcones, *Med. Chem. Res.*, 23(2), 580–586.
- Bennani, F.E., Doudach, L., Cherrah, Y., Ramli, Y., Karrouchi, K., Ansar, M., and Faouzi, M.E.A., 2020, Overview of recent developments of pyrazole derivatives as an anticancer agent in different cell line, *Bioorg. Chem.*, 97, 103470.
- Chaniad, P., Mungthin, M., Payaka, A., Viriyavejakul, P., and Punsawad, C., 2021, Antimalarial properties and molecular docking analysis of compounds from *Dioscorea bulbifera* L. as new antimarial agent candidates, *BMC Complement Med. Ther.*, 21(1), 144.
- Chtourou, M., Abdelhedi, R., Frikha, M.H., and Trabelsi, M., 2010, Solvent free synthesis of 1,3-diaryl-2-propenones catalyzed by commercial acid-clays under ultrasound irradiation, *Ultrason. Sonochem.*, 17, 246–249.
- Gomes, M.N., Muratov, E.N., Pereira, M., Peixoto, J.C., Rosseto, L.P., Cravo, P., Andrade, C.H., and Neves, B.J., 2017, Chalcone derivatives: Promising starting points for drug design, *Molecules*, 22(8), 1210–1235.



- Gupta, R., Gupta, N., and Jain, A., 2010, Improved synthesis of chalcones and pyrazolines under ultrasonic irradiation, *Indian J. Chem. - Sect. B Org. Med. Chem.*, 49, 351–355.
- Hameed, A., Masood, S., Hameed, A., Ahmed, E., Sharif, A., and Abdullah, M.I., 2019, Anti-malarial, cytotoxicity and molecular docking studies of quinolinyl chalcones as potential anti-malarial agent, *J. Comput. Aided Mol. Des.*, 33(7), 677–688.
- Harmastuti, N., Herowati, R., Susilowati, D., Pranowo, H.D., and Mubarika, S., 2012, Synthesis and cytotoxic activity of chalcone derivatives on human breast cancer cell lines, *Indones. J. Chem.*, 12(3), 261–267.
- Hedt, B.L., Laufer, M.K., and Cohen, T., 2011, Drug resistance surveillance in resource-poor settings: Current methods and considerations for TB, HIV, and Antimalaria, *Am. J. Trop. Med. Hyg.*, 84(2), 192–199.
- Higgs, J., Wasowki, C., Marcos, A., Jukic, M., Pavan, C.H., Gobec, S., Pinto, F.T., Coletti, N., and Marder, M., 2019, Chalcone derivatives: synthesis, *in vitro* and *in vivo* evaluation of their anti-anxiety, anti-depression and analgesic effects, *Helijon*, 5(3), 1–35.
- Hussaini, S.M.A., Yedla, P., Babu, K.S., Shaik, T.B., Chityal, G.K., and Kamal, A., 2016, Synthesis and biological evaluation of 1,2,3-triazole tethered pyrazoline and chalcone derivatives, *Chem. Biol. Drug Des.*, 88(1), 97–109.
- Jagannathan, P., and Kakuru, A., 2022, Malaria in 2022: increasing challenges, cautious optimism, *Nat. Commun.*, 13(1), 2678.
- Jasril, Teruna, H.W., Aisyah, Nurlaili, and Hendra, R., 2019, Microwave assisted synthesis and evaluation of toxicity and antioxidant activity of pyrazoline derivatives, *Indones. J. Chem.*, 19(3), 583–591.
- Jois, V.H.S., Kalluraya, B., and Girisha, K.S., 2014, Synthesis and antioxidant activity study of pyrazoline carrying an arylfuran/arylthiophene moiety, *J. Serb. Chem. Soc.*, 79(12), 1469-1475.
- Kalaria, P.N., Karad, S.C., and Raval, D.K., 2018, A review on diverse heterocyclic compounds as the privileged scaffolds in antimalarial drug discovery, *Eur. J. Med. Chem.*, 158, 917–936.
- Kantam, L.M., Prakash, B.V., and Reddy, C.V., 2005, Efficient synthesis of chalcones by a solid base catalyst, *Synth. Comm.*, 35(14), 1971-1978.
- Karabacak, M., Altintop, M.D., Ciftci, H.I., Koga, R., Otsuka, M., Fujita, M., and Ozdemir, A., 2015, Synthesis and Evaluation of New Pyrazoline Derivatives as Potential Anticancer Agents, *Molecules*, 20(10), 19066–19084.
- Kumari, S., Paliwal, S., and Chauhan, R., 2014, Synthesis of pyrazole derivatives possessing anticancer activity current status, *Synth. Commun.*, 44(11), 1521-1578.



- Luo, H., Li, N., Liu, L., Wang, H., and He, F., 2021, Synthesis of new AIEE-active chalcones for imaging of mitochondria in living cells and zebrafish *in vivo*, *Int. J. Mol. Sci.*, 22(16), 8949–8967.
- Maji, A.K., 2018, Drug susceptibility testing methods of antimarial agents, *Trop. Parasitol.*, 8(2), 70–76.
- Mandge, S., Singh, H.P., Gupta D., and Moorthy, H.R., 2007, Synthesis and characterization of some chalcone derivatives, *Trend Appl. Sci. Res.*, 2(1), 52–56.
- Mehmood, R., Sadiq, A., Alsantali, R.I., Mughal, E.U., Alsharif, M.A., Naeem, N., Javid, A., Al-Rooqi, M.M., Chaudry, G., and Ahmed, S.A., 2022, Synthesis and evaluation of 1,3,5-triaryl-2-pyrazoline derivatives as potent dual inhibitors of urease and α -glucosidase together with their cytotoxic, molecular modelling and drug-likeness studies, *ACS Omega*, 7(4), 3775–3795.
- Nechifor, M., 2015, Novel chalcone based aromatic polyamides: synthesis, characterization, and properties, *Des. Monomers Polym.*, 19(2), 161 -171.
- Nogueira, F. and Rosario, V., 2010, Methods for assessment of antimarial activity in the different phases of the *Plasmodium* life cycle, *Rev. Pan-Amaz Saude*, 1(3), 109–124.
- Nsanzabana, C., Ariey, F., Beck, H., Ding, X., Kamau, E., Krishna, S., Legrand, E., Lucchi, N., Miotto, O., Nag, S., Noedl, H., Roper, C., Rosenthal, P., Schallig, H.D.F.H., Taylor, S.M., Volkman, S.K., and Gonzalez, I.J., 2018, Molecular assays for antimarial drug resistance surveillance: A target product profile, *Plos One*, 13(9), 1–18.
- Ntie-Kang, F., Onguene, P.A., Lifongo, L.L., Ndom, J.C., Sippl, W., and Mbaze, L.M., 2014, The potential of anti-malarial compounds derived from African medicinal plants, part II: a pharmacological evaluation of non-alkaloids and non-terpenoids, *Malar. J.*, 13(81), 1–20.
- Pandey, A.K., Sharma, S., Alam, M.M., Pandey, M., Shaquizzaman, M., and Akhter, M., 2016, 4,5-dihydrooxazole-pyrazoline hybrids: Synthesis and their evaluation as potential antimarial agents, *Eur. J. Med. Chem.*, 123, 476–486.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.R., 2015, *Introduction to Spectroscopy*, 5th Ed., Cengage Learning, Stamford.
- Pingaew, R., Saekee, A., Mandi, P., Nantasenamat, C., Prachayasittikul, S., Ruchirawat, S., and Prachayasittikul, V., 2014, Synthesis, biological evaluation and molecular docking of novel chalcone-coumarin hybrids as anticancer and antimarial agents, *Eur. J. Med. Chem.*, 85, 65–76.
- Pizzuti, L., Martins, P.L.G., Ribeiro, B.A., Quina, F.H., Pinto, E., Flores, A.F.C., Venzke, D., and Pereira, C.M.P., 2010, Efficient sonochemical synthesis of



- novel 3,5-diaryl-4,5-dihydro-1H-pyrazole-1-carboximidamides, *Ultrason. Sonochem.*, 17(1), 34–37.
- Praceka, M.S., Megantara, S., Maharani, R., and Muchtaridi, M., 2021, Comparison of various synthesis methods and synthesis parameters of pyrazoline derivatives, *J. Adv. Pharm. Technol. Res.*, 12(4), 321–326.
- Prakoso, A.H., Habiburrohman, M., Rohmatillah, W., Triatmoko, B., and Nugraha, A.S., 2021, Molecular docking analysis of anti-malarial Compounds as plasmepsin IV inhibitor from targeted Indonesian medicinal plants, The 3rd International Conference on Life Sciences and Biotechnology, *NST Proceedings*, 1–8.
- Puspitasari, A.D., Pranowo, H.D., Astuti, E., and Wahyuningsih, T.D., 2021, Design of new chlorochalcone derivatives as potential breast anticancer compound based on QSAR analysis and molecular docking study, *Chiang Mai Univ. J. Nat. Sci.*, 20(3), 1–15.
- Qin, H., Zhang, Z., Lekkala, R., Alsulami, H., and Rakesh, K.P., 2020, Chalconehybrids as privileged scaffolds in antimalaria drug discovery: A key review, *Eur. J. Med. Chem.*, 193(112215), 1–17.
- Qiu, H., Sarkar, S.M., Lee, D.H., and Jin, M.J, 2008, Highly effective silica gel supported *N*-heterocyclic carbene Pd catalyst for Suzuki-Miyaura coupling reaction, *Green Chem.*, 10(1), 37–40.
- Raguraman, A. and Santhi, N., 2014, Synthesis and characterization of 1,3,5-trisubstituted pyrazoline derivatives by ultrasonic irradiation method and evaluation of its antibacterial activity, *Int. Lett. Chem. Phys. Astron.*, 20(2), 219–233.
- Safitri, W., Maulidya, V., Rahmadani, A., and Rijai, L., 2021, Synthesis and biological of chlorochalcone derivative, *AIP Conf. Proc.*, 2360, 1–4.
- Salehi, B., Quispe, C., Chamkhi, I., Omari, N., Balahbib, A., Sharifi-Rad, J., Bouyahya, A., Akram, M., Iqbal, M., Docea, A.O., Caruntu, C., Leyva-Gomez, G., Dey, A., Martorell, M., Calina, D., Lopez, V., and Les, F., 2021, Pharmacological properties of chalcones: A review of preclinical including molecular mechanisms and clinical evidence, *Front. Pharmacol.*, 11(592654), 1–28.
- Salum, K.A., Alidmat, M.M., Khairuldean, M., Kamal, N., and Muhammad, M., 2020, Design, synthesis, characterization and cytotoxicity activity evaluation of mono-chalcones and new pyrazolines derivatives, *J. App. Pharm. Sci.*, 10(8), 20–36.
- Savun-Hekimoglu, B., 2020, A review on sonochemistry and its environmental application, *Acoustics*, 2(4), 766–775.
- Septianingtyas, D., Zafira, N., Zulhipri, Kurniadewi, F., and Dianhar, H., 2021, Green synthesis of chalcones derivatives, *AIP Conf. Proc.*, 2231(1), 1–4.



- Sethiya, J.P., Bhasvar, S.P., and Shahare, H.V., 2019, Synthesis of potential anti-inflammatory pyrazoline derivatives under ultrasonic irradiation, *Int. J. Pharm. Sci. Res.*, 10(7), 3290–3294.
- Sholikhah, E.N., Wijayanti, M.A., Susidarti, R.A., Purwantini, I., Hestiyani, R.A., Yusuf, H., and Mustofa, 2015, Stage specificity of eurycomanone isolated from *Eurycoma longifolia* on *Plasmodium falciparum* cycles, *Am. J. Pharmacol. Toxicol.*, 11(1), 1–7.
- Sinha, S., Sarma, P. Sehgal, R., and Medhi, B., 2017, Development in assay methods for *in vitro* antimalarial drug efficacy testing, *Front. Pharmacol.*, 8(754), 1–14.
- Sinha, S., Batovska, D.I., Medhi, B., Radotra, B.D., Bhalla, A., Markova, N., and Sehgal, R., 2019, *In vitro* anti-malarial efficacy of chalcones cytotoxicity profile, mechanism of action and their effect on erythrocytes, *Malar. J.*, 18(1), 421–431.
- Suma, A.A., Wahyuningsih, T.D., and Mustofa, 2019, Efficient synthesis of chloro chalcones under ultrasound irradiation, their anticancer activities and molecular docking studies, *Rasayan J. Chem.*, 12(2), 502–510.
- Syahri, J., Yuanita, E., Nurohmah, B.A., Armunanto, R., and Purwono, B., 2017, Chalcone analogue as potent anti-malarial compounds against *Plasmodium falciparum*: Synthesis, biological evaluation and docking simulation study, *Asian J. Trop. Biomed.*, 7(8), 675–679.
- Syahri, J., Nasution, H., Nurohmah, B.A., Purwono, B., Yuanita, E., Zakaria, N.H., and Hassan, N.I., 2020, Design, synthesis and biological evaluation of aminoalkylated chalcones as antimalarial agent, *Sains Malays.*, 49(11), 2667–2677.
- Syam, S., Abdelwahab, S.I., Al-Mamary, M.A., and Mohan, S., 2012, Synthesis of chalcones with anticancer activities, *Molecules*, 17(6), 6179–6195.
- Tesfaye, A. and Teshome, T., 2022, Prevalence and associated factors of malaria infection among outpatients visiting Shewa Robit Health Center, Northcentral Ethiopia, *J. Trop. Med.*, 237, 1–8.
- Thanigamani, K., Arshad, S., Khalib, N.C., Razak, I.A., Arunagiri, C., Subashini, A., Sulaiman, S.F., Hashim, N.S., and Ooi, K.L., 2015, A new chalcone Structure of (E)-1-(4-bromophenyl)-3-(naphthalen-2-yl) prop-2-en-1-one: synthesis, structural characterizations, quantum chemical investigations and biological evaluations, *Spectrochim. Acta A. Mol. Biomol. Spectrosc.*, 149, 90–102.
- Triyuliyastuti, F.A., 2019, Synthesis of chalcone and *N*-phenylpyrazoline derivatives from 4-chloroacetophenone and 4-dimethylbenzaldehyde and its activity test as antimalarial, *Undergraduate Thesis*, Chemistry, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada, Yogyakarta.



- Tsegaye, A.T., Ayele, A., and Birhanu, S., 2021, Prevalence and associated factors of malaria in children under the age of five years in Wogera District, Northwest Ethiopia: A cross-sectional study, *Plos One*, 16(10), 1–9.
- White, N.J., 2004, Antimalarial drug resistance, *J. Clin. Invest.*, 113(8), 1084–1092.
- Wijayanti, L., Dirgahayu, P., Sari, Y., Hermawan, D., and Nurwati, I., 2020, Antiplasmodial activity of chalcone derivatives compound through phagocytosis of kupffer cells in experimental malaria hosts, *Bali Med. J.*, 9(3), 912–917.
- Xavier, J., Almeida-Neto, F., Rocha, J.E., Freitas, T.S., Freitas, P., Silva, P., Nogueira, C., Bandeira, P., Marinho, M., Marinho, E., Kumar, N., Barreto, A., Countinho, H., Juliao, M.S., Santos, H., and Teixeira, A., 2021, Spectroscopic analysis by NMR, FT-Raman, ATR-FTIR, and UV-Vis, evaluation of antimicrobial activity, and *in silico* studies of chalcones derived from 2-hydroxyacetophenone, *J. Mol. Struct.*, 1241, 130647–130660.
- Yadav, G.D., and Wagh, D.P., 2020, Claisen-Schmidt condensation using green catalytic processes: A critical review, *Chemistry Select*, 5(29), 9059- 9085.
- Zaini, M.F., Arshad, S., Ibrahim, A.R., Khalib, N.C., and Zainuri, D.A., 2018, Structural properties and quantum chemical analysis on a new chalcone derivative of (E)-3-(4-bromophenyl)-1-(4- fluorophenyl)prop-2-en-1-one, *J. Phys. Conf. Ser.*, 1083, 1–10.
- Zainuri, D.A., Arshad, S., Khalib, N.C., Zaini, M.F., and Razak, I.A., 2018, Molecular structure investigation on organic chalcone derivative of (E)-3-(4-bromothiophen-2-1 (3-nitrophenyl)prop-2-en-1-one: a combined experimental and theoretical study, *J. Phys. Conf. Ser.*, 1083, 1–10.