

## DAFTAR PUSTAKA

- Abu-Jdayil, B., Ghannam, M., and Nasser, M.S., 2016, The Modification of Rheological Properties of Bentonite-Water Dispersions with Cationic and Anionic Surfactants, *Int. J. Chem. Eng.*, 7, 75–80.
- Ahmed, H.M. Kamal, M.S., and Al-Harthi, M., 2019, Polymeric and Low Molecular Weight Shale Inhibitors: A review, *Fuel*, 251, 187–217.
- Al-Khdheawi, E.A., and Mahdi, D.S., 2019, Apparent Viscosity Prediction of Water-Based Muds Using Empirical Correlation and an Artificial Neural Network, *Energies*, 12(16), 3067.
- Alexandre, B., Langevin, D., Médéric, P., Aubry, T., Couderc, H., Nguyen, Q., Saiter, A., and Marais, S., 2009, Water Barrier Properties of Polyamide Montmorillonite Nanocomposite Membranes: Structure and Volume Fraction Effects., *J. Membr. Sci.*, 328, 186-204.
- Alizadeh, S., Sabbaghi, S., and Soleymani, M., 2015, Synthesis of Alumina/Polyacrylamide Nanocomposite and its Influence on Viscosity of Drilling Fluid, *Int. J. Nano Dimens*, 6(3), 271–276.
- Amirian, E., Dejam, M., and Chen, Z., 2018, Performance Forecasting for Polymer Flooding in Heavy Oil Reservoirs, *Fuel*, 216, 83–100.
- API 13A, 2010, *Specification for Drilling Fluid Materials*, 18<sup>th</sup> Ed, American Petroleum Institute, Washington, D.C.
- ASTM D5890, 2011, *Standard Test Method for Swell Index of Clay Mineral Component of Geosynthetic Clay Liners*, ASTM International, Philadelphia.
- Balhoff, M.T., Lake, L.W., Bommer, P.W., Lewis, W.E., Weber, M.J., and Calderin, J.M., 2011, Rheological and Yield Stress Measurements of non-Newtonian Fluids Using a Marsh Funnel, *J. Pet. Sci. Eng.*, 77, 393–402.
- Barbosa, M. I. R., Amorim, L.V., and Ferreira, H.C., 2007, Polymeric Compounds as Additives for Bentonite Clays, *Cerâmica*, 53, 354-360.
- Bath, D.S., Siregar, J.M., dan Lubis, M.T., 2012, Penggunaan Tanah Bentonit sebagai Adsorben Logam Cu, *J. Teknik Kimia USU*, 1(1), 1-4.
- Benchabane, A., and Bekkour, K., 2008, Rheological Properties of Carboxymethyl Cellulose (CMC) Solutions, *Colloid Polym Sci.*, 286, 1173–1180.
- Bergaya, F., Theng, B.K.G., and Lagaly, G., 2006, *Handbook of Clay Science*, Elsevier, Amsterdam.

- Brandt, M.J., Johnson, K.M., Elphinston, A.J., and Ratnayaka, D.D., 2017, *Twort's Water Supply*, 7<sup>th</sup> Ed, Butterworth-Heinemann, Oxford.
- Bourgoyne, A.T., Millheim, K.K., Chenevert M.E., and Young, F.S., 1991, *Applied Drilling Engineering*, SPE Textbook, Texas.
- Christidis, G.E., and Huff, W.D., 2009, Geological Aspect and Genesis of Bentonites, *Elem.*, 5, 93–95.
- Dazas, B., Lanson, B., Delville, A., Robert, J.L., Komarneni, S., Michot, L.J., and Ferrage, E., 2015, Influence of Tetrahedral Layer Charge on the Organization of Interlayer Water and Ions in Synthetic Na-Saturated Smectites, *J. Phys. Chem. C*, 119(8), 4158–4172.
- Diman, S.F., and Wijeyesekera, C., 2008, Swelling Characteristics of Bentonite Clay Mats, *Proceedings 3<sup>rd</sup> of the Advances in Computing and Technology*, London.
- Duerasch, A., Wissel, J., and Henle, T., 2018, Reassembling of Alkali-Treated Casein Micelles by Microbial Transglutaminase, *J. Agric. Food Chem.*, 66(44), 11748–11756.
- Eisenhour, D.D., and Brown, R.K., 2009, Bentonite and its Impact on Modern Life, *Elements*, 5(2), 83–88.
- El-Banbi, A., Alzahabi, A., and El-Maraghi, A., 2018, *PVT Property Correlations*, Gulf Professional Publishing, Oxford.
- Fathurrahmi, 2012, Analysis of Mineral Contents Ca, Mg, Fe and Na in Natural Bentonite Clay, *J. Natural*, 1(12), 32–36.
- Ferrage, E., Lanson, B., Sakharov, B.A., Geoffroy, N., Jacquot, E., and Drits, V.A., 2007, Investigation of Dioctahedral Smectite Hydration Properties by Modeling of X-ray Diffraction Profiles: Influence of Layer Charge and Charge Location, *Am. Mineral*, 92(7), 1731–1743.
- Fink, J.K., 2012, *Petroleum Engineer's Guide to Oil Field Chemicals and Fluids*, 2<sup>nd</sup> Ed, Gulf Professional Publishing, Houston.
- Fitrianti, 2012, Pengaruh Lumpur Pemboran Dengan Emulsi Minyak Terhadap Kerusakan Formasi Batu Pasir Lempungan, *J. Earth Energy Eng.*, 1(1), 67–79.
- Gandhi, S.M., and Sarkar, B.C., 2016, *Essentials of Mineral Exploration and Evaluation*, Elsevier, Amsterdam.

- Gao, L., Zhang, H., and Jiang, G.C., 2013, Stabilized Drilling Fluid for Shale Gas Wells in the Yanchang Formation of the Ordos Basin, *Fault-Block Oil Gas Filed*, 20(4), 508-512.
- Ginting, R.M., 2018, Studi Laboratorium Pengaruh Penambahan Polimer Sintesis dan Tepung Sagu terhadap Sifat Rheologi Lumpur Air Asin Sistem Dispersi pada Berbagai Temperatur, *J. Petro*, 7(4), 166-170.
- Hamoodi, A., Rahimy, A.A., and Khalid, A.W., 2018, The Effect of Proper Selection of Drilling Fluid on Drilling Operation in Janbour Field, *ASRJETS*, 39(1), 224-234.
- Hebbar, R.S., Isloor, A.M., and Ismail, A.F., 2014, Preparation and Evaluation of Heavy Metal Rejection Properties of Polyetherimide/Porous Activated Bentonite Clay Nanocomposite Membrane, *RSC Adv.*, 4(88), 47240–47248.
- Hidayat, M.T., dan Nugraha, I., 2018, Kajian Kinerja Ca-Bentonit Kabupaten Pacitan-Jawa Timur Teraktivasi Asam Sulfat sebagai Material Lepas Lambat Pupuk Organik Urin Sapi, *IJMC*, 1(1), 27-37.
- Hua, M., Zhang, S., Pan, B., Zhang, W., Lv, L., and Zhang, Q., 2012, Heavy Metal Removal from Water/Wastewater by Nanosized Metal Oxides: A review, *J. Hazard. Mater.*, 211-212, 317-331.
- Hughes, T.L., Jones, T.G.J., and Houwen, O.H., 1993, Chemical Characterization of CMC and Its Relationship to Drilling-Mud Rheology and Fluid Loss, *SPE Drill. Complet*, 8(3), 157–164.
- Ibrahim, A.S., and Al-Bidry, M., 2020, Activation and Enhancement of the Performance of Iraqi Ca-Bentonite for Using as Drilling Fluid in Iraqi Oil Fields, *Iraqi J. Sci.*, (61)11, 2964-2977.
- Iscan, A.G., and Kok, M.V., 2007, Effects of Polymers and CMC Concentration on Rheological and Fluid Loss Parameters of Water-Based Drilling Fluids, *ENERG SOURCE PART A*, 29(10), 939–949.
- Jeong, S.W., Locat, J., and Leroueil, S., 2012, The Effects of Salinity and Shear History on the Rheological Characteristics of Illite-Rich and Na-Montmorillonite-Rich Clays, *Clay Miner.*, 60(2), 108–120.
- Junianto, A., Rosyidan, C., dan Satyawira, B., 2017, Perencanaan Lumpur Pemboran Berbahan Dasar Air pada Sumur X Lapangan Y, *J. Petro*, 6(4), 116-124.
- Kamal, N., 2010, Pengaruh Bahan Aditif CMC (Carboxyl Methyl Cellulose terhadap beberapa Parameter pada Larutan Sukrosa, *J. Teknol. Inf.*, 1(17), 78-84.

- Karaguzel, C., Cetinel, T., Boylu, F., Cinku, K., and Celik, M.S., 2010, Activation of (Na, Ca)-Bentonites with Soda and MgO and Their Utilization as Drilling Mud, *Appl. Clay. Sci.*, 48, 398-404.
- Karnland, O., 2010, *Chemical and Mineralogical Characterization of The Bentonite Buffer for The Acceptance Control Procedure in a KBS-3 Repository*, Swedish Nuclear Fuel and Waste Management Co, Stockholm.
- Kunrat, T.S., dan Sudrajat, A., 1994, *Prospek Usaha Pertambangan Bentonit*, Pusat Pengembangan Teknologi Mineral, Bandung.
- Laird, D.A., Influence of Layer Charge on Swelling of Smectites, *Appl. Clay Sci.*, 34, 74-87.
- Limanowski, J., 2014, Effect of Storage of Diluted Carboxymethylcellulose on Rheological Properties, *Pol. J. Nat. Sci.*, 29(4):393-403.
- Ma, J., Yang, L., Muhammad, A.K., Fengyun, W., Yuting, C., Wu, L., Mingzhu, X., and Sidi, Z., 2019, Adsorption Properties, Kinetics & Thermodynamics of Tetracycline on Carboxymethyl-Chitosan Reformed Montmorillonite, *Int. J. Biol. Macromol.*, 124(1), 557-567.
- Madsen, F.T., and Müller-Vonmoos, M., 1989, The Swelling Behaviour of Clays, *Appl. Clay Sci.*, 4(2), 143-156.
- Magzoub, M.I., Nasser, M.S., Hussein, I.A., Benamor, A., Onaizi, S.A., Sultan, A.S., and Mahmoud, M.A., 2017, Effect of Sodium Carbonate Addition, Heat and Agitation on Swelling and Rheological Behavior of Ca-Bentonite Colloidal Dispersions, *App. Clay. Sci.*, 147, 176-183.
- Mahmoud, M., Mohamed, A., Kamal, M.S., Sultan, A.S., and Hussein, I.A., 2019, Upgrading Calcium-Bentonite to Sodium-Bentonite Using Seawater and Soda Ash, *ENERG FUEL*, 33, 10888-10894.
- Maillet, P., Levard, C., Larquet, E., Mariet, C., Spalla, O., Menguy, N., Masion, A., Doelsch, E., Rose, J., and Thill, A., 2010, Evidence of Double-Walled Al-Ge Imogolite-Like Nanotubes, *J. AM. CHEM. SOC.*, 132(4), 1208-1209.
- Mashayekhizadeh, V., Kord, S., and Dejam, M., 2014, EOR Potential within Iran, *Spec. Top. Rev. Porous Media: Int. J.*, 5, 325
- Michaux, M., Nelson, E., and Vidick, B., 1989, Cement Chemistry and Additives, *Oilfield Rev.*, 1, 18-25
- Moran, S., 2018, *Applied Guide to Water and Effluent Treatment Plant Design*, Elsevier, Oxford.

- Murray, H.H., 2000, Traditional and New Applications for Kaolin, Smectite, and Palygorskite: a General Overview, *Appl. Clay Sci.*, 17, 207–221.
- Murray, H.H., 2007, *Applied Clay Mineralogy: Occurrences, Processing and Application of Kaolins, Bentonites, Palygorskite-Sepiolite, and Common Clays*, Elsevier, Boston.
- Novrianti., Khalid, I., and Melysa, R., 2018, Performance Analysis of Local Pekanbaru Bentonite for Reactive Solid Application of Mud Drilling, *J. Earth Energy Eng.*, 6(1), 23-32.
- Olphen, V.H., 1977, *An Introduction to Clay Colloid Chemistry: For Clay Technologists, Geologists and Soil Scientists*, John Wiley and Sons, New York.
- Omar, M., Shanableh, A., and Al-Zaylaie, M., 2016, Modification of the Swelling Characteristics and Phosphorus Retention of Bentonite Clay Using Alum, *Soils Fnd.*, 56(5), 861–868.
- Ourari, A., Tennah, F., Ruíz-Rosas, R., Aggoun, D., and Morallón, E., 2018, Bentonite Modified Carbon Paste Electrode as a Selective Electrochemical Sensor for the Detection of Cadmium and Lead in Aqueous Solution, *Int. J. Electrochem. Sci.*, 13, 1683–1699.
- Panjaitan, R.R., 2010, Kajian Penggunaan Bentonit dalam Industri, *JLI*, 45(3), 22-28.
- Pitaloka, A.B., Hidayah, N.A., Saputra, A.H., dan Nasikin, M., 2015, Pembuatan CMC dari Selulosa Eceng Gondok dengan Media Reaksi Campuran Larutan Isopropanol-Isobutanol untuk Mendapatkan Viskositas dan Kemurnian Tinggi, *JIP*, 5(2), 108-114.
- Raharja, R., Kasmungin, S., dan Hamid, A., 2018, Analisis Rheologi Lumpur Lignosulfat dengan Penambahan LCM Berbahan Serbuk Gergaji, Batok, dan Sekam Berbagai Temperatur, *OFFSHORE*, 2(2), 33-42.
- Rasin, F.A., and Hamad E.A., 2013, Study on the Activation of Qara Tappah Iraqi Bentonite and Its Test as Gelling Agent, *IJAIEEM*, 2, 1-4.
- Roncari, E., Galassi, C., and Bassarello, C., 2000, Mullite Suspensions for Reticulate Ceramic Preparation, *J. Am. Ceram. Soc.*, 83(12), 2993–2998.
- Ruskandi, C., Siswanto, A., dan Widodo, R., 2020, Karakterisasi Fisik dan Kimiawi Bentonite untuk Membedakan Natural Sodium Bentonite dengan Sodium Bentonite Hasil Aktivasi, *J. Polimesin*, 18(1), 53-60.
- Saboori, R., Sabbaghi, S., Kalantariasl, A., and Mowla, D., 2018, Improvement in Filtration Properties of Water-Based Drilling Fluid by Nanocarboxymethyl

Cellulose/Polystyrene Core–Shell Nanocomposite, *J. Petrol. Explor. Product. Technol.*, 8(2), 445–454.

Saboorian-Jooybari, H., Dejam, M., and Chen, Z., 2016, Heavy Oil Polymer Flooding from Laboratory Core Floods to Pilot Tests and Field Applications: Half-Century Studies, *J. Pet. Sci. Eng.*, 142, 85–100

Saiyouri, N., Tessier, D., and Hicher, P.Y., 2004, Experimental Study of Swelling in Unsaturated Compacted Clays, *Clay Miner.*, 39, 469–479.

Sarkar, M., Dana, K., Ghatak, S., and Banerjee, A., 2008, Polypropylene-Clay Composite Prepared from Indian Bentonite, *Bull. Mater. Sci.*, 31(1), 23–28.

Sigurdsson, H., Houghton, B.F., McNutt, S.R., Rymer, H., and Stix, J., 2015, *The Encyclopedia of Volcanoes*, Elsevier, San Diego.

Speight, J.G., 2011, *Handbook of Offshore Oil and Gas Operations*, Gulf Professional Publishing, Laramie.

Speight, J.G., 2017, *Environmental Inorganic Chemistry for Engineers*, Butterworth-Heinemann, Oxford.

Syuhada, Wijaya, R., dan Rohman, S., 2009, Modifikasi Bentonit (Clay) menjadi Organoclay dengan Penambahan Surfaktan, *J. Nanosains Nanoteknol.*, 2(1), 48-51.

Takagi, T., Koh, S.M., Song, M.S., Itoh, M., and Mogi, K., 2005, Geology and Properties of the Kawasaki and Dobuyama Bentonite Deposit of Zao Region in Northeastern Japan, *Clay Miner.*, 40, 333–350.

Tan, K.H., 1982, *Dasar Dasar Kimia Tanah*, UGM Press, Yogyakarta.

Yan, Z., Shi, X., Yu, Y., and He. H., 2018, Alkali Resistance Promotion of Ce-Doped Vanadium-Titanic Based NH<sub>3</sub>-SCR Catalysts, *J Environ Sci.*, 73, 155-161.

Yang, S., Guo, M., Yang, E., and Zhang, H., 2018, Study on Preparation and Performance of High Swelling Bentonite, *Matéria (Rio J.)*, 23(3).

Yang, X.H., and Zhu, W.L., 2007, Viscosity Properties of Sodium Carboxymethyl Cellulose Solutions, *Cellulose*, 14(5), 409-417.

Yuliyanti, A., Mursito, A.T., Widodo dan Muharam, S.R., 2018, Mineralogi Bentonit Tasikmalaya sebagai Media Penyerap CO<sub>2</sub> melalui Karbonasi Hidrotermal, *Ris.Geo.Tam*, 28(1), 13-23.

Yunita, L., 2020, Pemanfaatan Limbah Styrofoam sebagai Loss Circulation Material pada Lumpur Pemboran Panas Bumi, *KURVATEK*, 5(2), 41-46.

- Wijaya, K., Tahir, I., dan Baikuni, A, 2002, Sintesis Lempung Terpillar  $\text{Cr}_2\text{O}_3$  dan Pemanfaatannya sebagai Inang Senyawa p-Nitroanilin, *Indones. J. Chem.*, 2(1), 12-21.
- Wijayani, A., Khoirul, U., dan Siti, T., 2005, Karakterisasi Carboxymethyl Cellulose (CMC) dari Eceng Gondok (*Eichornia crassipes* (Mart) Solms), *Indones. J. Chem.*, 5, 228-231.