UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES:

Achterhof, A. B., Rozsnyai, Z., Reeve, E., Jungo, K. T., Floriani, C., Poortvliet, R. K. E., Rodondi, N., Gussekloo, J., & Streit, S. (2020). Potentially inappropriatemedication and attitudes of older adults towards deprescribing. PLoS ONE, 15(10 October), 1– 14. https://doi.org/10.1371/journal.pone.0240463

Ahmed, B., Nanji, K., Mujeeb, R., & Patel, M. J. (2014). Effects of polypharmacyon adverse drug reactions among geriatric outpatients at a tertiary care Hospital in Karachi: A prospective cohort study. PLoS ONE, 9(11), 1–7. https://doi.org/10.1371/journal.pone.0112133

Al-Azayzih A, Alamoori R, Altawalbeh SM. Potentially inappropriate medications prescribing according to Beers criteria among elderly outpatients in Jordan: a cross sectional study. Pharm Pract (Granada). 2019;17(2):1439. doi:10.18549/PharmPract.2019.2.1439

Adioetomo, SM dan Mujahid, G. (2014). "UNFPA Indonesia Monograph series no.1: Indonesia on the threshold of population ageing". Jakarta: UNFPA Indonesia

Amarya, S., Singh, K. and Sabharwal, M., 2018. Ageing process and physiological changes. In Gerontology. IntechOpen., doi:10.5772/intechopen.76249

Duraković, Z. and Vitezić, D. (2013) 'Pharmacodynamics and pharmacokinetics in the elderly', Periodicum Biologorum, 115(4), pp. 517–520.

Bolboacă, Sorana D.; Jäntschi, Lorentz; Sestraş, Adriana F.; Sestraş, Radu E.; Pamfil, Doru C. (2011). Pearson-Fisher Chi-Square Statistic Revisited. Information, 2(3), 528–545. doi:10.3390/info2030528

Campanelli, Christine M; Fick, Donna M; Semla, Todd; Beizer, Judith (2012). Potentially Inappropriate Medication Use in Older Adults: The American Geriatrics Society 2012 Beers Criteria. J Am Geriatr Soc, 60(4), 616–631.doi: 10.1111/j.1532-5415.2012.03923.x.American

Campbell S, Greenwood M, Prior S, et al. Purposive sampling: complex or simple? Research case examples. J Res Nurs. 2020;25(8):652-661. doi:10.1177/1744987120927206

Floroff CK, Slattum PW, Harpe SE, Taylor P, Brophy GM. Potentially inappropriate medication use is associated with clinical outcomes in critically ill elderly patients with neurological injury. Neurocrit Care. 2014;21(3):526-533. doi:10.1007/s12028-014-9985-8

Chan, F.Wk., Wong, F.Yy., So, W.Y. et al. How much do elders with chronic conditions know about their medications? BMC Geriatric 13, 59 (2013). https://doi.org/10.1186/1471-2318-13-59

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Chang, C.-B., Lai, H.-Y., Hwang, S.-J., Yang, S.-Y., Wu, R.-S., Chang, L.-Y., Lee, I.-S., Liu, H.-C., & Chan, D.-C. (2019). The updated PIM-Taiwan criteria: a list of potentially inappropriate medications in older people. Therapeutic Advances in Chronic Disease. https://doi.org/10.1177/2040622319879602

Charan, J., & Biswas, T. (2013). How to calculate sample size for different study designs in medical research? Indian Journal of Psychological Medicine, 35(2), 121–126. https://doi.org/10.4103/0253-7176.116232

Christiani, Y. (2017). Ageing and Chronic Disease in Indonesia—Assessing and Responding To Inequity. Innovation in Aging, Volume 1, Issue suppl_1, July 2017, Page 999, https://doi.org/10.1093/geroni/igx004.362

Detecting, A. G. T. O., & Drug, R. A. (2003). Safety of medicines a guide to detecting and reporting adverse drug.

Duerden, M & Payne, R & Avery, T. (2013). Polypharmacy and Medicines Optimisation. King's Fund Report, November 2013. 10.13140/RG.2.1.1597.0726.

Dziechciaż, M., & Filip, R. (2014). Biological psychological and social determinants of old age: Bio-psycho-social aspects of human aging. Annals ofAgricultural and Environmental Medicine, 21(4), 835–838. https://doi.org/10.5604/12321966.1129943

Elbarbry, F. (2015). Oral Bioavailability in Special Populations. MOJ Bioequivalence & Bioavailability. 1(3), 49–52. https://doi.org/10.15406/mojbb.2015.01.00012

Fick, D. M., Semla, T. P., Steinman, M., Beizer, J., Brandt, N., Dombrowski, R., DuBeau, C. E., Pezzullo, L., Epplin, J. J., Flanagan, N., Morden, E., Hanlon, J., Hollmann, P., Laird, R., Linnebur, S., & Sandhu, S. (2019). American Geriatrics Society 2019

Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults. Journal of the American Geriatrics Society, 67(4), 674–694. https://doi.org/10.1111/jgs.15767

Hailu, B.Y., Berhe, D.F., Gudina, E.K. et al. Drug related problems in admitted geriatric patients: the impact of clinical pharmacist interventions. BMC Geriatr 20, 13 (2020). https://doi.org/10.1186/s12877-020-1413-7

Heider D, Matschinger H, Meid AD, et al. The impact of potentially inappropriate medication on the development of health care costs and its moderation by the number of prescribed substances. Results of a retrospective matched cohort study. PLoS One. 2018;13(7):e0198004. Published 2018 Jul 31. doi:10.1371/journal.pone.0198004

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hubbard, R. E., Mahony, M. S. O., & Woodhouse, K. W. (2012). Medication prescribing in frail older people. https://doi.org/10.1007/s00228-012-1387

Page RL 2nd, Linnebur SA, Bryant LL, Ruscin JM. Inappropriate prescribing in the hospitalized elderly patient: defining the problem, evaluation tools, and possible solutions. Clin Interv Aging. 2010;5:75-87. Published 2010 Apr 7. doi:10.2147/cia.s9564

Page RL 2nd, Ruscin JM. The risk of adverse drug events and hospital-related morbidity and mortality among older adults with potentially inappropriate medication use. Am J Geriatr Pharmacotherapy. 2006;4(4):297-305. doi:10.1016/j.amjopharm.2006.12.008

Khezrian M, McNeil CJ, Murray AD, Myint PK. An overview of prevalence, determinants and health outcomes of polypharmacy. Ther Adv Drug Saf. 2020;11:2042098620933741. Published 2020 Jun 12. doi:10.1177/2042098620933741

Lavan, A. H., & Gallagher, P. (2016). Predicting risk of adverse drug reactions in older adults. Therapeutic Advances in Drug Safety, 7(1), 11–22. https://doi.org/10.1177/2042098615615472

Lenander C, Bondesson Å, Viberg N, Beckman A, Midlöv P. Effects of medication reviews on use of potentially inappropriate medications in elderly patients; a cross- sectional study in Swedish primary care. BMC Health Serv Res. 2018;18(1):616. Published 2018 Aug 7. doi:10.1186/s12913-018-3425-y

Lim, Y. J., Kim, H. Y., Choi, J., Lee, J. S., Ahn, A. L., Oh, E. J., Cho, D. Y., & Kweon, H. J. (2016). Potentially inappropriate medications by beers criteria inolder outpatients: Prevalence and risk factors. Korean Journal of Family Medicine, 37(6), 329–333. https://doi.org/10.4082/kjfm.2016.37.6.329

Lin, H., Lin, C., Chang, C., Chou, C., Yu, I., Lin, C., & Li, T. (2018). ScienceDirect Economic outcomes of pharmacist-physician medication therapy management for polypharmacy elderly :A prospective , randomized, controlled trial. Journal of the Formosan Medical Association, 117(3), 235–243. https://doi.org/10.1016/j.jfma.2017.04.017

Fahrni ML, Azmy MT, Usir E, Aziz NA, Hassan Y. Inappropriate prescribing defined by STOPP and START criteria and its association with adverse drug events among hospitalized older patients: A multicentre, prospective study. PLoS One. 2019;14(7):e0219898. Published 2019 Jul 26. doi:10.1371/journal.pone.0219898.

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Mangoni, A. A., & Jackson, S. H. D. (2004). Age-related changes inpharmacokinetics and pharmacodynamics: Basic principles and practical applications. British Journal of Clinical Pharmacology, 57(1), 6–14. https://doi.org/10.1046/j.1365-2125.2003.02007.x

Maresova, P., Javanmardi, E., Barakovic, S., Barakovic Husic, J., Tomsone, S., Krejcar, O., & Kuca, K. (2019). Consequences of chronic diseases and other limitations associated with old age - A scoping review. BMC Public Health, 19(1). https://doi.org/10.1186/s12889-019-7762-5

Masnoon, N., Shakib, S., Kalisch-Ellett, L., & Caughey, G. E. (2017). What is polypharmacy? A systematic review of definitions. BMC Geriatrics, 17(1), 1–10. https://doi.org/10.1186/s12877-017-0621-2

Massoud, L., Agha, H. Al, & Taleb, M. (2017). Pharmacokinetic and pharmacodynamic changes in elderly people. WJPMR, 3(11), 14–23.

Nair, N. P., Chalmers, L., Peterson, G. M., Bereznicki, B. J., Castelino, R. L., & Bereznicki, L. R. (2016). Hospitalization in older patients due to adverse drug reactions – the need for a prediction tool. 497–505.

Nguyen, T., Wong, E., & Ciummo, F. (2020). Polypharmacy in Older Adults: Practical Applications Alongside a Patient Case. Journal for Nurse Practitioners, 16(3), 205– 209. https://doi.org/10.1016/j.nurpra.2019.11.017

Oscanoa, T. J., Lizaraso, F., & Carvajal, A. (2017). Hospital admissions due to adverse drug reactions in the elderly. A meta-analysis. European Journal of Clinical Pharmacology, 73(6), 759–770. https://doi.org/10.1007/s00228-017-2225-3

Osei, E. K., Berry-cabán, C. S., Haley, C. L., & Rhodes-pope, H. (2016). Prevalence of Beers Criteria Medications Among Elderly Patients in a Military Hospital. https://doi.org/10.1177/2333721416637790

Patton, L. L. (n.d.). The ADA Practical Guide to Patients with Medical Conditions. Process, A. (2018). Ageing Process Process and and Physiological Physiological Changes Shilpa. 3–24. https://doi.org/10.5772/intechopen.76249

Rankin, A., Ca, C., Sm, P., Kerse, N., Cr, C., Mc, B., Ryan, C., Hughes, C., Rankin, A., Ca, C., Sm, P., Kerse, N., Cr, C., Mc, B., Ryan, C., & Hughes, C. (2018). Interventions to improve the appropriate use of polypharmacy for older people (Review). https://doi.org/10.1002/14651858.CD008165.pub4.www.cochrnelibrary.com

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Rochon, P. A., Petrovic, M., Cherubini, A., Onder, G., Mahony, D. O., Sternberg, S. A., Stall, N. M., & Gurwitz, J. H. (2021). Review Polypharmacy , inappropriate prescribing , and deprescribing in older people : through a sex and gender lens. The Lancet Healthy Longevity, 2(5), e290–e300. https://doi.org/10.1016/S2666-7568(21)00054-4

Roux, B., Sirois, C., Simard, M., Gagnon, M. E., & Laroche, M. L. (2020). Potentially inappropriate medications in older adults: a population-based cohort study. Family Practice, 37(2), 173–179.https://doi.org/10.1093/fampra/cmz060

Shah, B. M., & Hajjar, E. R. (2012). Drug Reactions , and. CGM, 28(2), 173–186. https://doi.org/10.1016/j.cger.2012.01.002

Singh, S., & Bajorek, B. (2014). Defining “elderly” in clinical practice guidelines for pharmacotherapy. Pharmacy Practice (Internet), 12(4), 0–0. https://doi.org/10.4321/s1886-36552014000400007

Varga, S., Alcusky, M., Keith, S. W., Hegarty, S. E., Del Canale, S., Lombardi, M.,& Maio, V. (2017). Hospitalization rates during potentially inappropriate medication use in a large population-based cohort of older adults. British Journal of Clinical Pharmacology, 83(11), 2572–2580.https://doi.org/10.1111/bcp.13365

Vetrano, D. L., Landi, F., Buyser, S. L. De, Carfì, A., Zuccalà, G., Petrovic, M., Volpato, S., Cherubini, A., Corsonello, A., Bernabei, R., & Onder, G. (2014). European Journal of Internal Medicine Predictors of length of hospital stay among older adults admitted to acute care wards : a multicentre observationalstudy. European Journal of Internal Medicine, 25(1), 56–62. https://doi.org/10.1016/j.ejim.2013.08.709

Vukovic, M., & Jovanovic, M. (2020). Potentially Inappropriate Medications in Nursing Home Residents : A Comparison of Two Approaches. https://doi.org/10.1177/0163278719900653

Wastesson, J. W., Canudas-romo, V., Lindahl-jacobsen, R., & Johnell, K. (2015). Remaining Life Expectancy With and Without Polypharmacy : A Register-Based Study of Swedes Aged 65 Years and Older. Journal of the American MedicalDirectorsAssociation,1–5. https://doi.org/10.1016/j.jamda.2015.07.015

Wastesson, J. W., Morin, L., Tan, E. C. K., Johnell, K., Wastesson, J. W., Morin, L., Tan, E. C. K., & Johnell, K. (2018). Expert Opinion on Drug Safety An update on the clinical consequences of polypharmacy in older adults : a narrative review 0338. https://doi.org/10.1080/14740338.2018.1546841

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Xing, X. X., Zhu, C., Liang, H. Y., Wang, K., Chu, Y. Q., Zhao, L. B., Jiang, D. C., Wang, Y. Q., & Yan, S. Y. (2019). Associations Between Potentially Inappropriate Medications and Adverse Health Outcomes in the Elderly: A Systematic Review and Meta-analysis .45. https://doi.org/10.1177/1060028019853069 Jonathan Sarwono, Quantitative and Qualitative Research Methods, Page no.68

Linnebur, S., & Sandhu, S. (2019). American Geriatrics Society 2019 Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults. Journal of the American Geriatrics Society, 67(4), 674–694. https://doi.org/10.1111/jgs.15767

Morgan, S. G., Hunt, J., Rioux, J., Proulx, J., Weymann, D., & Tannenbaum, C. (2016). Frequency and cost of potentially inappropriate prescribing for older adults: a cross-sectional study. CMAJ Open, 4(2), E346–E351. https://doi.org/10.9778/cmajo.20150131

Oscanoa, T. J., Lizaraso, F., & Carvajal, A. (2017). Hospital admissions due to adverse drug reactions in the elderly. A meta-analysis. European Journal of Clinical Pharmacology, 73(6), 759–770. https://doi.org/10.1007/s00228-017-2225-3

Burkhardt, H.; Bojarsky, G.; Gretz, N.; Gladisch, R. Creatinine Clearance, Cockcroft- Gault Formula and Cystatin C: Estimators of True Glomerular Filtration Rate in the Elderly? Gerontology 2002, 48, 140–146.

Roux, B., Sirois, C., Simard, M., Gagnon, M. E., & Laroche, M. L. (2020). Potentially inappropriate medications in older adults: a population-based cohort study. Family Practice, 37(2), 173–179. https://doi.org/10.1093/fampra/cmz060

Momin, T., Pandya, R., Researcher, I., Rana, D. A., & Patel, V. (2013). Use of potentially inappropriate medications in hospitalized elderly at a teaching hospital : A comparison between Beers 2003 and 2012 criteria. December. https://doi.org/10.4103/0253-7613.121372

Charan, J., & Biswas, T. (2013). How to calculate sample size for different study designs in medical research? Indian Journal of Psychological Medicine, 35(2), 121–126. https://doi.org/10.4103/0253-7176.116232

Amarya, S., Singh, K., & Sabharwal, M. (2018). Ageing Process and Physiological Changes. Gerontology. https://doi.org/10.5772/INTECHOPEN.76249

Biologorum, P., & Vitezi, D. (2016). Pharmacodynamics and pharmacokinetics in the elderly. December 2013.

Duerden, M., & Payne, R. (2014). Polypharmacy - what is it and how common is it? Prescriber, 25(21), 44–47. https://doi.org/10.1002/psb.1274

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Dziechciaż, M., & Filip, R. (2014). Biological psychological and social determinants of old age: Bio-psycho-social aspects of human aging. Annals of Agricultural and Environmental Medicine, 21(4), 835–838. https://doi.org/10.5604/12321966.1129943

Elbarbry, F. (2015). Oral bioavailability in special populations. 1(3), 49–52. https://doi.org/10.15406/mojbb.2015.01.00012

Khezrian, M., Mcneil, C. J., Murray, A. D., & Myint, P. K. (2020). An overview of prevalence , determinants and health outcomes of polypharmacy. 1–10. https://doi.org/10.1177

Lin, H., Lin, C., Chang, C., Chou, C., Yu, I., Lin, C., & Li, T. (2018). ScienceDirect Economic outcomes of pharmacist-physician medication therapy managementfor polypharmacy elderly : A prospective , randomized , controlled trial. Journal of the Formosan Medical Association, 117(3), 235–243. https://doi.org/10.1016/j.jfma.2017.04.017

Nguyen, T., Wong, E., & Ciummo, F. (2020). Polypharmacy in Older Adults: Practical Applications Alongside a Patient Case. Journal for Nurse Practitioners, 16(3), 205–209. https://doi.org/10.1016/j.nurpra.2019.11.017

Nobili, A., Garattini, S., & Mannucci, P. M. (2011). Multiple diseases and polypharmacy in the elderly : challenges for the internist of the third millennium. 28–44.

Patton, L. L. (n.d.). The ADA Practical Guide to Patients with Medical Conditions. Rankin, A., Ca, C., Sm, P., Kerse, N., Cr, C., Mc, B., Ryan, C., Hughes, C., Rankin

Shah, B. M., & Hajjar, E. R. (2012). Drug Reactions , and. CGM, 28(2), 173–186. https://doi.org/10.1016/j.cger.2012.01.002

Singh, S., & Bajorek, B. (2014). Defining “elderly” in clinical practice guidelines for pharmacotherapy. Pharmacy Practice (Internet), 12(4), 0–0. https://doi.org/10.4321/s1886-36552014000400007

Wastesson, J. W., Morin, L., Tan, E. C. K., Johnell, K., Wastesson, J. W., Morin, L., Tan, E. C. K., & Johnell, K. (2018). Expert Opinion on Drug Safety An update on the clinical consequences of polypharmacy in older adults : a narrative review. 0338. https://doi.org/10.1080/14740338.2018.1546841

Iwamoto T, Hanyu H, Umahara T. [Age-related changes of sensory system]. Nihon Rinsho. 2013 Oct;71(10):1720-5. Japanese. PMID: 24261198

Yellowitz, J. A., & Schneiderman, M. T. (2014). Elder's oral health crisis. The journal of evidence-based dental practice, 14 Suppl, 191–200. https://doi.org/10.1016/j.jebdp.2014.04.011

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Beverly, E. A., Ritholz, M. D., Shepherd, C., & Weinger, K. (2016). The Psychosocial Challenges and Care of Older Adults with Diabetes: "Can't DoWhat I Used To Do; Can't Be Who I Once Was". Current diabetes reports, 16(6), 48. https://doi.org/10.1007/s11892-016-0741-7

Elbarbry, F. (2015). Oral bioavailability in special populations. 1(3), 49–52. https://doi.org/10.15406/mojbb.2015.01.00012

Bryant E, Claire K, Needham R. The Pharmaceutical Journal. 2019. December 2019, Vol 303, No 7932;303(7932)

Coleman, J. J., & Pontefract, S. K. (2016). Adverse drug reactions. Clinical medicine (London, England), 16(5), 481–485. https://doi.org/10.7861/clinmedicine.16-5-481

Hubbard, R. E., Mahony, M. S. O., & Woodhouse, K. W. (2012). Medication prescribing in frail older people. https://doi.org/10.1007/s00228-012-1387

Indonesian Ministry of Health. (2004). Guidelines for Pharmaceutical Services (Drug Therapy Management) for Geriatric Patients. Jakarta: Directorate of Community and Clinical Pharmacy Development Directorate General of Pharmacy and Medical Devices RI

Alldredge, B.K., Corelli, R.L, dan Ernst, M.E (Editor), 2013. Applied Therapeutics: The Clinical Use of Drugs. Wolters Kluwer/Lippincott Williams & Wilkins, Philadelphia, 10: 2359-2373.

Davies, E.A. dan O‟‟Mahony, M.S., 2015. Adverse drug reactions in special populations – the elderly. British Journal of Clinical Pharmacology, 80(4): 796-807.

Lenander, C., Bondesson, Å., Viberg, N., Beckman, A., & Midlöv, P. (2018). Effects of medication reviews on use of potentially inappropriate medications in elderly patients ; a cross-sectional study in Swedish primary care. 1–10.

Al-azayzih, A. (2019). Potentially inappropriate medications prescribing according to Beers criteria among elderly outpatients in Jordan : a cross sectional study. 17(2),1–7.

Hailu, B. Y., Berhe, D. F., Gudina, E. K., Gidey, K., & Getachew, M. (2020). Drugrelated problems in admitted geriatric patients : the impact of clinical pharmacist interventions. 1–8.

Huri, H.Z., Hui Xin, C., dan Sulaiman, C.Z., 2014. Drug-Related Problems in Patients with Benign Prostatic Hyperplasia: a cross sectional retrospective study. PloS One,9: e86215.

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Rochon, P. A., Petrovic, M., Cherubini, A., Onder, G., Mahony, D. O., Sternberg, S. A., Stall, N. M., & Gurwitz, J. H. (2021). Review Polypharmacy , inappropriate prescribing , and deprescribing in older people : through a sex and gender lens. The Lancet Healthy Longevity, 2(5), e290–e300. https://doi.org/10.1016/S2666-7568(21)00054-4

Duerden M, Avery T, Payne R. Polypharmacy and medicines optimization: making it safe and sound. 2013. https://www.Kingsfund.org.uk/sites/files/kf/field/field_publication_file/polypharmacy-and-medicines optimisation-king's fund-nov 13.pdf (accessed Sept 8, 2020).

Heider, D., Matschinger, H., Meid, A. D., Quinzler, R., Adler, B., Gu, C., Haefeli, W. E., & Ko, H. (2018). The impact of potentially inappropriate medication on the development of health care costs and its moderation by the number of prescribed substances . Results of a retrospective matched cohort study. 1– 12.

Loganathan, M., Id, F., Azmy, M. T., & Usir, E. (2019). Inappropriate prescribing defined by STOPP and START criteria and its association with adverse drug events among hospitalized older patients : A multicentre , prospective study.1–20.

Vetrano, D. L., Landi, F., Buyser, S. L. De, Carfì, A., Zuccalà, G., Petrovic, M., Volpato, S., Cherubini, A., Corsonello, A., Bernabei, R., & Onder, G. (2014). European Journal of Internal Medicine Predictors of length of hospital stay among older adults admitted to acute care wards : a multicentre observational study. European Journal of Internal Medicine, 25(1), 56–62. https://doi.org/10.1016/j.ejim.2013.08.709

Chang, C., Lai, H., Hwang, S., Yang, S., & Wu, R. (2019). The updated PIM-Taiwan criteria : a list of potentially inappropriate medications in older people. 1–21. https://doi.org/10.1177/2040622319879602

Xing, X. X., Zhu, C., Liang, H. Y., Wang, K., Chu, Y. Q., Zhao, L. B., Jiang, D. C.,Wang, Y. Q., & Yan, S. Y. (2019). Associations Between Potentially Inappropriate Medications and Adverse Health Outcomes in the Elderly : A Systematic Review and Meta-analysis 45. https://doi.org/10.1177/1060028019853069

Masnoon, N., Shakib, S., Kalisch-Ellett, L., & Caughey, G. E. (2017). What is polypharmacy? A systematic review of definitions. BMC Geriatrics, 17(1), 1–10. https://doi.org/10.1186/s12877-017-0621-2

Care, N., Harpe, S. E., Taylor, P., & Brophy, G. M. (2014). Potentially Inappropriate Medication Use is Associated with Clinical Outcomes in Critically Ill Elderly Patients with Neurological Injury. https://doi.org/10.1007/s12028-014-9985-8

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Marcum, Z. A., & Hanlon, J. T. (2012). Commentary on the new American Geriatric Society Beers criteria for potentially inappropriate medication use in older adults. The American journal of geriatric pharmacotherapy, 10(2), 151–159. https://doi.org/10.1016/j.amjopharm.2012.03.002

Fixen, D. R. (2019). 2019 AGS Beers Criteria for older adults. Pharmacy Today, 25(11),42–54. https://doi.org/10.1016/j.ptdy.2019.10.022C. Investigation, "American Geriatrics Society 2019 Updated AGS Beers Criteria ®," pp. 1–21, 2019, doi: 10.1111/jgs.15767.

Awad, Hanna.,(2019) Potentially inappropriate medication use among geriatric patients in primary care setting: A cross-sectional study using the Beers, STOPP, FORTA and MAI criteria. PLOS ONE 14(6):e0218174. https://doi.org/10.1371/journal.pone.0218174

Nair, N. P., Chalmers, L., Peterson, G. M., Bereznicki, B. J., Castelino, R. L., & Bereznicki, L. R. (2016). Hospitalization in older patients due to adverse drug reactions – the need for a prediction tool. 497–505.

Harugeri, A., Joseph, J., Parthasarathi, G., Ramesh, M., dan Guido, S., 2010. Potentially inappropriate medication use in elderly patients: a study of prevalence and predictors in two teaching hospitals. Journal of Postgraduate Medicine, 56: 186–191.

Campbell, S., Greenwood, M., Prior, S., Shearer, T., Walkem, K., Young, S., Bywaters, D., & Walker, K. (2020). Purposive sampling: complex or simple?Research case examples. Journal of Research in Nursing, 25(8), 652–661. https://doi.org/10.1177/1744987120927206

Achterhof, A. B., Rozsnyai, Z., Reeve, E., Jungo, K. T., Floriani, C., Poortvliet, R. K. E., Rodondi, N., Gussekloo, J., & Streit, S. (2020). Potentially inappropriate medication and attitudes of older adults towards deprescribing. PLoS ONE, 15(10 October), 1–14. https://doi.org/10.1371/journal.pone.0240463

Faustino, C. G., Martins, M. de A., & Jacob Filho, W. (2011). Potentially inappropriate medication prescribed to elderly outpatients at a general medicine unit. Einstein (São Paulo), 9(1), 18–23. https://doi.org/10.1590/s1679-45082011ao1844

Trenaman, S. C., Rideout, M., & Andrew, M. K. (2019). Sex and gender differencesin polypharmacy in persons with dementia: A scoping review. SAGE Open Medicine, 7, 205031211984571. https://doi.org/10.1177/2050312119845715

Tao, L., Qu, X., Gao, H., Zhai, J., Zhang, Y., & Song, Y. (2021). Polypharmacy and potentially inappropriate medications among elderly patients in the geriatric department at a single-center in China. Medicine, 100(42), e27494. https://doi.org/10.1097/md.0000000000027494

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Abdulah, R. et al. (2018) 'Polypharmacy leads to increased prevalence of potentially inappropriate medication in the indonesian geriatric population visiting primary care facilities', Therapeutics and Clinical Risk Management, 14, pp. 1591–1597. doi:10.2147/TCRM.S170475.

Alshehri, S. et al. (2020) 'Adherence to Beers Criteria in Geriatrics':, Geriatrics., (5(4):97), pp. 1–8. doi: https://doi.org/10.3390/geriatrics5040097.

Ay, P., Akici, A. and Harmanci, H. (2005) 'Drug utilization and potentially inappropriate drug use in elderly residents of a community in Istanbul, Turkey', International Journal of Clinical Pharmacology and Therapeutics, 43(4), pp. 195–202. doi:10.5414/cpp43000.

Polypharmacy and Risks of Potentially Inappropriate Medication Use in the Older Population in a Developing Country : A Systematic Review and Meta-Analysis'. doi: 10.1159/000516075.

He, D. et al. (2021) 'Potentially inappropriate medications in Chinese older adults: a comparison of two updated Beers criteria', International Journal of Clinical Pharmacy, 43(1), pp. 229–235. doi: 10.1007/s11096-020-01139-5.

Li, L. and Balamurugan, C. (2012) 'Evaluation of potentially inappropriate medications among older residents of Malaysian nursing homes', pp. 596–603. doi:10.1007/s11096-012-9651-1.

Pérez, T. et al. (2018) 'Prevalence of potentially inappropriate prescribing in older people in primary care and its association with hospital admission : longitudinal study', BMJ, (k4524), p. 363. doi: 10.1136/bmj.k4524.

Coelho, R. F. et al. (2018) 'Predictive factors for prolonged hospital stay after retropubic radical prostatectomy in a high-volume teaching cente', Int Braz J Urol., 44(6), pp.1089–1105. doi: 10.1590/S1677-5538.IBJU.2017.0339.

Bhagavathula, A. S., Gebreyohannes, E. A. and Fialova, D. (2021) 'Prevalence of Onder G, Landi F, Liperoti R, Fialova D, Gambassi G, B. R. (2005) 'Impact of inappropriate drug use among hospitalized older adults', European Journal of Clinical Pharmacology 61(5-6), pp. 453–459. doi: 10.1007/s00228-005-0928-3.

Stephanie M. Ozalas, Victoria Huang, L. B. and Reilly, T. (2017) 'Comparison of Two Versions of the Beers Criteria and Adverse Outcomes in Older Hospitalized Patients', The Consultant Pharmacist®, 32(12), pp. 752–763. doi: doi:10.4140/TCP.n.2017.752.

Vetrano, D. L. et al. (2014) 'European Journal of Internal Medicine Predictors of length of hospital stay among older adults admitted to acute care wards : a multicentre observational study', European Journal of Internal Medicine, 25(1), pp. 56–62. doi:10.1016/j.ejim.2013.08.709.

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ofori-asenso, R., Liew, D. and Jones, D. (2020) 'The Frequency of , and Factors Associated with Prolonged Hospitalization : A Multicentre Study in', Journal of Clinical Medicine, 9(3055), pp. 1–14. doi: doi:10.3390/jcm9093055.

Hagstrom, Kelly; Nailor, Michael; Lindberg, Michael; Hobbs, Laura; Sobieraj, Diana M. (2015). Association Between Potentially Inappropriate Medication Use in Elderly Adults and Hospital-Related Outcomes. Journal of the American Geriatrics Society, 63(1), 185–186. doi:10.1111/jgs.13229

Ifeoma A. Inneh, MPH, Richard Iorio, MD , James D. Slover, MD, MS, Joseph A. Bosco III, M. (2015) 'Role of Sociodemographic , Co-morbid and Intraoperative Factors in Length of Stay Following Primary Total Hip Arthroplasty', Journal of Arthroplasty. doi: 10.1016/j.arth.2015.06.054.

Incalzi RA, Gemma A, Capparella O, Terranova L, Porcedda P, Tresalti E, et al. Predicting mortality and length of stay of geriatric patients in an acute care general hospital. J Gerontol 1992;47:M35–9.

Lowry E, Woodman RJ, Soiza RL, Hilmer SN, Mangoni AA. Drug burden index, physical function, and adverse outcomes in older hospitalized patients. J Clin Pharmacol2012;52:1584–91.

Marfil-Garza, B. A. et al. (2018) 'Correction: Risk factors associated with prolonged hospital length-of-stay: 18-year retrospective study of hospitalizations in a tertiary healthcare center in Mexico (PLoS ONE (2018) 13: 11(e0207203) Doi :10.1371/journal.pone.0207203)', PLoS ONE, 13(12), pp. 4–17. doi:10.1371/journal.pone.0209944.

Vetrano, D. L. et al. (2014) 'European Journal of Internal Medicine Predictors of length of hospital stay among older adults admitted to acute care wards : a multicentre observational study', European Journal of Internal Medicine, 25(1), pp. 56–62. doi:10.1016/j.ejim.2013.08.709.

Pasini, A. et al. (2017) 'The Italian Society for Pediatric Nephrology (SINePe) consensus document on the management of nephrotic syndrome in children: Part i - Diagnosis and treatment of the first episode and the first relapse', Italian Journal of Pediatrics,43(1), pp. 1–15. doi: 10.1186/s13052-017-0356-x.

Maguire PA, Taylor IC, Stout RW. Elderly patients in acute medical wards: factors predicting length of stay in hospital. Br Med J (Clin Res Ed) 1986;292:1251–3.

Atoui, R. et al. (2008) 'Risk factors for prolonged stay in the intensive care unit and on the ward after cardiac surgery', Journal of Cardiac Surgery, 23(2), pp. 99–106. doi:10.1111/j.1540-8191.2007.00564.x.

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Aubert, C. E. et al. (2020) 'Association of patterns of multimorbidity with length of stay: A multinational observational study', Medicine, 99(34), p. e21650. doi:10.1097/MD.0000000000021650.

Hall W.H., Ramachandran R., Narayan S., Jani A.B., Vijayakumar S., 2004, An electronic application for rapidly calculating Charlson Comorbidity Score. BMC Cancer, 4(1). doi:10.1186/1471-2407-4-94

Roffman C.E., Buchanan J., Allison G.T., 2016, Charlson Comorbidities Index, Journal of Physiotherapy, 62(3), 171. doi:10.1016/j.jphys.2016.05.008

Chang C.M., Yin W.Y., Wei C.K., Wu C.C., Su Y.C., Yu C.H., Lee C.C., 2016, Correction: Adjusted Age-Adjusted Charlson Comorbidity Index Score as a Risk Measure of Perioperative Mortality before Cancer Surgery, Plos One, 11, (6).

Chahine, B. (2020) 'Potentially inappropriate medications prescribing to elderly patients with advanced chronic kidney by using 2019 American Geriatrics Society Beers Criteria', Wiley Health Science Report, (October). doi: 10.1002/hsr2.214

Zhang, H., Wong, E. L., Wong, S. Y., Chau, P. Y., Yip, B. H., Chung, R. Y., Lee, E. K., Lai, F. T., & Yeoh, E. K. (2021). Prevalence and determinants of potentially inappropriate medication use in Hong Kong older patients: a cross-sectional study. *BMJ open*, *11*(7), e051527. https://doi.org/10.1136/bmjopen-2021-051527

DeWilde, S., Carey, I. M., Richards, N., Whincup, P. H., & Cook, D. G. (2008). Trends in secondary prevention of ischaemic heart disease in the UK 1994 2005: use of individual and combination treatment. *Heart (British Cardiac Society)*, *94*(1), 83–88. https://doi.org/10.1136/hrt.2006.111757

Lee A, Kuo B. Metoclopramide in the treatment of diabetic gastroparesis. Expert Rev Endocrinol Metab 2010;5:653-62.

Shaff er D, BuĴ erfi eld M, Pamer C, Mackey AC. Tardive dyskinesia risks and metoclopramide use before and after U.S. market withdrawal of cisapride. J Am Pharm Assoc 2004;44:661-5.

Magalhães, M. S., Santos, F., & Reis, A. (2019). Factors associated with the use of potentially inappropriate medication by elderly patients prescribed at hospital discharge. *Einstein (Sao Paulo, Brazil)*, *18*, eAO4877. https://doi.org/10.31744/einstein_journal/2020AO4877

Kerin, N. Z., Blevins, R. D., Goldman, L., Faitel, K., & Rubenfire, M. (1988). The incidence, magnitude, and time course of the amiodarone-warfarin interaction. *Archives of internal medicine*, *148*(8), 1779–1781.

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND
LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Franconi, F., & Campesi, I. (2014). Pharmacogenomics, pharmacokinetics and pharmacodynamics: interaction with biological differences between men and women. *British journal of pharmacology*, *171*(3), 580–594. https://doi.org/10.1111/bph.12362

Faustino CG, Martins MA, Jacob Filho W. Potentially inappropriate medication prescribed to elderly outpatients at a general medicine unit. Einstein (Sao Paulo) 2011; 9: 18–23.

Al-Dahshan, A., & Kehyayan, V. (2021). Prevalence and Predictors of Potentially Inappropriate Medication Prescription Among Older Adults: A Cross-Sectional Study in the State of Qatar. *Drugs - real world outcomes*, *8*(1), 95–103. https://doi.org/10.1007/s40801-020-00220-9

Abe, J., Umetsu, R., Uranishi, H., Suzuki, H., Nishibata, Y., Kato, Y., Ueda, N., Sasaoka, S., Hatahira, H., Motooka, Y., Masuta, M., & Nakamura, M. (2017). Analysis of polypharmacy effects in older patients using Japanese Adverse Drug Event Report database. PloS one, 12(12), e0190102. https://doi.org/10.1371/journal.pone.0190102

Zeenny, R., Wakim, S., & Kuyumjian, Y. M. (2017). Potentially inappropriate medications use in community-based aged patients: a cross-sectional study using 2012 Beers criteria. *Clinical interventions in aging*, *12*, 65–73. https://doi.org/10.2147/CIA.S87564

Vieira de Lima, T. J., Garbin, C. A., Garbin, A. J., Sumida, D. H., & Saliba, O. (2013). Potentially inappropriate medications used by the elderly: prevalence and risk factors in Brazilian care homes. *BMC geriatrics*, *13*, 52. https://doi.org/10.1186/1471-2318-13-52

Rochon, P. A., Petrovic, M., Cherubini, A., Onder, G., O'Mahony, D., Sternberg, S. A., ... & Gurwitz, J. H. (2021). Polypharmacy, inappropriate prescribing, and deprescribing in older people: through a sex and gender lens. *The Lancet Healthy Longevity*, *2*(5), e290-e300. https://doi.org/10.1016/S2666-7568(21)00054-4

Rufaidah, AL., 2015. Study of Drug Related Problems (DRPs) in Inpatient Treatment of Heart Failure Patients at Dr. RSUP. Soeradji Tirtonegoro Kalten, Thesis, MSc, Faculty of Pharmacy, Gadjah Mada University, Yogyakarta.

He, D., Zhu, H., Zhou, H., Dong, N., & Zhang, H. (2021). Potentially inappropriate medications in Chinese older adults: a comparison of two updated Beers criteria. *International journal of clinical pharmacy*, *43*(1), 229–235. https://doi.org/10.1007/s11096-020-01139-5

Oliveira, M. V. P., & Buarque, D. C. (2018). Polypharmacy and the use of Potentiallly Inappropriate Medications among aged in patients. *Geriatrics, Gerontology and Aging, 12(1)*, 38–44. https://doi.org/10.5327/z2447-211520181800001

UNIVERSITAS GADJAH MADA
ASSOCIATION BETWEEN POTENTIALLY INAPPROPRIATE MEDICATION (PIMs) DEFINED BY BEERS CRITERIA AND LENGTH OF STAY IN HOSPITALIZED GERIATRIC PATIENTS AT UGM ACADEMIC HOSPITAL YOGYAKARTA
Sundas Ejaz, Dr. apt. Fita Rahmawati, Sp.FRS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Mera, F., Mestre, D., Almeda, J., Ferrer, A., Formiga, F., & Rojas Farreras, S. (2011). Paciente anciano y medicación crónica inapropiada en la comunidad ¿somos conscientes de ello? Revista Espanola de Geriatria y Gerontologia, 46(3), 125–130. https://doi.org/10.1016/j.regg.2010.12.008

Patel, M. M., Mark, A. S., & Patel, V. J. (2020). Potentially Inappropriate Medications in Indian Geriatric Patients Visiting Out-patient Departments of Tertiary Care Teaching Hospital. Journal of Pharmacology and Pharmacotherapeutics, 11(2), 53–58. https://doi.org/10.4103/jpp.JPP_16_20

Salwe, K. J., Kalyansundaram, D., & Bahurupi, Y. (2016). A Study on Polypharmacy and Potential Drug-Drug Interactions among Elderly Patients Admitted in Department of Medicine of a Tertiary Care Hospital in Puducherry. Journal of clinical and diagnostic research : JCDR, 10(2), FC06–FC10. https://doi.org/10.7860/JCDR/2016/16284.7273