

DAFTAR PUSTAKA

- Abdussalam, M., Yuda, I.P., dan Juniarti, 2020, Aktivitas penghambat radikal DPPH dari ekstrak rimpang temu kunci (*Kaempferia pandurata*) sebagai antioksidan, *Jurnal Pendidikan Kimia FKIP UHO*, 5(1), 20-26.
- Aryal, B., Adhikari, B., Aryal, N., Bhattarai, B.R., Khadayat, K., and Parajuli, N., 2021, LC-HRMS profiling and antidiabetic, antioxidant, and antibacterial activities of *Acacia catechu* (P.f) Willd, *Biomed. Res. Int.*, 1(1), 1-16.
- Balouiri, M., Sadiki, M., and Ibnsouda, K., 2016, Methods for in vitro evaluating antimicrobial activity: a review, *J. Pharm. Anal.*, 6, 71-79.
- Chafidz, A., dan Lestari, A.Y.D, 2021, Pengenalan teknologi ekstraksi zat warna alam untuk pewarna alami batik di UKM batik tulis “kebon indah”, bayat, klaten, *Jurnal Komunitas : Jurnal Pengabdian kepada Masyarakat*, 3(2), 101-108.
- Chen, X., Zhao, X., Deng, Y., Bu, X., Ye, H., and Guo, N., 2019, Antimicrobial potential of myristic acid against *Listeria monocytogenes* in milk, *J. Antibiot.*, 72, 298-305.
- Cheng, Q., Li, F., Yan, X., He, J., Zhang, H., Wang, C., He, Y., and Li, Z., 2021, Phytochemical and pharmacological studies on the genus *Arcangelisia*: a mini review, *Arab. J. Chem.*, 14, 1-18.
- Das, A., Asatryan, L., Reddy, M.A., Wass, C.A., Stins, M.F., Joshi, S., Bonventre, J.V., and Kim, K.S., 2001, Differential role of cytosolic phospholipase A₂ in the invasion of brain microvascular endothelial cells by *Escherichia coli* and *Listeria monocytogenes*, *J. Infect. Dis.*, 184(6), 732-737.
- Diliarosta, S., Sudarmin, Efendi, A., Dillasamola, D., Oktomalioputri, B., and Ramadhani, R., 2021, Reconstruction and scientific explanation of akar kuning (*Arcangelisia flava* Merr.) from West Sumatra as ethnomedicine and source of science learning, *Pharmacogn. J.*, 13(1), 206-211.
- Frigerio, G., Moruzzii, C., Mercadante, R., Schymanski, E.L., and Fustoni, S., 2022, Development and application of an LC-MS/MS untargeted exposomics method with a separated pooled quality control strategy, *Molecules*, 27, 1-15.
- Gorlenko, C.L., Kiselev, H.Y., Budanova, E.V., Zamyatnin, A.A., and Ikryannikova, 2020, Plant secondary metabolites in the battle of drugs and drug-resistant bacteria: new heroes or worse clones of antibiotics?, *Antibiotics*, 9 (4), 1-19.

- Hajnos, M.W., Sherma, J., and Kowalska, T., 2008, *Thin Layer Chromatography in Phytochemistry*, CRC Press, Florida.
- Harborne, J.B., 1984, *Phytochemical Method: A Guide to Modern Technique of Plant Analysis*, Springer Netherlands, Heidelberg.
- Hasnaeni, Sudarsono, dan Nurrochmad, A., 2021, Identifikasi profil senyawa aktif ekstrak air kayu katola (*Arcangelisia flava* L.), *Jurnal Farmasetis*, 10(1), 69-76.
- Hesty, H., and Nugroho, A., 2015, Study of yellow root (*Arcangelisia flava* Merr) as a natural food additive with antimicrobial and aciditystabilizing effects in the production process of palm sugar, *Procedia. Environ. Sci.*, 23(2), 346-350.
- Hidayat, J., and Fatmahwaty, 2014, The art and sustainable aspects of natural dyeing in Kanawida hand drawn batik (green batik), *IPTEK, Journal of proceeding series*, 1, 136-143.
- Hidayati, N., Kurniawan, T., Kusumawardani, N.I., and Sari, R.P., 2018, Comparison of maceration and ultrasonication methods on *Indigofera tinctoria* Linn leaf extraction, *Jurnal Bahan Alam Terbarukan*, 7(1), 54-58.
- Jain, C., Khatana, S., and Vijayvergia, R., 2019, Bioactivity of secondary metabolites of various plants: a review, *Int. J. Pharm. Sci. Res.*, 10(2), 494-504.
- Jain, P.K., Soni, A., Jain, P., and Bhawsar, J., 2016, Phytochemical analysis of *Mentha spicata* plant extract using UV-VIS, FTIR, and GC/MS technique, *J. Chem. Pharm. Res.*, 8(2), 1-6.
- Jamal, Y., Praptiwi, Fathoni, A., dan agusta, A., 2012, Bioproduksi floroglusinol oleh jamur endofit *Coelomycetes* AFAS-F3 yang diisolasi dari tumbuhan *Arcangelisia flava* L. Merr., *Berkala Penelitian Hayati*, 16(2), 169-172.
- Jin, J.L., Hua, G.Q., Meng, Z., and Gao, P.J., 2011, Antibacterial mechanisms of berberine and reasons for little resistance of bacteria, *Chin. Herb. Med.*, 3(1), 27-35.
- Kong, W., Zhao, Y., Xiao, X., Jin, C., Liu, Y., and Li, Z., 2009, Comparison of antibacterial activity of four kinds of alkaloids in *Rhizoma coptidis* based on microcalorimetry, *Chin. J. Chem.*, 27(6), 1186-1190.
- Kunii, T., Kagei, K., Kawakami, Y., Nagai, Y., Nezu, Y., and Sato, T., 1985, Indonesian medicinal plants: new furanoditerpenes from *Arcangelisia flava* Merr. (I), *Chem. Pharm. Bull.*, 33(2), 479-487.

- Kusumah, D., Wakui, M., Murakami, M., Xie, X., Yukihiro, K., and Maeda, I., 2020, Linoleic acid, α -linoleic acid, and monolinolenins as antibacterial substances in the heat-processed soybean fermented with *Rhizopus oligosporus*, *Microbiol. Ferment. Technol.*, 84(6), 1285-1290.
- Lech, K., Nawala, J., and Popiel, S., 2021, Mass spectrometry for investigation of natural dyes in historical textiles: unveiling the mystery behind safflower-dyed fibers, *J. Am. Soc. Mass Spectrom.*, 32, 2552-2556.
- Levita, J., Patala, R., Kolina, J., Milanda, T., Mutakin, M., Puspitasari, I.M., Saptarini, N.M., and Sumiwi, S.A., 2018, Pharmacophore modeling and molecular docking of phytoconstituents in *Morus sp.* and *Arcangelisia flava* against nitric oxide synthase for antiinflammatory discovery, *J. Appl. Pharm. Sci.*, 8(12), 53-59.
- Makarov, A., and Scigelova, M., 2010, Coupling liquid chromatography to orbitrap mass spectrometry, *J. Chromatogr. A*, 1217, 3938-3945.
- Mangurana, W.O.I., Yusnaini, dan Sahidin, 2019, Analisis LC-MS/MS (liquid chromatography mass spectrometry) dan metabolit sekunder serta potensi antibakteri ekstrak n-heksana spons *Callyspongia aerizusa* yang diambil pada kondisi tutupan terumbu karang yang berbeda di perairan teluk staring, *Jurnal Biologi Tropis*, 19(2), 131-141.
- Manosalva, L., Mutis, A., Urzua, A.M., and Fajardo, V., 2016, Antibacterial activity of alkaloid fractions from *Berberis microphylla* g. frost and study of synergism with ampicillin and cephalothin, *Molecules*, 21(1), 1-10.
- Maryani, Marsoedi, Nursyam, H., and Maftuch, 2013, The phytochemistry and the anti-bacterial activity of yellow root (*Arcangelisia flava* Merr.) against *Aeromonas hydrophila*, *J. Biol. Life Sci.*, 4(2), 180-190.
- Mudgil, P., Antunes, K.S., and Whitehall, J., 2014, Oleic acid as an antibacterial for treating eye infections, *Investig. Ophthalmol. Vis. Sci.*, 55(13), 1477-1487.
- Nababan, H., Simanjuntak, H.A., dan Gurning, K., 2020, Uji aktivitas antibakteri ekstrak etanol herba tumbuhan balsem (*Polygala paniculata* L.) terhadap bakteri *Staphylococcus aureus* dan *Escherichia coli*, *Jurnal Biologica Samudra*, 2(1), 60-65.
- Naz, S., Ayala, H.G., Reinke, S.N., Mathon, C., Blankley, R., Chaleckis, R., and Wheelock, C.E., 2017, Development of an LC-HRMS metabolomics method with high specificity for metabolite identification using all ion fragmentation (AIF) acquisition, *Anal. Chem.*, 89(15), 1-10.

- Niwat, K., Sukanya, D.A., and Supreya, Y., 2005, Antioxidant and cytotoxic activities of Thai medicinal plants named khaminkhruea: *Arcangelisia flava*, *Coscinium blumeianum* and *Fibraurea tinctoria*, *Songklanakar J. Sci. Technol.*, 27(2), 455-467.
- Nurhasanah, dan Gultom, E.S., 2020, Uji aktivitas antibakteri ekstrak metanol daun kirinyuh (*Chromolaena odorata*) terhadap bakteri MDR (multi drug resistant) dengan metode KLT bioautografi, *Jurnal Biosains*, 6(2), 45-52.
- Othman, L., Sleiman, A., and Abdel-Massih, R.M., 2019, Antimicrobial activity of polyphenols and alkaloids in middle eastern plants, *Front. Microbiol.*, 10 (911), 128-138.
- Pujilestari, T., 2015, Review: sumber dan pemanfaatan zat warna alam untuk keperluan industri, *Dinamika Kerajinan dan Batik*, 32(2), 93-106.
- Rochat, B., 2018, Quantitative and qualitative LC-high resolution MS: the technological and biological reasons for a shift of paradigm, *Recent Adv. Anal. Chem.*, 1(1), 1-18.
- Roche, E.L., Daniele, G., Fildier, A., Turies, C., Geffard, O.D., Porcher, J.M., Geffard, A., and Vulliet, E., 2021, An optimized LC-HRMS untargeted metabolomics workflow for multi-matrices investigations in the three-spined stickleback, *PLoS ONE*, 16(11), 1-22.
- Schuster, C., Paal, M., Lidner, J., Zoller, M., Liebchen, U., Scharf, C., and Vogeser, M., 2019, Isotope dilution LC-orbitrap-HRMS with automated sample preparation for the simultaneous quantification of 11 antimycotics in human serum, *J. Pharm. Biomed. Anal.*, 166, 398-405.
- Shao, J., He, Y., Li, F., Zhang, H., Chen, A., Luo, S., and Gu, J.D., 2016, Growth inhibition and possible mechanism of oleamide against the toxin-producing cyanobacterium *Microtytis aeruginosa* NIES-843, *J. Ecotoxicol.*, 25(1), 225-233.
- Soonthornchareonmon N., Wiwa, C., and Chuakul, W., 2012, Biological activities of medicinal plants from mangrove and beach forests, *Mahidol Univ. J. Pharm. Sci.*, 39(1), 9-18.
- Sriwilaijareon, N., Petmitr, S., Mutirangura, A., Ponglikitmongkol, M., and Wilairat, P., 2002, Stage specificity of *Plasmodium falciparum* telomerase and its inhibition by berberine, *Parasitol. Int.*, 51(1), 99– 103.
- Subeki, Matsuura, H., Takahashi, K., Yamasaki, M., Yamato, O., Maede, Y., Katakura, K., Suzuki, M., Trimurningsih, Chairul, and Yoshihara, T., 2005, Antibabesial activity of protoberberine alkaloids and 20-

hydroxyecdysone from *Arcangelisia flava* against *Babesia gibsoni* in culture, *J. Vet. Med. Sci.*, 67(2), 223-227.

Sudarmadji, S., Haryono, B., dan Suhardi, 2007, *Analisis untuk Bahan Makanan dan Pertanian*, Liberty, Yogyakarta.

Sukeksi, L., Haloho, P.M., dan Sirait, M., 2017, Maserasi alkali dari batang pisang (*Musa paradisiaca*) menggunakan pelarut akuades, *Jurnal Teknik Kimia USU*, 6 (4), 22-28.

Sulistiarini, R., Soemardji, A.A., Elfahmi, and Iwo, M.I., 2020, Pharmacological activities of three kinds “kayu kuning”: *Arcangelisia flava*, *Fibraurea tinctoria* and *Coscinium fenestratum*, *J. Trop. Chem.*, 5(2), 150-156.

Suzuki, T., Kiyotani, T., Maeda, M., Katayama, T., TomitaYokotani, K., Syafii, W., and Muladi, S., 2011, Furanoditerpenes from *Arcangelisia flava* (L.) M. and their antifungal activity, *Phytochem. Lett.*, 4(3), 333-336.

Tiwari, P., Kumar, B., Kaur, M., Kaur, G., and Kaur, H., 2011, Phytochemical screening and extraction: a review, *Int. Pharm. Sci.*, 1, 98-106.

Trixie, A.A., 2020, Filosofi motif batik sebagai identitas bangsa Indonesia, *Folio*, 1(1), 1-9.

Verpoorte, R., Siwon, J., Essen, G.F.A.V., Tieken, M., and Svendsen, A. B., 1982, Studies on Indonesian medicinal plants: alkaloids of *Arcangelisia flava*, *J. Nat. Prod.*, 45(5), 229-238.

Wahyudi, L.D., Ratnadewi, A., and Siswoyo, T.A., 2016, Potential antioxidant and antidiabetic activities of Kayu Kuning (*Arcangelisia flava*), *Agric. Sci. Procedia.*, 9, 396-402.

Widi, R.K., dan Indrianti, T., 2007, Penjaringan dan identifikasi senyawa alkaloid dalam batang kayu kuning (*Arcangelisia Flava* Merr), *Jurnal Ilmu Dasar*, 8(1), 24-29.

Widiawati, D., 2018, The utilization of batik pattern and natural dyes as valuation of the local value in batik society, *Jurnal Sosioteknologi*, 17(2), 208-219.

Wu, A.H.B., Gerona, R., Armenian, P., French, D., Petrie, M., and Lynch, K.L., 2012, Role of liquid chromatography-high-resolution mass spectrometry (LC-HR/MS) in clinical toxicology, *Clin. Toxicol.*, 59, 733-742.

Wulansari, Dewi, Jamal, Yuliasri, Praptiwi, Agusta, and Andria, 2014, Pachybasin, a major metabolite from culture broth of *Endophytic Coelomyceteous* AFKR-18 fungus isolated from a yellow moon sheed plant, *Arcangelisia flava* (L.) Merr, *Hayati. J. Biosci.*, 21(2), 95-100.

Zhang, X., and Laursen, R., 2009, Application of LC-MS to the analysis of dyes in objects of historical interest, *Int. J. Mass Spectrom.*, 284, 108-114.