

## BIBLIOGRAPHY

- Abenayake, C., Wijayawardana, N., & Malka, P. (2021). Low Impact Development (LID) Solutions for Flood-Resilient Urbanization. *Journal of the Institute of Town Planners Sri Lanka (ITPSL)*, 15-28.
- Asian Development Bank. (2016). *Indonesia: Country Water Assessment*. Mandaluyong: Asian Development Bank.
- Badan Standardisasi Nasional (BSN). (2016). *Standar Nasional Indonesia (SNI) 2415:2016 Tata Cara Perhitungan Debit Banjir Rencana*. Jakarta: Badan Standardisasi Nasional.
- Bai, Y., Zhao, N., Zhang, R., & Zeng, a. X. (2018). Storm Water Management of Low Impact Development in Urban Areas Based on SWMM. *Water*, 11(1):33. doi:<https://doi.org/10.3390/w11010033>
- Baines, C. (2012). Introduction. In Baines, *Sustainable Drainage Systems: Maximising the potential for people and wildlife* (pp. 1-2). UK: The Wildfowl & Wetlands Trust and the Royal Society for the Protection of Birds.
- Balai Bendungan. (2019). *Bimbingan Teknis Perhitungan Debit Banjir pada Keterbatasan Data Curah Hujan: Penjelasan Umum Aplikasi HEC-HMS*. Palembang: Balai Bendungan.
- Banten Governor. (2019). *Peraturan Daerah Provinsi Banten No. 10 Tahun 2019 tentang Rencana Pembangunan Jangka Menengah Daerah Provinsi Banten Tahun 2017-2022*. Banten: Banten Governor.
- Benedict, M. A., & McMahon, E. T. (2006). *Green Infrastructure: Linking Landscapes and Communities*. Washington, D.C.: Island Press.
- Center for Hydrometeorology and Remote Sensing (CHRS). (2020). *Precipitation Estimation from Remotely Sensed Information Using Artificial Neural Networks (PERSIANN)*. From Precipitation Estimation from Remotely Sensed Information Using Artificial Neural Networks (PERSIANN) Data Portal: <https://chrdata.eng.uci.edu/>
- Chow, B. C. (1983). *Local design storms, Vol III. Rep. H 38 No. FHWA-RD-82/065*. Washington, D.C.: US Department of Transportation, Federal Highway Administration.
- Chow, V. T. (1988). *Applied Hydrology*. New York: McGraw-Hill Book Company.
- Debusk, K. M., & Wynn, T. M. (2011). Stormwater bioretention for runoff quality and quantity mitigation. *J. Environ. Eng.* 137, 800-808.
- Deraman, W. H., Mutalib, N. J., & Mukhtar, N. Z. (2017). Determination of return period for flood frequency analysis using normal and related distributions. *Journal of Physics: Conf. Ser.* 890 012162. doi:<https://doi.org/10.1088/1742-6596/890/1/012162>
- He, Y., Manful, D., Warren, R., Forstehäusler, N., Osborn, T. J., Price, J., . . . Yamazaki, D. (2022). Quantification of impacts between 1.5 and 4 °C of global warming on flooding risks in six countries. *Climatic Change*, 170:15. doi:<https://doi.org/10.1007/s10584-021-03289-5>

- Jakarta Province Public Works Service. (2009). *Review Pengendalian Banjir dan Drainase*. Jakarta: Jakarta Province Public Works Service.
- Japan Aerospace Exploration Agency (JAXA). (2022, July 10). *Jaxa Global Rainfall Watch*. From Global Satellite Mapping of Precipitation: <https://sharaku.eorc.jaxa.jp/GSMaP/>
- Luan, Q., Fu, X., Song, C., Wang, H., Liu, J., & Wang, Y. (2017). Runoff Effect Evaluation of LID through SWMM in Typical Mountainous, Low-Lying Urban Areas: A Case Study in China. *Water*, 9(6):439. doi:<https://doi.org/10.3390/w9060439>
- Michael R. Bloomberg, M. C. (2012). *Guidelines for the Design and Construction of Stormwater Management Systems*. New York: New York City Department of Environmental Protection.
- Minister of Public Works and Housing . (2016). *Ministry of Public Works and Housing Regulation PUPR 28/PRT/M/2016*. Jakarta: Minister of Public Works and Housing .
- Ministry of Public Works and Public Housing of Republic of Indonesia. (2016). *Peraturan Menteri Pekerjaan Umum dan Perumahan Rakyat Republik Indonesia No. 28/PRT/M/2016: Pedoman Analisis Harga Satuan Pekerjaan Bidang Pekerjaan Umum*. Jakarta: Ministry of Public Works and Public Housing of Republic of Indonesia.
- Pazwash, H. (2012). *Urban Stormwater Management*. London: CRC Press.
- Priambodo, S., Suhardjono, Montarcih, L., & Suhartanto, E. (2019). Hourly rainfall distribution patterns in Java Island. *MATEC Web of Conferences*, 8. doi:<https://doi.org/10.1051/mateconf/201927604012>
- Public Utilities Board. (2018). *Active, Beautiful, Clean Waters (ABC Waters) Design Guideline 4th edition*. Singapore: Public Utilities Board (OUB).
- Rossmann, L. A. (2014). *Stormwater Management Model User's Manual Version 5.1*. Washington, D.C.: USEPA.
- Rossmann, L. A., & Simon, M. A. (2022). *Storm Water Management Model User's Manual Version 5.2*. Washington, D.C.: United States Environmental Protection Agency.
- Royal HaskoningDHV. (2020). *Stage 1 Master Plan: Infrastructure Master Planning for ±400 hectares of land at Serang District, Banten*. Jakarta: Royal HaskoningDHV.
- Royal HaskoningDHV. (2022). *Draft Infrastructure Master Plan*. Jakarta: Royal HaskoningDHV.
- Schaefer, C. (2014). *Bishan-Ang Mo Kio Park: from concrete canal to natural wonderland*. Cambridge: The MIT Press.
- Schall, J. D., Thompson, P. L., Zerges, S. M., Kilgore, R. T., & Morris, a. J. (2012). *Hydraulic Design of Highway Culverts Third Edition (Publication No. FHWA-HIF-12-026)*. Colorado: Federal Highway Administration. From <https://www.fhwa.dot.gov/engineering/hydraulics/pubs/12026/hif12026.pdf>
- Townland. (2022). *Conceptual master planning including infrastructure master planning for ±400 ha of land at Serang District, Banten: Stage 5 final conceptual master plan*. Jakarta: Townland.

United State Environmental Protection Agency (EPA). (2000). *Low Impact Development (LID) Literature Review*. Washington, D.C.: United States Environmental Protection Agency.

United States Environmental Protection Agency (EPA). (2013). *Costs of Low Impact Development: LID Saves Money and Protects Your Community's Resources*. Washington, D.C.: United States Environmental Protection Agency.