

DAFTAR PUSTAKA

- Anandito, R.B.K., Siswanti and Kusumo, D.T. (2016) 'Kajian Karakteristik Sensoris dan Kimia Bubur Instan Berbasis Tepung Millet Putih (*Panicum miliceum* L.) dan Tepung Kacang Merah (*Phaseolus vulgaris* L.)', *Jurnal Teknologi Hasil Pertanian*, IX(1).
- Armesto, J. *et al.* (2020) 'Nutritional characterization of Butternut squash (*Cucurbita moschata* D.): Effect of variety (Ariel vs. Pluto) and farming type (conventional vs. organic)', *Food Research International*, 132, p. 109052. Available at: <https://doi.org/10.1016/j.foodres.2020.109052>.
- Artha, I.M.J.R. *et al.* (2019) 'High level of individual lipid profile and lipid ratio as a predictive marker of poor glycemic control in type-2 diabetes mellitus', *Vascular Health and Risk Management*, 15, pp. 149–157. Available at: <https://doi.org/10.2147/VHRM.S209830>.
- Ascheri, D.P.R. *et al.* (2012) 'Correlation between grain nutritional content and pasting properties of pre-gelatinized red rice flour', *Revista Ceres*, 59, pp. 16–24. Available at: <https://doi.org/10.1590/S0034-737X2012000100003>.
- Atkinson, F.S., Foster-Powell, K. and Brand-Miller, J.C. (2008) 'International Tables of Glycemic Index and Glycemic Load Values: 2008', *Diabetes Care*, 31(12), pp. 2281–2283. Available at: <https://doi.org/10.2337/dc08-1239>.
- Augustin, L.S.A. *et al.* (2015) 'Glycemic index, glycemic load and glycemic response: An International Scientific Consensus Summit from the International Carbohydrate Quality Consortium (ICQC)', *Nutrition, Metabolism and Cardiovascular Diseases*, 25(9), pp. 795–815. Available at: <https://doi.org/10.1016/j.numecd.2015.05.005>.
- Avianty, S. and Ayustaningwarno, F. (2014) 'Indeks Glikemik Snack Bar Ubi Jalar Kedelai Hitam sebagai Alternatif Makanan Selingan Penderita Diabetes Melitus Tipe 2', *Jurnal Aplikasi Teknologi Pangan*, 3(3).
- Badan Pusat Statistik (2021) *Hasil Sensus Penduduk 2020*. No. 08/01/34/Th. XXIII.
- Bell, K.J. *et al.* (2014) 'Efficacy of carbohydrate counting in type 1 diabetes: a systematic review and meta-analysis', *The Lancet Diabetes & Endocrinology*, 2(2), pp. 133–140. Available at: [https://doi.org/10.1016/S2213-8587\(13\)70144-X](https://doi.org/10.1016/S2213-8587(13)70144-X).
- Bhavadharini, B. *et al.* (2016) 'Use of capillary blood glucose for screening for gestational diabetes mellitus in resource-constrained settings', *Acta Diabetologica*, 53(1), pp. 91–97. Available at: <https://doi.org/10.1007/s00592-015-0761-9>.
- BPOM (2016) 'Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor 13 Tahun 2016 tentang Pengawasan Klaim pada Label dan Iklan Pangan Olahan'.
- Brand-Miller, J. *et al.* (2009) 'Glycemic index, postprandial glycemia, and the shape of the curve in healthy subjects: analysis of a database of more than 1,000 foods', *The American journal of clinical nutrition*, 89(1). Available at: <https://doi.org/10.3945/ajcn.2008.26354>.
- Brouns, F. *et al.* (2005) 'Glycaemic index methodology', *Nutrition Research Reviews*, 18(1), pp. 145–171. Available at: <https://doi.org/10.1079/NRR2005100>.
- Buttelli, A.C.K. *et al.* (2021) 'Pilates training improves aerobic capacity, but not lipid or lipoprotein levels in elderly women with dyslipidemia: A controlled trial',

- Journal of Bodywork and Movement Therapies*, 26, pp. 227–232. Available at: <https://doi.org/10.1016/j.jbmt.2020.10.007>.
- Canti, M., Fransiska, I. and Lestari, D. (2020) 'Karakteristik Mi Kering Substitusi Tepung Terigu dengan Tepung Labu Kuning dan Tepung Ikan Tuna', *Jurnal Aplikasi Teknologi Pangan*, 9(4).
- Capriles, V.D. and Arêas, J.A.G. (2013) 'Effects of prebiotic inulin-type fructans on structure, quality, sensory acceptance and glycemic response of gluten-free breads', *Food & Function*, 4(1), pp. 104–110. Available at: <https://doi.org/10.1039/c2fo10283h>.
- Chia, C.W., Egan, J.M. and Ferrucci, L. (2018) 'Age-Related Changes in Glucose Metabolism, Hyperglycemia, and Cardiovascular Risk', *Circulation Research*, 123(7), pp. 886–904. Available at: <https://doi.org/10.1161/CIRCRESAHA.118.312806>.
- Danuyanti, I.G.A.N. and Fahrurrozi, Z.S.A. (2022) *Dietary Fiber and Dyslipidemia, Dietary Fibers*. IntechOpen. Available at: <https://doi.org/10.5772/intechopen.98838>.
- Diyah, N.W. *et al.* (2016) 'Evaluasi Kandungan Glukosa dan Indeks Glikemik Beberapa Sumber Karbohidrat dalam Upaya Penggalan Pangan Ber-Indeks Glikemik Rendah', *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, 3(2).
- Elvizahro, L. (2011) 'Kontribusi MP-ASI Bubur Bayi Instan dengan Substitusi Tepung Ikan Patin dan Tepung Labu Kuning terhadap Kecukupan Protein dan Vitamin A pada Bayi', *Diponegoro Univ Institutional Repos* [Preprint].
- Enneb, S. *et al.* (2020) 'Phytochemical profiles and nutritional composition of squash (*Cucurbita moschata* D.) from Tunisia', *South African Journal of Botany*, 130, pp. 165–171. Available at: <https://doi.org/10.1016/j.sajb.2019.12.011>.
- FAO (1988) 'Carbohydrates in human nutrition. Report of a Joint FAO/WHO Expert Consultation.', in *FAO Food and Nutrition Paper*, pp. 1–140. Available at: <http://www.nzdl.org/cgi-bin/library?e=d-00000-00---off-0aginfo--00-0---0-10-0---0---0direct-10---4-----0-1l--11-en-50---20-about---00-0-1-00-0--4---0-0-11-10-0utfZz-8-00&cl=CL2.7&d=HASH01a1168adecc9d51409a2edf.1>=2> (Accessed: 18 June 2022).
- Fernández-Barrés, S. *et al.* (2016) 'Dietary intake in the dependent elderly: evaluation of the risk of nutritional deficit', *Journal of Human Nutrition and Dietetics*, 29(2), pp. 174–184. Available at: <https://doi.org/10.1111/jhn.12310>.
- Firdaus, M. (2018) 'Profil Perikanan Tuna dan Cakalang di Indonesia', *Buletin Ilmiah "MARINA" Sosial Ekonomi Kelautan dan Perikanan*, 4(1), pp. 23–32.
- Flavel, M., Jois, M. and Kitchen, B. (2021) 'Potential contributions of the methodology to the variability of glycaemic index of foods', *World Journal of Diabetes*, 12(2), pp. 108–123. Available at: <https://doi.org/10.4239/wjd.v12.i2.108>.
- Fokkert, M.J. *et al.* (2017) 'Performance of the FreeStyle Libre Flash glucose monitoring system in patients with type 1 and 2 diabetes mellitus', *BMJ Open Diabetes Research & Care*, 5(1), p. e000320. Available at: <https://doi.org/10.1136/bmjdr-2016-000320>.
- Fuseini, A.-M. *et al.* (2018) 'The Association Between Dietary Glycemic Index and Glycemic Load and a Body Shape and Fat Distribution Among Apparently

- Healthy Iranian Adults', *Journal of the American College of Nutrition*, 37(5), pp. 415–422. Available at: <https://doi.org/10.1080/07315724.2017.1416312>.
- García, A.A. et al. (2015) 'Home-based diabetes symptom self-management education for Mexican Americans with type 2 diabetes', *Health Education Research*, 30(3), pp. 484–496. Available at: <https://doi.org/10.1093/her/cyv018>.
- Gerald, B. (2018) 'A Brief Review of Independent, Dependent and One Sample t-test', *International Journal of Applied Mathematics and Theoretical Physics*, 4(2), p. 50. Available at: <https://doi.org/10.11648/j.ijamtp.20180402.13>.
- Ghasemzadeh, A. et al. (2018) 'Phytochemical constituents, antioxidant activity, and antiproliferative properties of black, red, and brown rice bran', *Chemistry Central Journal*, 12(1), p. 17. Available at: <https://doi.org/10.1186/s13065-018-0382-9>.
- Goeltom, V.A.H. et al. (2021) 'Upaya Peningkatan Konsumsi asam Lemak Omega-3 (Studi Kasus pada Peserta Didik SMKN 7 Tangerang Selatan)', *Jurnal Indonesia Sosial Teknologi*, 2(2).
- Gómez-Huelgas, R. et al. (2018) 'Treatment of type 2 diabetes mellitus in elderly patients', *Revista Clínica Española (English Edition)*, 218(2), pp. 74–88. Available at: <https://doi.org/10.1016/j.rceng.2017.12.004>.
- Gomina, M. et al. (2021) 'Glycemic Index and Glycemic Load of Four Local Fruits of Benin Among Apparently Healthy Young Adult Subjects', *Avicenna Journal of Medical Biochemistry*, 9(1), pp. 1–7. Available at: <https://doi.org/10.34172/ajmb.2021.01>.
- Guo, W. et al. (2020) 'Diabetes is a risk factor for the progression and prognosis of COVID-19', *Diabetes/Metabolism Research and Reviews*, 36(7), p. e3319. Available at: <https://doi.org/10.1002/dmrr.3319>.
- Herawati, B.R.A., Suhartatik, N. and Widanti, Y.A. (2018) 'Cookies Tepung Beras Merah (*Oryza nivara*) - MOCAF (Modified Cassava Flour) dengan Penambahan Bubuk Kayu Manis (*Cinnamomum burmanni*)', *Jurnal Teknologi dan Industri Pangan*, 3(1), pp. 33–40.
- Hestiyawati, A., Wahyuningsih and Fathonah, S. (2021) 'The addition of moringa leaf powder into instant porridge as an effort to improve organoleptic quality and nutritional content for the elderly', *IOP Conference Series: Earth and Environmental Science*, 700(1), p. 012068. Available at: <https://doi.org/10.1088/1755-1315/700/1/012068>.
- Hosseinpour-Niazi, S. et al. (2013) 'Dietary glycemic index, glycemic load, and cardiovascular disease risk factors: Tehran Lipid and Glucose Study', *Archives of Iranian Medicine*, 16(7), pp. 401–407. Available at: <https://doi.org/10.13167/AIM.008>.
- Inayah, I., Metty, M. and Aprilia, Y. (2021) 'Indeks glikemik dan beban glikemik nasi jagung instan dengan penambahan tepung tempe sebagai alternatif makanan pokok pasien diabetes mellitus', *Ilmu Gizi Indonesia*, 4(2), pp. 179–188.
- Istiqomah, A. and Rustanti, N. (2015) 'Indeks Glikemik, Beban Glikemik, Kadar Protein, Serat, dan Tingkat Kesukaan Kue Kering Tepung Garut dengan Substitusi Tepung Kacang Merah', *Journal of Nutrition College*, 4(4), pp. 620–627. Available at: <https://doi.org/10.14710/jnc.v4i4.10171>.
- Julibert, A. et al. (2019) 'Total and Subtypes of Dietary Fat Intake and Its Association with Components of the Metabolic Syndrome in a Mediterranean

- Population at High Cardiovascular Risk', *Nutrients*, 11(7), p. 1493. Available at: <https://doi.org/10.3390/nu11071493>.
- Junita, D. *et al.* (2017) 'Komponen gizi, aktivitas antioksidan dan karakteristik sensori bubuk fungsional labu kuning (*Cucurbita moschata*) dan tempe', *J. Gizi Pangan*, 12(2), pp. 109–116.
- Kemendes RI (2014a) *Pedoman Gizi Seimbang*.
- Kemendes RI (2014b) *Situasi dan Analisis Lanjut Usia*. Jakarta Selatan: Pusat Data dan Informasi.
- Kemendes RI (2018) *Tabel Komposisi Pangan Indonesia 2017*. Jakarta: Direktorat Jenderal Kesehatan Masyarakat.
- Kementerian Kesehatan RI (2018) 'Hasil Utama RISKESDAS 2018', in.
- Kramer, C.S. *et al.* (2019) 'The Elderly-Nutrient Rich Food Score Is Associated With Biochemical Markers of Nutritional Status in European Older Adults', *Frontiers in Nutrition*, 6. Available at: <https://www.frontiersin.org/article/10.3389/fnut.2019.00150> (Accessed: 27 January 2022).
- Lal, M.K. *et al.* (2021) 'Glycemic index of starchy crops and factors affecting its digestibility: A review', *Trends in Food Science & Technology*, 111, pp. 741–755. Available at: <https://doi.org/10.1016/j.tifs.2021.02.067>.
- Lambadiari, V., Korakas, E. and Tsimihodimos, V. (2020) 'The Impact of Dietary Glycemic Index and Glycemic Load on Postprandial Lipid Kinetics, Dyslipidemia and Cardiovascular Risk', *Nutrients*, 12(8), p. 2204. Available at: <https://doi.org/10.3390/nu12082204>.
- Lee, H. *et al.* (2021) 'Development of a Prediction Model to Estimate the Glycemic Load of Ready-to-Eat Meals', *Foods*, 10(11), p. 2626. Available at: <https://doi.org/10.3390/foods10112626>.
- Liu, H.-H. and Li, J.-J. (2015) 'Aging and dyslipidemia: A review of potential mechanisms', *Ageing Research Reviews*, 19, pp. 43–52. Available at: <https://doi.org/10.1016/j.arr.2014.12.001>.
- Matthan, N.R. *et al.* (2016) 'Estimating the reliability of glycemic index values and potential sources of methodological and biological variability', *The American Journal of Clinical Nutrition*, 104(4), pp. 1004–1013. Available at: <https://doi.org/10.3945/ajcn.116.137208>.
- Mauvais-Jarvis, F. (2018) 'Gender differences in glucose homeostasis and diabetes', *Physiology & Behavior*, 187, pp. 20–23. Available at: <https://doi.org/10.1016/j.physbeh.2017.08.016>.
- Mawaddah *et al.* (2018) 'Karakterisasi Sifat Agronomi Tanaman Padi Beras Merah Dihaploid Berpotensi Hasil Tinggi Diperoleh melalui Kultur Antera', *J. Agron. Indonesia*, 46(2), pp. 126–132.
- Mohamed, R.S. *et al.* (2020) 'Efficiency of newly formulated functional instant soup mixtures as dietary supplements for elderly', *Heliyon*, 6(1), p. e03197. Available at: <https://doi.org/10.1016/j.heliyon.2020.e03197>.
- Nagwekar, N., Tidke, V. and Thorat, B.N. (2017) 'Microbial and biochemical analysis of dried fish and comparative study using different drying methods', *Drying Technology*, 35(12), pp. 1481–1491. Available at: <https://doi.org/10.1080/07373937.2016.1256889>.
- Niu, Y. *et al.* (2013) 'Phytochemical compositions, and antioxidant and anti-inflammatory properties of twenty-two red rice samples grown in Zhejiang', *LWT - Food Science and Technology*, 54(2), pp. 521–527. Available at: <https://doi.org/10.1016/j.lwt.2013.06.018>.

- Nurdyansah, F. *et al.* (2019) 'Nilai Indeks Glikemik dan Beban Glikemik Produk Olahan Suweg (*Amorphophalus campanulatus* Bl)', *Jurnal Teknologi Pangan*, 13(1), pp. 76–85.
- Okamoto, N. *et al.* (2015) 'Association of Tooth Loss With Development of Swallowing Problems in Community-Dwelling Independent Elderly Population: The Fujiwara-kyo Study', *The Journals of Gerontology: Series A*, 70(12), pp. 1548–1554. Available at: <https://doi.org/10.1093/gerona/glv116>.
- Osman, N.M.H., Mohd-Yusof, B.-N. and Ismail, A. (2017) 'Estimating Glycemic Index of Rice-Based Mixed Meals by Using Predicted and Adjusted Formulae', *Rice Science*, 24(5), pp. 274–282. Available at: <https://doi.org/10.1016/j.rsci.2017.06.001>.
- Palijama, S., Breemer, R. and Topurmera, M. (2020) 'Karakteristik Kimia dan Fisik Bubur Instan Berbahan Dasar Tepung Jagung Pulut dan Tepung Kacang Merah', *AGRITEKNO: Jurnal Teknologi Pertanian*, 9(1), pp. 20–27.
- Papakonstantinou, E. *et al.* (2022) 'Effects of Spaghetti Differing in Soluble Fiber and Protein Content on Glycemic Responses in Humans: A Randomized Clinical Trial in Healthy Subjects', *International Journal of Environmental Research and Public Health*, 19(5), p. 3001. Available at: <https://doi.org/10.3390/ijerph19053001>.
- Peng, S. *et al.* (2013) 'Amino Acid and Fatty Acid Composition of the Muscle Tissue of Yellowfin Tuna (*Thunnus Albacares*) and Bigeye Tuna (*Thunnus Obesus*)', *Journal of Food and Nutrition Research*, 1(4), pp. 42–45.
- PERKENI (2019a) 'Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2019', in.
- PERKENI (2019b) *Pedoman Pengelolaan Dislipidemia di Indonesia*. PB Perkeni.
- Prabasini, H., Ishartani, D. and Dimas, R. (2013) 'Kajian Sifat Kimia dan Fisik Tepung Labu Kuning (*Cucurbita moschata*) dengan Perlakuan Blanching dan Perendaman dalam Natrium Metabisulfit ($\text{Na}_2\text{S}_2\text{O}_5$)', *Jurnal Teknosains Pangan*, 2(2), pp. 93–102.
- Prasanth, B.D.R. (2018) 'Glycemic index of four traditional red pigmented rice', *Integrative Food, Nutrition and Metabolism*, 5(5). Available at: <https://doi.org/10.15761/IFNM.1000230>.
- Puspita, W., Sulaeman, A. and Damayanthi, E. (2019) 'Snack Bar Berbahan Pati Sagu (*Metroxylon sp.*), Tempe, dan Beras Hitam sebagai Pangan Fungsional Berindeks Glikemik Rendah', *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 8(1), pp. 11–23.
- Reyes-Pérez, F. *et al.* (2013) 'Estimated Glycemic Index and Dietary Fiber Content of Cookies Elaborated with Extruded Wheat Bran', *Plant Foods for Human Nutrition*, 68(1), pp. 52–56. Available at: <https://doi.org/10.1007/s11130-013-0338-0>.
- Rimbawan, R. and Nurbayani, R. (2014) 'NILAI INDEKS GLIKEMIK PRODUK OLAHAN GEMBILI (*Dioscorea esculenta*)', *Jurnal Gizi dan Pangan*, 8(2), p. 145. Available at: <https://doi.org/10.25182/jgp.2013.8.2.145-150>.
- Santos, N.C. *et al.* (2020) 'Red rice (*Oryza sativa* L.) use in flour production: Convective drying and bioactive quality', *Journal of Food Process Engineering* [Preprint]. Available at: <https://doi.org/10.1111/jfpe.13490>.
- Senadheera, S. and Ekanayake, S. (2013) 'Development of a marketable rice based herbal porridge suitable for diabetics from *Scoparia dulcis*', *Agricultural Sciences*, 04(09), pp. 81–84. Available at: <https://doi.org/10.4236/as.2013.49B014>.

- Shishehbor, F. *et al.* (2020) 'Effect of Oak Flour on Glycemic Index and Satiety Index of White Bread', *Iranian Red Crescent Medical Journal*, 22(1). Available at: <https://doi.org/10.5812/ircmj.95552>.
- Siri-Tarino, P.W. *et al.* (2015) 'Saturated Fats Versus Polyunsaturated Fats Versus Carbohydrates for Cardiovascular Disease Prevention and Treatment', *Annual review of nutrition*, 35, pp. 517–543. Available at: <https://doi.org/10.1146/annurev-nutr-071714-034449>.
- Sivakamasundari, S.K. *et al.* (2022) 'Impact of processing techniques on the glycemic index of rice', *Critical Reviews in Food Science and Nutrition*, 62(12), pp. 3323–3344. Available at: <https://doi.org/10.1080/10408398.2020.1865259>.
- Somaratne, G.M. *et al.* (2017) 'Effect of polishing on glycemic index and antioxidant properties of red and white basmati rice', *Food Chemistry*, 237, pp. 716–723. Available at: <https://doi.org/10.1016/j.foodchem.2017.06.002>.
- Stewart, M. *et al.* (2018) 'Type-4 Resistant Starch in Substitution for Available Carbohydrate Reduces Postprandial Glycemic Response and Hunger in Acute, Randomized, Double-Blind, Controlled Study', *Nutrients*, 10(2), p. 129. Available at: <https://doi.org/10.3390/nu10020129>.
- Suleman, S. and Pakaya, R. (2019) 'Deteksi Boraks pada Daging Ikan Tuna Menggunakan Metode K-Means berdasarkan Fitur Warna', in *Seminar Nasional Humaniora & Aplikasi Teknologi Informasi*.
- Sun, L. *et al.* (2014) 'Effect of chicken, fat and vegetable on glycaemia and insulinaemia to a white rice-based meal in healthy adults', *European Journal of Nutrition*, 53(8), pp. 1719–1726. Available at: <https://doi.org/10.1007/s00394-014-0678-z>.
- Suryani, N., Yasmin, F. and Jumadianor, D. (2014) 'Pengaruh Proporsi Labu Kuning (*Cucurbita moschata* Durah) Terhadap Mutu (Karbohidrat dan Serat) Serta Daya Terima Kue Kering (Cookies)', *Jurkessia*, 4(3).
- Suryaningrum, T. and Rustanti, N. (2016) 'Pengaruh Perbandingan Tepung Labu Kuning (*Cucurbita moschata*) dan Tepung Mocaf terhadap Kadar Pati, Nilai Indeks Glikemik (IG), Beban Glikemik (BG), dan Tingkat Kesukaan pada Flakes Kumo', *Journal of Nutrition College*, 5(4), pp. 360–367.
- Susanti, A., Wijanarka, A. and Nareswara, A.S. (2018) 'Penentuan Indeks Glikemik dan Beban Glikemik pada Cookies Tepung Beras Merah (*Oryza nivara*) dan Biji Kecapir (*Psophocarpus tetragonolobus L.*)', *Ilmu Gizi Indonesia*, 2(1), pp. 69–78.
- USDA (2020) *FoodData Central*. Available at: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/1099030/nutrients> (Accessed: 20 April 2021).
- Vega-López, S., Venn, B.J. and Slavin, J.L. (2018) 'Relevance of the Glycemic Index and Glycemic Load for Body Weight, Diabetes, and Cardiovascular Disease', *Nutrients*, 10(10), p. 1361. Available at: <https://doi.org/10.3390/nu10101361>.
- Weickert, M.O. and Pfeiffer, A.F. (2018) 'Impact of Dietary Fiber Consumption on Insulin Resistance and the Prevention of Type 2 Diabetes', *The Journal of Nutrition*, 148(1), pp. 7–12. Available at: <https://doi.org/10.1093/jn/nxx008>.
- WHO (2017) *Integrated care for older people*. Geneva: World Health Organization.
- Wibowo, B. *et al.* (2018) 'Estimasi Daya Tarik Tali Mini Hauler untuk Diterapkan pada Perikanan Pancing Ulur Tuna di Samudera Hindia Selatan Jawa', *Jurnal Penelitian Perikanan Indonesia*, 24(2), pp. 137–148.

- Wolever, T.M.S. and Jenkins, D.J.A. (1986) 'The use of the glycemic index in predicting the blood glucose response to mixed meals', *The American Journal of Clinical Nutrition*, 43(1), pp. 167–172. Available at: <https://doi.org/10.1093/ajcn/43.1.167>.
- Wölnerhanssen, B.K. *et al.* (2016) 'Gut hormone secretion, gastric emptying, and glycemic responses to erythritol and xylitol in lean and obese subjects', *American Journal of Physiology-Endocrinology and Metabolism*, 310(11), pp. E1053–E1061. Available at: <https://doi.org/10.1152/ajpendo.00037.2016>.
- World Health Organization (ed.) (2016) *Global Report on Diabetes*. Geneva, Switzerland: World Health Organization.
- Ye, J. *et al.* (2018) 'Effect of endogenous proteins and lipids on starch digestibility in rice flour', *Food Research International (Ottawa, Ont.)*, 106, pp. 404–409. Available at: <https://doi.org/10.1016/j.foodres.2018.01.008>.
- Zafar, M.I. *et al.* (2019) 'Low-glycemic index diets as an intervention for diabetes: a systematic review and meta-analysis', *The American Journal of Clinical Nutrition*, 110(4), pp. 891–902. Available at: <https://doi.org/10.1093/ajcn/nqz149>.
- Zhang, Z. *et al.* (2010) 'A High Legume Low Glycemic Index Diet Improves Serum Lipid Profiles in Men', *Lipids*, 45(9), pp. 765–775. Available at: <https://doi.org/10.1007/s11745-010-3463-7>.
- Zhu, L. *et al.* (2020) 'Dietary flaxseed oil rich in omega-3 suppresses severity of type 2 diabetes mellitus via anti-inflammation and modulating gut microbiota in rats', *Lipids in Health and Disease*, 19(1), p. 20. Available at: <https://doi.org/10.1186/s12944-019-1167-4>.