



DAFTAR PUSTAKA

- American National Standards Institute (ANSI). Product Safety Sign and Labels (Standard No. ANSI Z535.2-2007). Rosslyn, VA, USA: National Electrical Manufacturers Association; 2007.
- American National Standards Institute (ANSI). Product Safety Sign and Labels (Standard No. ANSI Z535.4-2007). Rosslyn, VA, USA: National Electrical Manufacturers Association; 2007.
- Banda, S. F., & Sichilongo, K. (2006). Analysis of the level of comprehension of chemical hazard labels: A case for Zambia. *Science of the Total Environment*, 363(1–3), 22–27. <https://doi.org/10.1016/j.scitotenv.2005.10.011>
- Borade *et al.* (2008). Hazard perception based on safety signal words and colors: An indian perspective. *International Journal of Occupational Safety and Ergonomics*, 14(4), 407–416. <https://doi.org/10.1080/10803548.2008.11076777>
- Desaulniers, D. R. (1991). *An examination of consequence probability as a determinant of precautionary intent* (Doctoral dissertation, Rice University).
- Erdinc, O. (2004). *Hazard Communication of Warning Signal Words and Safety Pictorials*. August. <https://doi.org/10.1201/9780203494172.ch65>
- Europen Union Aviation Safety Agency. (2016). Retrieved from EASA: <https://www.easa.europa.eu/domains/safety-management/safety-promotion>
- Fabian, J & Fonseca, L.M. (2014). How sample size influences research outcomes. *Dental Press J Orthod.* 2014 July-Aug;19(4):27-9. DOI: <http://dx.doi.org/10.1590/2176-9451.19.4.027-029.ebo>
- Bird, F.E., Germain, G.L, 1985. Practical Loss Control Leadership. International Loss Control Institute, Loganville, Georgia, United States.
- Gardner, H. G., Baum, C. C. R., Dowd, M. D., Durbin, D. R., Lichenstein, R., Quinlan, K. P., Sege, R. D., Turner, M. S., Weiss, J. C., Smith, G. A., Gilchrist, J., Haverkos, L. J., Midgett, J. D., Roche, L., Sinclair, A. S., Warda, L. J., & Kozial, B. (2010). Policy statement - Prevention of choking among children. *Pediatrics*, 125(3), 601–607. <https://doi.org/10.1542/peds.2009-2862>
- Godfrey, S. S., & Laughery, K. R. (1984). Biasing Effects of Product Familiarity on Consumers' Awareness of Hazard. *Proceedings of the Human Factors Society*, 1, 483–486. <https://doi.org/10.1177/154193128402800522>
- Goldhaber, G. M., & DeTurck, M. A. (1988). Effectiveness of warning signs: "Familiarity effects." *Forensic Reports*, 1(4), 281–301.
- Gunawan, A. (2021). BPJS Ketenagakerjaan Catat 65,89 Persen Kecelakaan Terjadi di Dalam Lokasi Kerja. Jakarta: FINANSIAL.
- Heinrich, H. W., (1931). Industrial Accident Prevention, A Scientific Approach.



McGraw-Hill, New York.

Heinrich, H.W. Petersen, D., Roos, N., (1980). Industrial Accident Prevention-A Safety Management Approach, McGraw-Hill, New York.

ILO. (2018). Retrieved from ILO: <https://www.ilo.org/asia/areas/safety-and-health-at-work/lang--en/index.htm>

ILO. (2021). Retrieved from ILO: https://www.ilo.org/moscow/areas-of-work/occupational-safety-and-health/WCMS_249278/lang--en/index.htm

Injuryfacts.nsc.org. (2019). Retrieved from nsc: <https://injuryfacts.nsc.org/all-injuries/preventable-death-overview/odds-of-dying/>

Laughery, K. R., & Brelsford, J. W. (1991). RECEIVER CHARACTERISTICS IN SAFETY COMMUNICATIONS. 1068–1072.Luximon *et al* (1998). Safety signal words and color codes: The perception of implied hazard by Chinese people. *Proceedings of the 5th ...*, 30–33. <http://www-ieem.ust.hk/dfaculty/ravi/papers/safety.pdf>

Martin, L. F. (2004). *Cultural Differences in Risk Perception: An Examination of USA and Ghanaian Perception of Risk Communication.* 1–254. http://scholar.lib.vt.edu/theses/available/etd-05282004-144004/unrestricted/LFMartin_Thesis.pdf%5Cnpapers2://publication/uuid/B3E36AF5-3930-427D-AE48-CDB8372D049B

Maurice, P., Lavoie, M., Laflamme, L., Svanström, L., Romer, C., & Anderson, R. (2001). Safety and safety promotion: definitions for operational developments. *Injury Control and Safety Promotion*, 8(4), 237–240. <https://doi.org/10.1076/icsp.8.4.237.3331>

MENTERI TENAGA KERJA. (1998). *Peraturan Menteri Tenaga Kerja Nomor: 03/Men/1998 Tentang Tata Cara Pelaporan Dan Pemeriksaan Kecelakaan.* 1–23. <https://indok3ll.com/peraturan-menteri-tenaga-kerja-nomor-03-men-1998/#:~:text=Kesehatan %26 Keamanan%2C Ketenagakerjaan,PERATURAN MENTERI TENAGA KERJA NOMOR%3A 03%2FMEN%2F1998 TENTANG,CARA PELAPORAN DAN PEMERIKSAAN KECELAKAAN&text=kecelakaan di tempat k>

Mufliah, M., Noviponiharwani, Latief, A. W., Ramadhani, M., & Nirwana, A. (2020). Kejadian Kecelakaan Kerja di Industri Percetakan Kota Makassar. *Jurnal Kesehatan Masyarakat Maritim*, 3(2), 155–163.

National Safety Council. (2017). Retrieved from nsc: <https://www.nsc.org/community-safety/safety-topics/choking>

Ramli *et al.* (2010.). Pedoman praktis manajemen risiko dalam perspektif K3 : OHS risk management / Soehatman Ramli ; editor, Husjain Djajaningrat, Risa Praptono ; ilustrasi, Koes Priyadi. Jakarta :: Dian Rakyat,.

Ryan, T. P. (2013). *Sample size determination and power.* John Wiley & Sons.



- Saputra, F. E. (2017). Analisis Kesesuaian Penerapan Safety Sign Di Pt. Terminal Petikemas Surabaya. *The Indonesian Journal of Occupational Safety and Health*, 5(2), 121. <https://doi.org/10.20473/ijosh.v5i2.2016.121-131>
- Shadily, H. (1975). *Kamus Inggris-Indonesia*. Cornell University Press.
- Wogalter, M. S., Jarrard, S. W., & Simpson, S. N. (1994). Influence of warning label signal words on perceived hazard level. *Human Factors*, 36(3), 547–556. <https://doi.org/10.1177/001872089403600310>
- Wogalter, Michael S., Breisford, J. W., Desaulniers, D. R., & Laughery, K. R. (1991). Consumer product warnings: The role of hazard perception. *Journal of Safety Research*, 22(2), 71–82. [https://doi.org/10.1016/0022-4375\(91\)90015-N](https://doi.org/10.1016/0022-4375(91)90015-N)
- Wogalter, Michael S., & Silver, N. C. (1995). Warning signal words: Connored strength and understandability by children, elders, and non-native English speakers. *Ergonomics*, 38(11), 2188–2206. <https://doi.org/10.1080/00140139508925262>
- Yu, R. F., Chan, A. H. S., & Salvendy, G. (2004). Chinese perceptions of implied hazard for signal words and surround shapes. *Human Factors and Ergonomics In Manufacturing*, 14(1), 69–80. <https://doi.org/10.1002/hfm.10048>