



## DAFTAR PUSTAKA

- [1] M. Barron, *Auditorium Acoustics and Architectural Design*. London & New York: Spon Press, 2010.
- [2] H. Kuttruff, *Room Acoustics*, Fourth. London: Spon Press, 2000.
- [3] Y.-J. Choi, "Effects of periodic type diffusers on classroom acoustics," *Applied Acoustics*, vol. 74, no. 5, pp. 694–707, May 2013, doi: 10.1016/j.apacoust.2012.11.010.
- [4] J. Y. Jeon, "Objective and subjective assessment of sound diffuseness in musical venues via computer simulations and a scale model," *Building and Environment*, p. 14, 2020.
- [5] H. I. Jo and J. Y. Jeon, "Optimizing sound diffusion in a concert hall using scale-model measurements and simulations," *Journal of Building Engineering*, vol. 50, p. 104240, Jun. 2022, doi: 10.1016/j.jobe.2022.104240.
- [6] E. Sala and L. Rantala, "Acoustics and activity noise in school classrooms in Finland," *Applied Acoustics*, vol. 114, pp. 252–259, Dec. 2016, doi: 10.1016/j.apacoust.2016.08.009.
- [7] J. K. Ryu and J. Y. Jeon, "Subjective and objective evaluations of a scattered sound field in a scale model opera house," *The Journal of the Acoustical Society of America*, vol. 124, no. 3, pp. 1538–1549, Sep. 2008, doi: 10.1121/1.2956474.
- [8] W. Chiang and Y. Shu, "Acoustical design of stages with large plane surfaces in rectangular recital halls," *Applied Acoustics*, vol. 64, no. 9, pp. 863–884, Sep. 2003, doi: 10.1016/S0003-682X(03)00048-3.
- [9] H. S. Jang, Y. H. Kim, and J. Y. Jeon, "Effects of stage volume and absorption on acoustics of concert halls," Aug. 2010.
- [10] J. Cucharero Moya, T. Hänninen, and T. Lokki, "Influence of Sound-Absorbing Material Placement on Room Acoustical Parameters," *Acoustics*, vol. 1, pp. 644–660, Aug. 2019, doi: 10.3390/acoustics1030038.
- [11] J. Y. Jeon, R. Seo, and H. I. Jo, "Effect of Stage Volume Ratio on Audience Acoustics in Concert Halls," *Sustainability*, vol. 12, no. 4, p. 1370, Feb. 2020, doi: 10.3390/su12041370.
- [12] M. Barron, "The subjective effects of first reflections in concert halls—The need for lateral reflections," *Journal of Sound Vibration*, vol. 15, no. 4, pp. 475–494, Apr. 1971, doi: 10.1016/0022-460X(71)90406-8.
- [13] T. J. Cox and P. D'Antonio, *Acoustic absorbers and diffusers: theory, design and application*, 2nd ed. London ; New York: Taylor & Francis, 2009.
- [14] P. D'Antonio and T. Cox, "AES-4id-2001(r2007): AES information document for room acoustics and sound reinforcement systems characterization and measurement of surface scattering uniformity." *J. Audio Eng. Soc*, 2001.
- [15] T. Cox *et al.*, "A Tutorial on Scattering and Diffusion Coefficients for Room Acoustic Surfaces," *Acta Acustica united with Acustica*, vol. 92, pp. 1–15, Jan. 2006.
- [16] J. Y. Jeon, C. K. Seo, Y. H. Kim, and P. J. Lee, "Wall diffuser designs for acoustical renovation of small performing spaces," *Applied Acoustics*, vol. 73, no. 8, pp. 828–835, Aug. 2012, doi: 10.1016/j.apacoust.2012.01.003.





- [17] L. Shtrepi, A. Astolfi, G. Puglisi, and M. Masoero, "Effects of the Distance from a Diffusive Surface on the Objective and Perceptual Evaluation of the Sound Field in a Small Simulated Variable-Acoustics Hall," *Applied Sciences*, vol. 7, no. 3, p. 224, Feb. 2017, doi: 10.3390/app7030224.
- [18] L. Labia, L. Shtrepi, and A. Astolfi, "Improved Room Acoustics Quality in Meeting Rooms: Investigation on the Optimal Configurations of Sound-Absorptive and Sound-Diffusive Panels," *Acoustics*, vol. 2, pp. 451–473, Jun. 2020, doi: 10.3390/acoustics2030025.
- [19] S. S. Utami, J. Sarwono, N. A. Rochmadi, and N. Suheri, "Speech Privacy and Intelligibility in Open-Plan Offices as an Impact of Sound-Field Diffuseness," p. 9, 2014.
- [20] S. Utami, R. Yanti, and J. Sarwono, "HYBRID METHOD TO CHARACTERIZE SOUND-FIELD DIFFUSENESS OF MULTIPURPOSE UNIVERSITY AUDITORIUMS USING SUBJECTIVE AND OBJECTIVE EVALUATION," Jul. 2015.
- [21] J.-D. Chazot, O. Robin, J.-L. Guyader, and N. Atalla, "Diffuse Acoustic Field Produced in Reverberant Rooms: A Boundary Diffuse Field Index," *Acta Acustica united with Acustica*, vol. 102, pp. 503–516, Apr. 2016, doi: 10.3813/AAA.918968.
- [22] C. Christensen, G. Koutsouris, and J. Rindel, *The ISO 3382 parameters: Can we simulate them? Can we measure them?*, vol. 20. 2013.
- [23] J. Rindel, "The Use of Computer Modeling in Room Acoustics," *Journal of Vibroengineering*, vol. 3, Feb. 2001.
- [24] L. Andersson, "COMSOL Blog: Sweet Dreams with Diffusion Acoustics," *COMSOL Inc.*, Jun. 15, 2015. <https://www.comsol.com/blogs/sweet-dreams-with-diffusion-acoustics> (accessed Mar. 30, 2022).
- [25] ISO 3382-1, *Acoustics – Measurement of Room Acoustic Parameters – Part 1: Performance Spaces*. 2009.
- [26] J. Davy, I. Dunn, and P. Dubout, "The variance of decay rates in reverberation rooms," *Acustica*, vol. 43, pp. 12–25, Jan. 1979.
- [27] J. Rathsam and L. M. Wang, "Sensitivity of room acoustic parameters to changes in scattering coefficients," *The Journal of the Acoustical Society of America*, vol. 115, no. 5, pp. 2515–2515, May 2004, doi: 10.1121/1.4783180.
- [28] Y. Suzumura, M. Sakurai, Y. Ando, I. Yamamoto, T. Iizuka, and M. Oowaki, "An Evaluation of the Effects of Scattered Reflections in a Sound Field," *Journal of Sound Vibration*, vol. 232, pp. 303–308, Apr. 2000, doi: 10.1006/jsvi.1999.2822.
- [29] T. Hanyu, "A theoretical framework for quantitatively characterizing sound field diffusion based on scattering coefficient and absorption coefficient of walls," *The Journal of the Acoustical Society of America*, vol. 128, no. 3, pp. 1140–1148, Sep. 2010, doi: 10.1121/1.3463802.
- [30] C. Haan and F. Fricke, "An evaluation of the importance of surface diffusivity in concert halls," *Applied Acoustics - APPLACOUST*, vol. 51, pp. 53–69, May 1997, doi: 10.1016/S0003-682X(96)00060-6.
- [31] S. S. Utami, "CHARACTERIZING THE AUDIBILITY OF SOUND FIELD WITH DIFFUSION IN ARCHITECTURAL SPACES," p. 224.





- [32] M. Couper, *Designing effective Web surveys*. Cambridge: Cambridge University Press, 2008.
- [33] M. Ausejo, M. Recuero, and M. Morillo, “Subjective Noise Web-Based Surveys,” Oct. 2009, vol. 31.
- [34] R. Torres, M. Kleiner, and B.-I. Dalenbäck, “Audibility of ‘Diffusion’ in Room Acoustics Auralization: An Initial Investigation,” *Acta Acustica united with Acustica*, vol. 86, pp. 919–927, Nov. 2000.
- [35] D. Takahashi and R. Takahashi, “Sound Fields and Subjective Effects of Scattering by Periodic-Type Diffusers,” *Journal of Sound Vibration*, vol. 258, pp. 487–497, Nov. 2002, doi: 10.1006/jsvi.2002.5271.
- [36] M. Milković, M. Krhen, and S. Fajt, “Correlation between objective and subjective acoustic quality parameters of professional sound control rooms,” *Teh. vjesn.*, vol. 24, no. 2, Apr. 2017, doi: 10.17559/TV-20150921112448.
- [37] A. P. O. Carvalho, A. E. J. Morgado, and L. Henrique, “Relationships between Subjective and Objective Acoustical Measures in Churches,” p. 20.
- [38] R. E. Berg, “Acoustics,” *Encyclopedia Britannica*. Aug. 20, 2019. Accessed: Jan. 08, 2021. [Online]. Available: <https://www.britannica.com/science/acoustics>
- [39] “Acoustics: Definition, Meaning, Types of Acoustics and Questions,” *Toppr-guides*, Dec. 01, 2020. <https://www.toppr.com/guides/physics/sound/acoustics/> (accessed Aug. 10, 2021).
- [40] “Role of Acoustics - Applied Acoustics Chalmers University.” <http://www.ta.chalmers.se/education/master-sound-vibration/role-of-acoustics/> (accessed Aug. 08, 2021).
- [41] “Fields of Acoustics,” *Explore Sound*. <https://exploresound.org/what-is-new/fields-of-acoustics/> (accessed Aug. 10, 2021).
- [42] L. L. Doelle, *Environmental Acoustics*. McGraw-Hill, 1972.
- [43] M. Rettinger, *Applied Architectural Acoustics*. Brooklyn: Chemical Publishing Co., Inc., 1947.
- [44] D. M. Howard and J. Angus, *Acoustics and psychoacoustics*, 5th edition. New York ; London: Routledge, 2016.
- [45] D. Davis, E. Patronis, P. Brown, and G. Ballou, *Sound system engineering*, Fourth edition. Burlington, MA: Focal Press, 2013.
- [46] M. R. Schroeder, “The “Schroeder frequency” revisited,” *The Journal of the Acoustical Society of America*, vol. 99, no. 5, pp. 3240–3241, May 1996, doi: 10.1121/1.414868.
- [47] M. Hodgson, “On measures to increase sound-field diffuseness and the applicability of diffuse-field theory,” *The Journal of the Acoustical Society of America*, vol. 95, no. 6, pp. 3651–3653, Jun. 1994, doi: 10.1121/1.409933.
- [48] J. Blauert and N. Xiang, “Geometric Acoustics and Diffuse Sound Fields,” in *Acoustics for Engineers: Troy Lectures*, J. Blauert and N. Xiang, Eds. Berlin, Heidelberg: Springer, 2009, pp. 161–176. doi: 10.1007/978-3-642-03393-3\_12.
- [49] H. Arau-Puchades and U. Berardi, “A Revised Sound Energy Theory Based on a New Formula for the Reverberation Radius in Rooms with Non-Diffuse





- Sound Field,” *Archives of Acoustics*, vol. 40, no. 1, pp. 33–40, Mar. 2015, doi: 10.1515/aoa-2015-0005.
- [50] B. Blessler and L.-R. Salter, *Spaces Speak, Are You Listening?: Experiencing Aural Architecture*. Cambridge, MA, USA: MIT Press, 2006.
- [51] K. Kadlecová, “Longitudinal Waves,” Jan. 10, 2019. Accessed: May 27, 2022. [Online]. Available: <https://slideplayer.com/slide/17694162/>
- [52] S. S. Utami, “Persamaan Gelombang Akustik,” presented at the Acoustics Course (week 8), Department of Nuclear Engineering and Engineering Physics.
- [53] H. J. Pain, *The physics of vibrations and waves*, 6. ed., Reprint. with corr. Chichester: Wiley, 2008.
- [54] ALLEGORITHMIC, “Light and Matter : The theory of Physically-Based Rendering and Shading,” *THE PBR GUIDE - PART 1*. <https://substance3d.adobe.com/tutorials/courses/the-pbr-guide-part-1> (accessed Apr. 19, 2022).
- [55] Geonoise Indonesia, “Absorpsi Suara,” Apr. 23, 2021. <https://www.konsultasi-akustik.com/absorpsi-suara/> (accessed Mar. 20, 2022).
- [56] “Room Acoustics,” *ODEON Room Acoustics Software*. <https://odeon.dk/learn/articles/room-acoustics/> (accessed Aug. 08, 2021).
- [57] C. Hansen, “Fundamentals of acoustics,” *American Journal of Physics - AMER J PHYS*, vol. 19, Jan. 1951.
- [58] A. Alpkocak and K. Sis, “Computing Impulse Response of Room Acoustics Using the Ray-Tracing Method in Time Domain,” *Archives of Acoustics*, vol. 35, Dec. 2010, doi: 10.2478/v10168-010-0039-8.
- [59] G. Goettems, “Random Data”, Accessed: Apr. 19, 2022. [Online]. Available: [https://www.academia.edu/33161435/Random\\_Data](https://www.academia.edu/33161435/Random_Data)
- [60] W. D. Penny, “Signal Processing Course.” 2009. Accessed: Apr. 19, 2022. [Online]. Available: <https://www.fil.ion.ucl.ac.uk/~wpenny/course/course.html>
- [61] IAC Acoustics, “Noise Control Concepts,” *IAC Acoustics*. <https://www.iacacoustics.com/blog-full/noise-control-concepts.html#:~:text=What%20Is%20the%20difference%20between,80%20dB%20at%201000%20Hz.> (accessed Apr. 20, 2022).
- [62] A. C. Gade, *Springer Handbook of Acoustics: Acoustics in Halls for Speech and Music*. New York: Springer, 2007.
- [63] L. E. Kinsler and A. R. Frey, *Fundamentals of Acoustics*, Fourth Edition. New York: John Wiley & Sons, 2000.
- [64] M. Vorlaender, *Auralization Fundamentals of Acoustics, Modelling, Simulation, Algorithms and Acoustic Virtual Reality*. Berlin: Springer-Verlag Berlin Heidelberg, 2008.
- [65] A. P. O. Carvalho, “Objective and Subjective Acoustical Parameters in Catholic Churches,” p. 8.
- [66] Pricebook, “Spesifikasi ASUS VivoBook X202E,” *Harga ASUS VivoBook X202E / S200-CT285H / CT286H / CT287H Terbaru Maret 2022 dan*





- Spesifikasi.* [https://www.pricebook.co.id/ASUS-VivoBook-X202E-S200-CT285H-CT286H-CT287H/2/PD\\_00005656](https://www.pricebook.co.id/ASUS-VivoBook-X202E-S200-CT285H-CT286H-CT287H/2/PD_00005656) (accessed Mar. 14, 2022).
- [67] G. Iannace, F. Sicurella, P. Colamesta, and M. Gentilin, “ACOUSTIC PROJECT OF A CONFERENCE ROOM OF THE SECONDARY SCHOOL VENIR (DELÉMONT, SWITZERLAND),” p. 8.
- [68] Engineering Toolbox, “The Noise Criterion.” [https://www.engineeringtoolbox.com/nc-noise-criterion-d\\_725.html](https://www.engineeringtoolbox.com/nc-noise-criterion-d_725.html) (accessed Mar. 16, 2022).
- [69] Acoustics Project Bureau, “Absorption Coefficient.” Accessed: Mar. 16, 2022. [Online]. Available: [https://www.acoustic.ua/st/web\\_absorption\\_data\\_eng.pdf](https://www.acoustic.ua/st/web_absorption_data_eng.pdf)
- [70] Knauf Ceiling Solutions, “AMF Thermatex Laguna Micro.” <https://www.knaufceilingsolutions.com/en/products/amf-thermatex-laguna-micro/?area=ausstextdatei&cHash=e595e3bfc5e740f5809aafcd071e1090> (accessed Mar. 16, 2022).
- [71] F. Del Solar Dorrego and M. C. Vigeant, “A study of the just noticeable difference of early decay time (EDT): Auditorium Acoustics 2018,” *Auditorium Acoustics 2018*, pp. 273–282, Jan. 2018.
- [72] J. S. Bradley, R. Reich, and S. G. Norcross, “A just noticeable difference in C50 for speech,” *Applied Acoustics*, vol. 58, no. 2, pp. 99–108, Oct. 1999, doi: 10.1016/S0003-682X(98)00075-9.
- [73] R. Nave, “JND in Sound Density.” <http://physics.gmu.edu/~dmaria/phys260summer03/sound/DB.HTML#:~:text=t=A%20useful%20general%20reference%20is,ear%20is%20about%201%20decibel.&text=In%20fact%2C%20the%20use%20of,detectable%20change%20in%20sound%20intensity.> (accessed Jun. 19, 2022).
- [74] “FUNGSI KORELASI DAN APLIKASINYA.” <https://slideplayer.info/slide/3130777/> (accessed Jul. 10, 2022).
- [75] Sulaeman, “PENGUKURAN RESPON IMPULS PADA RUANGAN BERBASISKAN KOMPUTER,” Skripsi, Universitas Komputer Indonesia, 2008.
- [76] rfitriani, *Sifat kovarians dan korelasi*, (Oct. 21, 2020). Accessed: Jul. 10, 2022. [Online Video]. Available: [https://www.youtube.com/watch?v=\\_g2oboJXLr0](https://www.youtube.com/watch?v=_g2oboJXLr0)

