

DAFTAR PUSTAKA

- Abbar, B., Alem, A., Marcotte, S., Pantet, A., Ahfir, N.D., Bizet, L., and Duriatti, D., 2017, Experimental investigation on removal of heavy metals (Cu^{2+} , Pb^{2+} , and Zn^{2+}) from aqueous solution by flax fibres, *Process Saf. Environ. Prot.*, 109, 639–647.
- Anonim, 2014, Peraturan Menteri Lingkungan Hidup Republik Indonesia, Indonesia.
- Asere, T.G., Mincke, S., Folens, K., Vanden Bussche, F., Lapeire, L., Verbeken, K., Van Der Voort, P., Tessema, D.A., Du Laing, G., and Stevens, C. V., 2019, Dialdehyde carboxymethyl cellulose cross-linked chitosan for the recovery of palladium and platinum from aqueous solution, *React. Funct. Polym.*, 141, 145–154.
- Awual, M.R., Yaita, T., El-Safty, S.A., Shiwaku, H., Suzuki, S., and Okamoto, Y., 2013, Copper(II) ions capturing from water using ligand modified a new type mesoporous adsorbent, *Chem. Eng. J.*, 221, 322–330.
- Bagherian, G., Arab Chamjangali, M., Shariati Evari, H., and Ashrafi, M., 2019, Determination of copper(II) by flame atomic absorption spectrometry after its preconcentration by a highly selective and environmentally friendly dispersive liquid–liquid microextraction technique, *J. Anal. Sci. Technol.*, 10, 1–11.
- Barbera, R., Farre', R., and Lagarda, M.J., 2003, Copper: Properties and Determination, *Encycl. Food Sci. Nutr.*, 6267–6272.
- Barceloux, D.G., 1999, Copper,. In, *Clinical Toxicology*. Marcel Dekker, Inc., California, pp. 217–230.
- Bertinato, J., 2015, Copper: Physiology, *Encycl. Food Heal.*, 321–326.
- Borja-Urzola, A. del C., García-Gómez, R.S., Bernal-González, M., and Durán-Domínguez-de-Bazúa, M. del C., 2021, Chitosan-calcite from shrimp residues: A low-cost adsorbent for three triazines removal from aqueous media, *Mater. Today Commun.*, 26, 1–11.
- Bost, M., Houdart, S., Oberli, M., Kalonji, E., Huneau, J.F., and Margaritis, I., 2016, Dietary copper and human health: Current evidence and unresolved issues, *J. Trace Elem. Med. Biol.*, 35, 107–115.
- Chen, A.H., Yang, C.Y., Chen, Chia Yun, Chen, Chia Yuan, and Chen, C.W., 2009, The chemically crosslinked metal-complexed chitosans for comparative adsorptions of Cu(II), Zn(II), Ni(II) and Pb(II) ions in aqueous medium, *J. Hazard. Mater.*, 163, 1068–1075.
- Chen, Y., Long, Y., Li, Q., Chen, X., and Xu, X., 2019, Synthesis of high-performance sodium carboxymethyl cellulose-based adsorbent for effective removal of methylene blue and Pb(II), *Int. J. Biol. Macromol.*, 126, 107–117.
- Crini, G. and Badot, P.M., 2008, Application of chitosan, a natural

aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature, *Prog. Polym. Sci.*, 33, 399–447.

Dellali, M., Iurciuc, C.E., Savin, C.L., Spahis, N., Djennad, M., and Popa, M., 2021, Hydrogel films based on chitosan and oxidized carboxymethylcellulose optimized for the controlled release of curcumin with applications in treating dermatological conditions, *Molecules*, 26, 2185.

Dou, Y., Zhang, L., Zhang, B., He, M., Shi, W., Yang, S., Cui, Y., and Yin, G., 2020, Preparation and characterization of edible dialdehyde carboxymethyl cellulose crosslinked feather keratin films for food packaging, *Polymers (Basel)*, 12, 158.

Eivazihollagh, A., Edlund, H., Norgren, M., and Bäckström, J., 2018, Metal-Chelate Complexes in Alkaline Solution: On Recovery Techniques and Cellulose-based Hybrid Material Synthesis, *Mid Sweden Univ.*

Ellingsen, D.G., Horn, N., and Aaseth, J., 2007, Copper,. In, *Handbook on the Toxicology of Metals (Third Edition)*. Academic Press, Inc., pp. 529–546.

Eltaweil, A.S., El-Tawil, A.M., Abd El-Monaem, E.M., and El-Subruiti, G.M., 2021, Zero Valent Iron Nanoparticle-Loaded Nanobentonite Intercalated Carboxymethyl Chitosan for Efficient Removal of Both Anionic and Cationic Dyes, *ACS Omega*, 6, 6348–6360.

Elwakeel, K.Z. and Guibal, E., 2015, Selective removal of Hg(II) from aqueous solution by functionalized magnetic-macromolecular hybrid material, *Chem. Eng. J.*, 281, 345–359.

Feist, B. and Mikula, B., 2014, Preconcentration of heavy metals on activated carbon and their determination in fruits by inductively coupled plasma optical emission spectrometry, *Food Chem.*, 147, 302–306.

Gao, J., Zhang, L., Liu, S., and Liu, X., 2022, Enhanced adsorption of copper ions from aqueous solution by two-step DTPA-modified magnetic cellulose hydrogel beads, *Int. J. Biol. Macromol.*, 211, 689–699.

Ge, H. and Hua, T., 2016, Synthesis and characterization of poly(maleic acid)-grafted crosslinked chitosan nanomaterial with high uptake and selectivity for Hg(II) sorption, *Carbohydr. Polym.*, 153, 446–452.

Goering, P.L. and Liu, J., 2018, Hepatotoxicity of Copper, Iron, Cadmium, and Arsenic,. In, *Comprehensive Toxicology*. Elsevier, USA, pp. 575–596.

Gokila, S., Gomathi, T., Sudha, P.N., and Anil, S., 2017, Removal of the heavy metal ion chromium(VI) using Chitosan and Alginate nanocomposites, *Int. J. Biol. Macromol.*, 104, 1459–1468.

GracePavithra, K., Jaikumar, V., Kumar, P.S., and SundarRajan, P.S., 2019, A review on cleaner strategies for chromium industrial wastewater: Present research and future perspective, *J. Clean. Prod.*, 228, 580–593.

- Guan, Y.T., Wang, S.H., Wang, M.H., Hou, Z.X., Hu, X.D., Wang, H., Fan, H.L., and Zhang, N., 2014, Effect of initial concentration of Cu^{2+} on the adsorption performance of hydroxyapatite, *Adv. Mater. Res.*, 989–994, 312–315.
- Guo, J., Li, X., Mu, C., Zhang, H., Qin, P., and Li, D., 2013, Freezing-thawing effects on the properties of dialdehyde carboxymethyl cellulose crosslinked gelatin-MMT composite films, *Food Hydrocoll.*, 33, 273–279.
- Haripriyan, U., Gopinath, K.P., and Arun, J., 2022, Chitosan based nano adsorbents and its types for heavy metal removal: A mini review, *Mater. Lett.*, 312, 1–4.
- He, Q., Yang, D., Deng, X., Wu, Q., Li, R., Zhai, Y., and Zhang, L., 2013, Preparation, characterization and application of N-2-Pyridylsuccinamic acid-functionalized halloysite nanotubes for solid-phase extraction of Pb(II), *Water Res.*, 47, 3976–3983.
- Jiang, X., Yang, Z., Peng, Y., Han, B., Li, Z., Li, X., and Liu, W., 2016, Preparation, characterization and feasibility study of dialdehyde carboxymethyl cellulose as a novel crosslinking reagent, *Carbohydr. Polym.*, 137, 632–641.
- Karim, N., 2018, Copper and Human Health- A Review, *J. Bahria Univ. Med. Dent. Coll.*, 8, 117–122.
- Karimi-Maleh, H., Ayati, A., Davoodi, R., Tanhaei, B., Karimi, F., Malekmohammadi, S., Orooji, Y., Fu, L., and Sillanpää, M., 2021, Recent advances in using of chitosan-based adsorbents for removal of pharmaceutical contaminants: A review, *J. Clean. Prod.*, 291, 1–26.
- Karimi-maleh, H., Ranjbari, S., Tanhaei, B., Ayati, A., and Orooji, Y., 2021, Novel 1-butyl-3-methylimidazolium bromide impregnated chitosan hydrogel beads nanostructure as an efficient nanobio-adsorbent for cationic dye removal: Kinetic study, *Environ. Res.*, 195, 1–8.
- Kasiri, M.B., 2018, Application of chitosan derivatives as promising adsorbents for treatment of textile wastewater,. In, *The Impact and Prospects of Green Chemistry for Textile Technology*. Elsevier Ltd., Iran, pp. 417–469.
- Kropat, J., Gallaher, S.D., Urzica, E.I., Nakamoto, S.S., Strenkert, D., Tottey, S., Mason, A.Z., and Merchant, S.S., 2015, Copper economy in Chlamydomonas: Prioritized allocation and reallocation of copper to respiration vs. Photosynthesis, *Proc. Natl. Acad. Sci. U. S. A.*, 112, 2644–2651.
- Kumar, R., Barakat, M.A., Taleb, M.A., and Seliem, M.K., 2020, A recyclable multifunctional graphene oxide/ SiO_2 @polyaniline microspheres composite for Cu(II) and Cr(VI) decontamination from wastewater, *J. Clean. Prod.*, 268, 1–47.
- Li, Defu, Ye, Y., Li, Derong, Li, X., and Mu, C., 2016, Biological properties of dialdehyde carboxymethyl cellulose crosslinked gelatin-PEG composite hydrogel fibers for wound dressings, *Carbohydr. Polym.*, 137, 508–514.
- Li, H., Wu, B., Mu, C., and Lin, W., 2011, Concomitant degradation in periodate oxidation of carboxymethyl cellulose, *Carbohydr. Polym.*, 84, 881–886.

- Li, Y., Yue, Q., and Gao, B., 2010, Adsorption kinetics and desorption of Cu(II) and Zn(II) from aqueous solution onto humic acid, *J. Hazard. Mater.*, 178, 455–461.
- Limchoowong, N., Sricharoen, P., Areerob, Y., Nuengmatcha, P., Sripakdee, T., Techawongstien, S., and Chanthai, S., 2017, Preconcentration and trace determination of copper(II) in Thai food recipes using Fe₃O₄@Chi–GQDs nanocomposites as a new magnetic adsorbent, *Food Chem.*, 230, 388–397.
- Liu, Y., Chen, M., and Yongmei, H., 2013, Study on the adsorption of Cu(II) by EDTA functionalized Fe₃O₄ magnetic nano-particles, *Chem. Eng. J.*, 218, 46–54.
- Lum, T.S., Tsoi, Y.K., and Leung, K.S.Y., 2014, Current developments in clinical sample preconcentration prior to elemental analysis by atomic spectrometry: A comprehensive literature review, *J. Anal. At. Spectrom.*, 29, 234–241.
- Malhotra, N., Ger, T.R., Uapipatanakul, B., Huang, J.C., Chen, K.H.C., and Hsiao, C. Der, 2020, Review of copper and copper nanoparticle toxicity in fish, *Nanomaterials*, 10, 1–28.
- Marguí, E., Van Grieken, R., Fonta'S, C., Hidalgo, M., and Queralt, I., 2010, Preconcentration methods for the analysis of liquid samples by X-ray fluorescence techniques, *Appl. Spectrosc. Rev.*, 45, 179–205.
- Marroquin, J.B., Rhee, K.Y., and Park, S.J., 2013, Chitosan nanocomposite films: Enhanced electrical conductivity, thermal stability, and mechanical properties, *Carbohydr. Polym.*, 92, 1783–1791.
- Mittal, H., Al, A., Morajkar, P.P., and Alhassan, S.M., 2021, GO crosslinked hydrogel nanocomposites of chitosan/carboxymethyl cellulose – A versatile adsorbent for the treatment of dyes contaminated wastewater, *Int. J. Biol. Macromol.*, 167, 1248–1261.
- Mu, C., Guo, J., Li, X., Lin, W., and Li, D., 2012, Preparation and properties of dialdehyde carboxymethyl cellulose crosslinked gelatin edible films, *Food Hydrocoll.*, 27, 22–29.
- Mu, R., Liu, B., Chen, X., Wang, N., and Yang, J., 2020, Adsorption of Cu(II) and Co(II) from aqueous solution using lignosulfonate/chitosan adsorbent, *Int. J. Biol. Macromol.*, 163, 120–127.
- Muslimah, Destiarti, L., and Zaharah, T.A., 2015, Prekonsentrasi Timbal(II) pada Air Sungai Kapuas Menggunakan Kitosan Terimobilisasi Ditizon, *JKK*, 4, 22–27.
- Musumba, G., Nakiguli, C., Lubanga, C., Mukasa, P., and Ntambi, E., 2020, Adsorption of Lead(II) and Copper(II) Ions from Mono Synthetic Aqueous Solutions Using Bio-Char from Ficus natalensis Fruits, *J. Encapsulation Adsorpt. Sci.*, 10, 71–84.
- Negm, N.A. and Ali, H.E., 2010, Modification of heavy metal uptake efficiency by modified chitosan/anionic surfactant systems, *Eng. Life Sci.*, 10, 218–224.

- Neira, C., Levin, L.A., Mendoza, G., and Zirino, A., 2014, Alteration of benthic communities associated with copper contamination linked to boat moorings, *Mar. Ecol.*, 35, 46–66.
- Nilsen-Nygaard, J., Strand, S.P., Vårum, K.M., Draget, K.I., and Nordgård, C.T., 2015, Chitosan: Gels and interfacial properties, *Polymers (Basel)*, 7, 552–579.
- Ogawa, K., Yui, T., and Okuyama, K., 2004, Three D structures of chitosan, *Int. J. Biol. Macromol.*, 34, 1–8.
- Ozdemir, S., Kilinc, E., and Oner, E.T., 2019, Preconcentrations and determinations of copper, nickel and lead in baby food samples employing *Coprinus silvaticus* immobilized multi-walled carbon nanotube as solid phase sorbent, *Food Chem.*, 276, 174–179.
- Pascual, G., Sano, D., Sakamaki, T., Akiba, M., and Nishimura, O., 2022, The water temperature changes the effect of pH on copper toxicity to the green microalgae *Raphidocelis subcapitata*, *Chemosphere*, 291, 1–7.
- Petrović, M., Šoštarić, T., Stojanović, M., Milojković, J., Mihajlović, M., Stanojević, M., and Stanković, S., 2016, Removal of ions by raw corn silk (*Zea mays* L.) as a novel biosorbent, *J. Taiwan Inst. Chem. Eng.*, 58, 407–416.
- Pillai, C.K.S., Paul, W., and Sharma, C.P., 2009, Chitin and chitosan polymers: Chemistry, solubility, and fiber formation, *Prog. Polym. Sci.*, 34, 641–678.
- Powell, K.J., Brown, P.L., Byrne, R.H., Gajda, T., Hefter, G., Sjöberg, S., and Wanner, H., 2007, Chemical speciation of environmentally significant metals with inorganic ligands. PART 2: The Cu^{2+} , -OH^- , Cl^- , CO_3^{2-} , SO_4^{2-} , and PO_4^{3-} systems (IUPAC Techni, *Pure Appl. Chem.*, 79, 895–950.
- Qamar, S.A., Ashiq, M., Jahangeer, M., Riasat, A., and Bilal, M., 2020, Chitosan-based hybrid materials as adsorbents for textile dyes—A review, *Case Stud. Chem. Environ. Eng.*, 2, 1–7.
- Riedel, G.F., 2008, Copper Production and Usage Chemistry of Copper,. In, *Ecotoxicology*. Elsevier, USA, pp. 778–783.
- Rohyami, Y., 2013, Penentuan Cu, Cd, dan Pb dengan AAS Menggunakan Solid Phase Extraction, *J. Inov. dan Kewirausahaan*, 2, 19–25.
- Salama, A. and Abou-Zeid, R.E., 2021, Ionic chitosan/silica nanocomposite as efficient adsorbent for organic dyes, *Int. J. Biol. Macromol.*, 188, 404–410.
- Sanchez-Salvador, J.L., Balea, A., Monte, M.C., Negro, C., and Blanco, A., 2021, Chitosan grafted/cross-linked with biodegradable polymers: A review, *Int. J. Biol. Macromol.*, 178, 325–343.
- Sethi, S., Kaith, B.S., Kaur, M., Sharma, N., and Khullar, S., 2020, A hydrogel based on dialdehyde carboxymethyl cellulose–gelatin and its utilization as a bio adsorbent, *J. Chem. Sci.*, 132, 1–16.
- Shaleri Kardar, Z., Hossein Beyki, M., and Shemirani, F., 2017, Bifunctional aminosilane-functionalized Fe_3O_4 nanoparticles as efficient sorbent for

- preconcentration of cobalt ions from food and water samples, *Res. Chem. Intermed.*, 43, 4079–4094.
- Shariatnia, Z. and Jalali, A.M., 2018, Chitosan-based hydrogels: Preparation, properties and applications, *Int. J. Biol. Macromol.*, 115, 194–220.
- Sharma, N., Tiwari, S., and Saxena, R., 2019, Determination of metal contaminants in beverages using solid phase extraction-based preconcentration and subsequent determination using spectro-analytical techniques, Elsevier Inc., India.
- Shen, X., Qiu, G., Yue, C., Guo, M., and Zhang, M., 2017, Multiple copper adsorption and regeneration by zeolite 4A synthesized from bauxite tailings, *Environ. Sci. Pollut. Res.*, 24, 21829–21835.
- Shinde, R.N., Pandey, A.K., Acharya, R., Guin, R., Das, S.K., Rajurkar, N.S., and Pujari, P.K., 2013, Chitosan-transition metal ions complexes for selective arsenic(V) preconcentration, *Water Res.*, 47, 3497–3506.
- Sricharoen, P., Limchoowong, N., Areerob, Y., Nuengmatcha, P., Techawongstien, S., and Chanthai, S., 2017, Fe₃O₄/hydroxyapatite/graphene quantum dots as a novel nano-sorbent for preconcentration of copper residue in Thai food ingredients: Optimization of ultrasound-assisted magnetic solid phase extraction, *Ultrason. Sonochem.*, 37, 83–93.
- Tan, H., Wu, B., Li, C., Mu, C., Li, H., and Lin, W., 2015, Collagen cryogel cross-linked by naturally derived dialdehyde carboxymethyl cellulose, *Carbohydr. Polym.*, 129, 17–24.
- Teotia, A., 2012, Modification of carboxymethyl cellulose through oxidation, *Carbohydr. Polym.*, 87, 457–460.
- Trumbo, P., Yates, A.A., Schlicker, S., and Poos, M., 2001, Dietary ReferenceIntakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, and Iron, *J. Am. Diet. Assoc.*, 101, 294–301.
- Wang, J. and Chen, C., 2014, Chitosan-based biosorbents: Modification and application for biosorption of heavy metals and radionuclides, *Bioresour. Technol.*, 160, 129–141.
- Wang, J. and Zhuang, S., 2022, Chitosan-based materials: Preparation, modification and application, *J. Clean. Prod.*, 355, 1–25.
- Wang, J. and Zhuang, S., 2017, Removal of various pollutants from water and wastewater by modified chitosan adsorbents, *Crit. Rev. Environ. Sci. Technol.*, 47, 1–56.
- Wang, X., Wang, Y., Li, L., Gu, Z., and Yu, X., 2015, Feasibility study of the naturally occurring dialdehyde carboxymethyl cellulose for biological tissue fixation, *Carbohydr. Polym.*, 115, 54–61.
- Wang, Z., Liao, Y., Liu, J., and Huang, X., 2022, On-site separation and enrichment of heavy metal ions in environmental waters with multichannel in-tip

microextraction device based on chitosan cryogel, *Microchem. J.*, 175, 1–7.

- Xu, Y., Li, J., and Liu, L., 2016, Current Status and Future Perspective of Recycling Copper by Hydrometallurgy from Waste Printed Circuit Boards, *Procedia Environ. Sci.*, 31, 162–170.
- Yi, Y., Jiang, Z., Yang, S., Ding, W., Wang, Y. nan, and Shi, B., 2020, Formaldehyde formation during the preparation of dialdehyde carboxymethyl cellulose tanning agent, *Carbohydr. Polym.*, 239, 1–7.
- Younes, I. and Rinaudo, M., 2015, Chitin and chitosan preparation from marine sources. Structure, properties, and applications, *Mar. Drugs*, 13, 1133–1174.
- Yuvaraja, G., Chen, D.Y., Pathak, J.L., Long, J., Subbaiah, M.V., Wen, J.C., and Pan, C.L., 2020, Preparation of novel aminated chitosan schiff's base derivative for the removal of methyl orange dye from aqueous environment and its biological applications, *Int. J. Biol. Macromol.*, 146, 1100–1110.
- Zhang, L., Zeng, Y., and Cheng, Z., 2016, Removal of heavy metal ions using chitosan and modified chitosan: A review, *J. Mol. Liq.*, 214, 175–191.
- Zhao, Y., Ren, Y., Wang, Xingzu, Xiao, P., Tian, E., Wang, Xiao, and Li, J., 2016, An initial study of EDTA complex based draw solutes in forward osmosis process, *Desalination*, 378, 28–36.
- Zheng, T., Yu, X., and Pilla, S., 2017, Mechanical and moisture sensitivity of fully bio-based dialdehyde carboxymethyl cellulose cross-linked soy protein isolate films, *Carbohydr. Polym.*, 157, 1333–1340.