



Bibliography

- Abadi, M., Agarwal, A., Barham, P., Brevdo, E., Chen, Z., Citro, C., Corrado, G. S., Davis, A., Dean, J., Devin, M., Ghemawat, S., Goodfellow, I., Harp, A., Irving, G., Isard, M., Jozefowicz, R., Jia, Y., Kaiser, L., Kudlur, M., ... Zheng, X. (2015). *TensorFlow, Large-scale machine learning on heterogeneous systems*. <https://doi.org/10.5281/zenodo.4724125>
- Adelaar, K. A. (1993). The internal classification of the malayic subgroup. *Bulletin of the School of Oriental and African Studies, University of London*, 56, 566–581. <http://www.jstor.org.ezproxy.ugm.ac.id/stable/620695>
- Aini, Q., Julianto, A. E., & Purbohadi, D. (2018). Development of a scoring application for indonesian language essay questions. *ACM International Conference Proceeding Series*, 6–10. <https://doi.org/10.1145/3291078.3291099>
- Alkhatib, B., & Eddin, M. M. K. (2020). Voice identification using mfcc and vector quantization. *Baghdad Science Journal*, 17. <https://www.iasj.net/iasj/article/187369>
- Arslan, A., & Yildiz, O. (2018). Automated auscultative diagnosis system for evaluation of phonocardiogram signals associated with heart murmur diseases. *Gazi University Journal of Science*, 31.
- Blust, R. (2013). *The austronesian languages*. Asia-Pacific Linguistics, School of Culture, History; Language, College of Asia; the Pacific, The Australian National University.
- Bogdanov, D., Wack, N., Gómez, E., Gulati, S., Herrera, P., Mayor, O., Roma, G., Salamon, J., Zapata, J. R., & Serra, X. (2013). Essentia: An audio analysis library for music information retrieval. *International Society for Music Information Retrieval Conference (ISMIR '13)*.
- Bradbury, J., Frostig, R., Hawkins, P., Johnson, M. J., Leary, C., Maclaurin, D., Necula, G., Paszke, A., VanderPlas, J., Wanderman-Milne, S., & Zhang, Q. (2018). *JAX: Composable transformations of Python+NumPy programs* (Version 0.2.5). <http://github.com/google/jax>
- Bre, F., Gimenez, J., & Fachinotti, V. (2017). Prediction of wind pressure coefficients on building surfaces using artificial neural networks. *Energy and Buildings*, 158. <https://doi.org/10.1016/j.enbuild.2017.11.045>



- Buitinck, L., Louppe, G., Blondel, M., Pedregosa, F., Mueller, A., Grisel, O., Niculae, V., Prettenhofer, P., Gramfort, A., Grobler, J., Layton, R., VanderPlas, J., Joly, A., Holt, B., & Varoquaux, G. (2013). API design for machine learning software: Experiences from the scikit-learn project. *ECML PKDD Workshop: Languages for Data Mining and Machine Learning*, 108–122.
- Burrus, C. S., & Parks, T. (1985). Convolution algorithms. *CiteSeer: New York, NY, USA*.
- Butterworth, S., et al. (1930). On the theory of filter amplifiers. *Wireless Engineer*, 7(6), 536–541.
- Cai, Z., Lin, N., Ma, C., & Jiang, S. (2019). Indonesian automatic text summarization based on a new clustering method in sentence level. *ACM International Conference Proceeding Series*, 30–35. <https://doi.org/10.1145/3341620.3341626>
- Chatfield, K., Simonyan, K., Vedaldi, A., & Zisserman, A. (2014). Return of the devil in the details: Delving deep into convolutional nets. *CoRR, abs/1405.3531*. <http://arxiv.org/abs/1405.3531>
- Cole, P., Hara, Y., & Yap, N. T. (2008). Auxiliary fronting in peranakan javanese. *Journal of Linguistics*, 44, 1–43. <http://www.jstor.org/stable/40058027>
- Conners, T. J., & Vander Klok, J. (2016). On language documentation of colloquial javanese varieties. *Proceedings of 2016 Annual Conference of the Canadian Linguistics Association*, 1–12.
- DeGraff, M. (2007). Kreyòl ayisyen, or haitian creole (creole french). *Comparative creole syntax: Parallel outlines of*, 18, 101–126.
- Draghici, A., Abeßer, J., & Lukashevich, H. (2020). A study on spoken language identification using deep neural networks. *Proceedings of the 15th International Conference on Audio Mostly*, 253–256.
- El Naqa, I., & Murphy, M. J. (2015). What is machine learning? In *Machine learning in radiation oncology* (pp. 3–11). Springer.
- Fausett, L. V. (2006). *Fundamentals of neural networks: Architectures, algorithms and applications*. Pearson Education India.
- Garcia-Romero, D., & McCree, A. (2016). Stacked long-term tdnn for spoken language recognition. *Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 08-12-September-2016*, 3226–3230. <https://doi.org/10.21437/Interspeech.2016-1334>
- Gonzalez-Dominguez, J., Lopez-Moreno, I., Sak, H., Gonzalez-Rodriguez, J., & Moreno, P. J. (2014). Automatic language identification using long short-term memory recurrent neural networks. *Fifteenth annual conference of the international speech communication association*.



- Gris, L., & Junior, A. C. (2020). Automatic spoken language identification using convolutional neural networks. *Anais do XVII Congresso Latino-Americano de Software Livre e Tecnologias Abertas*, 16–20. <https://doi.org/10.5753/latinoware.2020.18603>
- Hanani, A., & Naser, R. (2020). Spoken arabic dialect recognition using x-vectors. *Natural Language Engineering*, 26, 691–700. <https://doi.org/10.1017/S1351324920000091>
- Hannun, A., Case, C., Casper, J., Catanzaro, B., Diamos, G., Elsen, E., Prenger, R., Satheesh, S., Sengupta, S., Coates, A., et al. (2014). Deep speech: Scaling up end-to-end speech recognition. *arXiv preprint arXiv:1412.5567*.
- Haryono, H. (2019). Identity politics and symbolic interactions between sundanese and javanese in indonesia. *JCIC : Jurnal CIC Lembaga Riset dan Konsultan Sosial*, 1. <https://doi.org/10.51486/jbo.v1i1.7>
- Hassine, M., Messaoud, H., & Boussaid, L. (2018). Tunisian dialect recognition based on hybrid techniques. *International Arab Journal of Information Technology*, 58–65. https://www.researchgate.net/publication/321973464_Tunisian_Dialect_Recognition_Based_on_Hybrid_Techniques
- Haugen, E. (1966). Dialect, language, nation. *American Anthropologist*, 68, 922–935. <https://doi.org/10.1525/aa.1966.68.4.02a00040>
- Hidayatullah, A. F., Cahyaningtyas, S., & Pamungkas, R. D. (2020). Attention-based cnn-bilstm for dialect identification on javanese text. *Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, and Control*, 317–324.
- Hoerl, A. E., & Kennard, R. W. (1970). Ridge regression: Biased estimation for nonorthogonal problems. *Technometrics*, 12(1), 55–67. <https://doi.org/10.1080/00401706.1970.10488634>
- Huzaifah, M. (2017). Comparison of time-frequency representations for environmental sound classification using convolutional neural networks. *CoRR, abs/1706.07156*. <http://arxiv.org/abs/1706.07156>
- Ibrohim, M. O., Setiadi, M. A., & Budi, I. (2019). Identification of hate speech and abusive language on indonesian twitter using theword2vec, part of speech and emoji features. *ACM International Conference Proceeding Series*, 1–5. <https://doi.org/10.1145/3373477.3373495>
- Kalchbrenner, N., Grefenstette, E., & Blunsom, P. (2014). A convolutional neural network for modelling sentences. *52nd Annual Meeting of the Association for Computational Linguistics, ACL 2014 - Proceedings of the Conference*, 1, 655–665. <https://doi.org/10.3115/v1/p14-1062>
- Kehtarnavaz, N. (2008). Chapter 7 - frequency domain processing. In N. Kehtarnavaz (Ed.), *Digital signal processing system design (second edition)* (Second Edi-



- tion, pp. 175–196). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-374490-6.00007-6>
- Kilgarriff, A. (2001). Comparing corpora. *International Journal of Corpus Linguistics*, 6(1), 97–133. <https://doi.org/https://doi.org/10.1075/ijcl.6.1.05kil>
- Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). Imagenet classification with deep convolutional neural networks. In F. Pereira, C. J. C. Burges, L. Bottou & K. Q. Weinberger (Eds.), *Advances in neural information processing systems*. Curran Associates, Inc. <https://proceedings.neurips.cc/paper/2012/file/c399862d3b9d6b76c8436e924a68c45b-Paper.pdf>
- Lever, J., Krzywinski, M., & Altman, N. (2016). Points of significance: Model selection and overfitting. *Nature methods*, 13(9), 703–705.
- Love, R., Dembry, C., Hardie, A., Brezina, V., & McEnergy, T. (2017). Designing and building a spoken corpus of everyday conversations. *International Journal of Corpus Linguistics*, 22, 319–344. <https://doi.org/10.1075/ijcl.22.3.02lov>
- Lozano-Diez, A., Zazo-Candil, R., Gonzalez-Dominguez, J., Toledano, D. T., & Gonzalez-Rodriguez, J. (2015). An end-to-end approach to language identification in short utterances using convolutional neural networks. *Sixteenth Annual Conference of the International Speech Communication Association*.
- Masterson, K. (2010). *From grunting to gabbing: Why humans can talk : Npr*. <https://www.npr.org/templates/story/story.php?storyId=129083762>
- McFee, B., Raffel, C., Liang, D., Ellis, D., McVicar, M., Battenberg, E., & Nieto, O. (2015). Librosa: Audio and music signal analysis in python. *Proceedings of the 14th Python in Science Conference*, 18–24. <https://doi.org/10.25080/majora-7b98e3ed-003>
- Merriam-Webster. (n.d.-a). Accuracy. In *Merriam-webster.com dictionary*. Retrieved August 3, 2021, from <https://www.merriam-webster.com/dictionary/accuracy>.
- Merriam-Webster. (n.d.-b). Model. In *Merriam-webster.com dictionary*. Retrieved August 3, 2021, from <https://www.merriam-webster.com/dictionary/model>.
- mohd ali, Y., M P, P., Yaacob, S., Yusuf, R., & Abu bakar, S. (2013). Analysis of accent-sensitive words in multi-resolution mel-frequency cepstral coefficients for classification of accents in malaysian english. *International Journal of Automotive and Mechanical Engineering*, 7, 1053–1073. <https://doi.org/10.15282/ijame.7.2012.21.0086>
- Mohri, M., Rostamizadeh, A., & Talwalkar, A. (2018). *Foundations of machine learning*. MIT press.



- Nagrani, A., Chung, J. S., & Zisserman, A. (2017). Voxceleb: A large-scale speaker identification dataset. *CoRR, abs/1706.08612*. <http://arxiv.org/abs/1706.08612>
- Nothofer, B. (1986). The barrier island languages in the austronesian language family. *FOCAL II: Papers from the Fourth International Conference on Austronesian Linguistics*, 87–109.
- O’Shea, K., & Nash, R. (2015). An introduction to convolutional neural networks. *CoRR, abs/1511.08458*. <http://arxiv.org/abs/1511.08458>
- Pal, S. K., & Mitra, S. (1992). Multilayer perceptron, fuzzy sets, classification.
- Park, D. S., Chan, W., Zhang, Y., Chiu, C.-C., Zoph, B., Cubuk, E. D., & Le, Q. V. (2019). SpecAugment: A simple data augmentation method for automatic speech recognition. *Interspeech 2019*. <https://doi.org/10.21437/interspeech.2019-2680>
- Park, H., Lee, D., Lim, M., Kang, Y., Oh, J., & Kim, J. (2018). A fast-converged acoustic modeling for korean speech recognition: A preliminary study on time delay neural network. *CoRR, abs/1807.05855*. <http://arxiv.org/abs/1807.05855>
- Paszke, A., Gross, S., Massa, F., Lerer, A., Bradbury, J., Chanan, G., Killeen, T., Lin, Z., Gimelshein, N., Antiga, L., Desmaison, A., Kopf, A., Yang, E., DeVito, Z., Raison, M., Tejani, A., Chilamkurthy, S., Steiner, B., Fang, L., ... Chintala, S. (2019). Pytorch: An imperative style, high-performance deep learning library. In H. Wallach, H. Larochelle, A. Beygelzimer, F. d’Alché-Buc, E. Fox & R. Garnett (Eds.), *Advances in neural information processing systems 32* (pp. 8024–8035). Curran Associates, Inc. <http://papers.neurips.cc/paper/9015-pytorch-an-imperative-style-high-performance-deep-learning-library.pdf>
- Peddinti, V., Povey, D., & Khudanpur, S. (2015). A time delay neural network architecture for efficient modeling of long temporal contexts. *Sixteenth annual conference of the international speech communication association*.
- Poedjosoedarmo, S. (1968). Javanese speech levels. *Indonesia*, (6), 54–81. <http://www.jstor.org/stable/3350711>
- Prasad, N. V., & Umesh, S. (2013). Improved cepstral mean and variance normalization using bayesian framework. *2013 IEEE Workshop on Automatic Speech Recognition and Understanding*, 156–161. <https://doi.org/10.1109/ASRU.2013.6707722>
- Putra, S. J., Khalil, I., Gunawan, M. N., Amin, R. I., & Sutabri, T. (2018). A hybrid model for social media sentiment analysis for indonesian text. *ACM International Conference Proceeding Series*, 297–301. <https://doi.org/10.1145/3282373.3282850>



- Rahmah, L. S., & Kurniawan, E. (2020). Tense and aspect markers of cirebon javanese, 112–115. <https://doi.org/10.2991/assehr.k.200406.022>
- Rahmawati, R., & Lestari, D. P. (2018). Java and sunda dialect recognition from indonesian speech using gmm and i-vector. *Proceeding of 2017 11th International Conference on Telecommunication Systems Services and Applications, TSSA 2017, 2018-January*, 1–5. <https://doi.org/10.1109/TSSA.2017.8272892>
- Ren, Z., Yang, G., & Xu, S. (2019). Two-stage training for chinese dialect recognition. *Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 2019-September*, 4050–4054. <https://doi.org/10.21437/Interspeech.2019-1522>
- Reyes, F., & Fajardo, A. (2019). Building corpora of spoken filipino words using speech segmentation with automatic labeling. *Proceeding - 2019 International Conference on ICT for Smart Society: Innovation and Transformation Toward Smart Region, ICISS 2019*. <https://doi.org/10.1109/ICISS48059.2019.8969813>
- Reynaldi, R. G. (2017). *Phonological differences between standard javanese and banyumas dialect of javanese* (1). <http://ejournal2.undip.ac.id/index.php/compendium>
- Salam, K. M. A., Rahman, M., & Khan, M. M. S. (2019). Developing the bangladeshi national corpus- a balanced and representative bangla corpus. *2019 International Conference on Sustainable Technologies for Industry 4.0, STI 2019*. <https://doi.org/10.1109/STI47673.2019.9068005>
- Salman, S., & Liu, X. (2019). Overfitting mechanism and avoidance in deep neural networks. *CoRR, abs/1901.06566*. <http://arxiv.org/abs/1901.06566>
- Schelter, S., Biessmann, F., Januschowski, T., Salinas, D., Seufert, S., & Szarvas, G. (2018). On challenges in machine learning model management.
- Shahab, A., & Lestari, D. (2017). An investigation of indonesian speaker identification for channel dependent modeling using i-vector. *2016 Conference of the Oriental Chapter of International Committee for Coordination and Standardization of Speech Databases and Assessment Techniques, O-COCOSDA 2016*, 151–155. <https://doi.org/10.1109/ICSDA.2016.7919002>
- Shon, S., Ali, A., & Glass, J. (2018). Convolutional neural network and language embeddings for end-to-end dialect recognition. *Proc. Odyssey 2018 The Speaker and Language Recognition Workshop*, 98–104. <https://doi.org/10.21437/Odyssey.2018-14>
- Singh, G., Sharma, S., Kumar, V., Kaur, M., Baz, M., & Masud, M. (2021). Spoken language identification using deep learning. *Computational Intelligence and Neuroscience*, 2021. <https://doi.org/10.1155/2021/5123671>



- Sneddon, J. (2003). The indonesian language. *Its history and role in modern society*, Sydney.
- Snyder, D., Garcia-Romero, D., Sell, G., Povey, D., & Khudanpur, S. (2018). X-vectors: Robust dnn embeddings for speaker recognition. *2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. http://www.danielpovey.com/files/2018_icassp_xvectors.pdf
- Sreeraj, V. V., & Rajan, R. (2018). Automatic dialect recognition using feature fusion. *Proceedings - International Conference on Trends in Electronics and Informatics, ICEI 2017, 2018-January*, 435–439. <https://doi.org/10.1109/ICOEI.2017.8300964>
- Sulaiman, A. (2018). Javanese language of banten dialects in tangerang regency. *Journal of English Language and Literature (JELL)*, 2, 117–124. <https://doi.org/10.37110/jell.v2i01.20>
- Tawaqal, B., & Suyanto, S. (2021). Recognizing five major dialects in indonesia based on mfcc and drnn. *Journal of Physics: Conference Series*, 1844, 12003. <https://doi.org/10.1088/1742-6596/1844/1/012003>
- Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society: Series B (Methodological)*, 58(1), 267–288. <https://doi.org/https://doi.org/10.1111/j.2517-6161.1996.tb02080.x>
- Von Hann, J. (1903). *Handbook of climatology*. MacMillan.
- Wang, H., Ma, C., & Zhou, L. (2009). A brief review of machine learning and its application. *2009 International Conference on Information Engineering and Computer Science*, 1–4. <https://doi.org/10.1109/ICIECS.2009.5362936>
- Wang, S.-C. (2003). Artificial neural network. In *Interdisciplinary computing in java programming* (pp. 81–100). Springer US. https://doi.org/10.1007/978-1-4615-0377-4_5
- Warohma, A. M., Kurniasari, P., Dwijayanti, S., Irmawan & Suprapto, B. Y. (2018). Identification of regional dialects using mel frequency cepstral coefficients (mfccs) and neural network. *Proceedings - 2018 International Seminar on Application for Technology of Information and Communication: Creative Technology for Human Life, iSemantic 2018*, 522–527. <https://doi.org/10.1109/ISEMANTIC.2018.8549731>
- Yeh, S. L., Chao, G. Y., Su, B. H., Huang, Y. L., Lin, M. H., Tsai, Y. C., Tai, Y. W., Lu, Z. C., Chen, C. Y., Tai, T. M., Tseng, C. W., Lee, C. K., & Lee, C. C. (2019). Using attention networks and adversarial augmentation for styrian dialect continuous sleepiness and baby sound recognition. *Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH*, 2019-September, 2398–2402. <https://doi.org/10.21437/Interspeech.2019-2110>



Zhang, Q., & Hansen, J. H. (2017). Dialect recognition based on unsupervised bottleneck features. *Interspeech*, 2576–2580.

Zhang, Q., & Hansen, J. H. (2018). Language/dialect recognition based on unsupervised deep learning. *IEEE/ACM Transactions on Audio Speech and Language Processing*, 26, 873–882. <https://doi.org/10.1109/TASLP.2018.2797420>

Zhou, W., Newsam, S., Li, C., & Shao, Z. (2017). Learning low dimensional convolutional neural networks for high-resolution remote sensing image retrieval. *Remote Sensing*, 9(5). <https://doi.org/10.3390/rs9050489>