

## DAFTAR PUSTAKA

- Chacon-Cortes, D. and L. R. Griffiths. 2014. Methods for extracting genomic DNA from whole blood samples: current perspectives. *Journal of Biorepository Science for Applied Medicine*. 2014 (2): 1-9
- Chen, H., M. Rangasamy, S. Y. Tan, H. Wang, and B. D. Siegfried. 2010. Evaluation of Five Methods for Total DNA Extraction from Western Corn Rootworm Beetles. *PLoS ONE* 5(8): e11963.
- Collins, F. S., E. D. Green, A. E. Guttmacher and S. Mark. 2003. A vision for the future of genomics research. A blueprint for the genomic era. *Nature* 422:1-13
- De la Cruz-Ramos, J. M., L. M. Hernandez-Triana, C. G. De la Pena, V. G. Gonzalez-Alvarez, J. W. Lucarelli, Q. K. S. Rodriguez, F. J. S. Ramos, A. D. Rodriguez, A. I. O. Morales. 2019. Comparison of two DNA extraction methods from larvae, pupae, and adults of *Aedes aegypti*. *Heliyon*. 5: e0266
- El-Ashram, S., I. Al Nasr, and X. Suo. 2016. Nucleic acid protocols: Extraction and optimization. *Biotechnology Reports* 12: 33–3.
- Enroth, C. H., A. O. Fehler, L. D. Poulsen and J. Vinther. 2019. Excess primer degradation by Exo I improves the preparation of 3' cDNA ligation-based sequencing libraries. *BioTechniques*, 67(3), 110-116.
- Fanelli, E., A. Cotroneo, L. Carisio, A. Troccoli, S. Grosso, C. Boero, A. Capriglia, and F. D. Luca. 2017. Detection and molecular characterization of the rice root-knot nematode *Meloidogyne graminicola* in Italy. *Eur J Plant Pathol* 149: 467–476
- Fatmawati, D. A., I. N. Wirajana, dan S. C. Yowani. 2015. Perbandingan Kualitas DNA dengan menggunakan Metode Boom Original dan Boom Modifikasi pada Isolat *Mycobacterium tuberculosis* 151 *JURNAL KIMIA* 9 (1): 41-4
- Hedley, N., D. G. Richard, E. A. Palombo. 2021. Rapid preparation of gastrointestinal nematode eggs from faeces for PCR identification. *Journal of Microbiological Methods* 187: 106257
- Htay, C., H. Peng, W. Huang, L. Kong, W. He, R. Holgado and D. Peng. 2016. The development and molecular characterization of a rapid detection method for Rice root-knot nematode (*Meloidogyne graminicola*). *Eur J Plant Pathol* DOI 10.1007/s10658-016-0913-y
- Hung, X. B., C. J. Oliveira and J.A. Desaegeer. 2021. Featured Creatures: common name: rice root-knot nematode scientific name: *M. graminicola* (Nematoda: Chromadorea: Tylenchida: Meloidogynidae: Meloidogyne) University of Florida.

[https://entnemdept.ufl.edu/Creatures/NEMATODE/rice\\_root\\_knot\\_nematode\\_Meloidogyne\\_graminicola.htm](https://entnemdept.ufl.edu/Creatures/NEMATODE/rice_root_knot_nematode_Meloidogyne_graminicola.htm) diakses pada 26 April 2022

- Jue, E., D. Witters, R. F. Ismagilov. 2020. Two-phase wash to solve the ubiquitous contaminant-carryover problem in commercial nucleic-acid extraction kits. *Scientific Reports* 10: 1940
- Kang, M. J., J. S. Yang, Y. J. Kim, H. J. Choi, S. H. Lee. 2018. Comparison of DNA extraction methods for drug susceptibility testing by allele-specific primer extension on a microsphere-based platform: Chelex100 (in-house and commercialized) and MagPurix TB DNA Extraction Kit. *Journal of Microbiological Methods* 152: 105-108
- Kiewnick, A. B., and S. Kiewnick. 2018. Real-time PCR, a great tool for fast identification, sensitive detection and quantification of important plant-parasitic nematodes. *Eur J Plant Pathol* 152: 271–283
- Kiewnick, A. B., N. Viaene, L. Folcher, F. Olivvier, G. Anthoine, B. Niere, M. Sapp, B. van de Vossenbergh, H. Toktay, S. Kiewnick. 2016. Assessment of a new qPCR tool for the detection and identification of the root-knot nematode *Meloidogyne enterolobii* by an international test performance study. *Eur J Plant Pathol* 144: 97–108
- Kurniawati, F., dan S. Supramana. 2016. Tingkat Infestasi *Aphelenchoides besseyi* pada benih padi di Bogor. *Jurnal Fitopatologi Indonesia* 12 (1): 34-38
- Lee, J. P., S. S. Sekhon, J. H. Kim, S. C. Kim, B.K. Cho, J. Y. Anh, and Y. H. Kim. 2021. The pine wood nematode *Bursaphelenchus xylophilus* and molecular diagnostic methods. *Molecular & Cellular Toxicology* 17: 1–13
- Mantelin, S., S. Bellafiore, and T. Kyndt. 2017. *Meloidogyne graminicola*: a major threat to rice agriculture. *Molecular Plant Pathology* 18 (1): 3–15
- Matsuo, Kouki. 2021. Evaluation of methods for plant genomic DNA sequence analysis without DNA and PCR product purification. *Plant Science* 312: 111023
- Min, J. H., M. K. Woo, H. Y. Yoon, J. W. Jang, J. H. Wu, C. S. Lim, Y. K. Kim. 2014. Isolation of DNA using magnetic nanoparticles coated with dimercaptosuccinic acid. *Analytical Biochemistry* 447: 114-118
- Mirsam, H. and F. Kurniawati. 2018. Laporan Pertama di Sulawesi Selatan: Karakter Morfologi dan Molekuler Nematoda Puru Akar yang Berasosiasi dengan Akar Padi di Kabupaten Wajo, Sulawesi Selatan. *Jurnal Perlindungan Tanaman Indonesia* 22 (1): 58-65

- Mondino, E. A., F. Covacevich, G. A. Studdert, J. P. Pimentel, and R. L. L. Berbara. 2015. Extracting DNA of nematodes communities from Argentine Pampas agricultural soils. *Anais da Academia Brasileira de Ciências* 87 (2): 691-696
- Mulyadi. 2009. *Nematologi Pertanian*. UGM Press, Yogyakarta
- Natarajan, V. P., X. Zhang, Y. Morono, F. Inagaki and F. Wang. 2016. A Modified SDS-Based DNA Extraction Method for High Quality Environmental DNA from Seafloor Environments. *Front. Microbiol.* 7: 986
- Nisa, R. U., A. Y. Tantray, A. A. Shah. 2022. Shift from morphological to recent advanced molecular approaches for the identification of nematodes. *Genomics* 114: 110295
- Nurjayadi, M. Y., A. Munif dan G. Suastika. 2015. Identifikasi Nematoda Puru Akar, *Meloidogyne graminicola*, pada Tanaman Padi di Jawa Barat. *Jurnal Fitopatologi* 11 (4): 113-120
- Oliveira, C. M., I. T. Souza Junior, N. O. Almeida, M. A. Feritas, M. R. Rocha, S. Petrofeza. 2016. Development of quantitative detection method for *Meloidogyne incognita* by qPCR. *Bioscience Journal*. 36 (1): 76-86
- Rahman, R. M., Munif, A., & Kurniawati, F. 2018. Deteksi dan Identifikasi Nematoda *Aphelenchoides besseyi* dari Benih Padi. *Jurnal Fitopatologi Indonesia*, 14 (2): 39
- Rohland, N., and Hofreiter, M. 2007. Comparison and optimization of ancient DNA extraction. *Biotechniques* 42: 343–352.
- Rusunque, L., C. Maleita, I. Abrantes , J. E. Palomares-Rius and M. L. Inacio. 2020. *Meloidogyne graminicola*—A Threat to Rice Production: Review Update on Distribution, Biology, Identification, and Management. *Biology* 10 (1163): 1-19
- Seesao, Y., C. Audebert, V. Verrez-Bagnis, S. Merlin, M. Jerome, E. Viscogliosi, E. Dei-Cas, c. M. Aliouat-Denis, M. Gay. 2014. Monitoring of four DNA extraction methods upstream of high-throughput sequencing of Anisakidae nematodes. *Journal of Microbiological Methods* 102 (2014) 69–72
- Serna -Dominguez, M. G., A. M. Gilda, A. B. Hugo, and G. Adrien. 2018. Two efficient methods for isolation of high-quality genomic DNA from entomopathogenic fungi. *Journal of Microbiological Methods* 148: 55–63
- Sloan, S., C. J. Jenvey, D. Piedrafita, S. Preston, and M. J. Stear. 2021. Comparative evaluation of different molecular methods for DNA extraction from individual *Teladorsagia circumcincta* nematodes. *BMC Biotechnology* 21: 35

- Tesarova, B., M. Zouhar and PRysanek. 2003. Development of PCR for specific determination of Rot Knot Nematode (*Meloidogyne incognita*) Plant Protect Sci. 39(1): 23-28
- Tian, Z. L., M. Maria, E. M. Barsalote, P. Castillo and Z. Jing-wu. 2018. Morphological and molecular characterization of the rice root-knot nematode, *Meloidogyne graminicola*, Golden and Birchfeild, 1965 occurring in Zhejiang, China. *Journal of Integrative Agriculture* 17 (12): 2724–273
- van Bezooijen. 2006. Methods and Technique for Nematology.
- Xin, Y., J. Xie, B. Nan, C. Tang, Y. Xiao, Q. Wu, Y. Lin, X. Zhang, and H. Shen. 2021. Freeze-Thaw Pretreatment Can Improve Efficiency of Bacterial DNA Extraction from Meconium. *Frontiers in Microbiology* 12: 753688
- Yee, W., J. N. Kumar and P. D. Muthusamy. 2018. Inclusion of 2-Mercaptoethanol in Lysis Buffer Could Interfere with Isolation of High Molecular Weight DNA from Freshwater Microalgae. *Indian J Microbiol* 58 (1): 109–113
- Zhan, L. P., Z. Ding, D. L. Peng, H. Peng, L. A. Kong, S. M. Liu, Y. Liu, Z.C. Li, and W. K. Huang. 2018. Evaluation of Chinese rice varieties resistant to the root-knot nematode *Meloidogyne graminicola*. *Journal of Integrative Agriculture*, 17 (3): 621–630