

DAFTAR PUSTAKA

- [1] Admin, “Tidak Ada Listrik, Tidak Ada Peradaban,” *Kementrian Energi dan Sumber Daya Mineral*, 2016. <https://www.esdm.go.id/id/media-center/arsip-berita/tidak-ada-listrik-tidak-ada-peradaban>.
- [2] Kementrian Energi dan Sumber Daya Mineral Republik Indonesia, *Rencana Umum Ketenagalistrikan Nasional 2019 - 2038*. Jakarta, 2019.
- [3] World Energy Council, *World Energy Trilemma Index 2021*. London: World Energy Council, 2021.
- [4] Pemerintah Republik Indonesia, *Peraturan Presiden Republik Indonesia no 22 tahun 2017 Tentang Rencana Umum Energi Nasional*. Jakarta: Sekretariat Negara, 2017.
- [5] M. Dowdall dan S. W.J.F., *Floating Nuclear Power Plants and Associated Technologies in the Northern Areas*. Østerås: Norwegian Radiation Protection Authority, 2008.
- [6] V. Kuznetsov, *Small Modular Reactors (SMRs): the Case of Russia*. Woodhead Publishing Limited, 2015.
- [7] N. E. Todreas dan M. S. Kazimi, *Nuclear Systems I - Thermal Hydraulics Fundamentals*, Second. Boca Raton: Taylor & Francis Group, 2012.
- [8] L. S. Tong dan J. Weisman, *Thermal Analysis of Pressurized Water Reactors*. Illinois: American Nuclear Society.
- [9] U. Imke dan V. H. Sanchez, “Validation of The Subchannel Code SUBCHANFLOW using The NUPEC PWR Tests (PSBT),” *Sci. Technol. Nucl. Install.*, vol. 2012, 2012, doi: 10.1155/2012/465059.
- [10] M. F. Alkodri, “Analisis Parameter Termal Hidraulika Sistem Primer Tertutup Reaktor KLT-40S saat Kondisi Transien Coastdown Pompa Pendingin Reaktor,” Skripsi, Universitas Gadjah Mada, 2020.
- [11] International Atomic Energy Agency, “Status Report 73 - KLT-40S,” Vienna, 2010.
- [12] D. F. Baybakov, A. V. Godovykh, I. S. Martynov, dan V. N. Nesterov, “The Dependence of The Nuclide Composition of The Fuel Core Loading on Multiplying and Breeding Properties of The KLT-40S Nuclear Facility,” *Nucl. Energy Technol.*, vol. 2, no. 3, hal. 183–190, 2016, doi: 10.1016/j.nucet.2016.07.008.
- [13] S. M. Dmitriev, A. V. Varentsov, D. V. Doronkov, M. A. Legchanov, dan D. N. Solntsev, “Experimental and Computational Modeling Inter-Channel Exchange of Nuclear Reactor FA KLT-40S,” hal. 199–205, 2013.



- [14] B. Foad, S. H. Abdel-Latif, dan T. Takeda, "Reactivity Feedback Effect on Loss of Flow Accident in PWR," *Nucl. Eng. Technol.*, vol. 50, no. 8, hal. 1277–1288, 2018, doi: 10.1016/j.net.2018.07.012.
- [15] J. Syblik, "Subchannel Analysis of VVER-440 Using SUBCHANFLOW," Thesis, Czech Technical University in Prague, 2020.
- [16] JSC "Afrikantov OKBM," "KLT-40S Reactor Plants for Small Nuclear Plants."
- [17] A. Moorthi, A. Kumar, dan K. Velusamy, "A review of Sub-channel Thermal Hydraulic Codes for Nuclear Reactor Core and Future Directions," *Nucl. Eng. Des.*, vol. 332, no. April 2017, hal. 329–344, 2018, doi: 10.1016/j.nucengdes.2018.03.012.
- [18] W. T. Sha, "An Overview of Rod-bundle Thermal-hydraulic Analysis," *Nucl. Eng. Des.*, vol. 62, hal. 1–24, 1980, doi: 10.1016/0029-5493(80)90018-7.
- [19] K. S. Chaudri, J. Kim, dan Y. Kim, "Development and Validation of a Fast Sub-channel Code for LWR Multi-physics Analyses," *Nucl. Eng. Technol.*, vol. 51, no. 5, hal. 1218–1230, 2019, doi: 10.1016/j.net.2019.02.017.
- [20] J. Deng *et al.*, "Review of Sub-Channel Code Development for Pressurized Water Reactor and Introduction of CORTH-V2.0 Sub-Channel Code," *Prog. Nucl. Energy*, vol. 125, no. March, 2020, doi: 10.1016/j.pnucene.2020.103373.
- [21] N. E. Todreas, M. S. Kazimi, dan M. Massoud, *Nuclear Systems Volume II*. Boca Raton: CRC Press, 2021.
- [22] M. García *et al.*, "Serpent2-SUBCHANFLOW pin-by-pin Modelling Capabilities for VVER Geometries," *Ann. Nucl. Energy*, vol. 135, 2020, doi: 10.1016/j.anucene.2019.106955.
- [23] D. Wang, H. Chen, J. Chen, D. Zhan, dan S. Xia, "Development of a Thermal-hydraulic Analysis Code for Primary System of an Integrated Small Modular Pressurized Water Reactor," *Ann. Nucl. Energy*, vol. 152, hal. 108019, 2021, doi: 10.1016/j.anucene.2020.108019.
- [24] K. D. Kok, *Nuclear Engineering Handbook*, Second. Boca Raton: Taylor & Francis Group, 2017.
- [25] J. . Holman, *Heat Transfer*, Tenth Edit. New York: Mcgraw-hill, 2010.
- [26] B.-W. Yang, H. Anglart, B. Han, dan A. Liu, "Progress in Rod Bundle CHF in the Past 40 Years," *Nucl. Eng. Des.*, vol. 376, hal. 111076, Mei 2021, doi: 10.1016/j.nucengdes.2021.111076.
- [27] V. V. Bol'shakov, S. M. Bashkirtsev, L. L. Kobzar', dan A. G. Morozov, "Experimental Study of Burnout in Channels with Twisted Fuel Rods," *Therm. Eng.*, vol. 54, no. 5, hal. 386–389, 2007, doi:



10.1134/S0040601507050096.

- [28] Z. Cheng, "Safety Analysis of A Compact Integral Small Light Water Reactor," Massachusetts Institute of Technology, 2018.
- [29] I. F. Mora, "Konvoi PWR Core Model with TRACE and SUBCHANFLOW. Coupling Analysis," no. February, hal. 137, 2014, doi: 10.13140/2.1.4745.2960.
- [30] A. N. Society, *Decay Heat Power in Light Water Reactors*. Illinois: American Nuclear Society, 2005.
- [31] A. Kristanto, A. Agung, dan K. Suryoprato, "Thermal-Hydraulics Operation Parameters Modeling and Analysis of KLT-40S Reactor at Steady-State and Transient Condition using RELAP5-3D," vol. 10, no. 3, hal. 937–944, 2020, doi: 10.18517/ijaseit.10.3.7622.
- [32] S. C. Lee dan S. G. Bankoff, "A Comparison of Predictive Models for the Onset of Significant Void at Low Pressures in Forced-Convection Subcooled Boiling," *KSME Int. J.*, vol. 12, no. 3, hal. 504–513, 1998, doi: 10.1007/bf02946366.
- [33] B. Chexal, G. Lellouche, J. Horowitz, dan J. Healzer, "A Void Fraction Correlation for Generalized Applications," *Prog. Nucl. Energy*, vol. 27, no. 4, hal. 255–295, 1992, doi: 10.1016/0149-1970(92)90007-P.
- [34] K. T. Trinh, "On the Blasius Correlation for Friction Factors," no. 1932, 2010, [Daring]. Tersedia pada: <http://arxiv.org/abs/1007.2466>.
- [35] E. C. Forrest, L. W. Hu, J. Buongiorno, dan T. J. McKrell, "Convective Heat Transfer in a High Aspect Ratio Minichannel Heated on One Side," *J. Heat Transfer*, vol. 138, no. 2, hal. 1–57, 2016, doi: 10.1115/1.4031646.
- [36] V. V. Popov *et al.*, "Results Of Experimental Investigations For Substantiation Of WWER Cermet Fuel Pin Performance," *Int. At. Energy Agency*, hal. 35–41, 1997.
- [37] International Atomic Energy Agency, *Thermophysical Properties of Materials for Nuclear Engineer: A Tutorial and Collection of Data*. Vienna: International Atomic Energy Agency, 2008.
- [38] J. G. Kaufman, "Properties and Characteristic of Aluminum and Aluminum Alloys," *Fire Resist. Alum. Alum. Alloy. Meas. Eff. Fire Expo. Prop. Alum. Alloy.*, hal. 1–7, 2016.
- [39] G. V. Kulakov *et al.*, "Particulars of the Behavior Under Irradiation of Dispersion Fuel Elements with the Uranium Dioxide + Aluminum Alloy Fuel Composition," *At. Energy*, vol. 117, no. 4, hal. 251–256, 2015, doi: 10.1007/s10512-015-9918-4.
- [40] S. M. Dmitriev, D. V. Doronkov, A. N. Pronin, D. N. Solntsev, V. D. Sorokin, dan A. E. Khrobostov, "Combined Numerical and Experimental



Investigation into the Coolant Flow Hydrodynamics and Mass Transfer Behind the Spacer Grid In Fuel Assemblies of the Floating Power Unit Reactor,” *Nucl. Energy Technol.*, vol. 1, no. 1, hal. 54–59, 2016, doi: 10.1016/j.nucet.2015.11.012.

- [41] L. N. Carlucci, N. Hammouda, dan D. S. Rowe, “Two-phase Turbulent Mixing and Buoyancy Drift in Rod Bundles,” *Nucl. Eng. Des.*, vol. 227, no. 1, hal. 65–84, 2004, doi: 10.1016/j.nucengdes.2003.08.003.
- [42] C. Y. Lee, C. H. Shin, J. Y. Park, dan W. K. In, “An Experimental Investigation on Turbulent Flow Mixing in a Simulated 3×3 Dual-cooled Annular Fuel Bundle using Particle Image Velocimetry,” *Nucl. Eng. Des.*, vol. 260, hal. 134–144, 2013, doi: 10.1016/j.nucengdes.2013.03.013.
- [43] B. Sun, *Multiphase Flow in Oil and Gas Well Drilling*, First Edit. Singapore: John Wiley & Sons, 2016.
- [44] H. Hausner, “Determination of the Melting Point of Uranium Dioxide,” *J. Nucl. Mater.*, vol. 15, no. 3, hal. 179–183, 1965, doi: 10.1016/0022-3115(65)90178-9.
- [45] H. B. Peacock dan R. L. Frontroth, *Properties of Aluminum Alloys*. Aiken: Westinghouse Savannah River Company, 1989.
- [46] K. P. S. Anusha G., “Heat Transfer Analysis of Gasketed Plate Heat Exchanger,” *Int. J. Technol. Res. Eng.*, vol. 5, no. 9, hal. 943–947, 2016, doi: 10.17950/ijer/v5s12/1215.
- [47] P. Wu, L. Zhang, J. Shan, dan B. Zhang, “Researches on Special Thermal Hydraulic Phenomena of Annular Fuel Assembly by Sub-Channel Analysis Code-NACAF,” *Front. Energy Res.*, vol. 9, no. August, hal. 1–16, 2021, doi: 10.3389/fenrg.2021.696331.
- [48] T. Okubo, X. Jiang, F. Araya, dan M. Ochiai, *Steady State and Transient DNB Analyses for JAERI Passive Safety Reactor (JPSR) using COBRA-IV-I and Retran-02/MOD3 Codes*. Ibaraki-ken: Japanese Atomic Energy Research Institute, 1998.
- [49] L. Laloui dan A. F. Rotta Loria, *Heat and Mass Transfers in the Context of Energy Geostructures*. 2020.
- [50] M. J. Griffiths *et al.*, “Uncertainty Evaluation of the Chexal-Lellouche Correlation for Void Fraction in Rod Bundles,” *Prog. Nucl. Energy*, vol. 74, no. 2014, hal. 143–153, 2014, doi: 10.1016/j.pnucene.2014.02.023.
- [51] J. W. Seo, Y. H. Kim, D. Kim, Y. D. Choi, dan K. J. Lee, “Heat Transfer and Pressure Drop Characteristics in Straight Microchannel of Printed Circuit Heat Exchangers,” *Entropy*, vol. 17, no. 5, hal. 3438–3457, 2015, doi: 10.3390/e17053438.

