

DAFTAR PUSTAKA

- ‘Arifin, M.S., 2018, Aktivitas Ekstrak Etanol 96% Daun *Chrysophyllum cainito* L. Terhadap Peningkatan Kepadatan Massa Tulang Trabekular Femur Mencit Jantan, Skripsi, Universitas Islam Negeri Maulana Malik Ibrahim.
- Aké-Assi L, 1984, Flore de la Côte-d’Ivoire: Étude Descriptive et Biogéographique, Avec Quelques Notes Ethnobotaniques, Thèse de Doctorat d’Etat Ès Sciences Naturelles, Université d’Abidjan, F.A.S.T., N° d’ordre 008/84, 1001-1010 cit.
- Koffi, N., Ernest, A.K., Marie Solange, T., Beugré, K., Noël, Z.G., 2009, Effect of Aqueous Extract of *Chrysophyllum cainito* Leaves on The Glycaemia of Diabetic Rabbits, *African Journal of Pharmacy and Pharmacology* 3(10): 501–506.
- Alvarez, P.L.J., Cruz, M.B., Micor, J.R.L., Fajardo, A.C., Jr., Cervancia, C.R., Hizon-Fradejas, A.B., 2013. Identification of Flavonoids and Phenolic Compounds in Propolis from Stingless Bee (*Tetragonula Biroi* Friese) Nests and Extracts from Five Tree Sources Using Tandem Liquid Chromatography-Mass Spectrometry, *Philippine entomologist* 27, 91–99.
- Amarilis, K., Sutiarno, W., Annisa, G.S., Wahid, A.A., 2014, Penurunan Kadar Gula Darah pada Penderita Diabetes Mellitus Melalui Pengembangan Obat Herbal dengan Teknik Ekstraksi Daun Kenitu, Laporan Penelitian, Institut Pertanian Bogor, Bogor.
- Arana-Argáez, V.E., Chan-Zapata, I., Canul-Canche, J., Fernández-Martín, K., Martín-Quintal, Z., Torres-Romero, J.C., Coral-Martínez, T.I., Lara-Riegos, J.C., Ramírez-Camacho, M.A., 2017, Immunosuppressive Effects Of The Methanolic Extract Of *Chrysophyllum cainito* Leaves On Macrophage Functions, *African Journal of Traditional, Complementary and Alternative Medicines* 14: 179–186.
- Arana-Argáez, V.E., Mena-Rejón, G.J., Torres-Romero, J.C., Lara-Riegos, J.C., López-Mirón, G., Carballo, R.M., 2021, Anti-Inflammatory Effects of *Chrysophyllum cainito* Fruit Extract in Lipopolysaccharide-Stimulated Mouse Peritoneal Macrophages, *Inflammopharmacology* 29: 513–524.
- Arrijal, I.M.H., Ma’arif, B., Suryadinata, A., 2018, Activity of Ethyl Acetate Extract from *Chrysophyllum cainito* L. Leaves in Decreasing Blood Sugar Level in Male Wistar Rats, *Journal of Islamic Pharmacy* 3: 31–38.
- Attardi, B.J., Page, S.T., Hild, S.A, Coss, C.C., Matsumoto, A.M, 2010, Mechanism of Action of Bolandiol (19-nortestosterone-3beta,17beta-diol), A Unique Anabolic Steroid with Androgenic, Estrogenic, and Progestational Activities, *The Journal of Steroid Biochemistry and Molecular Biology* 118:151–161.

- Attwood, D., Florence, A.T., 1983, *Surfactant Systems: Their Chemistry, Pharmacy and Biology*, Chapman and Hall Ltd, London.
- Behl, T., Kumar, K., Brisc, C., Rus, M., Nistor-Cseppento, D.C., Bustea, C., Aron, R.A.C., Pantis, C., Zengin, G., Sehgal, A., Kaur, R., Kumar, A., Arora, S., Setia, D., Chandel, D., Bungau, S., 2020, Exploring The Multifocal Role of Phytochemicals As Immunomodulators, *Elsevier Masson SAS* 133: 1–18.
- Beltran, M., Robertson, A., Martin, R., 2019, The Effects of Plant Leaves Variants from The Philippines on Infective *Oesophagostomum dentatum* Larvae, *Veterinary Biomedical and Clinical Journal* 1: 9–18.
- Briones, A.T., Chichioco-Hernandez, C.L., 2018, Lipase Inhibitory Activity of *Carica papaya*, *Chrysophyllum cainito*, *Corchorus olitorius*, *Cymbopogon citrates* and *Syzygium cumini* Extracts, *Food Research* 2: 51–55.
- Carreiro, A.L., Dhillon, J., Gordon, S., Higgins, K.A., Jacobs, A.G., McArthur, B.M., Redan, B.W., Rivera, R.L., Schmidt, L.R., Mattes, R.D., 2016, The Macronutrients, Appetite, and Energy Intake, *Annual Review of Nutrition* 36: 73–103.
- Charles, D.J., 2013, *Antioxidant Properties of Spices, Herbs and Other Sources*, 3–9, Springer, New York.
- Chel-Guerrero, L.D., Gómez-Cansino, R., Gúzman-Gutierrez, S.L., Campos-Lara, M.G., Saury-Duch, E., Díaz de León Sánchez, F., Reyes-Chilpa, R., Mendoza-Espinoza, J.A., 2018a, *In Vitro* Antiviral Activity and Phytochemical Screen in The Extracts of Peels From Four Species of Tropical Fruits Collected in Merida Yucatan, Mexico, *Phyton-International Journal of Experimental Botany* 87: 68–71.
- Chel-Guerrero, L.D., Sauri-Duch, E., Fragoso-Serrano, M.C., Pérez-Flores, L.J., Gómez-Olivares, J.L., Salinas-Arreortua, N., Sierra-Palacios, E.D.C., Mendoza-Espinoza, J.A., 2018b, Phytochemical Profile, Toxicity, and Pharmacological Potential of Peels from Four Species of Tropical Fruits, *Journal of Medicinal Food* 21; 734–743.
- Coe, F.G., Parikh, D.M., Johnson, C.A., Anderson, G.J., 2012, The Good and The Bad: Alkaloid Screening and Brineshrimp Bioassays of Aqueous Extracts of 31 Medicinal Plants of Eastern Nicaragua, *Pharmaceutical Biology* 50: 384–392.
- Croteau, R., Kutchan, T. M., Lewis, N. G., 2000, Natural products (secondary metabolites), dalam Buchanan, I.B., Grisse, W., Jones, R. (Eds.), *Biochemistry & Molecular Biology of Plants*, 1250–1318, American Society of Plant Physiologists, USA.

- Curir, P., Dolci, M., Lanzotti, V., Tagliabate-Scafati, O., 2001, Kaempferide Triglycoside: A Possible Factor of Resistance of Carnation (*Dianthus Caryophyllus*) to *Fusarium Oxysporum* F. sp. Dianthi, *Phytochemistry* 56: 717–721.
- da Rosa, R.L., de Almeida, C.L., Somensi, L.B., Boeing, T., Mariano, L.N.B., de Medeiros Amorim Krueger, C., de Souza, P., Filho, V.C., da Silva, L.M., de Andrade, S.F., 2019, *Chrysophyllum cainito* (Apple-Star): A Fruit with Gastroprotective Activity in Experimental Ulcer Models, *Inflammopharmacology* 27: 985–996.
- de la Espriella-Angarita, S., Granados-Conde, C., León-Mendez, D., Leon-Mendez, G., Pajaro-Castro, N., 2021, Development of Microcapsules from The Caimito Fruit Cultivated in The Department of Sucre to Use Its Antioxidant Capacity, *Pharmacologyonline* 3: 1275–1282.
- Déciga-Campos, M., Ortiz-Andrade, R., Sanchez-Recillas, A., Flores-Guido, J.S., Ramírez Camacho, M.A., 2017. Antinociceptive and Antihyperalgesic Activity of a Traditional Maya Herbal Preparation Composed of *Pouteria campechiana*, *Chrysophyllum cainito*, *Citrus limonum*, and *Annona Muricata*, *Drug Development Research*, 78: 91–97.
- Ditzen, M., Pellegrino, M., Vosshall, L.B., 2008, Insect Odorant Receptors are Molecular Targets of the Insect Repellent DEET, *Scienceexpress* 319:1838–1842.
- Doan, H.V. dan Le, T.P., 2020, *Chrysophyllum cainito*: A Tropical Fruit with Multiple Health Benefits, *Evidence-Based Complementary and Alternative Medicine* 2020: 1–9.
- Doan, H.V., Riyajan, S., Iyara, R., Chudapongse, N., 2018, Antidiabetic Activity, Glucose Uptake Stimulation and α -Glucosidase Inhibitory Effect of *Chrysophyllum cainito* L. Stem Bark Extract, *BMC Complementary and Alternative Medicine* 18.
- Doan, H.V., Sritangos, P., Iyara, R., Chudapongse, N., 2020, *Chrysophyllum cainito* Stem Bark Extract Induces Apoptosis in Human Hepatocarcinoma HepG2 Cells Through ROS-Mediated Mitochondrial Pathway, *PeerJ* 8: 1–18.
- du Sert, N.P., Hurst, V., Ahluwalia, A., Alam, S., Avey, M.T., Baker, M., Browne, W.J., Clark, A., Cuthill, I.C., Dirnagl, U., Emerson, M., Garner, P., Holgate, S.T. Howells, D.W., Karp, N.A., Lazic, S.E., Lidster, K., MacCallum, C.J., Macleod, M., Pearl, E.J., Petersen, O.H., Rawle, F., Reynolds, P., Rooney, K., Sena, E.S., Silberberg, S.D., Steckler, T., Würbel, H., 2020, The ARRIVE

- guidelines 2.0: Animal Research: Reporting of In Vivo Experiments, *PLoS Biology*.
- EFSA, 2017, Dietary Reference Values for Nutrients Summary Report, *EFSA Supporting Publications*.
- Einbond, L.S., Reynertson, K.A., Luo, X.-D., Basile, M.J., Kennelly, E.J., 2004, Anthocyanin Antioxidants from Edible Fruits, *Food Chemistry*, 84: 23–28.
- El-Hawary, ED., S.S., El-Zalabani, S.M., Selim, N.M., Ibrahim, M.A., Wahba, F.A., El-Badawy, S.A., Mahdy, N.E.S., Yasri, A., Sobeh, M., 2019, Phenolic Constituents of *Chrysophyllum oliviforme* L. Leaf Down-Regulate TGF- β Expression and Ameliorate CCL4-Induced Liver Fibrosis: Evidence from *In Vivo* and *In Silico* Studies, *Antioxidants* 8: 1–19.
- El-Mekkawy, S., Abdel-Sattar, E., Kawahata, T., Otake, T., 2009, Screening of Egyptian Medicinal Plant Extracts for Anti-Human Immunodeficiency Virus Type-1 (HIV-1) Activity, *Journal of The Arab Society for Medical Research* 4: 1–8.
- Elsevier Community, 2020, Infographic: global research trends in infectious disease, <https://www.elsevier.com/connect/infographic-global-research-trends-in-infectious-disease>, diakses 9 Juni 2022.
- Ernest, A.K., Marie-Solange, T., Beugre, K., Noeuml, Z.G., 2011. Effect of Aqueous Extract of *Chrysophyllum cainito* Leaves on The Glycaemia of Diabetic Rabbits, *African Journal of Pharmacy and Pharmacology*, 5: 501–506.
- Ervina, M., Nawu, Y.E., Esar, S.Y., 2016, Comparison of In Vitro Antioxidant Activity of Infusion, Extract and Fractions of Indonesian Cinnamon (*Cinnamomum burmannii*) Bark, *International Food Research Journal* 23: 1346–1350.
- Fernandez-Panchon, M.S., Villano, D., Troncoso, A.M., Garcia-Parrilla, M.C., 2008, Antioxidant Activity of Phenolic Compounds: from In Vitro Results to In Vivo Evidence, *Critical Reviews in Food Science and Nutrition* 48(7): 649–671.
- Fernando, I.P.S., Kim, M., Son, K.T., Jeong, Y., Jeon, Y.J., 2016, Antioxidant Activity of Marine Algal Polyphenolic Compounds: A Mechanistic Approach, *Journal of Medicinal Food* 19: 615–628.
- Fowden, L., 1981, Non-Protein Amino Acids, dalam Conn, E.E. (Ed.), *Biochemistry of Plants (Secondary Plant Products)*, 7: 215-248, Academic Press, New York.
- Fujimaki, Y., Kamachi, T., Yanagi, T., Cáceres, A., Maki, J., Aoki, Y., 2005, Macroparasitocidal and Microfilaricidal Effects of *Neurolaena lobata*, A

- Guatemalan Medicinal Plant, on *Brugia Pahangi*, *Journal of Helminthology* 79: 23–28.
- Fukuji, T.S., Tonin, F.G., Tavares, M.F.M., 2010, Optimization of A Method for Determination of Phenolic Acids in Exotic Fruits by Capillary Electrophoresis, *Journal of Pharmaceutical and Biomedical Analysis* 51: 430–438.
- Gan, J., Feng, Y., He, Z., Li, X., Zhang, H., 2017, Correlations between Antioxidant Activity and Alkaloids and Phenols of Maca (*Lepidium meyenii*), *Journal of Food Quality* 2017: 1–10.
- Giada, M. de L.R., 2013, Food Phenolic Compounds: Main Classes, Sources and Their Antioxidant Power, dalam Morales-Gonzalez, J.A. (Ed.), *Oxidative Stress and Chronic Degenerative Diseases - A Role for Antioxidants*, 87–112, IntechOpen.
- Grabarczyk, M., Katarzyna, W., Maczka, W., Potaniec, B., Aniol, M., 2015, Loliolide—the Most Ubiquitous Lactone, *Folia Biologica et Oecologica* 11:1-8.
- Hakim, L. dan Yuliah, 2018, Peran B2P2BPTH Yogyakarta dalam Pelestarian Jenis-Jenis Khas Daerah Istimewa Yogyakarta, dalam *Prosiding SNPBS (Seminar Nasional Pendidikan Biologi dan Saintek) Ke-3, Proceedings*. Dipresentasikan pada Seminar Nasional Pendidikan Biologi Dan Saintek III, 329–337, Program Studi Pendidikan Biologi, Universitas Muhammadiyah Surakarta, Surakarta.
- Hanif, A., Nur, Y., Rijai, L., 2018. Aktivitas Antioksidan Ekstrak Kulit Batang Kenitu (*Chrysophyllum cainito* L.) dengan Dua Metode Ekstraksi, dalam *Proceeding of Mulawarman Pharmaceuticals Conferences*: 8–13.
- Harborne, 1984, *Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis*, Second Ed., 100–195, Chapman and Hall, New York.
- Hesthiati, E., Priatmodjo, D., Wisnubudi, G., Sukartono, I.G.S., 2019, *Keanekaragaman Hayati Tanaman Buah Langka Indonesia*, 174–181, Lembaga Penerbit Unas, Jakarta.
- Heyne, K., 1987, *Tumbuhan Berguna Indonesia Jilid III*, Badan Litbang Kehutanan Jakarta, Jakarta.
- Hidayat, M.A., Umiyah, Ulfa, E.U., 2007, Uji Aktivitas Antioksidan Ekstrak Air dan Ekstrak Metanol Beberapa Varian Buah Kenitu (*Chrysophyllum cainito* L.) dari Daerah Jember, *Berkala Penelitian Hayati* 13: 45–50.
- Hikmah, Z., 2015, Uji Aktivitas Inhibitor Enzim Alfa-glukosidase Fraksi Etanol Daun Kenitu (*Chrysophyllum cainito* L.) berbagai Varian di Daerah Jember, Skripsi, Universitas Jember

- Hue, H.T., Tinh, H.T., Van Bao, N., Dao, P.T.A., 2020, Screening for Antioxidant Activity of Vegetable and Fruit By-Products and Evaluating The Ability of Coffee Sediment to Preserve Fish Meal, *SN Applied Sciences* 2.
- ITIS, 2021, ITIS - Report: *Chrysophyllum cainito* L., *Integrated Taxonomic Information System*, https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=23811&print_version=PRT&source=to_print#null, 21 September 2021.
- Kabera, J.N., Semana, E., Mussa, A.R., He, X., 2014, Plant Secondary Metabolites: Biosynthesis, Classification, Function and Pharmacological Properties, *Journal of Pharmacy and Pharmacology* 2:377–392.
- Karimi, A., Majlesi, M., Rafieian-Kopaei, M., 2015, Herbal Versus Synthetic Drugs; Beliefs and Facts, *Journal of Nephro pharmacology* 4: 27–30.
- Kementerian Kesehatan Republik Indonesia, 2019, Peraturan Menteri Kesehatan Republik Indonesia Nomor 28 Tahun 2019 tentang Angka Kecukupan Gizi yang Dianjurkan untuk Masyarakat Indonesia, Jakarta.
- Koffi, N., Ernest, A.K., Marie-Solange, T., Beugré, K., Noël, Z.G., 2009, Effect of aqueous extract of *Chrysophyllum cainito* leaves on the glycaemia of diabetic rabbits, *African Journal of Pharmacy and Pharmacology* 5: 501-506.
- Kruawan, K. dan Kangsadalampai, K., 2006, Antioxidant Activity, Phenolic Compound Contents and Antimutagenic Activity of Some Water Extract of Herbs, *Thai Journal of Pharmaceutical Sciences* 30: 28–35
- Lambert, P.A., Smith, A.R., 1977, The Mode of Action of N-(n=Dodecyl) diethanolamine with Particular Reference to The Effect of Protonation on Uptake by *Escherichia coli*, *Journal of General Microbiology* 103: 367–374.
- Lee, J., Koo, N., dan Min, D.B., 2004a, Reactive Oxygen Species, Aging, and Antioxidative Nutraceuticals, *Comprehensive Reviews in Food Science and Food Safety* 3: 21–33.
- Lee, J.Y., Yoon, J.W., Kim, C.T., dan Lim, S.T., 2004b, Antioxidant activity of phenylpropanoid esters isolated and identified from *Platycodon grandiflorum* A. DC., *Phytochemistry* 65: 3033–3039.
- Leopoldini, M., Marino, T., Russo, N., dan Toscano, M., 2004, Antioxidant Properties of Phenolic Compounds: H-Atom Versus Electron Transfer Mechanism, *The Journal of Physical Chemistry A* 108: 4916–4922.

- Li, LB., Lin, S., Yan, J., Wang, QL., Fan, ZY., Dong, QR., Qin, JZ., Xie, ZG., 2015. Poly-Phenolic Fraction of *Chrysophyllum cainito* Extract Induces Cell Death in Osteosarcomacells, *Bangladesh Journal of Pharmacology* 10: 972–979.
- Lim, T.K., 2013, *Edible Medicinal and Non-Medicinal Plants*, 97–102, Springer Netherlands, Dordrecht.
- Luo, X.D., Basile, M.J., Kennelly, E.J., 2002, Polyphenolic Antioxidants from the Fruits of *Chrysophyllum cainito* L. (Star Apple), *Journal of Agricultural and Food Chemistry* 50: 1379–1382.
- Ma'arif, B., dan Aditama, A.P., 2019. Activity of 96% Ethanol Extract of *Chrysophyllum cainito* L. in Increasing Vertebrae Trabecular Osteoblast Cell Number in Male Mice, *Asian Journal of Pharmaceutical and Clinical Research* 12: 286-288.
- Ma'arif, B., Mutiah, R., Sidha Bhagawan, W., Amiruddin, R., Rukiana, R., 2019, Profil Metabolit Berbagai Ekstrak Daun *Chrysophyllum cainito* L. Menggunakan UPLC-QTOF-MS/MS, *Jurnal Tumbuhan Obat Indonesia* 12: 10–24.
- Ma'arif, B., Putra, K.H.P., Saiful 'Arifin, M., Rukiana, Amiruddin, R., Bhagawan, W.S., Suryadinata, A., Inayatilah, F.R., Muti'ah, R., Aditama, A., 2022, Metabolite Profiling and Activity Study of Ethanol Extract of *Chrysophyllum cainito* L. leaves in Increasing Bone Density in Male Mice, *Thai Journal of Pharmaceutical Sciences* 46: 69–74.
- Madrigal-Santillán, E., Madrigal-Bujaidar, E., Cruz-Jaime, S., Valadez-Vega, M. del C., Sumaya- Martínez, M.T., Pérez-Ávila, K.G., dan Morales- González, J.A., 2013, The Chemoprevention of Chronic Degenerative Disease Through Dietary Antioxidants: Progress, Promise and Evidences dalam Morales-Gonzalez J.A. (Ed.), *Oxidative Stress and Chronic Degenerative Diseases: A Role for Antioxidants*, 152–185, IntechOpen.
- Madziga, H.A., Sanni, S., Sandabe, U.K., 2010, Phytochemical and Elemental Analysis of *Acalypha wilkesiana* Leaf, *Journal of American Science* 6: 510-514.
- Mahdy, N.E.S.H., 2018, A Comparative Pharmacognostical Study of *Chrysophyllum oliviforme* L. and *Chrysophyllum cainito* L. (Family Sapotaceae) grown in Egypt, Tesis, Faculty of Pharmacy Cairo University, Egypt.
- Mao, LM., Qi, XW., Hao, JH., Liu, HF., Xu, QH., Bu, PL., 2015, In Vitro, Ex Vivo and In Vivo Anti-Hypertensive Activity of *Chrysophyllum cainito* L. Extract. *International Journal of Clinical and Experimental Medicine* 8: 17912–17921.

- Maulidiyah, N.Y., 2018, Uji Aktivitas Ekstrak Kloroform Daun Kenitu (*Chrysophyllum cainito* L.) Terhadap Penurunan Kadar Gula Darah Tikus Putih Jantan Galur Wistar (*Rattus Norvegicus* L.) yang Diinduksi Aloksan, Skripsi, Universitas Islam Negeri Maulana Malik Ibrahim.
- Marturano, V., Cerruti, P., dan Ambrogi, V., 2017, Polymer additives, *Physical Sciences Reviews* 2: 1-22.
- Mehta, S.K. dan Gowder, S.J.T., 2015, Members of Antioxidant Machinery and Their Functions, dalam Gowder, S.J.T. (Ed.), *Basic Principles and Clinical Significance of Oxidative Stress*, 59–85, IntechOpen.
- Meira, N.A., Klein Jr, L.C., Rocha, L.W., Quintal, Z.M., Monache, F.D., Cechinel Filho, V., Quintão, N.L.M., 2014, Anti-Inflammatory and Anti-Hypersensitive Effects of The Crude Extract, Fractions and Triterpenes Obtained from *Chrysophyllum cainito* Leaves in Mice, *Journal of Ethnopharmacology* 151: 975–983.
- Meira, N.A., Rocha, L.W., da Silva, G.F., Quintal, Z.M., Monache, F.D., Filho, V.C., Quintão, N.L.M., 2016, *Chrysophyllum cainito* leaves are effective against pre-clinical chronic pain models: Analysis of crude extract, fraction and isolated compounds in mice, *Journal of Ethnopharmacology*: 1–34.
- Minh, N.P., Hoang, L.T., dan Cuong, H.N., 2019, Various Variables Influencing to Production of Star Apple (*Chrysophyllum Cainito*) Juice, *Journal of Pharmaceutical Sciences and Research* 11: 855–858.
- Moo-Huchin, V.M., Estrada-Mota, I., Estrada-León, R., Cuevas-Glory, L., Ortiz-Vázquez, E., de Lourdes Vargas Y Vargas, M., Betancur-Ancona, D., Sauri-Duch, E., 2014, Determination of Some Physicochemical Characteristics, Bioactive Compounds and Antioxidant Activity of Tropical Fruits From Yucatan, Mexico, *Food Chemistry* 152: 508–515.
- Moo-Huchin, V.M., Moo-Huchin, M.I., Estrada-León, R.J., Cuevas-Glory, L., Estrada-Mota, I.A., Ortiz-Vázquez, E., Betancur-Ancona, D., Sauri-Duch, E., 2015, Antioxidant Compounds, Antioxidant Activity and Phenolic Content in Peel from Three Tropical Fruits from Yucatan, Mexico, *Food Chemistry* 166: 17–22.
- Morton, J.F. dan Dowling, C.F., 1987, Star Apple, dalam Morton, J.F. (Eds), *Fruits of Warm Climates*, 408-410, Creative Resources Systems, North Carolina.
- Murillo, E., Britton, G.B., Durant, A.A., 2012, Antioxidant Activity and Polyphenol Content in Cultivated and Wild Edible Fruits Grown in Panama, *Journal of Pharmacy and Bioallied Sciences* 4: 313–317.

- Mustofa, A.S., 2018, Aktivitas Ekstrak Etil Asetat Daun Kenitu (*Chrysophyllum cainito*) Terhadap Peningkatan Kepadatan Tulang Trabekular Vertebra Mencit Betina yang Diinduksi Deksametason, Skripsi, Universitas Islam Negeri Maulana Malik Ibrahim.
- Nakchalerm, N., Theanjumol, P., Joomwong, A., 2018, Evaluation of Antioxidant Capacity in Some Local Thai Fruits in Chiang Mai Province, dalam Roberts, R.E., Nguyen, D.D., Lay-Yee, M. (Eds.), *Proceeding III Asia Pacific Symposium on Postharvest Research, Education and Extension*, 549–552, International Society for Horticultural Science.
- Neha, K., Haider, M.R., Pathak, A., Yar, Sahar Yar, M., 2019, Medicinal Prospects of Antioxidants: A review, *European Journal of Medicinal Chemistry* 178: 687–704.
- Niki, E., 2010, Assessment of Antioxidant Capacity In Vitro and In Vivo, *Free Radical Biology & Medicine* 49: 503–515.
- Ningsih, I.Y., Fairuz, L., Puspitasari, E., Muslichah, S., Hidayat, M., 2015, Uji Aktivitas Penghambatan Enzim α -Glukosidase Ekstrak Buah Kenitu (*Chrysophyllum cainito* L.) dalam Prosiding Seminar Nasional Current Challenges in Drug Use and Development: 34-45
- Ningsih, I.Y., Sofyan, M.D., Prabandari, T., Lachtheany, V., Hidayat, M.A., 2020, Antioxidant and α -Glucosidase Inhibitory Activities of Four Types of *Chrysophyllum cainito* L. Fruit, *Fabad Journal of Pharmaceutical Sciences* 45: 105–115.
- Ningsih, I.Y., Zulaikhah, S., Hidayat, M.A., Kuswandi, B., 2016, Antioxidant Activity of Various Kenitu (*Chrysophyllum cainito* L.) Leaves Extracts from Jember, Indonesia dalam *Agriculture and Agricultural Science Procedia*, Proceeding. Dipresentasikan pada International Conference on Food, Agriculture and Natural Resources, IC-FANRes (2015) 9, 378–385.
- Nisar, B., Sultan, A., dan Rubab, S.L., 2018, Comparison of Medicinally Important Natural Products Versus Synthetic Drugs-A Short Commentary, *Natural Products Chemistry & Research* 6: 1–2.
- Noh, M.F.M., Gunasegavan, R. DN., Khalid, N.M., Balasubramaniam, V., Mustar, S., Rashed, A.A., 2020, Recent Techniques in Nutrient Analysis for Food Composition Database, *Molecules* 25: 1–45.
- Ogunmola, O., Bolaji, O., Sodamade, A., 2015, The Chemical and Medicinal Potentials of The Fruit Essential Oil of *Chrysophyllum cainito* (India Star Apple), *Southern Brazilian Journal of Chemistry* 23: 37–47.

- Ohshima, H., 2003, Genetic and Epigenetic Damage Induced by Reactive Nitrogen Species: Implications in Carcinogenesis, *Toxicology Letters* 140–141: 99–104.
- Oranusi, S.U., Braide, W., Umeze, R.U., 2015, Antimicrobial Activities and Chemical Compositions of *Chrysophyllum cainito* (Star Apple) Fruit, *Microbiology Research International* 3, 41–50.
- Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., Simons, A., 2009, Agroforestry Database: A Tree Reference and Selection Guide Version 4.0., <http://www.worldagroforestry.org/treedb2/speciesprofile.php?Spid=524>, 20 Januari 2022
- Ouattara, D., 2006 cit. Koffi, N., Ernest, A.K., Marie Solange, T., Beugré, K., Noël, Z.G., 2009, Effect of Aqueous Extract of *Chrysophyllum cainito* Leaves on The Glycaemia of Diabetic Rabbits, *African Journal of Pharmacy and Pharmacology* 3: 501–506.
- Paulino, N., Abreu, S.R., Uto, Y., Koyama, D., Nagasawa, H., Hori, H., Dirsch, V.M., Vollmar, A.M., Scremin, A., Bretz, W.A., 2008, Anti-Inflammatory Effects of A Bioavailable Compound, Artepillin C, in Brazilian Propolis, *European Journal of Pharmacology* 587:296-301.
- Pennington, T.D. dan Krukoff, B.A., 1991, *The Genera of Sapotaceae*, Royal botanic gardens, Kew.
- Pérez, J.A.M. dan Aguilar, T.A.F., 2013, Chemistry of Natural Antioxidants and Studies Performed with Different Plants Collected in Mexico, dalam Morales-Gonzalez J.A. (Eds.), *Oxidative Stress and Chronic Degenerative Diseases - A Role for Antioxidants*, 59–85, IntechOpen.
- Pham-Huy, L.A., He, H., Pham-Huy, C., 2008, Free Radicals, Antioxidants in Disease and Health, *Free Radicals and Antioxidants* 4: 89–96.
- Pietta, P.G., 2000, Flavonoids as Antioxidants, *Journal of Natural Products* 63: 1035–1042.
- Pino, J., Marbot, R., Rosado, A., 2002, Volatile Constituents of Star Apple (*Chrysophyllum cainito* L.) from Cuba, *Flavour and Fragrance Journal* 17: 401–403.
- Pohanka M., 2013, Role of oxidative stress in infectious diseases. A review, *Folia Microbiologica* 58(6): 503–513.
- Pramudito, E.D.S., Efendi, E., Shodikin, M.A., 2019, Efek Antioksidan Ekstrak Etanol Daun Kenitu (*Chrysophyllum cainito* L.) terhadap Tikus Wistar yang Diinduksi Cyclophosphamid, *Journal of Agromedicine and Medical Sciences* 5: 106–111

- Putri, L.A., 2015, Uji Aktivitas Inhibisi Alfa-Glukosidase Fraksi Etil Asetat Beberapa Varian Daun Kenitu (*Chrysophyllum cainito* L.) Daerah Jember Sebagai Antidiabetes, Skripsi, Universitas Jember.
- Qi, X., Yang, M., Ren, W., Jia, J., Wang, J., Han, G., & Fan, D., 2013, Find Duplicates Among The Pubmed, EMBASE, and Cochrane Library Databases in Systematic Review, *PloS One* 8: 1–12.
- Rahayu, S., Adriatmoko, W., Amin, M., 2021. Pengaruh Gel Ekstrak Daun Kenitu (*Chrysophyllum cainito* L.) terhadap Reepitelisasi pada Penyembuhan Luka Bakar Mukosa Bukal Tikus Wistar, *STOMATOGNATIC - Jurnal Kedokteran Gigi* 18: 30–34.
- Ramawat, K.G., Dass, S., Mathur, M., 2009, *The Chemical Diversity of Bioactive Molecules and Therapeutic Potential of Medicinal Plants, dalam Ramawat, K.G. (Ed.), Herbal Drugs: Ethnomedicine to Modern Medicine, 7-32*, Springer, Berlin Heidelberg.
- Richard, T., Temsamani, H., Cantos-Villar, E., Monti, JP., 2013, Chapter Two: Application of LC–MS and LC–NMR Techniques for Secondary Metabolite Identification, dalam Rolin, D., (Ed), *Advances in Botanical Research: Metabolomics Coming of Age with Its Technological Diversity*, 67–98, Academic Press.
- Riwanti, P., Arifin, M.S., Muslikh, F.A., Amalia, D., Abada, I., Aditama, A.P., Ma'arif, B., 2021, Effect of *Chrysophyllum cainito* L. Leaves on Bone Formation In Vivo and In Silico, *Tropical Journal of Natural Product Research*, 5: 260–264.
- Romero, A.C., Olvera Hernandez, E.G., Cern, T.F., Ivarez, A., 2013, The Exogenous Antioxidants dalam: Morales-Gonzalez, J.A. (Ed.), *Oxidative Stress and Chronic Degenerative Diseases - A Role for Antioxidants*, 33–57, InTech.
- Roni, A., Fitriani, L., Marliani, L., 2019. Penetapan Kadar Total Flavonoid, Fenolat, dan Karotenoid, serta Uji Aktivitas Antioksidan dari Daun dan Kulit Batang Tanaman Kenitu (*Chrysophyllum cainito* L.), *Jurnal Sains dan Kesehatan* 2: 83–88.
- Rozalina I., Sudisma, I.G.N, Dharmayudha, A.A.G.O., 2017, Identifikasi Senyawa Kimia Ekstrak Etanol Bunga Kecubung (*Datura metel* L.) di Bali yang Berpotensi sebagai Anestetik, *Indonesia Medicus Veterinus* 6: 124-129.
- Safitri, I.F., Nuramanah, S., Widarti, A., Yuni, A.N., 2014, Balado Cainito: Keripik Sawo Apel (*Chrysophyllum cainito*) sebagai Jajanan Kaya Serat dan Bergizi Tinggi, Laporan Akhir PKM Kewirausahaan, Institut Pertanian Bogor, Bogor.

- Salmon, D.M., 2014, *Practical Pharmacology for the Pharmaceutical Sciences*, 37, John Wiley & Sons, West Sussex.
- Santana-Gálvez, J. dan Jacobo-Velázquez, D.A., 2018, Classification of Phenolic Compounds, dalam Nollet, L.M.L. dan Gutierrez-Urbe, J.A. (Eds.), *Phenolic Compounds in Food: Characterization and Analysis*, 3–20, CRC Press, Boca Raton.
- Santos-Sánchez, N.F., Salas-Coronado, R., Villanueva-Cañongo, C., dan Hernández-Carlos, B., 2019, Antioxidant Compounds and Their Antioxidant Mechanism, dalam Shalaby, E. (Ed), *Antioxidants*, 1–28, IntechOpen.
- Sayed, D.F., Nada, A.S., Abd El Hameed Mohamed, M., Ibrahim, M.T., 2019, Modulatory Effects of *Chrysophyllum cainito* L. Extract on Gamma Radiation Induced Oxidative Stress in Rats, *Biomedicine and Pharmacotherapy* 111: 613–623.
- Scalbert, A. dan Williamson, G., 2000, Dietary Intake and Bioavailability of Polyphenols, dalam *Chocolate: Modern Science Investigates an Ancient Medicine*, 2073S-2084S, Dipresentasikan pada 2000 Annual Meeting and Science Innovation Exposition of the American Association for the Advancement of Science, Washington D.C.
- Shailajan, S., Gurjar, D., 2016, Wound Healing Activity of *Chrysophyllum Cainito* L. Leaves: Evaluation in Rats Using Excision Wound Model, *Journal of Young Pharmacists* 8, 96–103.
- Shailajan, S., Gurjar, D., 2014. Pharmacognostic and Phytochemical Evaluation of *Chrysophyllum cainito* Linn. Leaves, *International Journal of Pharmaceutical Sciences Review and Research* 26, 106–111.
- Shergill-Bonner, R., 2017, Micronutrients, *Paediatrics & Child Health* 27(8): 357–362.
- Simic, M.G., 1981, Free radical mechanisms in autoxidation processes, *Journal of Chemical Education* 58: 125–131.
- Sisein, E.A., 2014, Biochemistry of Free Radicals and Antioxidants, *Scholars Academic Journal of Biosciences* 2: 110–118
- Talegawkar, S.A., Beretta, G., Yeum, K.-J., Johnson, E.J., Carithers, T.C., Taylor, H.A., Russell, R.M., dan Tucker, K.L., 2009, Total Antioxidant Performance Is Associated with Diet and Serum Antioxidants in Participants of the Diet and Physical Activity Substudy of the Jackson Heart Study, *The Journal of Nutrition* 139: 1964–1971.

- Thangaraj, P., 2016, *Pharmacological Assays of Plant-Based Natural Products*, 16–19, Springer, Switzerland.
- Trevor, A.J., Katzung, B.G., Kruidering-Hall, M., 2015, *Katzung & Trevor's Pharmacology Examination & Board Review*, Eleventh Ed., 1, McGraw-Hill Education, USA.
- U.S. Department of Agriculture, Agricultural Research Service, 1992-2016a, Dr. Duke's Phytochemical and Ethnobotanical Databases, *Chrysophyllum cainito* (Sapotaceae), <https://phytochem.nal.usda.gov/phytochem/plants/show/434?qlookup=chrysophyllum+cainito&offset=0&max=20&et=>, 9 Oktober 2021.
- U.S. Department of Agriculture, Agricultural Research Service, 1992-2016b, Dr. Duke's Phytochemical and Ethnobotanical Databases, *Chrysophyllum cainito* (Sapotaceae), <https://phytochem.nal.usda.gov/phytochem/ethnoPlants/show/2978?qlookup=chrysophyllum+cainito&offset=0&max=20&et=>, 9 Oktober 2021.
- Utamingtyas, N.I., 2017, Uji Aktivitas Ekstrak Etanol 70% Daun Kenitu (*Chrysophyllum cainito*) Terhadap Peningkatan Kepadatan Tulang Traberkular Vertebra Mencit Betina yang Diinduksi Deksametason, Skripsi, Universitas Islam Negeri Maulana Malik Ibrahim.
- Wang, Y., Chen, Y., Jia, Y., Xue, Z., Chen, Z., Zhang, M., Panichayupakaranant, P., Yang, S., Chen, H., 2021, *Chrysophyllum cainito*. L Alleviates Diabetic and Complications by Playing Antioxidant, Antiglycation, Hypoglycemic Roles and The Chemical Profile Analysis, *Journal of Ethnopharmacology* 281: 1–10.
- White, B., Rice, L., Howard, L.R., 2012, The Procedure, Principle, and Instrumentation of Antioxidant Phytochemical Analysis, dalam Xu, Z., dan Howard, L.R. (Eds.), *Analysis of Antioxidant-Rich Phytochemicals*, 26–27, Wiley-Blackwell, United Kingdom
- WHO, 2018a, *Noncommunicable Diseases Country Profiles 2018*, World Health Organization, Geneva.
- WHO, 2018b, *World Health Statistics 2018: Monitoring Health for the SDGs, Sustainable Development Goals*, World Health Organization, Geneva.
- Will, R., 2016, Critical Appraisal: A Checklist, <https://s4be.cochrane.org/blog/2016/09/06/critical-appraisal-checklist/>, 28 Mei 2022.