

## DAFTAR PUSTAKA

- Abboud, K. Y., Iacomini, M., Simas, F. F., & Cordeiro, L. M. C. (2020). High methoxyl pectin from the soluble dietary fiber of passion fruit peel forms weak gel without the requirement of sugar addition. *Carbohydrate Polymers*, 246. <https://doi.org/10.1016/j.carbpol.2020.116616>
- Ahmad, M., Benjakul, S., Prodpran, T., & Agustini, T. W. (2012). Physico-mechanical and antimicrobial properties of gelatin film from the skin of unicorn leatherjacket incorporated with essential oils. *Food Hydrocolloids*, 28(1), 189–199. <https://doi.org/10.1016/j.foodhyd.2011.12.003>
- Alipal, J., Mohd Pu'ad, N. A. S., Lee, T. C., Nayan, N. H. M., Sahari, N., Basri, H., Idris, M. I., & Abdullah, H. Z. (2019). A review of gelatin: Properties, sources, process, applications, and commercialisation. *Materials Today: Proceedings*, 42, 240–250. <https://doi.org/10.1016/j.matpr.2020.12.922>
- Alvarado, S., Sandoval, G., Palos, I., Tellez, S., Aguirre-Loredo, Y. and Velazquez, G. (2015). The effect of relative humidity on tensile strength and water vapour permeability in chitosan, fish gelatin and transglutaminase edible films. *Food Science and Technology*, 35(4), 690–695. <https://doi.org/10.1590/1678-457X.6797>
- Amalia, F. D., Laeliocattleya, R. A., & Estiasih, T. (2020). Kajian Karakteristik Low Methoxyl Pectin Teramidasi Pada Sampel Bahan Alam. *Jurnal Ilmu Pangan Dan Hasil Pertanian*, 3(2), 106–113. <https://doi.org/10.26877/jiphp.v3i2.4004>
- Badan Pusat Statistik. (2020). *Produksi Daging Sapi di Indonesia tahun 2020*. Jakarta Pusat: Badan Pusat Statistik
- Bakkali, F., Averbeck, S., Averbeck, D., & Idaomar, M. (2008). Biological effects of essential oils - A review. In *Food and Chemical Toxicology* (Vol. 46, Issue 2, pp. 446–475). <https://doi.org/10.1016/j.fct.2007.09.106>
- Bastarrachea, L., Dhawan, S., & Sablani, S. S. (2011). Engineering Properties of Polymeric-Based Antimicrobial Films for Food Packaging. In *Food Engineering Reviews* (Vol. 3, Issue 2, pp. 79–93). <https://doi.org/10.1007/s12393-011-9034-8>
- Bermúdez-Oria, A., Rodríguez-Gutiérrez, G., Rubio-Senent, F., Fernández-Prior, Á., & Fernández-Bolaños, J. (2019). Effect of edible pectin-fish gelatin films containing the olive antioxidants hydroxytyrosol and 3,4-dihydroxyphenylglycol on beef meat during refrigerated storage. *Meat Science*, 148, 213–218. <https://doi.org/10.1016/j.meatsci.2018.07.003>
- Bertuzzi, M. A., Castro Vidaurre, E. F., Armada, M., & Gottifredi, J. C. (2007). Water vapor permeability of edible starch based films. *Journal of Food*

*Engineering*, 80(3), 972–978.  
<https://doi.org/10.1016/j.jfoodeng.2006.07.016>

Bourtoom T., 2009. Edible protein films: properties enhancement. *International Food Research Journal* 16(1):1–9

Byun, Y., Kim, Y.T. & Whiteside, S. 2010. Characterization of an antioxidant polylactic acid (PLA) film prepared with  $\alpha$ -tocopherol, BHT, and polyethylene glycol using film cast extruder. *Journal of Food Engineering*. 100(2):239–244.

Cazón, P., Velazquez, G., Ramírez, J. A., & Vázquez, M. (2017). Polysaccharide-based films and coatings for food packaging: A review. *Food Hydrocolloids*, 68, 136–148. <https://doi.org/10.1016/j.foodhyd.2016.09.009>

Chakravartula, S. S. N., Soccio, M., Lotti, N., Balestra, F., Dalla Rosa, M., & Siracusa, V. (2019). Characterization of composite edible films based on pectin/alginate/whey protein concentrate. *Materials*, 12(15). <https://doi.org/10.3390/ma12152454>

Chan, S. Y., Choo, W. S., Young, D. J., & Loh, X. J. (2017). Pectin as a rheology modifier: Origin, structure, commercial production and rheology. In *Carbohydrate Polymers* (Vol. 161, pp. 118–139). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2016.12.033>

Chen, J., Li, L., Yi, R., Xu, N., Gao, R., & Hong, B. (2016). Extraction and characterization of acid-soluble collagen from scales and skin of tilapia (*Oreochromis niloticus*). *LWT - Food Science and Technology*, 66, 453–459. <https://doi.org/10.1016/j.lwt.2015.10.070>

Cuq, B., Gontard, N., Cuq, J.-L., & Guilbert, S. (1997). *Selected Functional Properties of Fish Myofibrillar Protein-Based Films As Affected by Hydrophilic Plasticizers*.

Do, D. N., Nguyen, D. P., Phung, V. D., Le, X. T., Le, T. M., Do, V. M., Minh, B. Q., & Luu, X. C. (2021). Fractionating of lemongrass (*Cymbopogon citratus*) essential oil by vacuum fractional distillation. *Processes*, 9(4). <https://doi.org/10.3390/pr9040593>

Dugo, P., Škeříková, V., Kumm, T., Trozzi, A., Jandera, P., & Mondello, L. (2006). Elucidation of carotenoid patterns in citrus products by means of comprehensive normal-phase x reversed-phase liquid chromatography. *Analytical Chemistry*, 78(22), 7743–7750. <https://doi.org/10.1021/ac061290q>

Fakhreddin Hosseini, S., Rezaei, M., Zandi, M., & Ghavi, F. F. (2013). Preparation and functional properties of fish gelatin-chitosan blend edible films. *Food Chemistry*, 136(3–4), 1490–1495. <https://doi.org/10.1016/j.foodchem.2012.09.081>

- Galus, S., & Kadzińska, J. (2015). Food applications of emulsion-based edible films and coatings. In *Trends in Food Science and Technology* (Vol. 45, Issue 2, pp. 273–283). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2015.07.011>
- Ganiari, S., Choulitoudi, E., & Oreopoulou, V. (2017). Edible and active films and coatings as carriers of natural antioxidants for lipid food. In *Trends in Food Science and Technology* (Vol. 68, pp. 70–82). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2017.08.009>
- Gentile, L. (2020). Protein–polysaccharide interactions and aggregates in food formulations. In *Current Opinion in Colloid and Interface Science* (Vol. 48, pp. 18–27). Elsevier Ltd. <https://doi.org/10.1016/j.cocis.2020.03.002>
- Gray, J.I., Gomaa, E.A. & Buckley, D.J. 1996. Oxidative Quality and Shelf Life of Meats. *Meat Science*. 43(S):111–123.
- Greene, E.B., Hsin, I. & Zipser, W.M. 1971. Retardation of Oxidative Color Changes in Raw Ground Beef. *Journal of Food Science*. 36:940–942.
- Hafsa, J., Smach, M. ali, ben Khedher, M. R., Charfeddine, B., Limem, K., Majdoub, H., & Rouatbi, S. (2016). Physical, antioxidant and antimicrobial properties of chitosan films containing Eucalyptus globulus essential oil. *LWT - Food Science and Technology*, 68, 356–364. <https://doi.org/10.1016/j.lwt.2015.12.050>
- Halabi, M. F., & Sheikh, B. Y. (2014). Anti-proliferative effect and phytochemical analysis of cymbopogon citratus extract. *BioMed Research International*, 2014. <https://doi.org/10.1155/2014/906239>
- Han, Jung H. (2014). *Innovations in Food Packaging // Edible Films and Coatings*. , ( ), 213–255. doi:10.1016/B978-0-12-394601-0.00009-6
- Hassan, B., Chatha, S. A. S., Hussain, A. I., Zia, K. M., & Akhtar, N. (2018). Recent advances on polysaccharides, lipids and protein based edible films and coatings: A review. In *International Journal of Biological Macromolecules* (Vol. 109, pp. 1095–1107). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2017.11.097>
- Hosseini, S.F., Rezaei, M., Zandi, M. & Farahmand, F. (2013). Preparation and functional properties of fish gelatin – chitosan blend edible films. *Food Chemistry*. 136(3–4):1490–1495.
- Istiqomah, A., Prasetyo, W. E., Firdaus, M., & Kusumaningsih, T. (2022). Valorisation of lemongrass essential oils onto chitosan-starch film for sustainable active packaging: Greatly enhanced antibacterial and antioxidant activity. *International Journal of Biological Macromolecules*. <https://doi.org/10.1016/j.ijbiomac.2022.04.223>
- Jeevahan, J., & Chandrasekaran, M. (2019). Nanoedible films for food packaging: a review. In *Journal of Materials Science* (Vol. 54, Issue 19, pp. 12290–

- 12318). Springer New York LLC. <https://doi.org/10.1007/s10853-019-03742-y>
- Jellouli, K., Balti, R., Bougatef, A., Hmidet, N., Barkia, A., & Nasri, M. (2011). Chemical composition and characteristics of skin gelatin from grey triggerfish (*Balistes capriscus*). *LWT - Food Science and Technology*, 44(9), 1965–1970. <https://doi.org/10.1016/j.lwt.2011.05.005>
- Joanna, T., Małgorzata, M., Piotr, K. & Zając, M. 2018. Characterization of carp (*Cyprinus carpio*) skin gelatin extracted using different pretreatments method. *Food Hydrocolloids*. 81:169–179.
- Jridi, M., Abdelhedi, O., Salem, A., Kechaou, H., Nasri, M., & Menchari, Y. (2020). Physicochemical, antioxidant and antibacterial properties of fish gelatin-based edible films enriched with orange peel pectin: Wrapping application. *Food Hydrocolloids*, 103. <https://doi.org/10.1016/j.foodhyd.2020.105688>
- Kanner (1994). *Oxidative processes in meat and meat products: Quality implications.*, 36(1-2), 169–189.
- Katsukawa, M., Nakata, R., Takizawa, Y., Hori, K., Takahashi, S., & Inoue, H. (2010). Citral, a component of lemongrass oil, activates PPAR  $\alpha$  and  $\gamma$  and suppresses COX-2 expression. *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids*, 1801(11), 1214–1220. <https://doi.org/10.1016/j.bbailip.2010.07.004>
- Khah, M. D., Ghanbarzadeh, B., Roufegarinejad Nezhad, L., & Ostadrahimi, A. (2021). Effects of virgin olive oil and grape seed oil on physicochemical and antimicrobial properties of pectin-gelatin blend emulsified films. *International Journal of Biological Macromolecules*, 171, 262–274. <https://doi.org/10.1016/j.ijbiomac.2021.01.020>
- Layuk, P., Sondakh, J., & Pesireron, M. (2019). Characteristics and Permeability Properties of Sago Starch Edible Film. *AGRITEKNO: Jurnal Teknologi Pertanian*, 8(2), 34–41. <https://doi.org/10.30598/jagritekno.2019.8.2.34>
- Liang, J., Wang, R. and Chen, R. (2019). The Impact of Cross-linking Mode on the Physical and Antimicrobial Properties of a Chitosan/Bacterial Cellulose Composite. *Polymers*, 11(3), 491. <https://doi.org/10.3390/polym11030491>
- Liao, W., Zhu, Y., Lu, Y., Wang, Y., Dong, X., Xia, G., & Shen, X. (2021). Effect of extraction variables on the physical and functional properties of tilapia gelatin. *LWT*, 146. <https://doi.org/10.1016/j.lwt.2021.111514>
- Lin, D., Zheng, Y., Wang, X., Huang, Y., Ni, L., Chen, X., Wu, Z., Huang, C., Yi, Q., Li, J., Qin, W., Zhang, Q., Chen, H., & Wu, D. (2020). Study on physicochemical properties, antioxidant and antimicrobial activity of okara soluble dietary fiber/sodium carboxymethyl cellulose/thyme essential oil active edible composite films incorporated with pectin. *International*

*Journal of Biological Macromolecules*, 165, 1241–1249.  
<https://doi.org/10.1016/j.jbiomac.2020.10.005>

Lin, L., Regenstein, J. M., Lv, S., Lu, J., & Jiang, S. (2017). An overview of gelatin derived from aquatic animals: Properties and modification. In *Trends in Food Science and Technology* (Vol. 68, pp. 102–112). Elsevier Ltd.  
<https://doi.org/10.1016/j.tifs.2017.08.012>

Luo, Q., Hossen, M. A., Zeng, Y., Dai, J., Li, S., Qin, W., & Liu, Y. (2022). Gelatin-based composite films and their application in food packaging: A review. In *Journal of Food Engineering* (Vol. 313). Elsevier Ltd.  
<https://doi.org/10.1016/j.jfoodeng.2021.110762>

Lv, L. C., Huang, Q. Y., Ding, W., Xiao, X. H., Zhang, H. Y., & Xiong, L. X. (2019). Fish gelatin: The novel potential applications. In *Journal of Functional Foods* (Vol. 63). Elsevier Ltd.  
<https://doi.org/10.1016/j.jff.2019.103581>

Mchught, T. H., & Krochta, J. M. (1994). *Agricultural and Food Chemistry of Sorbitol-vs Glycerol-Plasticized Whey Protein Edible Films: Integrated Oxygen Permeability and Tensile Property Evaluation* (Vol. 42, Issue 4).

Mendes, J. F., Martins, J. T., Manrich, A., Sena Neto, A. R., Pinheiro, A. C. M., Mattoso, L. H. C., & Martins, M. A. (2019). Development and physical-chemical properties of pectin film reinforced with spent coffee grounds by continuous casting. *Carbohydrate Polymers*, 210, 92–99.  
<https://doi.org/10.1016/j.carbpol.2019.01.058>

Mohamed, S. A. A., El-Sakhawy, M., & El-Sakhawy, M. A. M. (2020). Polysaccharides, Protein and Lipid -Based Natural Edible Films in Food Packaging: A Review. In *Carbohydrate Polymers* (Vol. 238). Elsevier Ltd.  
<https://doi.org/10.1016/j.carbpol.2020.116178>

Morris, G. A., Foster, T. J., & Harding, S. E. (n.d.). *The effect of the degree of esterification on the hydrodynamic properties of citrus pectin*. [www.elsevier.com/locate/foodhyd](http://www.elsevier.com/locate/foodhyd)

Niknam, R., Ghanbarzadeh, B., Ayaseh, A., & Hamishehkar, H. (2019). Plantago major seed gum based biodegradable films: Effects of various plant oils on microstructure and physicochemical properties of emulsified films. *Polymer Testing*, 77. <https://doi.org/10.1016/j.polymertesting.2019.04.015>

Ningrum, A., Widyastuti Perdani, A., Supriyadi, Siti Halimatul Munawaroh, H., Aisyah, S., & Susanto, E. (2021). Characterization of Tuna Skin Gelatin Edible Films with Various Plasticizers-Essential Oils and Their Effect on Beef Appearance. *Journal of Food Processing and Preservation*, 45(9).  
<https://doi.org/10.1111/jfpp.15701>



- Nguyen M.T., Kryachko E.S., dan Vanquickenborne L.G., 2003. *General and theoretical aspects of phenols*. In: Rappoport Z (ed) *The chemistry of phenols*. John Wiley & Sons Ltd, Chichester, pp 1–198
- Nuansa, Fadly M., Tri Winarni Agustini, & Eko Susanto. (2017). Characteristic and Antioxidant Activity of Edible film from Refined carrageenan with The Addition of Essential Oil. *J. Peng. & Biotek. Hasil Pi*. Vol. 6 No. 1
- Nur Fatin Nazurah, R., & Nur Hanani, Z. A. (2017). Physicochemical characterization of kappa-carrageenan (*Euchema cottoni*) based films incorporated with various plant oils. *Carbohydrate Polymers*, 157, 1479–1487. <https://doi.org/10.1016/j.carbpol.2016.11.026>
- Nur Hanani, Z. A., Roos, Y. H., & Kerry, J. P. (2014). Use and application of gelatin as potential biodegradable packaging materials for food products. *International Journal of Biological Macromolecules*, 71, 94–102. <https://doi.org/10.1016/j.ijbiomac.2014.04.027>
- Nurdiani, R., Yufidasari, H. S., Faturachma, I. D., Prihanto, A. A., Firdaus, M., Huda, N., & Talib, R. A. (2021). Effect of Pectin on the Characteristics of Edible Film from Pink Ear Emperor (*Lethrinus lentjan*) Gelatin. *IOP Conference Series: Earth and Environmental Science*, 934(1). <https://doi.org/10.1088/1755-1315/934/1/012089>
- Nurilmala, M., Nasirullah, M. T., Nurhayati, T., & Darmawan, N. (2021). Karakteristik Fisik-Kimia Gelatin dari Kulit Ikan Patin, Ikan Nila, dan Ikan Tuna. *Jurnal Perikanan Universitas Gadjah Mada*, 23(1), 71. <https://doi.org/10.22146/jfs.59960>
- Nurindra, A. P., Alamsjah, M. A., & Sudarno, D. (2015). Karakterisasi Edible Film Dari Pati Propagul Mangrove Lindur (*Bruguiera Gymnorrhiza*) Dengan Penambahan Carboxymethyl Cellulose (Cmc) Sebagai Pemplastis Characterization Of Edible Film From Propagules Mangrove Lindur (*Bruguiera Gymnorrhiza*) Starch With Addition Of Carboxymethyl Cellulose (Cmc) As Plasticizer. In *Jurnal Ilmiah Perikanan dan Kelautan* (Vol. 7, Issue 2).
- Perdana, M. I., Ruamcharoen, J., Panphon, S., & Leelakriangsak, M. (2021). Antimicrobial activity and physical properties of starch/chitosan film incorporated with lemongrass essential oil and its application. *LWT*, 141. <https://doi.org/10.1016/j.lwt.2021.110934>
- Perez, C. D., Flores, S. K., Marangoni, A. G., Gerschenson, L. N., & Rojas, A. M. (2009). Development of a high methoxyl pectin edible film for retention of L-(+)-ascorbic acid. *Journal of Agricultural and Food Chemistry*, 57(15), 6844–6855. <https://doi.org/10.1021/jf804019x>
- Reddy, I.M. & Carpenter, C.E. 1991. Determination of Metmyoglobin Reductase Activity in Bovine Skeletal Muscles. *Journal of Food Science*. 55(5):161–164.

- Renerre, M., Dumont, F. & Gatellier, P. 1996. Antioxidant Enzyme Activities in Beef in Relation to Oxidation of Lipid and Myoglobin. *Meat Science*. 43(2):111–121.
- Resianingrum, R., Atmaka, W., Khasanah, L. U., Kawiji, K., Utami, R., & Praseptianga, D. (2016). Characterization of cassava starch-based edible film enriched with lemongrass oil (*Cymbopogon citratus*). *Nusantara Bioscience*, 8(2), 278–282. <https://doi.org/10.13057/nusbiosci/n080223>
- Rodríguez, M., Osés, J., Ziani, K., & Maté, J. I. (2006). Combined effect of plasticizers and surfactants on the physical properties of starch based edible films. *Food Research International*, 39(8), 840–846. <https://doi.org/10.1016/j.foodres.2006.04.002>
- Shafie, M. H., Yusof, R., Samsudin, D., & Gan, C. Y. (2020). Avertrhoa bilimbi pectin-based edible films: Effects of the linearity and branching of the pectin on the physicochemical, mechanical, and barrier properties of the films. *International Journal of Biological Macromolecules*, 163, 1276–1282. <https://doi.org/10.1016/j.ijbiomac.2020.07.109>
- Shi, X. D., Huang, J. J., Wu, J. L., Cai, X. X., Tian, Y. Q., Rao, P. F., Huang, J. L., & Wang, S. Y. (2022). Fabrication, interaction mechanism, functional properties, and applications of fish gelatin-polysaccharide composites: a review. In *Food Hydrocolloids* (Vol. 122). Elsevier B.V. <https://doi.org/10.1016/j.foodhyd.2021.107106>
- Sood, A., & Saini, C. S. (2022). Red pomelo peel pectin based edible composite films: Effect of pectin incorporation on mechanical, structural, morphological and thermal properties of composite films. *Food Hydrocolloids*, 123. <https://doi.org/10.1016/j.foodhyd.2021.107135>
- Suhag, R., Kumar, N., Petkoska, A. T., & Upadhyay, A. (2020). Film formation and deposition methods of edible coating on food products: A review. In *Food Research International* (Vol. 136). Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2020.109582>
- Sukkwai, S., Kijroongrojana, K., & Benjakul, S. (2011). Extraction of gelatin from bigeye snapper (*Priacanthus tayenus*) skin for gelatin hydrolysate production. In *International Food Research Journal* (Vol. 18, Issue 3).
- Syarifuddin, A. (2015). Karakterisasi Edible Film dari Pektin Albedo Jeruk Bali-Syarifuddin, dkk. In *Jurnal Pangan dan Agroindustri* (Vol. 3).
- Tkaczewska, J., Morawska, M., Kulawik, P., & Zajac, M. (2018). Characterization of carp (*Cyprinus carpio*) skin gelatin extracted using different pretreatments method. *Food Hydrocolloids*, 81, 169–179. <https://doi.org/10.1016/j.foodhyd.2018.02.048>
- adinuanchan, P., Benjakul, S., & Prodpran, T. (2013). Physico-chemical properties, morphology and antioxidant activity of film from fish skin gelatin

- incorporated with root essential oils. *Journal of Food Engineering*, 117(3), 350–360. <https://doi.org/10.1016/j.jfoodeng.2013.03.005>
- Trajkovska Petkoska, A., Daniloski, D., D'Cunha, N. M., Naumovski, N., & Broach, A. T. (2021). Edible packaging: Sustainable solutions and novel trends in food packaging. In *Food Research International* (Vol. 140). Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2020.109981>
- Tyagi, A. K., Gottardi, D., Malik, A., & Guerzoni, M. E. (2014). Chemical composition, invitro anti-yeast activity and fruit juice preservation potential of lemon grass oil. *LWT - Food Science and Technology*, 57(2), 731–737. <https://doi.org/10.1016/j.lwt.2014.02.004>
- Tyagi, A. K., & Malik, A. (2010). Liquid and vapour-phase antifungal activities of selected essential oils against candida albicans: Microscopic observations and chemical characterization of cymbopogon citratus. *BMC Complementary and Alternative Medicine*, 10. <https://doi.org/10.1186/1472-6882-10-65>
- Tzortzakis, N. G., & Economakis, C. D. (2007). Antifungal activity of lemongrass (Cymbopogon citratus L.) essential oil against key postharvest pathogens. *Innovative Food Science and Emerging Technologies*, 8(2), 253–258. <https://doi.org/10.1016/j.ifset.2007.01.002>
- u Nisa, I., Ashwar, B. A., Shah, A., Gani, A., Gani, A., & Masoodi, F. A. (2015). Development of potato starch based active packaging films loaded with antioxidants and its effect on shelf life of beef. *Journal of Food Science and Technology*, 52(11), 7245–7253. <https://doi.org/10.1007/s13197-015-1859-3>
- Ulfah, Maria & Salsabila, A & Rohmawati, Irma. (2018). Characteristics of water solubility and color on edible film from bioselulosa nata nira siwalan with the additional of glycerol. *Journal of Physics: Conference Series*. 983. 012191. [10.1088/1742-6596/983/1/012191](https://doi.org/10.1088/1742-6596/983/1/012191)
- Umaraw, P., Munekata, P. E. S., Verma, A. K., Barba, F. J., Singh, V. P., Kumar, P., & Lorenzo, J. M. (2020). Edible films/coating with tailored properties for active packaging of meat, fish and derived products. In *Trends in Food Science and Technology* (Vol. 98, pp. 10–24). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.01.032>
- Vieira, M. G. A., da Silva, M. A., dos Santos, L. O., & Beppu, M. M. (2011). Natural-based plasticizers and biopolymer films: A review. In *European Polymer Journal* (Vol. 47, Issue 3, pp. 254–263). <https://doi.org/10.1016/j.eurpolymj.2010.12.011>
- Ye, X., Liu, R., Qi, X., Wang, X., Wang, Y., Chen, Q., & Gao, X. (2022). Preparation of bioactive gelatin film using semi-refined pectin reclaimed from blueberry juice pomace: Creating an oxidation and light barrier for



food packaging. *Food Hydrocolloids*, 129, 107673.  
<https://doi.org/10.1016/j.foodhyd.2022.107673>

Yeddes, W., Djebali, K., Aidi Wannes, W., Horchani-Naifer, K., Hammami, M., Younes, I., & Saidani Tounsi, M. (2020). Gelatin-chitosan-pectin films incorporated with rosemary essential oil: Optimized formulation using mixture design and response surface methodology. *International Journal of Biological Macromolecules*, 154, 92–103.  
<https://doi.org/10.1016/j.ijbiomac.2020.03.092>

Younis, H. G. R., & Zhao, G. (2019). Physicochemical properties of the edible films from the blends of high methoxyl apple pectin and chitosan. *International Journal of Biological Macromolecules*, 131, 1057–1066.  
<https://doi.org/10.1016/j.ijbiomac.2019.03.096>

Zhao, Y., Qiu, J., Xu, J., Gao, X., & Fu, X. (2017). Effects of crosslinking modes on the film forming properties of kelp mulching films. *Algal Research*, 26, 74–83. <https://doi.org/10.1016/j.algal.2017.07.006>