



DAFTAR PUSTAKA

- Akbarzadeh, A., Rezaei-Sadabady, R., Davaran, S., Joo, S. W., Zarghami, N., Hanifehpour, Y., Samiei, M., Kouhi, M., & Nejati-Koshki, K. (2013). Liposome: Classification, preparation, and applications. *Nanoscale Research Letters*, 8(1), 102. <https://doi.org/10.1186/1556-276X-8-102>
- Ashtiani, H. R. A., Bishe, P., Lashgari, N.-A., Nilforoushzadeh, M. A., & Zare, S. (2016). Liposomes in Cosmetics. *Journal of Skin and Stem Cell*, 3(3), Article 3. <https://doi.org/10.5812/jssc.65815>
- Aşkin, Ö., Uzunçakmak, T. K. Ü., Altunkalem, N., & Tüzün, Y. (2021). Vitamin deficiencies/hypervitaminosis and the skin. *Clinics in Dermatology*, 39(5), 847–857. <https://doi.org/10.1016/j.clindermatol.2021.05.010>
- Barco, D., & Giménez-Arnau, A. (2008). Xerosis: A Dysfunction of the Epidermal Barrier. *Actas Dermo-Sifiliográficas (English Edition)*, 99(9), 671–682. [https://doi.org/10.1016/S1578-2190\(08\)70343-3](https://doi.org/10.1016/S1578-2190(08)70343-3)
- Barone, A., Cristiano, M. C., Cilurzo, F., Locatelli, M., Iannotta, D., Di Marzio, L., Celia, C., & Paolino, D. (2020). Ammonium glycyrrhizate skin delivery from ultradeformable liposomes: A novel use as an anti-inflammatory agent in topical drug delivery. *Colloids and Surfaces B: Biointerfaces*, 193, 111152. <https://doi.org/10.1016/j.colsurfb.2020.111152>
- Baumann, L. (2009). Dry Skin. In L. Baumann, S. Saghari, & E. Weisberg (Eds.), *Cosmetic Dermatology: Principles and Practice*, 2e (Vol. 1–Book, Section). The McGraw-Hill Companies, Inc. dermatology.mhmedical.com/content.aspx?aid=1172446200
- Betz, G., Aepli, A., Menshutina, N., & Leuenberger, H. (2005). In vivo comparison of various liposome formulations for cosmetic application. *International Journal of Pharmaceutics*, 296(1), 44–54. <https://doi.org/10.1016/j.ijpharm.2005.02.032>
- Bhatia, A. (2004). *Tamoxifen in topical liposomes: Development, characterization and in-vitro evaluation*. 8.
- Bi, Y., Xia, H., Li, L., Lee, R. J., Xie, J., Liu, Z., Qiu, Z., & Teng, L. (2019). Liposomal Vitamin D3 as an Anti-aging Agent for the Skin. *Pharmaceutics*, 11(7), 311. <https://doi.org/10.3390/pharmaceutics11070311>
- Bikle, D., & Christakos, S. (2020). New aspects of vitamin D metabolism and action—Addressing the skin as source and target. *Nature Reviews Endocrinology*, 16(4), 234–252. <https://doi.org/10.1038/s41574-019-0312-5>
- Bikle, D. D. (2004). Vitamin D regulated keratinocyte differentiation. *Journal of Cellular Biochemistry*, 92(3), 436–444. <https://doi.org/10.1002/jcb.20095>
- Bondock, S., Khalifa, W., & Fadda, A. A. (2007). Synthesis and antimicrobial evaluation of some new thiazole, thiazolidinone and thiazoline derivatives starting from 1-chloro-3,4-dihydronaphthalene-2-carboxaldehyde. *European Journal of Medicinal Chemistry*, 42(7), 948–954. <https://doi.org/10.1016/j.ejmech.2006.12.025>



- Burnette, R. R., & Ongpipattanakul, B. (1987). Characterization of the permselective properties of excised human skin during iontophoresis. *Journal of Pharmaceutical Sciences*, 76(10), 765–773. <https://doi.org/10.1002/jps.2600761003>
- Bury, Y., Ruf, D., Hansen, C. M., Kissmeyer, A. M., Binderup, L., & Carlberg, C. (2001). Molecular evaluation of vitamin D₃ receptor agonists designed for topical treatment of skin diseases. *The Journal of Investigative Dermatology*, 116(5), 785–792. <https://doi.org/10.1046/j.1523-1747.2001.01332.x>
- Casetti, F., Woelfle, U., Gehring, W., & Schempp, C. (2011). Dermocosmetics for Dry Skin: A New Role for Botanical Extracts. *Skin Pharmacology and Physiology*, 24, 289–293. <https://doi.org/10.1159/000329214>
- Cevc, G. (2018). *Phospholipids Handbook*. CRC Press.
- Cevc, G., Schätzlein, A., & Richardsen, H. (2002). Ultra-deformable lipid vesicles can penetrate the skin and other semi-permeable barriers unfragmented. Evidence from double label CLSM experiments and direct size measurements. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1564(1), 21–30. [https://doi.org/10.1016/S0005-2736\(02\)00401-7](https://doi.org/10.1016/S0005-2736(02)00401-7)
- Cirunay, J. J. N., Vander Heyden, Y., & Plaizier-Vercammen, J. (2001). LC separation of calcipotriol from its photodegradation products and protection possibilities using adjuvants. *Journal of Pharmaceutical and Biomedical Analysis*, 26(1), 31–41. [https://doi.org/10.1016/S0731-7085\(01\)00390-9](https://doi.org/10.1016/S0731-7085(01)00390-9)
- Clares, B., Calpena, A. C., Parra, A., Abrego, G., Alvarado, H., Fangueiro, J. F., & Souto, E. B. (2014). Nanoemulsions (NEs), liposomes (LPs) and solid lipid nanoparticles (SLNs) for retinyl palmitate: Effect on skin permeation. *International Journal of Pharmaceutics*, 473(1), 591–598. <https://doi.org/10.1016/j.ijpharm.2014.08.001>
- Cláudia Paiva-Santos, A., Gama, M., Peixoto, D., Sousa-Oliveira, I., Ferreira-Faria, I., Zeinali, M., Abbaspour-Ravasjani, S., Mascarenhas-Melo, F., Hamishehkar, H., & Veiga, F. (2022). Nanocarrier-based dermopharmaceutical formulations for the topical management of atopic dermatitis. *International Journal of Pharmaceutics*, 618, 121656. <https://doi.org/10.1016/j.ijpharm.2022.121656>
- Coderch, L., Pera, M. de, Perez-Cullell, N., Estelrich, J., Maza, A. de la, & Parra, J. L. (1999). The Effect of Liposomes on Skin Barrier Structure. *Skin Pharmacology and Physiology*, 12(5), 235–246. <https://doi.org/10.1159/000066248>
- Cornelissen, L. H., Oomens, C. W. J., Huyghe, J. M., & Baaijens, F. P. T. (2007). Mechanisms that play a role in the maintenance of the calcium gradient in the epidermis. *Skin Research and Technology: Official Journal of International Society for Bioengineering and the Skin (ISBS) [and] International Society for Digital Imaging of Skin (ISDIS) [and] International Society for Skin Imaging (ISSI)*, 13(4), 369–376. <https://doi.org/10.1111/j.1600-0846.2007.00239.x>



- Damayanti, N. (2021). Peran Vitamin D pada Fungsi Sawar Permeabilitas Kulit. *Cermin Dunia Kedokteran*, 48(10), 415–420. <http://103.13.36.125/index.php/CDK/article/view/1515>
- Dd, B., Y, J., T, N., Y, O., & Cl, T. (2016). Disruption of Vitamin D and Calcium Signaling in Keratinocytes Predisposes to Skin Cancer. *Frontiers in Physiology*, 7. <https://doi.org/10.3389/fphys.2016.00296>
- Doppalapudi, S., Jain, A., Chopra, D. K., & Khan, W. (2017). Psoralen loaded liposomal nanocarriers for improved skin penetration and efficacy of topical PUVA in psoriasis. *European Journal of Pharmaceutical Sciences: Official Journal of the European Federation for Pharmaceutical Sciences*, 96, 515–529. <https://doi.org/10.1016/j.ejps.2016.10.025>
- Draelos, Z. D. (2008). Clinical situations conducive to proactive skin health and anti-aging improvement. *The Journal of Investigative Dermatology. Symposium Proceedings*, 13(1), 25–27. <https://doi.org/10.1038/jidsymp.2008.9>
- Drescher, S., & van Hoogeveest, P. (2020). The Phospholipid Research Center: Current Research in Phospholipids and Their Use in Drug Delivery. *Pharmaceutics*, 12(12), 1235. <https://doi.org/10.3390/pharmaceutics12121235>
- Dubey, V., Mishra, D., Nahar, M., & Jain, N. K. (2007). Vesicles as tools for the modulation of skin permeability. *Expert Opinion on Drug Delivery*, 4(6), 579–593. <https://doi.org/10.1517/17425247.4.6.579>
- Dusso, A. S., Brown, A. J., & Slatopolsky, E. (2005). Vitamin D. *American Journal of Physiology-Renal Physiology*, 289(1), F8–F28. <https://doi.org/10.1152/ajpregnol.00336.2004>
- El Maghraby, G. M., Barry, B. W., & Williams, A. C. (2008). Liposomes and skin: From drug delivery to model membranes. *European Journal of Pharmaceutical Sciences: Official Journal of the European Federation for Pharmaceutical Sciences*, 34(4–5), 203–222. <https://doi.org/10.1016/j.ejps.2008.05.002>
- El Maghraby, G. M., & Williams, A. C. (2009). Vesicular systems for delivering conventional small organic molecules and larger macromolecules to and through human skin. *Expert Opinion on Drug Delivery*, 6(2), 149–163. <https://doi.org/10.1517/17425240802691059>
- Elias, P. M., & Feingold, K. R. (1992). Lipids and the epidermal water barrier: Metabolism, regulation, and pathophysiology. *Seminars in Dermatology*, 11(2), 176–182.
- Elmoslemany, R. M., Abdallah, O. Y., El-Khordagui, L. K., & Khalafallah, N. M. (2012). Propylene Glycol Liposomes as a Topical Delivery System for Miconazole Nitrate: Comparison with Conventional Liposomes. *AAPS PharmSciTech*, 13(2), 723–731. <https://doi.org/10.1208/s12249-012-9783-6>
- Eroğlu, İ., Azizoğlu, E., Özyazıcı, M., Nenni, M., Gürer Orhan, H., Özbal, S., Tekmen, I., Ertam, İ., Ünal, İ., & Özer, Ö. (2016). Effective topical delivery systems for corticosteroids: Dermatological and histological evaluations. *Drug Delivery*, 23(5), 1502–1513. <https://doi.org/10.3109/10717544.2014.960981>



- Frézard, F. (1999). Liposomes: From biophysics to the design of peptide vaccines. *Brazilian Journal of Medical and Biological Research*, 32, 181–189. <https://doi.org/10.1590/S0100-879X1999000200006>
- Gerritsen, M. J., Van De Kerkhof, P. C., & Langner, A. (2001). Long-term safety of topical calcitriol 3 microg g(-1) ointment. *The British Journal of Dermatology*, 144 Suppl 58, 17–19. <https://doi.org/10.1046/j.1365-2133.2001.144s58017.x>
- Gillet, A., Evrard, B., & Piel, G. (2011). Liposomes and parameters affecting their skin penetration behaviour. *Journal of Drug Delivery Science and Technology*, 21(1), 35–42. [https://doi.org/10.1016/S1773-2247\(11\)50004-8](https://doi.org/10.1016/S1773-2247(11)50004-8)
- Grubauer, G., Feingold, K. R., Harris, R. M., & Elias, P. M. (1989). Lipid content and lipid type as determinants of the epidermal permeability barrier. *Journal of Lipid Research*, 30(1), 89–96.
- Haroun, M. T. (2003). Women's College Health Sciences Centre; Division of Dermatology, University of Toronto, Toronto, ON. *Geriatrics & Aging*, 6, 4.
- Honeywell-Nguyen, P. L., & Bouwstra, J. A. (2005). Vesicles as a tool for transdermal and dermal delivery. *Drug Discovery Today. Technologies*, 2(1), 67–74. <https://doi.org/10.1016/j.ddtec.2005.05.003>
- Jain, H., Geetanjali, D., Dalvi, H., Bhat, A., Godugu, C., & Srivastava, S. (2022). Liposome mediated topical delivery of Ibrutinib and Curcumin as a synergistic approach to combat imiquimod induced psoriasis. *Journal of Drug Delivery Science and Technology*, 68, 103103. <https://doi.org/10.1016/j.jddst.2022.103103>
- Jang, H., & Lee, S. (2016). Epidermal Skin Barrier. *Asian Journal of Beauty and Cosmetology*, 14, 339–347. <https://doi.org/10.20402/ajbc.2016.0039>
- Johnston, M. J. W., Semple, S. C., Klimuk, S. K., Ansell, S., Maurer, N., & Cullis, P. R. (2007). Characterization of the drug retention and pharmacokinetic properties of liposomal nanoparticles containing dihydrosphingomyelin. *Biochimica Et Biophysica Acta*, 1768(5), 1121–1127. <https://doi.org/10.1016/j.bbamem.2007.01.019>
- Jungersted, J. M., Hellgren, L. I., Jemec, G. B. E., & Agner, T. (2008). Lipids and skin barrier function—A clinical perspective. *Contact Dermatitis*, 58(5), 255–262. <https://doi.org/10.1111/j.1600-0536.2008.01320.x>
- Karande, P., & Mitragotri, S. (2009). Enhancement of transdermal drug delivery via synergistic action of chemicals. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1788(11), 2362–2373. <https://doi.org/10.1016/j.bbamem.2009.08.015>
- Kato, A., Ishibashi, Y., & Miyake, Y. (1987). Effect of egg yolk lecithin on transdermal delivery of bunazosin hydrochloride. *Journal of Pharmacy and Pharmacology*, 39(5), 399–400. Scopus. <https://doi.org/10.1111/j.2042-7158.1987.tb03407.x>



- Kechichian, E., & Ezzedine, K. (2018). Vitamin D and the Skin: An Update for Dermatologists. *American Journal of Clinical Dermatology*, 19(2), 223–235. <https://doi.org/10.1007/s40257-017-0323-8>
- Khezri, K., Saeedi, M., & Maleki Dizaj, S. (2018). Application of nanoparticles in percutaneous delivery of active ingredients in cosmetic preparations. *Biomedicine & Pharmacotherapy*, 106, 1499–1505. <https://doi.org/10.1016/j.biopha.2018.07.084>
- Kim, H. J., & Jeong, S. K. (2012). *New Trends in Skin Barrier Research*.
- Kirjavainen, M., Urtti, A., Jääskeläinen, I., Suhonen, T. M., Paronen, P., Valjakka-Koskela, R., Kiesvaara, J., & Mönkkönen, J. (1996). Interaction of liposomes with human skin in vitro—The influence of lipid composition and structure. *Biochimica Et Biophysica Acta*, 1304(3), 179–189. [https://doi.org/10.1016/s0005-2760\(96\)00126-9](https://doi.org/10.1016/s0005-2760(96)00126-9)
- Knudsen, N. Ø., Jorgensen, L., Hansen, J., Vermehren, C., Frokjaer, S., & Foged, C. (2011). Targeting of liposome-associated calcipotriol to the skin: Effect of liposomal membrane fluidity and skin barrier integrity. *International Journal of Pharmaceutics*, 416(2), 478–485. <https://doi.org/10.1016/j.ijpharm.2011.03.014>
- Knudsen, N. Ø., Rønholt, S., Salte, R. D., Jorgensen, L., Thormann, T., Basse, L. H., Hansen, J., Frokjaer, S., & Foged, C. (2012). Calcipotriol delivery into the skin with PEGylated liposomes. *European Journal of Pharmaceutics and Biopharmaceutics*, 81(3), 532–539. <https://doi.org/10.1016/j.ejpb.2012.04.005>
- Korting, H. C., & Schäfer-Korting, M. (2010). Carriers in the topical treatment of skin disease. *Handbook of Experimental Pharmacology*, 197, 435–468. https://doi.org/10.1007/978-3-642-00477-3_15
- Kraft, J. C., Freeling, J. P., Wang, Z., & Ho, R. J. Y. (2014). Emerging Research and Clinical Development Trends of Liposome and Lipid Nanoparticle Drug Delivery Systems. *Journal of Pharmaceutical Sciences*, 103(1), 29–52. <https://doi.org/10.1002/jps.23773>
- Kushwaha, P., Saxena, S., & Shukla, B. (2021). A Recent Overview on Dermatological Applications of Liposomes. *Recent Patents on Nanotechnology*, 15(4), 310–321. <https://doi.org/10.2174/1872210514666201021145233>
- Laouini, A., Jaafar-Maalej, C., BLOUZA, I., Sfar, S., Charcosset, C., & Fessi, H. (2012). Preparation, Characterization and Applications of Liposomes: State of the Art. *Journal of Colloid Science and Biotechnology*, 1, 147–168. <https://doi.org/10.1166/jcsb.2012.1020>
- Lee, S., Lee, J., & Choi, Y. W. (2007). Skin permeation enhancement of ascorbyl palmitate by liposomal hydrogel (lipogel) formulation and electrical assistance. *Biological & Pharmaceutical Bulletin*, 30(2), 393–396. <https://doi.org/10.1248/bpb.30.393>



- Lehmann, B. (2009). Role of the vitamin D3 pathway in healthy and diseased skin – facts, contradictions and hypotheses. *Experimental Dermatology*, 18(2), 97–108. <https://doi.org/10.1111/j.1600-0625.2008.00810.x>
- Lehmann, B., Genehr, T., Knuschke, P., Pietzsch, J., & Meurer, M. (2001). UVB-induced conversion of 7-dehydrocholesterol to 1alpha,25-dihydroxyvitamin D3 in an in vitro human skin equivalent model. *The Journal of Investigative Dermatology*, 117(5), 1179–1185. <https://doi.org/10.1046/j.0022-202x.2001.01538.x>
- Ma, T., Hara, M., Sougrat, R., Verbavatz, J.-M., & Verkman, A. S. (2002). Impaired Stratum Corneum Hydration in Mice Lacking Epidermal Water Channel Aquaporin-3*. *Journal of Biological Chemistry*, 277(19), 17147–17153. <https://doi.org/10.1074/jbc.M200925200>
- Machado, M., Bronze, M. R., & Ribeiro, H. (2007). New cosmetic emulsions for dry skin. *Journal of Cosmetic Dermatology*, 6(4), 239–242. <https://doi.org/10.1111/j.1473-2165.2007.00341.x>
- Maia Campos, P. M. B. G., de Camargo Júnior, F. B., de Andrade, J. P., & Gaspar, L. R. (2012). Efficacy of Cosmetic Formulations Containing Dispersion of Liposome with Magnesium Ascorbyl Phosphate, Alpha-Lipoic Acid and Kinetin. *Photochemistry and Photobiology*, 88(3), 748–752. <https://doi.org/10.1111/j.1751-1097.2012.01086.x>
- Manca, M. L., Matricardi, P., Cencetti, C., Peris, J. E., Melis, V., Carbone, C., Escribano, E., Zaru, M., Fadda, A. M., & Manconi, M. (2016). Combination of argan oil and phospholipids for the development of an effective liposome-like formulation able to improve skin hydration and allantoin dermal delivery. *International Journal of Pharmaceutics*, 505(1), 204–211. <https://doi.org/10.1016/j.ijpharm.2016.04.008>
- Mezei, M., & Gulasekharam, V. (1982). Liposomes—A selective drug delivery system for the topical route of administration: Gel dosage form. *Journal of Pharmacy and Pharmacology*, 34(7), 473–474. <https://doi.org/10.1111/j.2042-7158.1982.tb04767.x>
- Montenegro, L., Panico, A. M., Ventimiglia, A., & Bonina, F. P. (1996). In vitro retinoic acid release and skin permeation from different liposome formulations. *International Journal of Pharmaceutics*, 133(1), 89–96. [https://doi.org/10.1016/0378-5173\(95\)04422-1](https://doi.org/10.1016/0378-5173(95)04422-1)
- Morgado-Águila, C., Gil-Fernández, G., Dávila-Villalobos, O. R., Pérez-Rey, J., Rey-Sánchez, P., & Rodríguez-Velasco, F. J. (2021). Vitamin D serum levels and non-melanoma skin cancer risk. *PeerJ*, 9, e12234. <https://doi.org/10.7717/peerj.12234>
- Nomenclature, I.-I. C. on B. (1977). Nomenclature of Phosphorus-Containing Compounds of Biochemical Importance (Recommendations 1976). *Proceedings of the National Academy of Sciences of the United States of America*, 74(6), 2222–2230. <https://www.jstor.org/stable/66800>



- Oh, J. S., & Jang, H. H. (2015). Epidermal Differentiation and Skin Barrier. *Kor J Aesthet Cosmetol*, 13(6), 713–720. <http://e-ajbc.org/journal/view.php?number=888>
- Oh, Y.-K., Kim, M. Y., Shin, J.-Y., Kim, T. W., Yun, M.-O., Yang, S. J., Choi, S. S., Jung, W.-W., Kim, J. A., & Choi, H.-G. (2006). Skin permeation of retinol in Tween 20-based deformable liposomes: In-vitro evaluation in human skin and keratinocyte models. *The Journal of Pharmacy and Pharmacology*, 58(2), 161–166. <https://doi.org/10.1211/jpp.58.2.0002>
- Padamwar, M. N., & Pokharkar, V. B. (2006). Development of vitamin loaded topical liposomal formulation using factorial design approach: Drug deposition and stability. *International Journal of Pharmaceutics*, 320(1), 37–44. <https://doi.org/10.1016/j.ijpharm.2006.04.001>
- Partogi, D. (2008). *DEPARTEMEN ILMU KESEHATAN KULIT DAN KELAMIN FK.USU/RSUP H.ADMALIK/RS.DR.PIRNGADI*. 12.
- PHOSPHOLIPON® / Lipoid*. (n.d.). Retrieved May 22, 2022, from <https://www.lipoid.com/en/node/69>
- Pierre, M. B. R., & Dos Santos Miranda Costa, I. (2011). Liposomal systems as drug delivery vehicles for dermal and transdermal applications. *Archives of Dermatological Research*, 303(9), 607–621. <https://doi.org/10.1007/s00403-011-1166-4>
- Pons-Guiraud, A. (2007). Dry skin in dermatology: A complex physiopathology. *Journal of the European Academy of Dermatology and Venereology: JEADV*, 21 Suppl 2, 1–4. <https://doi.org/10.1111/j.1468-3083.2007.02379.x>
- PubChem. (n.d.-a). *Calcitriol*. Retrieved January 11, 2022, from <https://pubchem.ncbi.nlm.nih.gov/compound/5280453>
- PubChem. (n.d.-b). *Cholecalciferol*. Retrieved December 20, 2021, from <https://pubchem.ncbi.nlm.nih.gov/compound/5280795>
- Purnamawati, S., Indrastuti, N., Danarti, R., & Saefudin, T. (2017). The Role of Moisturizers in Addressing Various Kinds of Dermatitis: A Review. *Clinical Medicine & Research*, 15(3–4), 75–87. <https://doi.org/10.3121/cmr.2017.1363>
- Rahman, S. A., Abdelmalak, N. S., Badawi, A., Elbayoumy, T., Sabry, N., & El Ramly, A. (2016). Tretinoin-loaded liposomal formulations: From lab to comparative clinical study in acne patients. *Drug Delivery*, 23(4), 1184–1193. <https://doi.org/10.3109/10717544.2015.1041578>
- Raknam, P., Pinsuwan, S., & Amnuaikit, T. (2020). Phenylethyl Resorcinol Loaded in Liposomal Cream Formulation for Cosmeceutical Application. *Journal of Pharmaceutical Research International*, 32, 64–76. <https://doi.org/10.9734/JPRI/2020/v32i130396>
- Rawlings, A. V. (2006). Ethnic skin types: Are there differences in skin structure and function? *International Journal of Cosmetic Science*, 28(2), 79–93. <https://doi.org/10.1111/j.1467-2494.2006.00302.x>



- Rawlings, A. V., & Harding, C. R. (2004). Moisturization and skin barrier function. *Dermatologic Therapy*, 17 Suppl 1, 43–48. <https://doi.org/10.1111/j.1396-0296.2004.04s1005.x>
- Rawlings, A. V., Scott, I. R., Harding, C. R., & Bowser, P. A. (1994). Stratum corneum moisturization at the molecular level. *The Journal of Investigative Dermatology*, 103(5), 731–741. <https://doi.org/10.1111/1523-1747.ep12398620>
- Rosso, J. D., Zeichner, J., Alexis, A., Cohen, D., & Berson, D. (2016). Understanding the Epidermal Barrier in Healthy and Compromised Skin: Clinically Relevant Information for the Dermatology Practitioner. *The Journal of Clinical and Aesthetic Dermatology*, 9(4 Suppl 1), S2–S8. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5608132/>
- Russell, M. (2012). Assessing the Relationship between Vitamin D3 and Stratum Corneum Hydration for the Treatment of Xerotic Skin. *Nutrients*, 4(9), 1213–1218. <https://doi.org/10.3390/nu4091213>
- Sakdiset, P., Okada, A., Todo, H., & Sugibayashi, K. (2018). Selection of phospholipids to design liposome preparations with high skin penetration-enhancing effects. *Journal of Drug Delivery Science and Technology*, 44, 58–64. <https://doi.org/10.1016/j.jddst.2017.11.021>
- Sala, M., Diab, R., Elaissari, A., & Fessi, H. (2018). Lipid nanocarriers as skin drug delivery systems: Properties, mechanisms of skin interactions and medical applications. *International Journal of Pharmaceutics*, 535(1), 1–17. <https://doi.org/10.1016/j.ijpharm.2017.10.046>
- Schmid, M. H., & Korting, H. C. (1993). Liposomes for atopic dry skin: The rationale for a promising approach. *The Clinical Investigator*, 71(8), 649–653. <https://doi.org/10.1007/BF00184495>
- Shahriari, M., Kerr, P. E., Slade, K., & Grant-Kels, J. E. (2010). Vitamin D and the skin. *Clinics in Dermatology*, 28(6), 663–668. <https://doi.org/10.1016/j.cldermatol.2010.03.030>
- Shanmugam, S., Song, C.-K., Nagayya-Sriraman, S., Baskaran, R., Yong, C.-S., Choi, H.-G., Kim, D.-D., Woo, J. S., & Yoo, B.-K. (2009). Physicochemical characterization and skin permeation of liposome formulations containing clindamycin phosphate. *Archives of Pharmacal Research*, 32(7), 1067–1075. <https://doi.org/10.1007/s12272-009-1713-0>
- Siler-Marinkovic, S. (2016). Liposomes as Drug Delivery Systems in Dermal and Transdermal Drug Delivery. In N. Dragicevic & H. I. Maibach (Eds.), *Percutaneous Penetration Enhancers Chemical Methods in Penetration Enhancement: Nanocarriers* (pp. 15–38). Springer. https://doi.org/10.1007/978-3-662-47862-2_2
- Sinico, C., Manconi, M., Peppi, M., Lai, F., Valenti, D., & Fadda, A. M. (2005). Liposomes as carriers for dermal delivery of tretinoin: In vitro evaluation of drug permeation and vesicle–skin interaction. *Journal of Controlled Release*, 103(1), 123–136. <https://doi.org/10.1016/j.jconrel.2004.11.020>



- Souto, E. B., & Müller, R. H. (2008). Cosmetic features and applications of lipid nanoparticles (SLN®, NLC®). *International Journal of Cosmetic Science*, 30(3), 157–165. <https://doi.org/10.1111/j.1468-2494.2008.00433.x>
- Tan, G., Xu, P., Lawson, L. B., He, J., Freytag, L. C., Clements, J. D., & John, V. T. (2010). Hydration Effects on Skin Microstructure as Probed by High-Resolution Cryo-Scanning Electron Microscopy and Mechanistic Implications to Enhanced Transcutaneous Delivery of Biomacromolecules. *Journal of Pharmaceutical Sciences*, 99(2), 730–740. <https://doi.org/10.1002/jps.21863>
- Trommer, H., & Neubert, R. H. H. (2006). Overcoming the Stratum Corneum: The Modulation of Skin Penetration. *Skin Pharmacology and Physiology*, 19(2), 106–121. <https://doi.org/10.1159/000091978>
- van Kuijk-Meuwissen, M. E. M. J., Junginger, H. E., & Bouwstra, J. A. (1998). Interactions between liposomes and human skin in vitro, a confocal laser scanning microscopy study. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1371(1), 31–39. [https://doi.org/10.1016/S0005-2736\(97\)00273-3](https://doi.org/10.1016/S0005-2736(97)00273-3)
- Vovesná, A., Zhigunov, A., Balouch, M., & Zbytovská, J. (2021). Ceramide liposomes for skin barrier recovery: A novel formulation based on natural skin lipids. *International Journal of Pharmaceutics*, 596, 120264. <https://doi.org/10.1016/j.ijpharm.2021.120264>
- Wissing, S., & Müller, R. (2002). The influence of the crystallinity of lipid nanoparticles on their occlusive properties. *International Journal of Pharmaceutics*, 242(1–2), 377–379. [https://doi.org/10.1016/s0378-5173\(02\)00220-x](https://doi.org/10.1016/s0378-5173(02)00220-x)
- Xia, H., Tang, Y., Huang, R., Liang, J., Ma, S., Chen, D., Feng, Y., Lei, Y., Zhang, Q., Yang, Y., & Huang, Y. (2022). Nanoliposome Use to Improve the Stability of Phenylethyl Resorcinol and Serve as a Skin Penetration Enhancer for Skin Whitening. *Coatings*, 12(3), 362. <https://doi.org/10.3390/coatings12030362>