

DAFTAR PUSTAKA

- Abdulhady, Y., and Gedamy, Y., 2018, Synthesis of Iron Oxide/TiO₂ with Citric Acid Nano-Composite to Remove Some Inorganic Pollutants from Kema Drain-Aswan-Egypt, *Aust. j. basic appl. sci.*, 12(7), 89–97.
- Aber, S., Mahmoudikia, E., Karimi, A., and Mahdizadeh, F., 2016, Immobilization of Glucose Oxidase on Fe₃O₄ Magnetic Nanoparticles and its Application in the Removal of Acid Yellow 12, *Water Air Soil Pollut.*, 227(3).
- Agnestisia, R., 2017, Synthesis and Characterization of Magnetit (Fe₃O₄) and Its Applications as Adsorbent Methylene Blu, *JSTK*, 11(2), 61.
- Almeida, L. A., Habran, M., Carvalho, R. D. S., da Costa, M. E. H. M., Cremona, M., Silva, B. C., Krambrock, K., Pandoli, O. G., Morgado, E., and Marinkovic, B. A., 2020, The Influence of Calcination Temperature on Photocatalytic Activity of TiO₂-Acetylacetone Charge Transfer Complex Towards Degradation of Nox under Visible Light, *CAT*, 10(12), 1–18.
- Asnawati, D., Handayani, S. S., Kamali, S. R., Hamdiani, S., Sumarlan, I., Darmayanti, M. G., and Aulia, L. G., 2020, Adsorpsi Metanil Yellow Menggunakan Karbon Aktif Limbah Cangkang Buah Kawista (*Limonia Acidissima* L.), *J. Pijar MIPA*, 15(3), 247–251.
- Atkins, P., and Overton, T., 2010, *Shriver and Atkins' inorganic chemistry*, 5th Ed., Oxford University Press, USA.
- Ayati, A., Tanhaei, B., Bamoharram, F. F., Ahmadpour, A., Maydannik, P., and Sillanpää, M., 2016, Photocatalytic Degradation of Nitrobenzene by Gold Nanoparticles Decorated Polyoxometalate Immobilized TiO₂ Nanotubes, *Sep. Purif. Technol.*, 171, 62–68.
- Bento, R. T., Correa, O. V., and Pillis, M. F., 2019, Photocatalytic Activity of Undoped and Sulfur-Doped TiO₂ Films Grown by MOCVD for Water Treatment under Visible Light, *J. Eur. Ceram. Soc.*, 39(12), 3498–3504.
- Bhermana, B. G., Safni, dan Syukri, 2015, Degradasi Zat Warna Metanil Yellow Secara Fotolisis dan Penyinaran Matahari dengan Penambahan Katalis TiO₂-Anatase dan SnO₂, *JISTech*, 1(1), 49–62.
- Biju, R., Ravikumar, R., Thomas, C., and Indulal, C. R., 2022, Enhanced Photocatalytic Degradation of Metanil Yellow Dye Using Polypyrrole-Based Copper Oxide–Zinc Oxide Nanocomposites Under Visible Light, *J. Nanopart Res.*, 24(6), 1–16.
- Bos, M. J., Kreuger, T., Kersten, S. R. A., and Brilman, D. W. F., 2019, Study on Transport Phenomena and Intrinsic Kinetics for CO₂ Adsorption In Solid Amine

Sorbent, *Chem. Eng. J.*, 377(June), 0–1.

Butman, M. F., Kochkina, N. E., Ovchinnikov, N. L., Zinenko, N. V., Sergeev, D. N., and Müller, M., 2020, Biomorphic Fibrous TiO₂ Photocatalyst Obtained by Hydrothermal Impregnation of Short Flax Fibers with Titanium Polyhydroxocomplexe, *Catalysts*, 10(5).

Canle L., M., Santaballa, J. A., and Vulliet, E., 2005, On The Mechanism of TiO₂-Photocatalyzed Degradation of Aniline Derivatives, *J. Photochem. Photobiol. A: Chem.*, 175(2–3), 192–200.

Carp, O., Huisman, C. L., and Reller, A., 2004, Photoinduced Reactivity of Titanium Dioxide, *Prog. Solid State Chem.*, 32(1–2), 33–177.

Chu, A. C., Sahu, R. S., Chou, T. H., and Shih, Y. H., 2021, Magnetic Fe₃O₄@TiO₂ Nanocomposites to Degrade Bisphenol A, One Emerging Contaminant, under Visible and Long Wavelength UV Light Irradiation, *J. Environ. Chem. Eng.*, 9(4), 105539.

Cravanzola, S., Cesano, F., Gaziano, F., and Scarano, D., 2017, Sulfur-Doped TiO₂: Structure and Surface Properties, *Catalysts*, 7(7).

Cheraghipour, E., Javadpour, S., and Mehdizadeh, A. R., 2012, Citrate Capped Superparamagnetic Iron Oxide Nanoparticles Used for Hyperthermia Therapy, *J. Biomed. Sci Eng.*, 05(12), 715–719.

Devi, L. G., and Kavitha, R., 2014, Enhanced Photocatalytic Activity of Sulfur Doped TiO₂ for the Decomposition of Phenol: A New Insight into the Bulk and Surface Modification, *Mater. Chem. Phys.*, 143(3), 1300–1308.

Devi, R. S., Venckatesh, D. R., and Sivaraj, D. R., 2014, Synthesis of Titanium Dioxide Nanoparticles by Sol-Gel Technique, *Int. j. innov. res. sci. eng.*, 03(08), 15206–15211.

Fegade, U., Jethave, G., Hong, W. G., Khan, I., Marwani, H. M., Inamuddin, Wu, R. J., and Dhake, R., 2020, Multifunctional Zn_{0.3}Al_{0.4}O_{4.5} crystals: An Efficient Photocatalyst for Formaldehyde Degradation and EBT Adsorption, *Arab. J. Chem.*, 13(11), 8262–8270.

Dheyab, M. A., Aziz, A. A., Jameel, M. S., Noqta, O. A., Khaniabadi, P. M., and Mehrdel, B., 2020, Simple Rapid Stabilization Method Through Citric Acid Modification for Magnetite Nanoparticles, *Sci. Rep.*, 10(1), 1–8.

Ding, Z. W., Chen, S., Liu, Z. Q., Jiang, C. F., and Chu, W., 2015, Mesoporous Sulfur-Doped TiO₂ Microspheres for Catalytic Degradation of Methylene Blue under Visible Light, *Adv. Mater. Res.*, 1118, 242–250.

Dwiyanra, R., Roto, R., Suwondo, K. P., and Wahyuni, E. T., 2021, Enhanced

Photocatalytic Degradation of Remazol Black Under Visible Light Illumination Through S doped TiO_2 (S- TiO_2) Nanoparticles: Operational Factors And Kinetic Study, *Glob. Nest J.*, 23(2), 323–332.

Fegade, U., Jethave, G., Hong, W. G., Khan, I., Marwani, H. M., Inamuddin, Wu, R. J., and Dhake, R., 2020, Multifunctional $\text{Zn}_{0.3}\text{Al}_{0.4}\text{O}_{4.5}$ crystals: An Efficient Photocatalyst for Formaldehyde Degradation and EBT Adsorption, *Arab. J. Chem.*, 13(11), 8262–8270.

Fuentes-García, J. A., Carvalho Alavarse, A., Moreno Maldonado, A. C., Toro-Córdova, A., Ibarra, M. R., and Goya, G. F., 2020, Simple Sonochemical Method to Optimize the Heating Efficiency of Magnetic Nanoparticles for Magnetic Fluid Hyperthermia, *ACS Omega*, 5(41), 26357–26364.

Gabelica, I., Ćurković, L., Mandić, V., Panžić, I., Ljubas, D., and Zadro, K., 2021, Rapid Microwave-Assisted Synthesis of $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ Core-2-Layer-Shell Nanocomposite for Photocatalytic Degradation of ciprofloxacin, *Catalysts*, 11(10), 1136.

Ganapathe, L. S., Mohamed, M. A., Yunus, R. M., and Berhanuddin, D. D., 2020, Magnetite (Fe_3O_4) Nanoparticles in Biomedical Application: From Synthesis to Surface Functionalisation, *Magnetochemistry*, 6(4), 1–35.

Guo, H., Ke, Y., Wang, D., Lin, K., Shen, R., Chen, J., and Weng, W., 2013, Efficient Adsorption and Photocatalytic Degradation of Congo Red Onto Hydrothermally Synthesized Nis Nanoparticles, *J. Nanoparticle Res.*, 15(3).

Habib, M. A., Muslim, M., Shahadat, M. T., Islam, M. N., Ismail, I. M. I., Islam, T. S. A., and Mahmood, A. J., 2013, Photocatalytic Decolorization of Crystal Violet In Aqueous Nano-ZnO Suspension under Visible Light Irradiation, *J. nanostructure chem.*, 3(1).

Heng, T., Ze, W., Wen-sheng, T., Xiao-ping, L., Jian-guo, Q., and Xiao-Hong, Y., 2018, Synthesis of Magnetic Fe_3O_4 Micro/Nanospheres in Organic Solvent, *J. Appl. Biomater. Funct. Mater.*, 16, 26–31.

Hong, T., Mao, J., Tao, F., and Lan, M., 2017, Recyclable magnetic titania nanocomposite from ilmenite with enhanced photocatalytic activity, *Molecules*, 22(12).

Ijaz, M., and Zafar, M., 2021, Titanium Dioxide Nanostructures as Efficient Photocatalyst: Progress, Challenges and Perspective, *Int. J. Energy Res.*, 45(3), 3569–3589.

Iqbal, A., Ibrahim, N. H., Rahman, N. R. A., Saharudin, K. A., Adam, F., Sreekantan, S., Yusop, R. M., Jaafar, N. F., and Wilson, L. D., 2020, ZnO Surface Doping to Enhance the Photocatalytic Activity of Lithium Titanate/ TiO_2 for Methylene Blue

Photodegradation under Visible Light Irradiation, *Surf.*, 3(3), 301–318.

- Islam, S. Z., Nagpure, S., Kim, D. Y., and Rankin, S. E., 2017, Synthesis and Catalytic Applications of Non-Metal Doped Mesoporous Titania, *Inorganics*, 5(1), 1–43.
- Jain, A., Vaya, D., 2017, Photocatalytic Activity of TiO₂ Nanomaterial, , 62(4), 3683–3690.
- Jiang, D., Otitoju, T. A., Ouyang, Y., Shoparwe, N. F., Wang, S., Zhang, A., and Li, S., 2021, A Review on Metal Ions Modified TiO₂ for Photocatalytic Degradation of Organic Pollutants, *Catalysts*, 11(9), 1–82.
- Khan, M. S., Shah, J. A., Riaz, N., Butt, T. A., Khan, A. J., Khalifa, W., Gasmi, H. H., Latifee, E. R., Arshad, M., Al-Naghi, A. A. A., Ul-Hamid, A., Arshad, M., and Bilal, M., 2021, Synthesis and Characterization of Fe-TiO₂ Nanomaterial: Performance Evaluation for Rb5 Decolorization and in Vitro Antibacterial Studies, *Nanomaterials*, 11(2), 1–19.
- Khashan, S., Dagher, S., Tit, N., Alazzam, A., and Obaidat, I., 2017, Novel Method for Synthesis of Fe₃O₄@TiO₂ Core/Shell Nanoparticles, *Surf. Coat. Technol.*, 322, 92–98.
- Khezrianjoo, S., and Revanasiddappa, H., 2012, Langmuir-Hinshelwood Kinetic Expression for the Photocatalytic Degradation of Metanil Yellow Aqueous Solutions by ZnO Catalyst, *Chem. Sci. J.*, 2012(2012), 85–85.
- Khlyustova, A., Sirotkin, N., Kusova, T., Kraev, A., Titov, V., and Agafonov, A., 2020, Doped TiO₂: The Effect of Doping Elements on Photocatalytic Activity, *Adv. Mater.*, 1(5), 1193–1201.
- Khorsand Zak, A., Shirmahd, H., Mohammadi, S., and Banihashemian, S. M., 2020, Solvothermal Synthesis of Porous Fe₃O₄ Nanoparticles for Humidity Sensor Application, *Mater. Res. Express*, 7(2), 1–10.
- Kim, M. G., Kang, J. M., Lee, J. E., Kim, K. S., Kim, K. H., Cho, M., and Lee, S. G., 2021, Effects of Calcination Temperature on the Phase Composition, Photocatalytic Degradation, and Virucidal Activities of TiO₂ Nanoparticles, *ACS Omega*, 6(16), 10668–10678.
- Kim, Y. S., and Kim, J. G., 2019, Improvement of Corrosion Resistance for Low Carbon Steel Pipeline in District Heating Environment Using Transient Oxygen Injection Method, *J Ind Eng Chem.*, 70(October), 169–177.
- Kunarti, E. S., Kartini, I., Mardjan, M. I. D., and Prameswari, E. H., 2021, Sulfur-Doped-Titania Coated on Magnetite as Magnetically Recoverable Photocatalyst for the UV-Visible Light-Assisted-Degradation of Congo Red Solution, *Rasayan J. Chem.*, 14(2), 1199–1207.

- Kurniawati, P., Wiyantoko, B., Kurniawan, A., and Purbaningtrias, T. E., 2016, Kinetic Study of Cr(VI) Adsorption on Hydrotalcite Mg/Al with Molar Ratio 2:1, *Eksakta*, 13(1–2), 11–21.
- Lima, F. M., Martins, F. M., Maia Júnior, P. H. F., Almeida, A. F. L., and Freire, F. N. A., 2018, Nanostructured Titanium Dioxide Average Size from Alternative Analysis of Scherrer's Equation, *Rev.*, 23(1).
- Li, R., Li, T., and Zhou, Q., 2020, Impact of Titanium Dioxide (TiO₂) Modification on Its Application to Pollution Treatment—a review, In *Catalysts* (Vol. 10, Issue 7).
- Lin, X. H., and Li, S. F. Y., 2015, Impact of the Spatial Distribution of Sulfate Species on the Activities of SO₄²⁻/TiO₂ Photocatalysts for the Degradation of Organic Pollutants in Reverse Osmosis Concentrate, *Appl. Catal. B.*, 170–171, 263–272.
- Lin, Y. H., Hsueh, H. T., Chang, C. W., and Chu, H., 2016, The Visible Light-Driven Photodegradation of Dimethyl Sulfide on S-Doped TiO₂: Characterization, Kinetics, and Reaction Pathways, *Appl. Catal. B.*, 199, 1–10.
- Low, J., Cheng, B., and Yu, J., 2017 Surface Modification and Enhanced Photocatalytic CO₂ Reduction Performance of TiO₂: A Review, *Appl. Surf. Sci.*, 392, 658–686.
- Majidi, S., Sehrig, F. Z., Farkhani, S. M., Goloujeh, M. S., and Akbarzadeh, A., 2016, Current Methods for Synthesis of Magnetic Nanoparticles, *Artif. Cells Nanomed. Biotechnol.*, 44(2), 722–734.
- Malek, T. J., Chaki, S. H., Chaudhary, M. D., Tailor, J. P., and Deshpande, M. P., 2018, Effect of Mn Doping on Fe₃O₄ Nanoparticles Synthesized by Wet Chemical Reduction Technique, *IJEE*, 9(2), 121–129.
- Mansingh, S., Padhi, D. K., and Parida, K. M., 2017, Enhanced Visible Light Harnessing and Oxygen Vacancy Promoted N, S Co-Doped CeO₂ Nanoparticle: A Challenging Photocatalyst for Cr(vi) reduction, *Catal. Sci. Technol.*, 7(13), 2772–2781.
- Matyszczyk, G., Krzyczkowska, K., and Fidler, A., 2020, A Novel, Two-Electron Catalysts for the Electro-Fenton Process, *J. Water Process. Eng.*, 36(3), 101242.
- McManamon, C., O'Connell, J., Delaney, P., Rasappa, S., Holmes, J. D., and Morris, M. A., 2015, A Facile Route to Synthesis of S-doped TiO₂ Nanoparticles for Photocatalytic Activity, *J. Mol. Catal. A Chem.*, 406, 51–57.
- Misbah, Y. D. L. M., 2015, Degradasi Methylene Blue Menggunakan Fotokatalis TiO₂-N/Zelolit dengan Sinar Matahari, *Am. J. Ther.*, 10(4), 289–291.
- Muliadi, F. N. A., Halmi, M. I. E., Wahid, S. B. A., Gani, S. S. A., Mahmud, K., and Shukor, M. Y. A., 2021 Immobilization of Metanil Yellow Decolorizing Mixed Culture FN₃ Using Gelling Gum as Matrix for Bioremediation Application,

Sustainability, 13(1), 1–18.

- Munir, S., Shah, S. M., Hussain, H., and Ali khan, R., 2016, Effect of Carrier Concentration on The Optical Band Gap of TiO₂ Nanoparticles, *Mater. Des.*, 92, 64–72.
- Nabavi, N., Peyda, M., and Sadeghi, G., 2017, The Photocatalytic Kinetics of the Methyl Orange Degradation in the Aqueous Suspension of Irradiated TiO₂, *J. Hum. Environ. Health Promot.*, 2(3), 154–160.
- Nasikhudin, Diantoro, M., Kusumaatmaja, A., and Triyana, K., 2018 Study on Photocatalytic Properties of TiO₂ Nanoparticle in various pH condition, *J. Phys. Conf. Ser.*, 1011(1).
- Nor, N. A. M., Jaafar, J., Othman, M. H. D., and Rahman, M. A., 2013, A review Study of Nanofibers in Photocatalytic Process for Wastewater Treatment, *J. Teknol.*, 65(4), 83–88.
- Oi, L. E., Choo, M. Y., Lee, H. V., Ong, H. C., Hamid, S. B. A., and Juan, J. C., 2016, Recent Advances of Titanium Dioxide (TiO₂) for Green Organic Synthesis, *RSC Adv.*, 6(110), 108741–108754.
- Olowoyo, J. O., Kumar, M., Jain, S. L., Shen, S., Zhou, Z., Mao, S. S., Vorontsov, A. V., and Kumar, U., 2018, Reinforced Photocatalytic Reduction of CO₂ to Fuel by Efficient S-TiO₂: Significance of Sulfur Doping, *Int. J. Hydrog. Energy*, 43(37), 17682–17695.
- Pedaneekar, R. S., Shaikh, S. K., and Rajpure, K. Y., 2020, Thin film Photocatalysis for Environmental Remediation: A status review, *Curr. Appl. Phys.*, 20(8), 931–952.
- Popa, A., Stefan, M., Toloman, D., Pana, O., Mesaros, A., Leostean, C., Macavei, S., Marincas, O., Suciu, R., and Barbu-Tudoran, L., 2018, Fe₃O₄-TiO₂: Gd Nanoparticles with Enhanced Photocatalytic Activity and Magnetic Recyclability, *Powder Technol.*, 325, 441–451.
- Prasad, K., Pinjari, D. V., Pandit, A. B., and Mhaske, S. T., 2010, Synthesis of Titanium Dioxide by Ultrasound Assisted Sol-Gel Technique: Effect of Amplitude (Power Density) Variation, *Ultrason Sonochem.*, 17(4), 697–703.
- Qamaruddin, M., Khan, I., Ajumobi, O. O., Ganiyu, S. A., and Qurashi, A., 2019, Sulfur Doped Ceria-Titania (S-CeTiO₄-X) Nanocomposites for Enhanced Solar-Driven Water Splitting, *J. Sol. Energy*, 188(5), 890–897.
- Rahmayanti, M., 2020, Synthesis of Magnetite Nanoparticles Using Reverse Coprecipitation Method With NH₄OH as Precipitating Agent and Its Stability Test at Various pH, *J. Sci. Technol.*, 09(02), 54–58.
- Rahmi, Lubis, S., Az-Zahra, N., Puspita, K., and Iqhrammullah, M., 2021, Synergetic

Photocatalytic and Adsorptive Removals of Metanil Yellow using TiO_2 /Grass-Derived Cellulose/Chitosan Film Composite, *Int. J. Eng. Trans. B: Appl.* 34(8), 1827–1836.

Rakshit, R., Hattori, A. N., Naitoh, Y., Shima, H., Akinaga, H., and Tanaka, H., 2019, Three-Dimensional Nanoconfinement Supports Verwey Transition in Fe_3O_4 Nanowire at 10 nm Length Scale, *Nano Lett.*, 19(8), 5003–5010.

Ramayanti, M., 2020, Sintesis dan Karakterisasi Magnetit (Fe_3O_4): Studi Komparasi Metode Konvensional dan Metode Sonokimia, *Al Ulum Sains Dan Teknologi*, 6(1), 26–31.

Saitow, K. ichi, Wang, Y., and Takahashi, S., 2018, Mechano-synthesized orange TiO_2 shows significant photocatalysis under visible light, *Sci. Rep.*, 8(1), 2–11.

Salamat, S., Younesi, H., and Bahramifar, N., 2017, Synthesis of Magnetic Core-Shell $\text{Fe}_3\text{O}_4@ \text{TiO}_2$ Nanoparticles from Electric Arc Furnace Dust for Photocatalytic Degradation of Steel Mill Wastewater, *RSC Adv.*, 7(31), 19391–19405.

Sasiang, D. K., Sondakh, R. C., Kesehatan, F., Universitas, M., Ratulangi, S., Bethesda, J., Tendean, J. P., Bethesda, J., and Tendean, J. P., 2021, Analisis Kandungan Metanil Yellow Pada Nasi Kuning Di Area Kampus Universitas Sam Ratulangi, Jalan Betesdha, an Jalan Piere Tendean Kota Manado Tahun 2020, *Kesmas*, 10(4), 130–135.

Scarpelli, F., Mastropietro, T. F., Poerio, T., and Godbert, N., 2018, Mesoporous TiO_2 thin films: State of the art, *Titanium Dioxide-Material for a Sustainable Environment*, 57.

Setiadi, E. A., Shabrina, N., Retno, H., Utami, B., Fahmi, F., Kato, T., Iwata, S., dan Suharyadi, D. E., 2013, Sintesis Nanopartikel Cobalt Ferrite (CoFe_2O_4) dengan Metode Kopresipitasi dan Karakterisasi Sifat Kemagnetannya, *J. Appl. Phys.*, 3(1), 2089–0133.

Setianingsih, T., dan Sutarno, 2018, *Prinsip Dasar Aplikasi Metode Difraksi Sinar-X*, UB Press, Malang.

Shang, X., Zhang, M., Wang, X., and Yang, Y., 2014, Sulphur, Nitrogen-Doped TiO_2 /Graphene Oxide Composites as A High Performance Photocatalyst, *J. Exp. Nanosci.*, 9(7), 749–761.

Shariful Islam, M., Kusumoto, Y., Abdulla-Al-Mamun, M., Manaka, H., and Horie, Y., 2012, Synthesis, Characterization and Application of Dumbbell-shaped Magnetic (Fe_3O_4 and $\gamma\text{-Fe}_2\text{O}_3$) Nanoparticles Against HeLa (Cancer) Cells, *Curr. Nanosci.*, 8(6), 811–818.

Shrivastava, V. S., 2012, Photocatalytic degradation of Methylene blue dye and

- Chromium Metal from Wastewater Using Nanocrystalline TiO₂ Semiconductor, *Arch.Appl.Sci.Res*, 4(3), 1244–1254.
- Sheikhmohammadi, A., Asgari, E., Nourmoradi, H., Fazli, M. M., and Yeganeh, M., 2021, Ultrasound-Assisted Decomposition of Metronidazole by Synthesized TiO₂/Fe₃O₄ Nanocatalyst: Influencing Factors and Mechanisms, *J. Environ. Chem. Eng.*, 9(5), 105844.
- Sleiman, M., Vildoza, D., Ferronato, C., and Chovelon, J. M., 2007, Photocatalytic Degradation of Azo Dye Metanil Yellow: Optimization and Kinetic Modeling Using a Chemometric Approach, *Appl. Catal. B: Environ.*, 77(1–2), 1–11.
- Sulaiman, S. N. A., Zaky Noh, M., Nadia Adnan, N., Bidin, N., and Ab Razak, S. N., 2018, Effects of Photocatalytic Activity of Metal and Non-Metal Doped TiO₂ for Hydrogen Production Enhancement-A Review, *J. Phys. Conf. Ser.*, 1027(1).
- Susanti, I., Iqbal, R. M., Rachman, R. A., and Pradana, T. A., 2021, Photocatalytic Activity and Kinetic Study of Methylene Blue Degradation using N-Doped TiO₂ with Zeolite-NaY, *CHEESA*, 4(2), 75.
- Togas, C., Wuntu, A. D., and Koleangan, H. S. J., 2014, Fotodegradasi Zat Warna Metanil Yellow Menggunakan Fotokatalis TiO₂-Karbon Aktif, *Jurnal MIPA*, 3(2), 87.
- Tural, S., Tarhan, T., and Tural, B., 2016, Removal of Hazardous Azo Dye Metanil Yellow from Aqueous Solution by Cross-Linked Magnetic Biosorbent; Equilibrium and Kinetic Studies, *Desalination Water Treat.*, 57(28), 13347–13356.
- Umar, M., and Aziz, H. A., 2013, Photocatalytic Degradation of Organic Pollutants in Water, *Organic pollutants-monitoring, risk and treatment*, 8, 196-197.
- Varshney, G., Kanel, S. R., Kempisty, D. M., Varshney, V., Agrawal, A., Sahle-Demessie, E., Varma, R. S., and Nadagouda, M. N., 2016, Nanoscale TiO₂ Films and Their Application in Remediation of Organic Pollutants, *Coord. Chem. Rev.*, 306(P1), 43–64.
- Waghmode, M. S., Gunjal, A. B., Mulla, J. A., Patil, N. N., and Nawani, N. N., 2019, Studies on the Titanium Dioxide Nanoparticles: Biosynthesis, Applications And Remediation, *SN Appl. Sci.*, 1(4), 1–9.
- Xu, S., and Lee, T. R., 2021, Applied Sciences Fe₃O₄ Nanoparticles : Structures, Synthesis, Magnetic Properties, Surface Functionalization, and Emerging Applications, *Appl. Sci.*, 11, 11301.
- Yalçın, Y., Kiliç, M., and Çınar, Z., 2010, The Role of Non-Metal Doping in TiO₂ Photocatalysis, *J. Adv. Oxid. Technol.*, 13(3), 281–296.

- Yamakata, A., and Veqizo, J. J. M., 2019, Curious Behaviors of Photogenerated Electrons and Holes at the Defects on Anatase, Rutile, and Brookite TiO_2 Powders: A Review, *J. Photochem. Photobiol. C: Photochem. Rev.*, 40, 234–243.
- Yahaya, M. Z., Abdullah, M. Z., and Mohamad, A. A., 2015, Centrifuge and Storage Precipitation of TiO_2 Nanoparticles by The Sol-Gel Method, *J. Alloys Compd.*, 651, 557–564.
- Yazid, S. A., Rosli, Z. M., and Juoi, J. M., 2019, Effect of Titanium (IV) Isopropoxide Molarity on the Crystallinity and Photocatalytic Activity of Titanium Dioxide Thin Film Deposited Via Green Sol-Gel Route, *J. Mater. Res. Technol.*, 8(1), 1434–1439.
- Yew, Y. P., Shameli, K., Miyake, M., Ahmad Khairudin, N. B. B., Mohamad, S. E. B., Naiki, T., and Lee, K. X., 2020, Green Biosynthesis of Superparamagnetic Magnetite Fe_3O_4 Nanoparticles and Biomedical Applications in Targeted Anticancer Drug Delivery System: A Review, *Arab. J. Chem.*, 13(1), 2287–2308.
- Yusoff, A. H. M., Salimi, M. N., and Jamlos, M. F., 2017, Synthesis and characterization of biocompatible Fe_3O_4 nanoparticles at different pH, *AIP Conf. Proc.*, 1835(April 2017), 1–5.
- Zhang, W., Luo, N., Huang, S., Wu, N. L., and Wei, M., 2019, Sulfur-Doped Anatase TiO_2 as an Anode for High-Performance Sodium-Ion Batteries, *ACS Appl. Energy Mater.*, 2(5), 3791–3797.
- Zhang, Y., Yu, F., Cheng, W., Wang, J., and Ma, J., 2017, Adsorption Equilibrium and Kinetics of the Removal of Ammoniacal Nitrogen by Zeolite X/Activated Carbon Composite Synthesized from Elutrilite, *J. Chem.*, 2017.