

REFERENCES

- Abibun, 2022. 'HELIOCARE Advanced XF Gel SPF 50 | Cantabria Labs', . URL: <https://www.cantabrialabs.com/en/products/heliocare-advanced-xf-gel-spf-50/> (accessed at 28/3/2022).
- Alexeyev, O.A., Lundskog, B., Ganceviciene, R., Palmer, R.H., McDowell, A., Patrick, S., *et al.*, 2012. Pattern of tissue invasion by *Propionibacterium acnes* in acne vulgaris. *Journal of Dermatological Science*, **67**: 63–66.
- Al-Ghazzewi, F.H. and Tester, R.F., 2014. Impact of prebiotics and probiotics on skin health. *Beneficial Microbes*, **5**: 99–107.
- Allen, H.B., Vaze, N.D., Choi, C., Hailu, T., Tulbert, B.H., Cusack, C.A., *et al.*, 2014. The Presence and Impact of Biofilm-Producing Staphylococci in Atopic Dermatitis. *JAMA Dermatology*, **150**: 260.
- Altunbulakli, C., Reiger, M., Neumann, A.U., Garzorz-Stark, N., Fleming, M., Huelpuesch, C., *et al.*, 2018. Relations between epidermal barrier dysregulation and Staphylococcus species–dominated microbiome dysbiosis in patients with atopic dermatitis. *Journal of Allergy and Clinical Immunology*, **142**: 1643-1647.e12.
- Altveş, S., Yildiz, H.K., and Vural, H.C., 2020. Interaction of the microbiota with the human body in health and diseases. *Bioscience of microbiota, food and health*, **39**: 23–32.
- Anglenius, H. and Tiisonen, K., 2020. Evaluation of xylitol as an agent that controls the growth of skin microbes: *Staphylococcus aureus*, *Staphylococcus epidermidis*, and *Cutibacterium acnes*. *Korean Journal of Microbiology*, **56**: 54–58.
- Aveeno, 2022a. 'Eczema Therapy Daily Moisturizing Relief Cream | AVEENO®', . URL: <https://www.aveeno.com/products/eczema-therapy-moisturizing-cream> (accessed at 28/3/2022).
- AproDerm, 2022b. 'AproDerm® Colloidal Oat Cream | AproDerm®', . URL: <https://aproderm.com/aproderm-colloidal-oat-cream-hcp/> (accessed at 28/3/2022).
- Anonim, 2022c. 'Ultrasomes Micrococcus Lysate', . URL: <https://www.myskinrecipes.com/shop/en/anti-wrinkle/7082-ultrasomes-micrococcus-lysate.html> (accessed at 28/3/2022).
- Antão, H.S., Passerini, E., Guimarães, J.P., Saldanha, J., Coelho, J.D., and Fortunato, M., 2017. Efficacy, tolerability and acceptability of topical regimens containing the prebiotic Biolin in children suffering from atopic dermatitis. *European Journal of Pediatric Dermatology*, **27**: 102–12.
- Archer, N.K., Jo, J.-H., Lee, S.K., Kim, D., Smith, B., Ortines, R.V., *et al.*, 2019. Injury, dysbiosis, and filaggrin deficiency drive skin inflammation through keratinocyte IL-1 α release. *Journal of Allergy and Clinical Immunology*, **143**: 1426-1443.e6.

- Aries, M.-F., Hernandez-Pigeon, H., Vaissière, C., Delga, H., Caruana, A., Lévêque, M., *et al.*, 2016. Anti-inflammatory and immunomodulatory effects of *Aquaphilus dolomiae* extract on in vitro models. *Clinical, Cosmetic and Investigational Dermatology*, **Volume 9**: 421–434.
- Ashoori, Y., Mohkam, M., Heidari, R., Abootalebi, S.N., Mousavi, S.M., Hashemi, S.A., *et al.*, 2020. Development and In Vivo Characterization of Probiotic Lysate-Treated Chitosan Nanogel as a Novel Biocompatible Formulation for Wound Healing. *BioMed Research International*, **2020**: 1–9.
- Avene, 2022a. 'XeraCalm A.D Lipid-Replenishing Balm', . URL: <https://www.avenusa.com/xeracalm-lipid-replenishing-balm> (accessed at 28/3/2022).
- Avene, 2022b. 'XeraCalm A.D Lipid-Replenishing Cream', . URL: <https://www.avenusa.com/xeracalm-lipid-replenishing-cream#185=773>.
- Axt-Gadermann, M., 2018. Signifikante Verbesserung des atopischen Ekzems durch Therapie mit synbiotischem Badezusatz. *Aktuelle Dermatologie*, **44**: 366–373.
- Ayichew, T., Belete, A., Alebachew, T., Tsehay, H., Berhanu, H., and Minwuyelet, A., 2017. Bacterial Probiotics their Importances and Limitations: A Review. *Journal of Nutrition and Health Sciences*, **4**: .
- Badan Pengawas Obat dan Makanan, 2021. 'Cek produk BPOM: NA18212000325', . URL: <https://cekbpom.pom.go.id/home/produk/ig656vmcm1ot9dhktp1e6c42e2/all/row/10/page/1/order/4/DESC/search/0/NA18212000325> (accessed at 10/11/2021).
- Balasubramaniam, A., Adi, P., Tra My, D.T., Keshari, S., Sankar, R., Chen, C.-L., *et al.*, 2020. Repurposing INCI-registered compounds as skin prebiotics for probiotic *Staphylococcus epidermidis* against UV-B. *Scientific Reports*, **10**: 21585.
- Barnard, E., Shi, B., Kang, D., Craft, N., and Li, H., 2016. The balance of metagenomic elements shapes the skin microbiome in acne and health. *Scientific Reports*, **6**: 39491.
- Bateni, E., Tester, R., Al-Ghazzewi, F., Bateni, S., Alvani, K., and Piggott, J., 2013. The Use of Konjac Glucomannan Hydrolysates (GMH) to Improve the Health of the Skin and Reduce Acne Vulgaris. *American Journal of Dermatology and Venereology*, **2**: 10–14.
- Bauer, M.A., Kainz, K., Carmona-Gutierrez, D., and Madeo, F., 2018. Microbial wars: competition in ecological niches and within the microbiome. *Microbial Cell*, **5**: 215–219.
- Baurecht, H., Rühlemann, M.C., Rodríguez, E., Thielking, F., Harder, I., Erkens, A.-S., *et al.*, 2018. Epidermal lipid composition, barrier integrity, and eczematous inflammation are associated with skin microbiome configuration. *Journal of Allergy and Clinical Immunology*, **141**: 1668-1676.e16.

- Belkaid, Y. and Harrison, O.J., 2017. Homeostatic Immunity and the Microbiota. *Immunity*, **46**: 562–576.
- Berg, G., Rybakova, D., Fischer, D., Cernava, T., Vergès, M.-C.C., Charles, T., *et al.*, 2020. Microbiome definition re-visited: old concepts and new challenges. *Microbiome*, **8**: 103.
- Bianchi, P., Theunis, J., Casas, C., Villeneuve, C., Patrizi, A., Phulpin, C., *et al.*, 2016. Effects of a New Emollient-Based Treatment on Skin Microflora Balance and Barrier Function in Children with Mild Atopic Dermatitis. *Pediatric Dermatology*, **33**: 165–171.
- Biniek, K., Levi, K., and Dauskardt, R.H., 2012. Solar UV radiation reduces the barrier function of human skin. *Proceedings of the National Academy of Sciences*, **109**: 17111–17116.
- Bjerre, R.D., Holm, J.B., Palleja, A., Sølberg, J., Skov, L., and Johansen, J.D., 2021. Skin dysbiosis in the microbiome in atopic dermatitis is site-specific and involves bacteria, fungus and virus. *BMC Microbiology*, **21**: 256.
- Blanchet-Réthoré, S., Bourdès, V., Mercenier, A., Haddar, C.H., Verhoeven, P.O., and Andres, P., 2017. Effect of a lotion containing the heat-treated probiotic strain *Lactobacillus johnsonii* NCC 533 on *Staphylococcus aureus* colonization in atopic dermatitis. *Clinical, Cosmetic and Investigational Dermatology*, **Volume 10**: 249–257.
- Bodemer, C., Guillet, G., Cambazard, F., Boralevi, F., Ballarini, S., Milliet, C., *et al.*, 2017. Adjuvant treatment with the bacterial lysate (OM-85) improves management of atopic dermatitis: A randomized study. *PLOS ONE*, **12**: e0161555.
- Boldock, E., Surewaard, B.G.J., Shamarina, D., Na, M., Fei, Y., Ali, A., *et al.*, 2018. Human skin commensals augment *Staphylococcus aureus* pathogenesis. *Nature Microbiology*, **3**: 881–890.
- Bolla, B.S., Erdei, L., Urbán, E., Burián, K., Kemény, L., and Szabó, K., 2020. *Cutibacterium acnes* regulates the epidermal barrier properties of HPV-KER human immortalized keratinocyte cultures. *Scientific Reports*, **10**: 12815.
- Bosman, E.S., Albert, A.Y., Lui, H., Dutz, J.P., and Vallance, B.A., 2019. Skin Exposure to Narrow Band Ultraviolet (UVB) Light Modulates the Human Intestinal Microbiome. *Frontiers in Microbiology*, **10**: 2410.
- Bowe, W.P., Filip, J.C., DiRienzo, J.M., Volgina, A., and Margolis, D.J., 2006. Inhibition of *Propionibacterium acnes* by bacteriocin-like inhibitory substances (BLIS) produced by *Streptococcus salivarius*. *Journal of drugs in dermatology: JDD*, **5**: 868–870.
- Boženský, J., Hill, M., Zelenka, R., and Skýba, T., 2015. Prebiotics Do Not Influence the Severity of Atopic Dermatitis in Infants: A Randomised Controlled Trial. *PLOS ONE*, **10**: e0142897.
- Brandi, J., Cheri, S., Manfredi, M., Di Carlo, C., Vita Vanella, V., Federici, F., *et al.*, 2020. Exploring the wound healing, anti-inflammatory, anti-pathogenic

- and proteomic effects of lactic acid bacteria on keratinocytes. *Scientific Reports*, **10**: 11572.
- Buhse, L., Kolinski, R., Westenberger, B., Wokovich, A., Spencer, J., Chen, C.W., *et al.*, 2005. Topical drug classification. *International Journal of Pharmaceutics*, **295**: 101–112.
- Burns, E.M., Ahmed, H., Isedeh, P.N., Kohli, I., Van Der Pol, W., Shaheen, A., *et al.*, 2019. Ultraviolet radiation, both UVA and UVB, influences the composition of the skin microbiome. *Experimental Dermatology*, **28**: 136–141.
- Byrd, A.L., Deming, C., Cassidy, S.K.B., Harrison, O.J., Ng, W.-I., Conlan, S., *et al.*, 2017. *Staphylococcus aureus* and *Staphylococcus epidermidis* strain diversity underlying pediatric atopic dermatitis. *Science Translational Medicine*, **9**: eaal4651.
- Cabello-Olmo, M., Oneca, M., Torre, P., Díaz, J.V., Encio, I.J., Barajas, M., *et al.*, 2020. Influence of Storage Temperature and Packaging on Bacteria and Yeast Viability in a Plant-Based Fermented Food. *Foods (Basel, Switzerland)*, **9**: 302.
- Canovas, J., Baldry, M., Bojer, M.S., Andersen, P.S., Gless, B.H., Grzeskowiak, P.K., *et al.*, 2016. Cross-Talk between *Staphylococcus aureus* and Other Staphylococcal Species via the agr Quorum Sensing System. *Frontiers in Microbiology*, **7**: 1733.
- Carson, W.F., Salter-Green, S.E., Scola, M.M., Joshi, A., Gallagher, K.A., and Kunkel, S.L., 2017. Enhancement of macrophage inflammatory responses by CCL2 is correlated with increased miR-9 expression and downregulation of the ERK1/2 phosphatase Dusp6. *Cellular Immunology*, **314**: 63–72.
- Casilag, F., Lorenz, A., Krueger, J., Klawonn, F., Weiss, S., and Häussler, S., 2016. The LasB Elastase of *Pseudomonas aeruginosa* Acts in Concert with Alkaline Protease AprA To Prevent Flagellin-Mediated Immune Recognition. *Infection and Immunity*, **84**: 162–171.
- Castañeda-Tamez, P., Ramírez-Peris, J., Pérez-Velázquez, J., Kuttler, C., Jalalimanesh, A., Saucedo-Mora, M.Á., *et al.*, 2018. Pyocyanin Restricts Social Cheating in *Pseudomonas aeruginosa*. *Frontiers in Microbiology*, **9**: 1348.
- Castillo, C.R., Alishahedani, M.E., Gough, P., Chaudhary, P.P., Yadav, M., Matriz, J., *et al.*, 2021. Assessing the effects of common topical exposures on skin bacteria associated with atopic dermatitis. *Skin Health and Disease*, **1**: .
- Cau, L., Williams, M.R., Butcher, A.M., Nakatsuji, T., Kavanaugh, J.S., Cheng, J.Y., *et al.*, 2021. *Staphylococcus epidermidis* protease EcpA can be a deleterious component of the skin microbiome in atopic dermatitis. *Journal of Allergy and Clinical Immunology*, **147**: 955-966.e16.
- Cha, H., Kim, S.-K., Kook, M., and Yi, T.-H., 2020. Lactobacillus paraplantarum THG-G10 as a potential anti-acne agent with anti-bacterial and anti-inflammatory activities. *Anaerobe*, **64**: 102243.

- Chandrashekar, N. S. and Shobha Rani, R. H., 2008. Physicochemical and pharmacokinetic parameters in drug selection and loading for transdermal drug delivery. *Indian Journal of Pharmaceutical Sciences*, **70**: 94.
- Chien, A.L., Tsai, J., Leung, S., Mongodin, E.F., Nelson, A.M., Kang, S., *et al.*, 2019. Association of Systemic Antibiotic Treatment of Acne With Skin Microbiota Characteristics. *JAMA Dermatology*, **155**: 425.
- Choi, E.-J., Lee, H.G., Bae, I.-H., Kim, W., Park, J., Lee, T.R., *et al.*, 2018. *Propionibacterium acnes*-Derived Extracellular Vesicles Promote Acne-Like Phenotypes in Human Epidermis. *Journal of Investigative Dermatology*, **138**: 1371–1379.
- Christensen, I.B., Vedel, C., Clausen, M.-L., Kjærulff, S., Agner, T., and Nielsen, D.S., 2021. Targeted Screening of Lactic Acid Bacteria With Antibacterial Activity Toward *Staphylococcus aureus* Clonal Complex Type 1 Associated With Atopic Dermatitis. *Frontiers in Microbiology*, **12**: 733847.
- Chung, W.S.F., Walker, A.W., Louis, P., Parkhill, J., Vermeiren, J., Bosscher, D., *et al.*, 2016. Modulation of the human gut microbiota by dietary fibres occurs at the species level. *BMC biology*, **14**: 3–3.
- Chunsheng, H., Qinglin, Z., Yuxin, L., Xiaochen, C., Yanliang, W., Tong, Z., *et al.*, 2011. A continuous cell alkaline lysis, neutralization, and clarification combination process for production of plasmid pUDK-HGF. *Biotechnology and Applied Biochemistry*, **58**: 162–165.
- Coviello, S., Wimmenauer, V., Polack, F.P., and Irusta, P.M., 2014. Bacterial lysates improve the protective antibody response against respiratory viruses through Toll-like receptor 4. *Human Vaccines & Immunotherapeutics*, **10**: 2896–2902.
- Cox, L.M., Yamanishi, S., Sohn, J., Alekseyenko, A.V., Leung, J.M., Cho, I., *et al.*, 2014. Altering the Intestinal Microbiota during a Critical Developmental Window Has Lasting Metabolic Consequences. *Cell*, **158**: 705–721.
- Dagnelie, M., Corvec, S., Saint-Jean, M., Bourdès, V., Nguyen, J., Khammari, A., *et al.*, 2018. Decrease in Diversity of *Propionibacterium acnes* Phylotypes in Patients with Severe Acne on the Back. *Acta Dermato Venereologica*, **98**: 262–267.
- Dahlhoff, M., Zouboulis, C.C., and Schneider, M.R., 2016. Expression of dermcidin in sebocytes supports a role for sebum in the constitutive innate defense of human skin. *Journal of Dermatological Science*, **81**: 124–126.
- Damour, A., Robin, B., Deroche, L., Broutin, L., Bellin, N., Verdon, J., *et al.*, 2021. Phenol-soluble modulins α are major virulence factors of *Staphylococcus aureus* secretome promoting inflammatory response in human epidermis. *Virulence*, **12**: 2474–2492.
- Darphin, 2022. 'Stimulskin Plus Multi-Corrective Divine Splash Mask Lotion | Darphin', . URL: <https://www.darphin.com/product/8504/55744/skincare/category/special-care/stimulskin-plus-multi-corrective-divine-splash->

- mask-lotion/the-silky-water-light-lotion-instantly-plumps-skin-appears-smoother-firmer-and-more-luminous#/sku/89547 (accessed at 28/3/2022).
- De Benedetto, A., Rafaels, N.M., McGirt, L.Y., Ivanov, A.I., Georas, S.N., Cheadle, C., *et al.*, 2011. Tight junction defects in patients with atopic dermatitis. *The Journal of allergy and clinical immunology*, **127**: 773–86.e867.
- de Brito, B.B., da Silva, F.A.F., Soares, A.S., Pereira, V.A., Santos, M.L.C., Sampaio, M.M., *et al.*, 2019. Pathogenesis and clinical management of *Helicobacter pylori* gastric infection. *World journal of gastroenterology*, **25**: 5578–5589.
- De Marco, S., Sichetti, M., Muradyan, D., Piccioni, M., Traina, G., Pagiotti, R., *et al.*, 2018. Probiotic Cell-Free Supernatants Exhibited Anti-Inflammatory and Antioxidant Activity on Human Gut Epithelial Cells and Macrophages Stimulated with LPS. *Evidence-Based Complementary and Alternative Medicine*, **2018**: 1–12.
- Deleuran, M., Georgescu, V., and Jean-Decoster, C., 2020. An Emollient Containing *Aquaphilus dolomiae* Extract is Effective in the Management of Xerosis and Pruritus: An International, Real-World Study. *Dermatology and Therapy*, **10**: 1013–1029.
- Di Lodovico, S., Gasparri, F., Di Campli, E., Di Fermo, P., D’Ercole, S., Cellini, L., *et al.*, 2020. Prebiotic Combinations Effects on the Colonization of Staphylococcal Skin Strains. *Microorganisms*, **9**: 37.
- Di Meglio, P., Perera, G.K., and Nestle, F.O., 2011. The Multitasking Organ: Recent Insights into Skin Immune Function. *Immunity*, **35**: 857–869.
- Dispenza, M.C., Wolpert, E.B., Gilliland, K.L., Dai, J.P., Cong, Z., Nelson, A.M., *et al.*, 2012. Systemic Isotretinoin Therapy Normalizes Exaggerated TLR-2-Mediated Innate Immune Responses in Acne Patients. *Journal of Investigative Dermatology*, **132**: 2198–2205.
- Dong, W., Ye, J., Wang, W., Yang, Y., Wang, H., Sun, T., *et al.*, 2020. Self-Assembled Lecithin/Chitosan Nanoparticles Based on Phospholipid Complex: A Feasible Strategy to Improve Entrapment Efficiency and Transdermal Delivery of Poorly Lipophilic Drug. *International Journal of Nanomedicine*, **Volume 15**: 5629–5643.
- Dreno, B., Martin, R., Moyal, D., Henley, J.B., Khammari, A., and Seité, S., 2017. Skin microbiome and *acne vulgaris* : *Staphylococcus* , a new actor in acne. *Experimental Dermatology*, **26**: 798–803.
- Edslev, S.M., Olesen, C.M., Nørreslet, L.B., Ingham, A.C., Iversen, S., Lilje, B., *et al.*, 2021. Staphylococcal Communities on Skin Are Associated with Atopic Dermatitis and Disease Severity. *Microorganisms*, **9**: 432.
- Elias, P.M., 2012. Structure and function of the stratum corneum extracellular matrix. *The Journal of investigative dermatology*, **132**: 2131–2133.
- Eloe-Fadrosch, E.A. and Rasko, D.A., 2013. The Human Microbiome: From Symbiosis to Pathogenesis. *Annual Review of Medicine*, **64**: 145–163.

- Esposito, S., Bianchini, S., Bosis, S., Tagliabue, C., Coro, I., Argentiero, A., *et al.*, 2019. A randomized, placebo-controlled, double-blinded, single-centre, phase IV trial to assess the efficacy and safety of OM-85 in children suffering from recurrent respiratory tract infections. *Journal of Translational Medicine*, **17**: 284.
- European Commission, 2022. 'CosIng - Cosmetics - GROWTH - European Commission', . URL: <https://ec.europa.eu/growth/tools-databases/cosing/> (accessed at 28/3/2022).
- Ferrara, F., Rial, A., Suárez, N., and Chabalgoity, J.A., 2021. Polyvalent Bacterial Lysate Protects Against Pneumonia Independently of Neutrophils, IL-17A or Caspase-1 Activation. *Frontiers in Immunology*, **12**: 562244.
- Fitz-Gibbon, S., Tomida, S., Chiu, B.-H., Nguyen, L., Du, C., Liu, M., *et al.*, 2013. *Propionibacterium acnes* Strain Populations in the Human Skin Microbiome Associated with Acne. *Journal of Investigative Dermatology*, **133**: 2152–2160.
- Foulongne, V., Sauvage, V., Hebert, C., Dereure, O., Cheval, J., Gouilh, M.A., *et al.*, 2012. Human skin microbiota: high diversity of DNA viruses identified on the human skin by high throughput sequencing. *PloS one*, **7**: e38499–e38499.
- Francuzik, W., Franke, K., Schumann, R., Heine, G., and Worm, M., 2018. *Propionibacterium acnes* Abundance Correlates Inversely with *Staphylococcus aureus*: Data from Atopic Dermatitis Skin Microbiome. *Acta Dermato Venereologica*, **98**: 490–495.
- Fyhrquist, N., Muirhead, G., Prast-Nielsen, S., Jeanmougin, M., Olah, P., Skoog, T., *et al.*, 2019. Microbe-host interplay in atopic dermatitis and psoriasis. *Nature Communications*, **10**: 4703.
- Galliano, M.F., Bäsler, K., Caruana, A., Mias, C., Bessou-Touya, S., Brandner, J.M., *et al.*, 2020. Protective effect of *Aquaphilus dolomiae* extract-G1, ADE-G1, on tight junction barrier function in a *Staphylococcus aureus* - infected atopic dermatitis model. *Journal of the European Academy of Dermatology and Venereology*, **34**: 30–36.
- Gallo, R.L. and Nakatsuji, T., 2011. Microbial symbiosis with the innate immune defense system of the skin. *The Journal of investigative dermatology*, **131**: 1974–1980.
- Gibson, G.R., Hutkins, R., Sanders, M.E., Prescott, S.L., Reimer, R.A., Salminen, S.J., *et al.*, 2017. Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nature Reviews Gastroenterology & Hepatology*, **14**: 491–502.
- Gonzalez, T., Stevens, M.L., Baatyrbek kyzy, A., Alarcon, R., He, H., Kroner, J.W., *et al.*, 2021. Biofilm propensity of *Staphylococcus aureus* skin isolates is associated with increased atopic dermatitis severity and barrier dysfunction in the MPAACH pediatric cohort. *Allergy*, **76**: 302–313.

- Grice, E.A., Kong, H.H., Conlan, S., Deming, C.B., Davis, J., Young, A.C., *et al.*, 2009. Topographical and temporal diversity of the human skin microbiome. *Science (New York, N.Y.)*, **324**: 1190–1192.
- Grice, E.A. and Segre, J.A., 2011. The skin microbiome. *Nature reviews. Microbiology*, **9**: 244–253.
- Hasan, N. and Yang, H., 2019. Factors affecting the composition of the gut microbiota, and its modulation. *PeerJ*, **7**: e7502–e7502.
- Hasebe, Y., Hasegawa, S., Date, Y., Nakata, S., Yagami, A., Iwata, Y., *et al.*, 2018. Localization of collagen type 5 in the papillary dermis and its role in maintaining stem cell functions. *Journal of Dermatological Science*, **89**: 205–207.
- Heliocare, 2022. 'After-Sun Rescue Balm with Aloe', *Clinique*. URL: <https://www.clinique.co.uk/product/1661/6157/sun-self-tan/sun-protection/after-sun-rescue-balm-with-aloe> (accessed at 28/3/2022).
- Hong, K.-B., Hong, Y.H., Jung, E.Y., Jo, K., and Suh, H.J., 2020. Changes in the Diversity of Human Skin Microbiota to Cosmetic Serum Containing Prebiotics: Results from a Randomized Controlled Trial. *Journal of Personalized Medicine*, **10**: 91.
- Htwe, M.M., Teanpaisan, R., Khongkow, P., and Amnuaikit, T., 2019. Liposomes of probiotic's lyophilized cell free supernatant; a potential cosmeceutical product 462–466.
- Hülpüsch, C., Tremmel, K., Hammel, G., Bhattacharyya, M., Tomassi, A., Nussbaumer, T., *et al.*, 2020. Skin pH-dependent *Staphylococcus aureus* abundance as predictor for increasing atopic dermatitis severity. *Allergy*, **75**: 2888–2898.
- Im, A.-R., Kim, H.S., Hyun, J.W., and Chae, S., 2016. Potential for tyndalized *Lactobacillus acidophilus* as an effective component in moisturizing skin and anti-wrinkle products. *Experimental and Therapeutic Medicine*, **12**: 759–764.
- Im, A.-R., Lee, B., Kang, D.-J., and Chae, S., 2018. Skin Moisturizing and Antiphotodamage Effects of Tyndallized *Lactobacillus acidophilus* IDCC 3302. *Journal of Medicinal Food*, **21**: 1016–1023.
- Inoue, Y., Kambara, T., Murata, N., Komori-Yamaguchi, J., Matsukura, S., Takahashi, Y., *et al.*, 2014. Effects of Oral Administration of *Lactobacillus acidophilus* L-92 on the Symptoms and Serum Cytokines of Atopic Dermatitis in Japanese Adults: A Double-Blind, Randomized, Clinical Trial. *International Archives of Allergy and Immunology*, **165**: 247–254.
- Isard, O., Knol, A.C., Ariès, M.F., Nguyen, J.M., Khammari, A., Castex-Rizzi, N., *et al.*, 2011. *Propionibacterium acnes* Activates the IGF-1/IGF-1R System in the Epidermis and Induces Keratinocyte Proliferation. *Journal of Investigative Dermatology*, **131**: 59–66.
- Jahns, A.C., Lundskog, B., Ganceviciene, R., Palmer, R.H., Golovleva, I., Zouboulis, C.C., *et al.*, 2012. An increased incidence of *Propionibacterium*

- acnes* biofilms in acne vulgaris: a case-control study: Increased incidence of *P. acnes* biofilms in acne vulgaris. *British Journal of Dermatology*, **167**: 50–58.
- Jang, I.-T., Yang, M., Kim, H.-J., and Park, J.-K., 2020. Novel Cytoplasmic Bacteriocin Compounds Derived from *Staphylococcus epidermidis* Selectively Kill *Staphylococcus aureus*, Including Methicillin-Resistant *Staphylococcus aureus* (MRSA). *Pathogens*, **9**: 87.
- Jankowski, A., Dyja, R., and Hujar, B.S., 2017. Dermal and Transdermal Delivery of Active Substances from Semisolid Bases. *Indian Journal of Pharmaceutical Sciences*, **79**: .
- Janvier, X., Alexandre, S., Boukerb, A.M., Souak, D., Maillot, O., Barreau, M., *et al.*, 2020. Deleterious Effects of an Air Pollutant (NO₂) on a Selection of Commensal Skin Bacterial Strains, Potential Contributor to Dysbiosis? *Frontiers in Microbiology*, **11**: 591839.
- Jensen, G.S., Benson, K.F., Carter, S.G., and Endres, J.R., 2010. GanedenBC30™ cell wall and metabolites: anti-inflammatory and immune modulating effects in vitro. *BMC Immunology*, **11**: 15.
- Ji, D., Sims, I., Xu, M., Stewart, I., and Agyei, D., 2021. Production and identification of galacto-oligosaccharides from lactose using β -D-galactosidases from *Lactobacillus leichmannii* 313. *Carbohydrate Polymer Technologies and Applications*, **2**: 100038.
- Jung, Y.-O., Jeong, H., Cho, Y., Lee, E.-O., Jang, H.-W., Kim, J., *et al.*, 2019. Lysates of a Probiotic, *Lactobacillus rhamnosus*, Can Improve Skin Barrier Function in a Reconstructed Human Epidermis Model. *International Journal of Molecular Sciences*, **20**: 4289.
- Kang, L.-J., Oh, E., Cho, C., Kwon, H., Lee, C.-G., Jeon, J., *et al.*, 2020. 3'-Sialyllactose prebiotics prevents skin inflammation via regulatory T cell differentiation in atopic dermatitis mouse models. *Scientific Reports*, **10**: 5603.
- Kataria, J., Li, N., Wynn, J.L., and Neu, J., 2009. Probiotic microbes: do they need to be alive to be beneficial? *Nutrition Reviews*, **67**: 546–550.
- Keely, S.J., 2017. Decoding host-microbiota communication in the gut - now we're flying! *The Journal of physiology*, **595**: 417–418.
- Kennedy, E.A., Connolly, J., Hourihane, J.O., Fallon, P.G., McLean, W.H.I., Murray, D., *et al.*, 2017. Skin microbiome before development of atopic dermatitis: Early colonization with commensal staphylococci at 2 months is associated with a lower risk of atopic dermatitis at 1 year. *Journal of Allergy and Clinical Immunology*, **139**: 166–172.
- Khadka, V.D., Key, F.M., Romo-González, C., Martínez-Gayosso, A., Campos-Cabrera, B.L., Gerónimo-Gallegos, A., *et al.*, 2021. The Skin Microbiome of Patients With Atopic Dermatitis Normalizes Gradually During Treatment. *Frontiers in Cellular and Infection Microbiology*, **11**: 720674.

- Khmaladze, I., Butler, É., Fabre, S., and Gillbro, J.M., 2019. *Lactobacillus reuteri* DSM 17938—A comparative study on the effect of probiotics and lysates on human skin. *Experimental Dermatology*, **28**: 822–828.
- Kim, H., Jeon, B., Kim, W.J., and Chung, D.-K., 2020. Effect of paraprobiotic prepared from Kimchi-derived *Lactobacillus plantarum* K8 on skin moisturizing activity in human keratinocyte. *Journal of Functional Foods*, **75**: 104244.
- Kim, Ha-Jung, Lee, S.-H., Go, H.-N., Ahn, J.-R., Kim, Hye-Jung, and Hong, S.-J., 2018. Effects of kestose on gut mucosal immunity in an atopic dermatitis mouse model. *Journal of Dermatological Science*, **89**: 27–32.
- Kim, H.-J., Lee, S.-H., and Hong, S.-J., 2020. Antibiotics-Induced Dysbiosis of Intestinal Microbiota Aggravates Atopic Dermatitis in Mice by Altered Short-Chain Fatty Acids. *Allergy, Asthma & Immunology Research*, **12**: 137.
- Kim, J., Kim, Hyaekang, Jeon, S., Jo, J., Kim, Y., and Kim, Heebal, 2020. Synergistic Antibacterial Effects of Probiotic Lactic Acid Bacteria with *Curcuma longa* Rhizome Extract as Synbiotic against *Cutibacterium acnes*. *Applied Sciences*, **10**: 8955.
- Kim, J.A., Kim, S.H., Kim, I.S., Yu, D.Y., Kim, G.I., Moon, Y.S., *et al.*, 2020. Galectin-9 Induced by Dietary Prebiotics Regulates Immunomodulation to Reduce Atopic Dermatitis Symptoms in 1-Chloro-2,4-Dinitrobenzene (DNCB)-Treated NC/Nga Mice. *Journal of Microbiology and Biotechnology*, **30**: 1343–1354.
- Kim, J.-Y., Park, B.-K., Park, H.-J., Park, Y.-H., Kim, B.-O., and Pyo, S., 2013. Atopic dermatitis-mitigating effects of new *Lactobacillus* strain, *Lactobacillus sakei* probio 65 isolated from Kimchi. *Journal of Applied Microbiology*, **115**: 517–526.
- Kim, K.W., Kang, S.-S., Woo, S.-J., Park, O.-J., Ahn, K.B., Song, K.-D., *et al.*, 2017. Lipoteichoic Acid of Probiotic *Lactobacillus plantarum* Attenuates Poly I:C-Induced IL-8 Production in Porcine Intestinal Epithelial Cells. *Frontiers in Microbiology*, **8**: 1827.
- Kim, M.S., Lee, M., Oh, H., Seo, W., Kim, G.-S., Ban, O.-H., *et al.*, 2021. Enhanced ceramides production by *Lactobacillus rhamnosus* IDCC 3201 and its proposed mechanism. *Applied Biological Chemistry*, **64**: 50.
- Kobayashi, T., Glatz, M., Horiuchi, K., Kawasaki, H., Akiyama, H., Kaplan, D.H., *et al.*, 2015. Dysbiosis and Staphylococcus aureus Colonization Drives Inflammation in Atopic Dermatitis. *Immunity*, **42**: 756–766.
- Kong, H.H., 2011. Skin microbiome: genomics-based insights into the diversity and role of skin microbes. *Trends in molecular medicine*, **17**: 320–328.
- Kong, H.H., Oh, J., Deming, C., Conlan, S., Grice, E.A., Beatson, M.A., *et al.*, 2012. Temporal shifts in the skin microbiome associated with disease flares and treatment in children with atopic dermatitis. *Genome Research*, **22**: 850–859.

- Kong, H.H. and Segre, J.A., 2012. Skin microbiome: looking back to move forward. *The Journal of investigative dermatology*, **132**: 933–939.
- Kragh, K.N., Hutchison, J.B., Melaugh, G., Rodesney, C., Roberts, A.E.L., Irie, Y., *et al.*, 2016. Role of Multicellular Aggregates in Biofilm Formation. *mBio*, **7**: .
- Kuo, I.-H., Carpenter-Mendini, A., Yoshida, T., McGirt, L.Y., Ivanov, A.I., Barnes, K.C., *et al.*, 2013. Activation of Epidermal Toll-Like Receptor 2 Enhances Tight Junction Function: Implications for Atopic Dermatitis and Skin Barrier Repair. *Journal of Investigative Dermatology*, **133**: 988–998.
- La Roche-posay, 2022. 'Lipikar Eczema Cream | La Roche-Posay', . URL: https://www.laroche-posay.us/our-products/dry-skin-eczema/eczema-cream/lipikar-eczema-cream-3337875588621.html#tab=Tabs_5le769bhjz_x_control_3 (accessed at 28/3/2022).
- Laigaard, A., Krych, L., Zachariassen, L.F., Ellegaard-Jensen, L., Nielsen, D.S., Hansen, A.K., *et al.*, 2020. Dietary prebiotics promote intestinal Prevotella in association with a low-responding phenotype in a murine oxazolone-induced model of atopic dermatitis. *Scientific Reports*, **10**: 21204.
- Lamb, C.A., Kennedy, N.A., Raine, T., Hendy, P.A., Smith, P.J., Limdi, J.K., *et al.*, 2019. British Society of Gastroenterology consensus guidelines on the management of inflammatory bowel disease in adults. *Gut*, **68**: s1–s106.
- Lange-Asschenfeldt, B., Marenbach, D., Lang, C., Patzelt, A., Ulrich, M., Maltusch, A., *et al.*, 2011. Distribution of Bacteria in the Epidermal Layers and Hair Follicles of the Human Skin. *Skin Pharmacology and Physiology*, **24**: 305–311.
- Larsen, N., Bussolo de Souza, C., Krych, L., Barbosa Cahú, T., Wiese, M., Kot, W., *et al.*, 2019. Potential of Pectins to Beneficially Modulate the Gut Microbiota Depends on Their Structural Properties. *Frontiers in Microbiology*, **10**: 223.
- Lebeer, S., Vanderleyden, J., and De Keersmaecker, S.C.J., 2010. Host interactions of probiotic bacterial surface molecules: comparison with commensals and pathogens. *Nature Reviews Microbiology*, **8**: 171–184.
- LeBlanc, J.G., Milani, C., de Giori, G.S., Sesma, F., van Sinderen, D., and Ventura, M., 2013. Bacteria as vitamin suppliers to their host: a gut microbiota perspective. *Current Opinion in Biotechnology*, **24**: 160–168.
- Lee, K., Kim, H.J., Kim, S.A., Park, S.-D., Shim, J.-J., and Lee, J.-L., 2021. Exopolysaccharide from *Lactobacillus plantarum* HY7714 Protects against Skin Aging through Skin–Gut Axis Communication. *Molecules*, **26**: 1651.
- Lestienne, F., Viodé, C., Ceruti, I., Carrere, S., Bessou-Touya, S., Duplan, H., *et al.*, 2020. Cutaneous sensitivity modulation by *Aquaphilus dolomiae* extract-G3 on *in vitro* models of neuro-inflammation. *Journal of the European Academy of Dermatology and Venereology*, **34**: 43–48.

- Li, C., You, Z., Lin, Y., Liu, H., and Su, J., 2019. Skin microbiome differences relate to the grade of acne vulgaris. *The Journal of Dermatology*, **46**: 787–790.
- Li, D., Lei, H., Li, Z., Li, H., Wang, Y., and Lai, Y., 2013. A Novel Lipopeptide from Skin Commensal Activates TLR2/CD36-p38 MAPK Signaling to Increase Antibacterial Defense against Bacterial Infection. *PLoS ONE*, **8**: e58288.
- Li, H.-P., Chen, X., and Li, M.-Q., 2013. Butyrate alleviates metabolic impairments and protects pancreatic β cell function in pregnant mice with obesity. *International Journal of Clinical and Experimental Pathology*, **6**: 1574–1584.
- Li, M., Li, Y., Xue, F., and Jing, X., 2018. Water-based acrylate copolymer/silica hybrids for facile preparation of robust and durable superhydrophobic coatings. *Applied Surface Science*, **447**: 489–499.
- Liu, Y., Hou, Y., Wang, G., Zheng, X., and Hao, H., 2020. Gut Microbial Metabolites of Aromatic Amino Acids as Signals in Host–Microbe Interplay. *Trends in Endocrinology & Metabolism*, **31**: 818–834.
- Liu, Z., Zhang, Z., Qiu, L., Zhang, F., Xu, X., Wei, H., *et al.*, 2017. Characterization and bioactivities of the exopolysaccharide from a probiotic strain of *Lactobacillus plantarum* WLPL04. *Journal of Dairy Science*, **100**: 6895–6905.
- Liu-Walsh, F., Tierney, N.K., Hauschild, J., Rush, A.K., Masucci, J., Leo, G.C., *et al.*, 2021. Prebiotic Colloidal Oat Supports the Growth of Cutaneous Commensal Bacteria Including *S. epidermidis* and Enhances the Production of Lactic Acid. *Clinical, Cosmetic and Investigational Dermatology*, **Volume 14**: 73–82.
- Lomholt, H.B. and Kilian, M., 2010. Population Genetic Analysis of *Propionibacterium acnes* Identifies a Subpopulation and Epidemic Clones Associated with Acne. *PLoS ONE*, **5**: e12277.
- Lopes, E.G., Moreira, D.A., Gullón, P., Gullón, B., Cardelle-Cobas, A., and Tavaría, F.K., 2017. Topical application of probiotics in skin: adhesion, antimicrobial and antibiofilm *in vitro* assays. *Journal of Applied Microbiology*, **122**: 450–461.
- Łoś-Rycharska, E., Gołębiewski, M., Sikora, M., Grzybowski, T., Gorzkiewicz, M., Popielarz, M., *et al.*, 2021. A Combined Analysis of Gut and Skin Microbiota in Infants with Food Allergy and Atopic Dermatitis: A Pilot Study. *Nutrients*, **13**: 1682.
- Louis, P., Flint, H.J., and Michel, C., 2016. How to Manipulate the Microbiota: Prebiotics, dalam: Schwartz, A. (Editor), *Microbiota of the Human Body, Advances in Experimental Medicine and Biology*. Springer International Publishing, Cham, hal. 119–142.

- Lu, Y., Li, Y., Xu, L., Xia, M., and Cao, L., 2015. Bacterial Lysate Increases the Percentage of Natural Killer T Cells in Peripheral Blood and Alleviates Asthma in Children. *Pharmacology*, **95**: 139–144.
- Ma, Y., Chen, Q., Liu, Y., Wang, Q., Huang, Z., and Xiang, L., 2016. Effects of 5-aminolevulinic acid photodynamic therapy on TLRs in acne lesions and keratinocytes co-cultured with *P. acnes*. *Photodiagnosis and Photodynamic Therapy*, **15**: 172–181.
- Madeca Derma, 2022. 'Madeca Derma Microbiome Toner ingredients', . URL: <https://incidecoder.com/products/madeca-derma-microbiome-toner> (accessed at 28/3/2022).
- Marito, S., Keshari, S., and Huang, C.-M., 2020. PEG-8 Laurate Fermentation of *Staphylococcus epidermidis* Reduces the Required Dose of Clindamycin Against *Cutibacterium acnes*. *International Journal of Molecular Sciences*, **21**: 5103.
- Martin, H., Laborel-Préneron, E., Fraysse, F., Nguyen, T., Schmitt, A.-M., Redoulès, D., *et al.*, 2016. *Aquaphilus dolomiae* extract counteracts the effects of cutaneous *S. aureus* secretome isolated from atopic children on CD4⁺ T cell activation. *Pharmaceutical Biology*, **54**: 2782–2785.
- McDowell, A., Nagy, I., Magyari, M., Barnard, E., and Patrick, S., 2013. The Opportunistic Pathogen *Propionibacterium acnes*: Insights into Typing, Human Disease, Clonal Diversification and CAMP Factor Evolution. *PLoS ONE*, **8**: e70897.
- Meylan, P., Lang, C., Mermoud, S., Johannsen, A., Norrenberg, S., Hohl, D., *et al.*, 2017. Skin Colonization by *Staphylococcus aureus* Precedes the Clinical Diagnosis of Atopic Dermatitis in Infancy. *Journal of Investigative Dermatology*, **137**: 2497–2504.
- Milutinović, M., Dimitrijević-Branković, S., and Rajilić-Stojanović, M., 2021. Plant Extracts Rich in Polyphenols as Potent Modulators in the Growth of Probiotic and Pathogenic Intestinal Microorganisms. *Frontiers in Nutrition*, **8**: 688843.
- Mitra, D., Yadav, A., Prithyani, S., John, L., Rodrigues, S., and Shah, R., 2019. The antiplaque efficacy of lantibiotic Nisin extract mouthrinse. *Journal of Indian Society of Periodontology*, **23**: 31.
- Mitrofanova, O., Mardanova, A., Evtugyn, V., Bogomolnaya, L., and Sharipova, M., 2017. Effects of *Bacillus* Serine Proteases on the Bacterial Biofilms. *BioMed Research International*, **2017**: 1–10.
- Mohammedsaeed, W., McBain, A.J., Cruickshank, S.M., and O'Neill, C.A., 2014. *Lactobacillus rhamnosus* GG Inhibits the Toxic Effects of *Staphylococcus aureus* on Epidermal Keratinocytes. *Applied and Environmental Microbiology*, **80**: 5773–5781.
- Mohd Affandi, A., Khan, I., and Ngah Saaya, N., 2018. Epidemiology and Clinical Features of Adult Patients with Psoriasis in Malaysia: 10-Year Review from

- the Malaysian Psoriasis Registry (2007–2016). *Dermatology Research and Practice*, **2018**: 1–8.
- Moosbrugger-Martinz, V., Hackl, H., Gruber, R., Pilecky, M., Knabl, L., Orth-Höller, D., *et al.*, 2021. Initial Evidence of Distinguishable Bacterial and Fungal Dysbiosis in the Skin of Patients with Atopic Dermatitis or Netherton Syndrome. *Journal of Investigative Dermatology*, **141**: 114–123.
- Morono, Y., Terada, T., Hoshino, T., and Inagaki, F., 2014. Hot-Alkaline DNA Extraction Method for Deep-Subseafloor Archaeal Communities. *Applied and Environmental Microbiology*, **80**: 1985–1994.
- Nakatsuji, T., Chen, T.H., Narala, S., Chun, K.A., Two, A.M., Yun, T., *et al.*, 2017. Antimicrobials from human skin commensal bacteria protect against *Staphylococcus aureus* and are deficient in atopic dermatitis. *Science Translational Medicine*, **9**: eaah4680.
- Nath, S., Kumari, N., Bandyopadhyay, D., Sinha, N., Majumder, P.P., Mitra, R., *et al.*, 2020. Dysbiotic Lesional Microbiome With Filaggrin Missense Variants Associate With Atopic Dermatitis in India. *Frontiers in Cellular and Infection Microbiology*, **10**: 570423.
- Netzker, T., Fischer, J., Weber, J., Mattern, D.J., König, C.C., Valiante, V., *et al.*, 2015. Microbial communication leading to the activation of silent fungal secondary metabolite gene clusters. *Frontiers in Microbiology*, **6**: .
- Noizet, M., Bianchi, P., Galliano, M.F., Caruana, A., Brandner, J.M., Bessou-Touya, S., *et al.*, 2020. Broad spectrum repairing properties of an extract of *Aquaphilus dolomiae* on *in vitro* and *ex vivo* models of injured skin. *Journal of the European Academy of Dermatology and Venereology*, **34**: 37–42.
- Noll, M., Jäger, M., Lux, L., Buettner, C., and Axt-Gadermann, M., 2021. Improvement of Atopic Dermatitis by Synbiotic Baths. *Microorganisms*, **9**: 527.
- Ochoa-Repáraz, J. and Kasper, L.H., 2016. The Second Brain: Is the Gut Microbiota a Link Between Obesity and Central Nervous System Disorders? *Current obesity reports*, **5**: 51–64.
- Onbas, T., Osmanagaoglu, O., and Kiran, F., 2019. Potential Properties of *Lactobacillus plantarum* F-10 as a Bio-control Strategy for Wound Infections. *Probiotics and Antimicrobial Proteins*, **11**: 1110–1123.
- Ong, J.S., Taylor, T.D., Yong, C.C., Khoo, B.Y., Sasidharan, S., Choi, S.B., *et al.*, 2020. *Lactobacillus plantarum* USM8613 Aids in Wound Healing and Suppresses *Staphylococcus aureus* Infection at Wound Sites. *Probiotics and Antimicrobial Proteins*, **12**: 125–137.
- O'Regan, G.M., Sandilands, A., McLean, W.H.I., and Irvine, A.D., 2008. Filaggrin in atopic dermatitis. *Journal of Allergy and Clinical Immunology*, **122**: 689–693.
- Palleja, A., Mikkelsen, K.H., Forslund, S.K., Kashani, A., Allin, K.H., Nielsen, T., *et al.*, 2018. Recovery of gut microbiota of healthy adults following antibiotic exposure. *Nature Microbiology*, **3**: 1255–1265.

- Parada Venegas, D., De la Fuente, M.K., Landskron, G., González, M.J., Quera, R., Dijkstra, G., *et al.*, 2019. Short Chain Fatty Acids (SCFAs)-Mediated Gut Epithelial and Immune Regulation and Its Relevance for Inflammatory Bowel Diseases. *Frontiers in Immunology*, **10**: 277.
- Parajuli, A., Grönroos, M., Siter, N., Puhakka, R., Vari, H.K., Roslund, M.I., *et al.*, 2018. Urbanization Reduces Transfer of Diverse Environmental Microbiota Indoors. *Frontiers in Microbiology*, **9**: 84.
- Peshev, D. and Van den Ende, W., 2014. Fructans: Prebiotics and immunomodulators. *Journal of Functional Foods*, **8**: 348–357.
- Prause, M., Pedersen, S.S., Tsonkova, V., Qiao, M., and Billestrup, N., 2021. Butyrate Protects Pancreatic Beta Cells from Cytokine-Induced Dysfunction. *International Journal of Molecular Sciences*, **22**: 10427.
- Prince, T., McBain, A.J., and O'Neill, C.A., 2012. Lactobacillus reuteri Protects Epidermal Keratinocytes from *Staphylococcus aureus*-Induced Cell Death by Competitive Exclusion. *Applied and Environmental Microbiology*, **78**: 5119–5126.
- Proksch, E., 2018. pH in nature, humans and skin. *The Journal of Dermatology*, **45**: 1044–1052.
- Rashid, M.-U., Panagiotidis, G., Bäckström, T., Weintraub, A., and Nord, C.E., 2013. Ecological impact of doxycycline at low dose on normal oropharyngeal and intestinal microflora. *International Journal of Antimicrobial Agents*, **41**: 352–357.
- Rather, I.A., Kim, B.-C., Lew, L.-C., Cha, S.-K., Lee, J.H., Nam, G.-J., *et al.*, 2021. Oral Administration of Live and Dead Cells of *Lactobacillus sakei* proBio65 Alleviated Atopic Dermatitis in Children and Adolescents: a Randomized, Double-Blind, and Placebo-Controlled Study. *Probiotics and Antimicrobial Proteins*, **13**: 315–326.
- Reynertson, K.A., Garay, M., Nebus, J., Chon, S., Kaur, S., Mahmood, K., *et al.*, 2015. Anti-inflammatory activities of colloidal oatmeal (*Avena sativa*) contribute to the effectiveness of oats in treatment of itch associated with dry, irritated skin. *Journal of drugs in dermatology: JDD*, **14**: 43–48.
- Rosignoli, C., Thibaut de Ménonville, S., Orfila, D., Béal, M., Bertino, B., Aubert, J., *et al.*, 2018. A topical treatment containing heat-treated *Lactobacillus johnsonii* NCC 533 reduces *Staphylococcus aureus* adhesion and induces antimicrobial peptide expression in an in vitro reconstructed human epidermis model. *Experimental Dermatology*, **27**: 358–365.
- Roslund, M.I., Puhakka, R., Grönroos, M., Nurminen, N., Oikarinen, S., Gazali, A.M., *et al.*, 2020. Biodiversity intervention enhances immune regulation and health-associated commensal microbiota among daycare children. *Science Advances*, **6**: eaba2578.
- Salminen, S., Collado, M.C., Endo, A., Hill, C., Lebeer, S., Quigley, E.M.M., *et al.*, 2021. The International Scientific Association of Probiotics and Prebiotics

- (ISAPP) consensus statement on the definition and scope of postbiotics. *Nature Reviews Gastroenterology & Hepatology*, **18**: 649–667.
- Sangwan, V., Tomar, S.K., Singh, R.R.B., Singh, A.K., and Ali, B., 2011. Galactooligosaccharides: Novel Components of Designer Foods. *Journal of Food Science*, **76**: R103–R111.
- Santana-Gálvez, J., Cisneros-Zevallos, L., and Jacobo-Velázquez, D., 2017. Chlorogenic Acid: Recent Advances on Its Dual Role as a Food Additive and a Nutraceutical against Metabolic Syndrome. *Molecules*, **22**: 358.
- Sari, L., Jusuf, N.K., and Putra, I.B., 2020. Bacterial identification of acne vulgaris. *Bali Medical Journal*, **9**: 753.
- Scott, K.P., Gratz, S.W., Sheriand, P.O., Flint, H.J., and Duncan, S.H., 2013. The influence of diet on the gut microbiota. *Pharmacological Research*, **69**: 52–60.
- Seité, S., Mahe, Perez, Tacheau, Fanchon, Martin, *et al.*, 2013. A new *Vitreoscilla filiformis* extract grown on spa water-enriched medium activates endogenous cutaneous antioxidant and antimicrobial defenses through a potential Toll-like receptor 2/protein kinase C, zeta transduction pathway. *Clinical, Cosmetic and Investigational Dermatology*, 191.
- Seite, S., Zelenkova, H., and Martin, R., 2017. Clinical efficacy of emollients in atopic dermatitis patients - relationship with the skin microbiota modification. *Clinical, Cosmetic and Investigational Dermatology*, **Volume 10**: 25–33.
- Sender, R., Fuchs, S., and Milo, R., 2016. Revised Estimates for the Number of Human and Bacteria Cells in the Body. *PLoS biology*, **14**: e1002533–e1002533.
- Shafiei, A., Moin, M., Pourpak, Z., Gharagozlou, M., Aghamohammadi, A., Aghamohammadi, A., *et al.*, 2011. Synbiotics could not reduce the scoring of childhood atopic dermatitis (SCORAD): a randomized double blind placebo-controlled trial. *Iranian Journal of Allergy, Asthma, and Immunology*, **10**: 21–28.
- Shaheen, B. and González, M.L.L., 2011. A microbial aetiology of acne: what is the evidence? *British Journal of Dermatology*, **165**: .
- Shaykhiev, R. and Bals, R., 2007. Interactions between epithelial cells and leukocytes in immunity and tissue homeostasis. *Journal of Leukocyte Biology*, **82**: 1–15.
- Sheikhi, A., Giti, H., Heibor, M., Jafarzadeh, A., Shakerian, M., Baharifar, N., *et al.*, 2017. *Lactobacillus Delbrueckii* subsp. *Bulgaricus* Modulates the Secretion of Th1/Th2 and Treg Cell-Related Cytokines by PBMCs from Patients with Atopic Dermatitis. *Drug Research*, **67**: 724–729.
- Silverberg, N.B., 2017. Typical and atypical clinical appearance of atopic dermatitis. *Clinics in Dermatology*, **35**: 354–359.

- Soares, J., Lopes, C., Tavaría, F., Delgado, L., and Pintado, M., 2013. A diversity profile from the staphylococcal community on atopic dermatitis skin: a molecular approach. *Journal of Applied Microbiology*, **115**: 1411–1419.
- Sonesson, A., Przybyszewska, K., Eriksson, S., Mörgelin, M., Kjellström, S., Davies, J., *et al.*, 2017. Identification of bacterial biofilm and the *Staphylococcus aureus* derived protease, staphopain, on the skin surface of patients with atopic dermatitis. *Scientific Reports*, **7**: 8689.
- Song, L., Wang, Q., Zheng, Y., Ma, L., Chen, Y., Gao, Y., *et al.*, 2020. Cheek Microbial Communities Vary in Young Children with Atopic Dermatitis in China. *Dermatology*, **236**: 160–169.
- Spacova, I., O'Neill, C., and Lebeer, S., 2020. *Lacticaseibacillus rhamnosus* GG inhibits infection of human keratinocytes by *Staphylococcus aureus* through mechanisms involving cell surface molecules and pH reduction. *Beneficial Microbes*, **11**: 703–715.
- Stiemsma, L., Reynolds, L., Turvey, S., and Finlay, B., 2015. The hygiene hypothesis: current perspectives and future therapies. *ImmunoTargets and Therapy*, 143.
- Su, C., Yang, T., Wu, Z., Zhong, J., Huang, Y., Huang, T., *et al.*, 2017. Differentiation of T-helper cells in distinct phases of atopic dermatitis involves Th1/Th2 and Th17/Treg. *European Journal of Inflammation*, **15**: 46–52.
- Su, L.F., Kidd, B.A., Han, A., Kotzin, J.J., and Davis, M.M., 2013. Virus-Specific CD4+ Memory-Phenotype T Cells Are Abundant in Unexposed Adults. *Immunity*, **38**: 373–383.
- Sultana, R., McBain, A.J., and O'Neill, C.A., 2013. Strain-Dependent Augmentation of Tight-Junction Barrier Function in Human Primary Epidermal Keratinocytes by *Lactobacillus* and *Bifidobacterium* Lysates. *Applied and Environmental Microbiology*, **79**: 4887–4894.
- Sun, Z., Huang, S., Zhu, P., Yue, F., Zhao, H., Yang, M., *et al.*, 2019. A Microbiome-Based Index for Assessing Skin Health and Treatment Effects for Atopic Dermatitis in Children. *mSystems*, **4**: .
- Tan, H.T., Khong, N.M.H., Khaw, Y.S., Ahmad, S.A., and Yusoff, F.M., 2020. Optimization of the Freezing-Thawing Method for Extracting Phycobiliproteins from *Arthrospira* sp. *Molecules*, **25**: 3894.
- Tanaka, M., Kohchi, C., Inagawa, H., Ikemoto, T., and Hara-Chikuma, M., 2022. Effect of topical application of lipopolysaccharide on contact hypersensitivity. *Biochemical and Biophysical Research Communications*, **586**: 100–106.
- Tax, G., Urbán, E., Palotás, Z., Puskás, R., Kónya, Z., Bíró, T., *et al.*, 2016. Propionic Acid Produced by *Propionibacterium acnes* Strains Contributes to Their Pathogenicity. *Acta Dermato Venereologica*, **96**: 43–49.
- Tay, A.S.L., Li, C., Nandi, T., Chng, K.R., Andiappan, A.K., Mettu, V.S., *et al.*, 2021. Atopic dermatitis microbiomes stratify into ecologic dermatotypes

- enabling microbial virulence and disease severity. *Journal of Allergy and Clinical Immunology*, **147**: 1329–1340.
- Tedelind, S., Westberg, F., Kjerrulf, M., and Vidal, A., 2007. Anti-inflammatory properties of the short-chain fatty acids acetate and propionate: A study with relevance to inflammatory bowel disease. *World Journal of Gastroenterology*, **13**: 2826.
- Totté, J.E.E., van der Feltz, W.T., Hennekam, M., van Belkum, A., van Zuuren, E.J., and Pasmans, S.G.M.A., 2016. Prevalence and odds of *Staphylococcus aureus* carriage in atopic dermatitis: a systematic review and meta-analysis. *British Journal of Dermatology*, **175**: 687–695.
- Triantafillou, V., Workman, A.D., Patel, N.N., Maina, I.W., Tong, C.C.L., Kuan, E.C., *et al.*, 2019. Broncho-Vaxom® (OM-85 BV) soluble components stimulate sinonasal innate immunity. *International Forum of Allergy & Rhinology*, **9**: 370–377.
- Tulstrup, M.V.-L., Christensen, E.G., Carvalho, V., Linnings, C., Ahrné, S., Højberg, O., *et al.*, 2015. Antibiotic Treatment Affects Intestinal Permeability and Gut Microbial Composition in Wistar Rats Dependent on Antibiotic Class. *PLOS ONE*, **10**: e0144854.
- Tzounis, X., Rodriguez-Mateos, A., Vulevic, J., Gibson, G.R., Kwik-Urbe, C., and Spencer, J.P., 2011. Prebiotic evaluation of cocoa-derived flavanols in healthy humans by using a randomized, controlled, double-blind, crossover intervention study. *The American Journal of Clinical Nutrition*, **93**: 62–72.
- Veronique, M., 2022. 'Soothing B3 Serum', *Marie Veronique*. URL: <https://www.marieveronique.com/products/soothing-complex> (accessed at 28/3/2022).
- Villa, Elisa., Garelli, Valentina., Braidò, Fulvio., Melioli, Giovanni., and Canonica, G.W., 2010. May We Strengthen the Human Natural Defenses with Bacterial Lysates? *World Allergy Organization Journal*, **3**: S17–S23.
- Wakame, K., Komatsu, K.-I., Inagawa, H., and Nishizawa, T., 2015. Immunopotentiator from *Pantoea agglomerans* Prevents Atopic Dermatitis Induced by *Dermatophagoides farinae* Extract in NC/Nga Mouse. *Anticancer Research*, **35**: 4501–4508.
- Walker, A.W., Ince, J., Duncan, S.H., Webster, L.M., Holtrop, G., Ze, X., *et al.*, 2011. Dominant and diet-responsive groups of bacteria within the human colonic microbiota. *The ISME Journal*, **5**: 220–230.
- Wang, S., Han, X., Zhang, L., Zhang, Y., Li, H., and Jiao, Y., 2018. Whole Peptidoglycan Extracts from the *Lactobacillus paracasei* subsp. *paracasei* M5 Strain Exert Anticancer Activity *In Vitro*. *BioMed Research International*, **2018**: 1–11.
- Wang, Y., Dai, A., Huang, S., Kuo, S., Shu, M., Tapia, C.P., *et al.*, 2014. Propionic acid and its esterified derivative suppress the growth of methicillin-resistant *Staphylococcus aureus* USA300. *Beneficial Microbes*, **5**: 161–168.

- Wang, Y., Kao, M.-S., Yu, J., Huang, S., Marito, S., Gallo, R., *et al.*, 2016. A Precision Microbiome Approach Using Sucrose for Selective Augmentation of *Staphylococcus epidermidis* Fermentation against *Propionibacterium acnes*. *International Journal of Molecular Sciences*, **17**: 1870.
- Wang, Yanhan, Kuo, S., Shu, M., Yu, J., Huang, S., Dai, A., *et al.*, 2014. *Staphylococcus epidermidis* in the human skin microbiome mediates fermentation to inhibit the growth of *Propionibacterium acnes*: implications of probiotics in acne vulgaris. *Applied Microbiology and Biotechnology*, **98**: 411–424.
- Wang, Yan, Lauer, M.E., Anand, S., Mack, J.A., and Maytin, E.V., 2014. Hyaluronan Synthase 2 Protects Skin Fibroblasts against Apoptosis Induced by Environmental Stress. *Journal of Biological Chemistry*, **289**: 32253–32265.
- Williams, M.R., Costa, S.K., Zaramela, L.S., Khalil, S., Todd, D.A., Winter, H.L., *et al.*, 2019. Quorum sensing between bacterial species on the skin protects against epidermal injury in atopic dermatitis. *Science Translational Medicine*, **11**: eaat8329.
- Winglee, K., Howard, A.G., Sha, W., Gharaibeh, R.Z., Liu, J., Jin, D., *et al.*, 2017. Recent urbanization in China is correlated with a Westernized microbiome encoding increased virulence and antibiotic resistance genes. *Microbiome*, **5**: 121.
- Wollenberg, A., Barbarot, S., Bieber, T., Christen-Zaech, S., Deleuran, M., Fink-Wagner, A., *et al.*, 2018. Consensus-based European guidelines for treatment of atopic eczema (atopic dermatitis) in adults and children: part I. *Journal of the European Academy of Dermatology and Venereology*, **32**: 657–682.
- Xia, B., Shi, X.C., Xie, B.C., Zhu, M.Q., Chen, Y., Chu, X.Y., *et al.*, 2020. Urolithin A exerts antiobesity effects through enhancing adipose tissue thermogenesis in mice. *PLOS Biology*, **18**: e3000688.
- Xia, X., Li, Z., Liu, K., Wu, Y., Jiang, D., and Lai, Y., 2016. Staphylococcal LTA-Induced miR-143 Inhibits *Propionibacterium acnes*-Mediated Inflammatory Response in Skin. *Journal of Investigative Dermatology*, **136**: 621–630.
- Xu, X., Ran, X., Tang, J., Pradhan, S., Dai, Y., Zhuang, K., *et al.*, 2021. Skin Microbiota in Non-inflammatory and Inflammatory Lesions of Acne Vulgaris: The Underlying Changes within the Pilosebaceous Unit. *Mycopathologia*, **186**: 863–869.
- Yan, H.-M., Zhao, H.-J., Guo, D.-Y., Zhu, P.-Q., Zhang, C.-L., and Jiang, W., 2018. Gut microbiota alterations in moderate to severe acne vulgaris patients. *The Journal of Dermatology*, **45**: 1166–1171.
- Yi, R., Pan, Y., Long, X., Tan, F., and Zhao, X., 2020. Enzyme Producing Activity of Probiotics and Preparation of Compound Enzyme. *Journal of Chemistry*, **2020**: 1–8.

- Yoo, H.-D., Kim, D.-J., Paek, S.-H., and Oh, S.-E., 2012. Plant Cell Wall Polysaccharides as Potential Resources for the Development of Novel Prebiotics. *Biomolecules and Therapeutics*, **20**: 371–379.
- Yuki, T., Yoshida, H., Akazawa, Y., Komiya, A., Sugiyama, Y., and Inoue, S., 2011. Activation of TLR2 Enhances Tight Junction Barrier in Epidermal Keratinocytes. *The Journal of Immunology*, **187**: 3230–3237.
- Zaenglein, A.L., Pathy, A.L., Schlosser, B.J., Alikhan, A., Baldwin, H.E., Berson, D.S., *et al.*, 2016. Guidelines of care for the management of acne vulgaris. *Journal of the American Academy of Dermatology*, **74**: 945-973.e33.
- Zaman, S.A. and Sarbini, S.R., 2015. The potential of resistant starch as a prebiotic. *Critical Reviews in Biotechnology*, 1–7.
- Zanvit, P., Konkel, J.E., Jiao, X., Kasagi, S., Zhang, D., Wu, R., *et al.*, 2015. Antibiotics in neonatal life increase murine susceptibility to experimental psoriasis. *Nature Communications*, **6**: 8424.
- Zhang, H., Liang, Y., Wu, P., Shi, X., Zhang, G., and Cai, Z., 2021. Continuous Dermal Exposure to Triclocarban Perturbs the Homeostasis of Liver–Gut Axis in Mice: Insights from Metabolic Interactions and Microbiome Shifts. *Environmental Science & Technology*, **55**: 5117–5127.
- Zheng, L., Kelly, C.J., Battista, K.D., Schaefer, R., Lanis, J.M., Alexeev, E.E., *et al.*, 2017. Microbial-Derived Butyrate Promotes Epithelial Barrier Function through IL-10 Receptor–Dependent Repression of Claudin-2. *The Journal of Immunology*, **199**: 2976–2984.