



## DAFTAR PUSTAKA

- Al Rawashdeh, S. B. (2011). Evaluation of the differencing pixel-by-pixel change detection method in mapping irrigated areas in dry zones. *International journal of remote sensing*, 32(8), 2173-2184. <https://doi.org/10.1080/01431161003674634>
- Anand, A., Pandey, P. C., Petropoulos, G. P., Pavlides, A., Srivastava, P. K., Sharma, J. K., & Malhi, R. K. M. (2020). Use of Hyperion for mangrove forest carbon stock assessment in bhitarkanika forest reserve: A contribution towards blue carbon initiative. *Remote Sensing*, 12(4). <https://doi.org/10.3390/rs12040597>
- Badan Standardisasi Nasional (BSN). (2011). *Pengukuran dan Penghitungan Cadangan Karbon: Pengukuran Lapangan Untuk Penaksiran Cadangan Karbon Hutan (Ground Based Forest Carbon Accounting)*. Standar Nasional Indonesia: 7724. Jakarta
- Bao, N., Lechner, A. M., Fletcher, A., Mellor, A., Mulligan, D., & Bai, Z. (2012). Comparison of relative radiometric normalization methods using pseudo-invariant features for change detection studies in rural and urban landscapes. *Journal of Applied Remote Sensing*, 6(1), 063578–1. <https://doi.org/10.1117/1.jrs.6.063578>
- Barati, S., Rayegani, B., Saati, M., Sharifi, A., & Nasri, M. (2011). Comparison the accuracies of different spectral indices for estimation of vegetation cover fraction in sparse vegetated areas. *Egyptian Journal of Remote Sensing and Space Science*, 14(1), 49–56. <https://doi.org/10.1016/j.ejrs.2011.06.001>
- Bhandari, A. K., Kumar, A., & Singh, G. K. (2012). Feature Extraction using Normalized Difference Vegetation Index (NDVI): A Case Study of Jabalpur City. *Procedia Technology*, 6, 612–621. <https://doi.org/10.1016/j.protcy.2012.10.074>
- Bouwer, L. M. (2011). Have disaster losses increased due to anthropogenic climate change? *Bulletin of the American Meteorological Society*, 92(1), 39–46. <https://doi.org/10.1175/2010BAMS3092.1>
- Brown, S. (1997). *Estimating biomass and biomass change of tropical forests: a primer* (Vol. 134). Food & Agriculture Org..
- Chave, J., Muller-Landau, H. C., Baker, T. R., Easdale, T. A., Steege, H. T., & Webb, C. O. (2006). Regional And Phylogenetic Variation oOf Wood Density Across 2456



Neotropical Tree Species. *Ecological Applications*, 16(6), 2356-2367.

[https://doi.org/10.1890/1051-0761\(2006\)016\[2356:RAPVOW\]2.0.CO;2](https://doi.org/10.1890/1051-0761(2006)016[2356:RAPVOW]2.0.CO;2)

Clough, B. F., & Scott, K. (1989). Allometric relationships for estimating above-ground biomass in six mangrove species. *Forest ecology and management*, 27(2), 117-127.  
[https://doi.org/10.1016/0378-1127\(89\)90034-0](https://doi.org/10.1016/0378-1127(89)90034-0)

Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data*. CRC Press. <https://doi.org/10.1201/9780429052729>

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Andi.

Direktorat Jenderal Kelautan, pesisir dan pulau-pulau kecil. (2005). *Laporan Bulanan Juni 2005*. LAP 211-01

Food and Agriculture Organization of the United Nations (FAO). (2007). The World's Mangroves 1980-2005. *FAO Forestry Paper 153*, 77

Garmin. (2022). GPS Accuracy. Diakses dari [https://support.garmin.com/en-US/?faq=aZc8RezeAb9LjCDpJplTY7#:~:text=Garmin%C2%AE%20GPS%20receivers%20are,33%20feet\)%20under%20normal%20conditions](https://support.garmin.com/en-US/?faq=aZc8RezeAb9LjCDpJplTY7#:~:text=Garmin%C2%AE%20GPS%20receivers%20are,33%20feet)%20under%20normal%20conditions). Pada 7 Juli 2022 pukul 13.30

Giri, C., Ochieng, E., Tieszen, L. L., Zhu, Z., Singh, A., Loveland, T., Masek, J., & Duke, N. (2011). Status and distribution of mangrove forests of the world using earth observation satellite data. *Global Ecology and Biogeography*, 20(1), 154–159.  
<https://doi.org/10.1111/j.1466-8238.2010.00584.x>

Houborg, R., & McCabe, M. F. (2018). Daily retrieval of NDVI and LAI at 3 m resolution via the fusion of CubeSat, Landsat, and MODIS data. *Remote Sensing*, 10(6).  
<https://doi.org/10.3390/rs10060890>

Huete, A. R. (1988). A Soil-Adjusted Vegetation Index (SAVI). *Remote sensing of environment*, 25(3), 295-309. [https://doi.org/10.1016/0034-4257\(88\)90106-X](https://doi.org/10.1016/0034-4257(88)90106-X)

Intergovernmental Panel on Climate Change (IPCC). (1995). IPCC Second Assessment: A Report of the Intergovernmental Panel on Climate Change, WMO-UNEP.

Jensen, R. R., & Binford, M. W. (2004). Measurement and Comparison of Leaf Area Index Estimators Derived from Satellite Remote Sensing Techniques. *International*



Journal of Remote Sensing, 25(20), 4251-4265.

<https://doi.org/10.1080/01431160410001680400>

Ji, L., Zhang, L., Rover, J., Wylie, B. K., & Chen, X. (2014). Geostatistical estimation of signal-to-noise ratios for spectral vegetation indices. *ISPRS Journal of Photogrammetry and Remote Sensing*, 96(March 2021), 20–27. <https://doi.org/10.1016/j.isprsjprs.2014.06.013>

Kamal, E. (2011). Fenologi Mangrove (*Rhizophora apiculata*, *R. mucronata* dan *R. stylosa*) di Pulau Unggas, Air Bangis Pasaman Barat, Sumatera Barat. *Jurnal Natur Indonesia*, 14(1), 90-94. <http://dx.doi.org/10.31258/jnat.14.1.90-94>

Kamal, M., Hartono, H., Wicaksono, P., Adi, N. S., & Arjasakusuma, S. (2016). Assessment of Mangrove Forest Degradation Through Canopy Fractional Cover in Karimunjawa Island, Central Java, Indonesia. *Geoplanning: Journal of Geomatics and Planning*, 3(2), 107-116. <https://doi.org/10.14710/geoplanning.3.2.107-116>

Kamal, M., Hidayatullah, M. F., Mahyatar, P., & Ridha, S. M. (2022). Estimation of aboveground mangrove carbon stocks from WorldView-2 imagery based on generic and species-specific allometric equations. *Remote Sensing Applications: Society and Environment*, 26(October 2021), 100748. <https://doi.org/10.1016/j.rsase.2022.100748>

Kamal, M., Phinn, S., Johansen, K., Kamal, M., Phinn, S., & Johansen, K. (2016). *Estimation of mangrove leaf area index from ALOS AVNIR-2 data (A comparison of tropical and sub-tropical mangroves ) Estimation of Mangrove Leaf Area Index from ALOS AVNIR-2 data (A Comparison of Tropical and Sub-Tropical Mangroves)*. 040005(July). <https://doi.org/10.1063/1.4958480>

Kauffman, J. Boone, & Daniel C. Donato. (2012). *Protocols For the Measurement, Monitoring and Reporting of Structure, Biomass, And Carbon Stocks In Mangrove Forests*. Bogor, Indonesia: CIFOR

Komiyama, A., Poungparn, S., & Kato, S. (2005). Common Allometric Equations for Estimating the Tree Weight of Mangroves. *Journal of tropical ecology*, 21(4), 471-477. <https://doi.org/10.1017/S0266467405002476>



- Laffoley, D., & dan Grimsditch, G. D. (Eds.). (2009). *The Management of Natural Coastal Carbon Sinks*. Gland, Switzerland: IUCN
- Latte, N., & Lejeune, P. (2020). PlanetScope radiometric normalization and sentinel-2 super-resolution (2.5 m): A straightforward spectral-spatial fusion of multi-satellite multi-sensor images using residual convolutional neural networks. *Remote Sensing*, 12(15). <https://doi.org/10.3390/RS12152366>
- Leach, N., Coops, N. C., & Obrknezev, N. (2019). Normalization method for multi-sensor high spatial and temporal resolution satellite imagery with radiometric inconsistencies. *Computers and Electronics in Agriculture*, 164(July), 104893. <https://doi.org/10.1016/j.compag.2019.104893>
- Mahyatar, P., & Kamal, M. (2021). Aboveground mangrove carbon stock mapping using WorldView-2 imagery. In *Seventh Geoinformation Science Symposium 2021* (Vol. 12082, pp. 269-278). SPIE. <https://doi.org/10.1117/12.2619342>
- Matsushita, B., Yang, W., Chen, J., Onda, Y., & Qiu, G. (2007). Sensitivity of the Enhanced Vegetation Index (EVI) and Normalized Difference Vegetation Index (NDVI) to topographic effects: A case study in high-density cypress forest. *Sensors*, 7(11), 2636–2651. <https://doi.org/10.3390/s7112636>
- Molidena, E., & dan As-syakur, A. R. (2012). Karakteristik Pola Spektral Vegetasi Hutan dan Tanaman Industri berdasarkan Data Penginderaan Jauh. *Proceeding of PIT MAPIN XIX, Makassar*.
- Naji, T. A. H. (2018). Study of vegetation cover distribution using DVI, PVI, WDVI indices with 2D-space plot. *Journal of Physics: Conference Series*, 1003(1). <https://doi.org/10.1088/1742-6596/1003/1/012083>
- Noor, Y. S., Khazali, M., Suryadiputra, I. N. N. (2006). *Panduan Pengenalan Mangrove di Indonesia*. Bogor: PHKA/WI-IP
- Ong, J. E., Gong, W. K., & Wong, C. H. (2004). Allometry and partitioning of the mangrove, Rhizophora apiculata. *Forest Ecology and Management*, 188(1-3), 395-408. <https://doi.org/10.1016/j.foreco.2003.08.002>



- Parresol, B. (2009). Assessing Tree and Stand Biomass: A Review with Examples and Critical Comparisons. *Forest Science* 45, 573-593  
<https://doi.org/10.1093/forestscience/45.4.573>
- Pearson, T., Walker, S., & Brown, S. (2005). *Sourcebook For Land Use, Land-Use Change and Forestry Projects*. Washington DC., USA: Winrock International and the BioCarbon Fund of the World Bank.
- Planet Labs. (2020). *Planet Imagery Product Specification*. Planet Labs Inc.
- Polidoro, B. A., Carpenter, K. E., Collins, L., Duke, N. C., Ellison, A. M., Ellison, J. C., & dan Yong, J. W. H. (2010). The Loss of Species: Mangrove Extinction Risk and Geographic Areas of Global Concern. *PLoS one*, 5(4), e10095.  
<https://doi.org/10.1371/journal.pone.0010095>
- Pratama, M. (2009). *Fenologi Dan Biologi Pembungan Adenium Obesum*. Bogor (ID): Institut Pertanian Bogor.
- Prenzel, B. (2004). Remote Sensing-Based Quantification of Land-Cover Andand Land-Use Change For Planning. *Progress in planning*, 4(61), 281-299.  
[https://doi.org/10.1016/S0305-9006\(03\)00065-5](https://doi.org/10.1016/S0305-9006(03)00065-5)
- Pujiono, E., Kwak, D. A., Lee, W. K., Sulistyanto, Kim, S. R., Lee, J. Y., & dan Kim, M. I. (2013). RGB-NDVI Color Composites for Monitoring the Change in Mangrove Area at The Maubesi Nature Reserve, Indonesia. *Forest science and technology*, 9(4), 171-179. <https://doi.org/10.1080/21580103.2013.842327>
- Purnamasari, E., Kamal, M., Wicaksono, P. (2021). Comparison of Vegetation Indices for Estimating Above-Ground Mangrove Carbon Stocks using PlanetScope Image. *Regional Studies in Marine Science* 44 (2021) 101730  
<https://doi.org/10.1016/j.rsma.2021.101730>
- Reed, B.C., Brown, J.F., VanderZee, D., Loveland, T.R., Merchant, J.W., Ohlen, D.O. (1994). Measuring Phenological Variability from Satellite Imagery. *J. Veg. Sci.* 1994, 5, 703–714. <https://doi.org/10.2307/3235884>
- Rodhe, H. (1990). A Comparison of the Contribution of Various Gases. *Science*, 248(1983), 1217–1219. <https://doi.org/10.1126/science.248.4960.1217>



- Ruslisan, R., Kamal, M., & Sidik, F. (2018). Monitoring the Restored Mangrove Condition at Perancak Estuary, Jembrana, Bali, Indonesia from 2001 to 2015. In *IOP Conference Series: Earth and Environmental Science* (Vol. 123, No. 1, p. 012022). IOP Publishing.
- Samingan, M. T. (1980). Notes On the Vegetation Of The Tidal Areas Of South Sumatra, Indonesia, With Special Reference to Karang Agung. In *Tropical ecology and development. Proceedings of the Vth International Symposium of Tropical Ecology* (pp. 1107-1112). International Society of Tropical Ecology
- Schroeder, T. A., Cohen, W. B., Song, C., Canty, M. J., & Yang, Z. (2006). Radiometric correction of multi-temporal Landsat data for characterization of early successional forest patterns in western Oregon. *Remote Sensing of Environment*, 103(1), 16–26. <https://doi.org/10.1016/j.rse.2006.03.008>
- Sidik, F., Adame, M.F., & Lovelock, C. E. (2019). Carbon Sequestration and Fluxes of Restored Mangroves in Abandoned Aquaculture Ponds. *Journal of the Indian Ocean Region*, 15(2), 177-192. <https://doi.org/10.1080/19480881.2019.1605659>
- Sitorus, R. R., & Pratysto, T. (2018). Pajak Karbon, Kerusakan Karbon, Dan Pertumbuhan Ekonomi Di Lima Belas Negara Selama 27 Tahun. *Jurnal Manajemen dan Bisnis*, 7(2). <http://dx.doi.org/10.31000/jmb.v7i2.1060.g672>
- Susanto, H., Sumaryati, S., Wisnuhamidaharisakti, D., Mardiko, M. S. J. E., Lating, N. A. (2012). *Jenis Mangrove Taman Nasional Karimunjawa*. Jepara: Balai Taman Nasional Karimunjawa
- Sutanto. (1994). *Penginderaan Jauh jilid 1*. Yogyakarta: Gadjah Mada University Press
- Sutaryo, D. (2009). *Perhitungan Biomassa Sebuah pengantar untuk Studi Karbon dan Perdagangan Karbon*. Wetlands International Indonesia Programe.
- Taillardat, P., Friess, D. A., & Lupascu, M. (2018). Mangrove Blue Carbon Strategies for Climate Change Mitigation Are Most Effective at The National Scale. *Biology Letters*, 14(10), 20180251. <https://doi.org/10.1098/rsbl.2018.0251>
- Tobias, A., Umali, A. G. A., Malabriga, P., & Galang, M. A. (2017). Mangrove Forest Inventory and Estimation of Carbon Storage and Sedimentation in Pagbilao. *Wealth*



*Accounting and the Valuation of Ecosystem Services, April, 1–95.*

<https://doi.org/10.13140/RG.2.2.15851.03364>

Triatmodjo, B. (2010). *Hydrology Terapan*. Yogyakarta: Beta Offset

Tucker, C. J., & Sellers, P. J. (1986). Satellite Remote Sensing of Primary Production. *International journal of remote sensing*, 7(11), 1395-1416.  
<https://doi.org/10.1080/01431168608948944>

Utari, D., Kamal, M., & Sidik, F. (2020). Above-ground biomass estimation of mangrove forest using WorldView-2 imagery in Perancak Estuary, Bali. *IOP Conference Series: Earth and Environmental Science*, 500(1).  
<https://doi.org/10.1088/1755-1315/500/1/012011>

Wicaksono, P. (2017). Mangrove Above Ground Carbon Stock Mapping of Multi-resolution Passive Remote Sensing System. *International Journal of Remote Sensing* 38:6, 1551-1578. <https://doi.org/10.1080/01431161.2017.1283072>

Wicaksono, P., Danoedoro, P., Hartono, H., Nehren, U., & Ribbe, L. (2011). Preliminary Work of Mangrove Ecosystem Carbon Stock Mapping In Small Island Using Remote Sensing: Above And Below Ground Carbon Stock Mapping On Medium Resolution Satellite Image. In *Remote Sensing for Agriculture, Ecosystems, and Hydrology XIII* (Vol. 8174, p. 81741B). <https://doi.org/10.1117/12.897926> International Society for Optics and Photonics.

Wicaksono, P., Danoedoro, P., Hartono., Nehren, U. (2016). Mangrove Biomass Carbon Stock Mapping of The Karimunjawa Islands Using Multispectral Remote Sensing. *International Journal of Remote Sensing* 38:6, 1551-1578,  
<https://doi.org/10.1080/01431161.2015.1117679>

Wicaksono, P., Maishella, A., Lazuardi, W., & Hizba, F. (2022). Consistency assessment of multi-date PlanetScope imagery for seagrass percent cover mapping in different seagrass meadows. *Geocarto International*, 0(0), 1–26.  
<https://doi.org/10.1080/10106049.2022.2096122>

Wigley, T. M. L., Jones, P. D., & Kelly, P. M. (2019). Global warming of 1.5°C An IPCC Special Report on the impacts of global warming of 1.5°C above preindustrial levels and related global greenhouse gas emission pathways, in the context of



**Analisis Multitemporal Stok Karbon Atas Permukaan Hutan Mangrove di Sebagian Taman Nasional Karimunjawa Tahun 2018-2022**

WAHYU WIDYANTO, 1. Muhammad Kamal, S.Si., M.GIS, Ph.D.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS  
GADJAH MADA

strengthening the global response to the threat of climate change. *Nature* (Vol. 291, Issue 5813). <https://doi.org/10.1038/291285a0>