

DAFTAR PUSTAKA

- Adhikari, S. P., Hood, Z. D., Chen, V. W., More, K. L., Senevirathne, K., & Lachgar, A. (2018). Visible-light-active g-C₃N₄/N-doped Sr₂Nb₂O₇ heterojunctions as photocatalysts for the hydrogen evolution reaction. *Sustainable Energy and Fuels*, 2(11), 2507–2515.
- Ali, K. A., Abdullah, A. Z., & Mohamed, A. R. (2017). Visible light responsive TiO₂ nanoparticles modified using Ce and La for photocatalytic reduction of CO₂: Effect of Ce dopant content. *Applied Catalysis A: General*, 537, 111–120.
- Armaković, S. J., Grujić-Brojčin, M., Šćepanović, M., Armaković, S., Golubović, A., Babić, B., & Abramović, B. F. (2019). Efficiency of La-doped TiO₂ calcined at different temperatures in photocatalytic degradation of β-blockers. *Arabian Journal of Chemistry*, 12(8), 5355–5369.
- Bessekhouad, Y., Robert, D., & Weber, J. V. (2003). Synthesis of photocatalytic TiO₂ nanoparticles: Optimization of the preparation conditions. *Journal of Photochemistry and Photobiology A: Chemistry*, 157(1), 47–53.
- Blendell, J. E., & Rheinheimer, W. (2021). Solid-state sintering. *Encyclopedia of Materials: Technical Ceramics and Glasses*, 1–3, 249–257.
- Cao, G., Li, Y., Zhang, Q., & Wang, H. (2010). Synthesis and characterization of La₂O₃/TiO₂-xFx and the visible light photocatalytic oxidation of 4-chlorophenol. *Journal of Hazardous Materials*, 178(1–3), 440–449.
- Chatterjee, D., & Dasgupta, S. (2005). Visible light induced photocatalytic degradation of organic pollutants. *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 6(2–3), 186–205.
- Dhanalakshmi, J., Iyyapushpam, S., Nishanthi, S. T., Malligavathy, M., & Padiyan, D. P. (2017). Investigation of oxygen vacancies in Ce coupled TiO₂ nanocomposites by Raman and PL spectra. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 8(1).
- Du, J., Gao, J., Gu, F., Zhuang, J., Lu, B., Jia, L., Xu, G., Liu, Q., & Su, F. (2018). A strategy to regenerate coked and sintered Ni/Al₂O₃ catalyst for methanation reaction. *International Journal of Hydrogen Energy*, 43(45), 20661–20670.
- Duroudier, J.-P. (2016). Rotary Calcination Kiln: Heat Exchange by Radiation. *Heat Transfer in the Chemical, Food and Pharmaceutical Industries*, 1–54.
- Dwijayanti, U., Gunawan, G., Setyo Widodo, D., Haris, A., Suyati, L., & Ariadi Lusiana, R. (2020). Adsorpsi Methylene Blue (MB) menggunakan Abu Layang Batubara Teraktivasi Larutan NaOH *Analit: Analytical and Environmental Chemistry*, 5(01), 01–14.

- Fan, Z., Meng, F., Gong, J., Li, H., Hu, Y., & Liu, D. (2016). Enhanced photocatalytic activity of hierarchical flower-like CeO₂/TiO₂ heterostructures. *Materials Letters*, 175, 36–39.
- Ghaedi, M., Heidarpour, S., Kokhdan, S.N., Sahraie, R., Daneshfar, A., Brazesh, B., Xiao, F., Wang, D., Liu, B., & Su, F. (2012). Comparison of silver and palladium nanoparticles loaded on activated carbon for efficient removal of methylene blue: Kinetics and isotherm study of removal process. *Powder Technology*, 331, 17–26.
- Gionco, C., Paganini, M. C., Agnoli, S., Reeder, A. E., & Giamello, E. (2013). Structural and spectroscopic characterization of CeO₂-TiO₂ mixed oxides. *J. Mater. Chem. A*. <https://doi.org/10.1039/b000000x>
- Herawati, D., Santoso, S. D., & Amalina, I. (2018). Kondisi Optimum Adsorpsi-Fluidisasi Zat Warna Limbah Tekstil Menggunakan Adsorben Jantung Pisang. *Jurnal SainHealth*, 2(1), 1.
- Hidayatno, A., Destyanto, A. R., & Hulu, C. A. (2019). Industry 4.0 technology implementation impact to industrial sustainable energy in Indonesia: A model conceptualization. *Energy Procedia*, 156(February), 227–233.
- Hong, J. W. (2021). Development of visible-light-driven Rh-TiO₂-CeO₂ hybrid photocatalysts for hydrogen production. *Catalysts*, 11(7).
- Hu, K., Lei, E., Zhao, D., Li, Y., Zhao, W., & Rong, H. (2020). Characteristics and performance of rutile/anatase/brookite TiO₂ and TiO₂-Ti₂O₃(H₂O)₂(C₂O₄)·H₂O multiphase mixed crystal for the catalytic degradation of emerging contaminants. *CrystEngComm*, 22(6), 1086–1095.
- Huang, Y., Wang, W., Zhang, Y., Cao, J., Huang, R., & Wang, X. (2018). Synthesis and Applications of Nanomaterials With High Photocatalytic Activity on Air Purification. In *Novel Nanomaterials for Biomedical, Environmental and Energy Applications*. Elsevier Inc.
- Humayun, M., Raziq, F., Khan, A., & Luo, W. (2018). Modification strategies of TiO₂ for potential applications in photocatalysis: A critical review. *Green Chemistry Letters and Reviews*, 11(2), 86–102.
- Huy, T. H., Bui, D. P., Kang, F., Wang, Y. F., Liu, S. H., Thi, C. M., You, S. J., Chang, G. M., & Pham, V. V. (2019). SnO₂/TiO₂ nanotube heterojunction: The first investigation of NO degradation by visible light-driven photocatalysis. *Chemosphere*, 215, 323–332.
- Jacob, K. A., Peter, P. M., Jose, P. E., Balakrishnan, C. J., & Thomas, V. J. (2022). A simple method for the synthesis of anatase-rutile mixed phase TiO₂ using a convenient precursor and higher visible-light photocatalytic activity of Co-doped TiO₂. *Materials Today: Proceedings*, 49, 1408–1417.

- Jafri, N. N. M., Jaafar, J., Alias, N. H., Samitsu, S., Aziz, F., Salleh, W. N. W., Yusop, M. Z. M., Othman, M. H. D., Rahman, M. A., Ismail, A. F., Matsuura, T., & Isloor, A. M. (2021). Synthesis and characterization of titanium dioxide hollow nanofiber for photocatalytic degradation of methylene blue dye. *Membranes*, 11(8).
- Jaramillo-Fierro, X., González, S., & Medina, F. (2021). La-doped ZnTiO₃ /TiO₂ nanocomposite supported on ecuadorian diatomaceous earth as a highly efficient photocatalyst driven by solar light. *Molecules*, 26(20).
- Jiang, Y., Jin, Z., Chen, C., Duan, W., Liu, B., Chen, X., Yang, F., & Guo, J. (2017). Cerium-doped mesoporous-assembled SiO₂/P25 nanocomposites with innovative visible-light sensitivity for the photocatalytic degradation of organic dyes. *RSC Advances*, 7(21), 12856–12870.
- Kaabeche, O. N. E. H., Zouaghi, R., Boukhedoua, S., Bendjabeur, S., & Sehili, T. (2019). A Comparative Study on Photocatalytic Degradation of Pyridinium-Based Ionic Liquid by TiO₂ and ZnO in Aqueous Solution. *International Journal of Chemical Reactor Engineering*, 17(9).
- Kazemi, F., Mohamadnia, Z., Kaboudin, B., & Karimi, Z. (2016). Photodegradation of methylene blue with a titanium dioxide/polyacrylamide photocatalyst under sunlight. *Journal of Applied Polymer Science*, 133(19), 1–9.
- Keerthana, S. P., Yuvakkumar, R., Ravi, G., Hong, S. I., Al-Sehemi, A. G., & Velauthapillai, D. (2022). Fabrication of Ce doped TiO₂ for efficient organic pollutants removal from wastewater. *Chemosphere*, 293.
- Khan, M., & Cao, W. (2013). Preparation of Y-doped TiO₂ by hydrothermal method and investigation of its visible light photocatalytic activity by the degradation of methylene blue. *Journal of Molecular Catalysis A: Chemical*, 376, 71–77.
- Kitabayashi, S., & Koga, N. (2015). Thermal Decomposition of Tin(II) Oxyhydroxide and Subsequent Oxidation in Air: Kinetic Deconvolution of Overlapping Heterogeneous Processes. *Journal of Physical Chemistry C*, 119(28),
- Korake, P. V., Dhabbe, R. S., Kadam, A. N., Gaikwad, Y. B., & Garadkar, K. M. (2014). Highly active lanthanum doped ZnO nanorods for photodegradation of metasytox. *Journal of Photochemistry and Photobiology B: Biology*, 130, 11–19.
- Kumar, S. G., & Rao, K. S. R. K. (2017). Comparison of modification strategies towards enhanced charge carrier separation and photocatalytic degradation activity of metal oxide semiconductors (TiO₂, WO₃ and ZnO). *Applied Surface Science*, 391, 124–148.
- Kurniawan, T. A., Mengting, Z., Fu, D., Yeap, S. K., Othman, M. H. D., Avtar, R., & Ouyang, T. (2020). Functionalizing TiO₂ with graphene oxide for enhancing

photocatalytic degradation of methylene blue (MB) in contaminated wastewater. *Journal of Environmental Management*, 270

- Kustov, L. M., Loeffler, E., Zholobenko, V. ., & Kazansky. (1995). Out-of-plane Bending Vibrations of Bridging OH Groups in Zeolites: A New Characteristic of the Geometry and Acidity of a Broensted Site. *Surface Science and Catalysis*, ii, 63–70.
- Le, S., Jiang, T., Li, Y., Zhao, Q., Li, Y., Fang, W., & Gong, M. (2017). Highly efficient visible-light-driven mesoporous graphitic carbon nitride/ZnO nanocomposite photocatalysts. *Applied Catalysis B: Environmental*, 200, 601–610.
- Li, H., & Feng, B. (2016). Visible-light-driven composite La₂O₃/TiO₂ nanotube arrays: Synthesis and improved photocatalytic activity. *Materials Science in Semiconductor Processing*, 43, 55–59.
- Liang, J., Wang, J., Song, K., Wang, X., Yu, K., & Liang, C. (2020). Enhanced photocatalytic activities of Nd-doped TiO₂ under visible light using a facile sol-gel method. *Journal of Rare Earths*, 38(2), 148–156.
- Lin, J., & Yu, J. C. (1998). An investigation on photocatalytic activities of mixed TiO₂-rare earth oxides for the oxidation of acetone in air. *Journal of Photochemistry and Photobiology A: Chemistry*, 116(1), 63–67. [https://doi.org/10.1016/S1010-6030\(98\)00289-5](https://doi.org/10.1016/S1010-6030(98)00289-5)
- Liu, H., Zeng, F., Lin, Y., Wang, G., & Pan, F. (2013). Correlation of oxygen vacancy variations to band gap changes in epitaxial ZnO thin films. *Applied Physics Letters*, 102(18).
- Liu, Z., Yu, Y., Zhu, X., Fang, J., Xu, W., Hu, X., Li, R., Yao, L., Qin, J., & Fang, Z. (2022). Semiconductor heterojunctions for photocatalytic hydrogen production and Cr(VI) Reduction: A review. *Materials Research Bulletin*, 147(November 2021), 111636.
- Mahmoud, M. S., Farah, J. Y., & Farrag, T. E. (2013). Enhanced removal of Methylene Blue by electrocoagulation using iron electrodes. *Egyptian Journal of Petroleum*, 22(1), 211–216.
- Mohammed, M. ., A, S., & A, I. (2014). Removal of methylene blue dye using low cost adsorbent. *Research Journal of Chemical Sciences*, 4(1), 91–102.
- Moubarak, F., Atmani, R., Elkouali, M., Talbi, M., Gondaf, Y., & Amardo, N. (2018). Adsorption of methylene blue in solution on activated carbon based of banana peels residue. *International Journal of Scientific and Engineering Research*, 9(10), 617–622.
- Naimah, S., Ardhanie, S. A., Jati, B. N., Aidha, N. N., & Arianita, A. C. (2014). Degradasi Zat Warna pada Limbah Cair Industri Tekstil dengan Metode Fotokatalitik menggunakan Nanokomposit TiO₂ – Zeolit. *Jurnal Kimia Kemasan*, 36, 225–236.

- Palmisano, L., Schiavello, M., Sclafani, A., Martra, G., Borello, E., & Coluccia, S. (1994). Photocatalytic oxidation of phenol on TiO₂ powders. A Fourier transform infrared study. *Applied Catalysis B, Environmental*, 3(2–3), 117–132.
- Phromma, S., Wutikhun, T., Kasamechonchung, P., Eksangsri, T., & Sapcharoenkun, C. (2020). Effect of calcination temperature on photocatalytic activity of synthesized TiO₂ nanoparticles via wet ball milling sol-gel method. *Applied Sciences (Switzerland)*, 10(3).
- Rafatullah, M., Sulaiman, O., Hashim, R., & Ahmad, A. (2010). Adsorption of methylene blue on low-cost adsorbents: A review. *Journal of Hazardous Materials*, 177(1–3), 70–80.
- Rane, A. V., Kanny, K., Abitha, V. K., & Thomas, S. (2018). Methods for Synthesis of Nanoparticles and Fabrication of Nanocomposites. In *Synthesis of Inorganic Nanomaterials*. Elsevier Ltd.
- Rudiyanti, S. (2011). Kualitas Perairan Sungai Banger Pekalongan Berdasarkan Indikator Biologis. *Jurnal Saintek Perikanan*, 4(2), 46–52–52.
- Zhuo, Q., Zhang, Y., Fu, Z., Han, T., Liu, X., Ou, J., & Xu, X. (2022). Applied Surface Science First-principles study of photocatalytic mechanism and charge transfer of. *Applied Surface Science*, 600(June), 154038.
- Shen, C., Pang, K., Du, L., & Luo, G. (2017). Green synthesis and enhanced photocatalytic activity of Ce-doped TiO₂ nanoparticles supported on porous glass. *Particuology*, 34, 103–109.
- Shi, H., Zhang, T., & Wang, H. (2011). Preparation and photocatalytic activity of La³⁺ and Eu³⁺ co-doped TiO₂ nanoparticles: Photo-assisted degradation of methylene blue. *Journal of Rare Earths*, 29(8), 746–752.
- Suliman, A. A. M., Isha, R., Seman, M. N. A., Ahmad, A. L., & Roslan, J. (2020). Mesoporous ce-doped Ti:Ash photocatalyst investigation in visible light photocatalytic water pretreatment process. *Bulletin of Chemical Reaction Engineering & Catalysis*, 15(2), 367–378.
- Sun, P., Liu, L., Cui, S. C., & Liu, J. G. (2014). Synthesis, characterization of Ce-doped TiO₂ nanotubes with high visible light photocatalytic activity. *Catalysis Letters*, 144(12), 2107–2113.
- Tammi, T., Suaniti, N., & Manurung, M. (2013). Variasi Konsentrasi Dan Ph Terhadap Kemampuan Kitosan Dalam Mengadsorpsi Metilen Biru. *Jurnal Kimia*, 7(1), 11–18.
- Tseng, Y. H., Kuo, C. S., Huang, C. H., Li, Y. Y., Chou, P. W., Cheng, C. L., & Wong, M. S. (2006). Visible-light-responsive nano-TiO₂ with mixed crystal lattice and its photocatalytic activity. *Nanotechnology*, 17(10), 2490–2497.

- Uddin, M. T., Hoque, M. E., & Chandra Bhounick, M. (2020). Facile one-pot synthesis of heterostructure SnO₂/ZnO photocatalyst for enhanced photocatalytic degradation of organic dye. *RSC Advances*, 10(40), 23554–23565.
- Vadivel, S., Hariganesh, S., Paul, B., Mamba, G., & Puviarasu, P. (2020). Highly active novel CeTi₂O₆/g-C₃N₅ photocatalyst with extended spectral response towards removal of endocrine disruptor 2, 4-dichlorophenol in aqueous medium. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 592.
- Wan, M., Li, W., Long, Y., & Tu, Y. (2012). Electrochemical determination of tryptophan based on Si-doped nano-TiO₂ modified glassy carbon electrode. *Analytical Methods*, 4(9), 2860–2865.
- Wang, C., Shao, C., Zhang, X., & Liu, Y. (2009). SnO₂ nanostructures-TiO₂ nanofibers heterostructures: Controlled fabrication and high photocatalytic properties. *Inorganic Chemistry*, 48(15), 7261–7268.
- Wang, J., Wang, Z., Huang, B., Ma, Y., Liu, Y., Qin, X., Zhang, X., & Dai, Y. (2012). Oxygen vacancy induced band-gap narrowing and enhanced visible light photocatalytic activity of ZnO. *ACS Applied Materials and Interfaces*, 4(8), 4024–4030.
- Wang, R., Wang, F., An, S., Song, J., & Zhang, Y. (2015). Y/Eu co-doped TiO₂: Synthesis and photocatalytic activities under UV-light. *Journal of Rare Earths*, 33(2), 154–159.
- Wu, Z., Zhong, H., Yuan, X., Wang, H., Wang, L., Chen, X., Zeng, G., & Wu, Y. (2014). Adsorptive removal of methylene blue by rhamnolipid-functionalized graphene oxide from wastewater. *Water Research*, 67, 330–344.
- Yang, B., Zuo, J., Tang, X., Liu, F., Yu, X., Tang, X., Jiang, H., & Gan, L. (2014). Effective ultrasound electrochemical degradation of methylene blue wastewater using a nanocoated electrode. *Ultrasonics Sonochemistry*, 21(4), 1310–1317.
- Yang, G., Yan, Z., & Xiao, T. (2012). Preparation and characterization of SnO₂/ZnO/TiO₂ composite semiconductor with enhanced photocatalytic activity. *Applied Surface Science*, 258(22), 8704–8712.
- Yang, Z., Zhang, N., Cao, Y., Li, Y., Liao, Y., Li, Y., Gong, M., & Chen, Y. (2017). Promotional effect of lanthana on the high-temperature thermal stability of Pt/TiO₂ sulfur-resistant diesel oxidation catalysts. *RSC Advances*, 7(31), 19318–19329.
- Yulianto, A., Hakim, L., Purwaningsih, I., & Pravitasari, V. A. (2009). Pengolahan Limbah Cair Industri Batik Pada Skala Laboratorium Dengan Menggunakan Metode Elektrokoagulasi. *Jurnal Teknologi Lingkungan Universitas Trisakti*, 5(1), 6–11.

- Zhang, Q., Gao, L., & Guo, J. (2000). Effects of calcination on the photocatalytic properties of nanosized TiO₂ powders prepared by TiCl₄ hydrolysis. *Applied Catalysis B: Environmental*, 26(3), 207–215.
- Zhao, Y., Linghu, X., Shu, Y., Zhang, J., Chen, Z., Wu, Y., Shan, D., & Wang, B. (2022). Classification and catalytic mechanisms of heterojunction photocatalysts and the application of titanium dioxide (TiO₂)-based heterojunctions in environmental remediation. *Journal of Environmental Chemical Engineering*, 10(3), 108077.
- Zhu, X., Pei, L., Zhu, R., Jiao, Y., Tang, R., & Feng, W. (2018). Preparation and characterization of Sn/La co-doped TiO₂ nanomaterials and their phase transformation and photocatalytic activity. *Scientific Reports*, 8(1), 1–14.