UNIVERSITAS
GADJAH MADA
**Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain
Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam**
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abhari, K., & Khaneghah, A. M. (2020). *Aquaculture and By-Products: Challenges and Opportunities in the Use of Alternative Protein Sources and Bioactive Compounds* (Vol. 92). Amsterdam: Elsevier.

Ahmed, M., Pickova, J., Ahmad, T., Liaquat, M., Farid, A., & Jahangir, M. (2016). Oxidation of Lipids in Foods. *Sarhad Journal of Agriculture, 32*(3), 230-238.

Aladedunye, F. A., & Przybylski, R. (2009). Protecting Oil during Frying A Comparative Study. *European Journal of Lipid Science and Technology, 111*, 893-901.

Amagase, H., Petesch, B. L., & Matsuura, H. (2001). Intake of garlic and its bioactive components. *The Journal of Nutrition, 131*, 955S–962S.

Andrasi, N., Helenkar, A., Vasanits-Zsigrai, A., Zaray, G., & Molnar-Perl. (2011). The role of the acquisition methods in the analysis of natural and synthetic steroids and cholic acids by gas chromatography-mass spectrometry. *Journal of Chromatography A, 1218*, 8264–8272.

Andrikopoulos, N. K., Chiou, A., Mylona, A., Boskou, G., & Dedoussis, G. V. Z. (2004). Monitoring of 2,4- decadienal in oils and fats used for frying in restaurants in Athens, Greece. *European Journal of Lipid Science and Technology, 106*, 671-679.

AOCS. (2017). Official Methods and Recommended Practices of the American Oil Chemists' Society. In *Acid Value of Fat and Oils* (Vol. Cd 3d-63). Urbana.

Ariponnammal, S. (2012). A novel method of using refractive index as a tool for finding the adultration of oils. *Research Journal of Recent Sciences, 17*, 77-79.

Ariponnammal, S. (2012). A Novel Method of Using Refractive Index as a Tool for Finding the Adultration of Oils., 2277-2502.

Arya, S. S., Ramanujam, S., & Vijayaraghavan, P. K. (1969). Refractive index as an objective method for evaluation of rancidity in edible oils and fats. *Journal of the American Oil Chemists' Society, 46*(1), 28-30.

Aziizah, W. N. (2022). *Efek Gabungan Ekstrak Bawang Putih (Allium sativum L. var. kating) dan TBHQ (Tertiary Butylhydroquinone) Terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam*. Yogyakarta: Universitas Gadjah Mada.

Babcock, R., Clausen, P., Popp, M., & Schulte, I. (2022). Yield Characteristics of Biodiesel Produced from Chicken Fat-Tall Oil Blended Feedstocks.

Badui, S. (1999). *Food Chemistry*. Mexico: Pearson Education, 3raedn. Mexico: Longman.

UNIVERSITAS GADJAH MADA
Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Bansal, G., Zhou, W., Barlow, P. J., Lo, H.-L., & Neo, F.-L. (2010). Performance of palm olein in repeated deep frying and controlled heating processes. *Food Chemistry, 121*(2), 338-347.

Basuny, A., Arafat, S., & Kamel, S. (2013). Polyphenolic compounds of eggplant peel juice as a natural antioxidant for the stability of sunflower oil during deep-fat frying. *Current Research in Microbiology and Biotechnology, 1*(1), 1-8.

Benedé, J. L., Lucena, R., Chisvert, A., & Cárdenas, S. (2021). *Analytical Sample Preparation With Nano- and Other High-Performance Materials* (R. Lucena & S. Cárdenas Eds.). Amsterdam: Elsevier.

Block, E., & Ahmad, S. (1984). (E,Z)-Ajoene: A potent antithrombotic agent from garlic. *Journal of the American Chemical Society, 106*, 8295-8296.

Blumenthal, M. M. (1991). A new look at the chemistry and physics of deep-fat frying. *Food Technology, 45*, 68-94.

Bockisch, M. (1998). *Fats and Oils Handbook*. Cambridge: Academic Press and AOCS Press.

Bolade, M. K., Usman, M. A., & Da-Clarke, U. (2017). Proximate composition, colour characteristics, index of oiliness and estimated glycemic index of deep-fried bitter yam (Dioscorea dumentorum) chips. *International Journal of Sciences, 6*(11), 39-47.

Boskou, G., Salta, F. N., Chiou, A., Troullidou, E., & Andrikopoulos, N. K. (2006). Content of trans,trans-2,4-decadienal in deep-fried and pan-fried potatoes. *Journal of Lipid Science and Technology, 108*, 109-115.

Brühl, L. (2014). Fatty acid alterations in oils and fats during heating and frying. *European Journal of Lipid Science and Technology, 116*(6), 707-715.

Brühl, L., & Unbehend, G. (2021). Precise colour communication by determination of the colour of vegetable oils and fats in the CIELAB 1976 (L*a*b*) colour space. *European Journal of Lipid Science and Technology*.

Budžaki, S., & Šeruga, B. (2005). Moisture loss and oil uptake during deep fat frying of“Kroštula”dough. *European Food Research and Technology, 220*(1), 90-95.

Butt, M. S., Sultan, M. T., & Iqbal, J. (2009). Garlic: nature's protection against physiological threats. *Critical reviews in food science and nutrition, 49*, 538-551.

Cassiday, L. (2016). Coconut oil boom. *INFORM: International News on Fat, Oils, and Related Materials, 27*.

Chandran, J., Nayana, N., Roshini, N., & Nisha, P. (2017). Oxidative stability, thermal stability and acceptability of coconut oil flavored with essential oils

UNIVERSITAS GADJAH MADA
Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

from black pepper and ginger. *Journal of food science and technology, 54*(1), 144-152.

Charles, D. J. (2013). *Antioxidant Properties of Spices, Herbs and Other Sources*. New York: Springer Science+Business Media.

Choe, E., & Min, D. B. (2006). Mechanisms and Factors for Edible Oil Oxidation. *Comprehensive Reviews in Food Science and Food Safety, 5*(4), 169-186.

Choe, E., & Min, D. B. (2006). Mechanisms and Factors for Edible Oil Oxidation. *Comprehensive Reviews in Food Science and Food Safety, 5*, p. 169-186.

Choe, E., & Min, D. B. (2007). Chemistry of Deep-Fat Frying Oils. *Journal of Food Science, 72*(5), R77-R86.

Connell, J. J. (1985). *Control of Fish Quality*. Farnham, Surrey: Fishing News (Books) Ltd.

Davidian, N. M., Butler, T. C., & Poole, D. T. (1978). The effect of ketosis induced by medium chain triglycerides on intracellular pH of mouse brain. *Epilepsia, 19*, 369-378.

De Abreu, D. P., Losada, P. P., Maroto, J., & Cruz, J. (2010). Evaluation of the effectiveness of a new active packaging film containing natural antioxidants (from barley husks) that retard lipid damage in frozen Atlantic salmon (Salmo salar L.). *Food Research International, 43*(5), 1277–1282.

Dewi, A. D. R., Kusnadi, J., & Shih, W.-L. (2017). *Comparison of the Main Bioactive Compounds and Antioxidant Activity from Garlic Water-soluble and Garlic Oil.* Paper presented at the NRLS, Surabaya.

Dobarganes, M. C. (2020). Formation of Volatiles and Short-Chain Bound Compounds. Retrieved from http://lipidlibrary.aocs.org/chemistry/physics/frying-oils/formation-of-volatiles-and-short-chain-bound-compounds

Dobarganes, M. C. (2021). Formation of New Compounds During Frying - General Observations.

Dobarganes, M. C., & Pérez-Camino, M. C. (1987). Non-polar dimer formation during thermoxidation of edible fats. *Fat Science Technology, 89*, 216-220

Dorant, E., Vanden, B., & Goldbolm, R. A. (1993). Garlic and itssignificance for the prevention of cancer in humans. A critical view. . *British Journal of Cancer, 67*, 424-429.

Dueik, V., Robert, P., & Bouchen, P. (2010). Vacuum frying reduces oil uptake and improves the quality parameters of carrot crisps. *Food Chemistry, 119*(3).

UNIVERSITAS
GADJAH MADA
**Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain
Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam**
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Falade, A. O., Oboh, G., Ademiluyi, A. O., & Odubanjo, O. V. (2015). Consumption of thermally oxidized palm oil diets alters biochemical indices in rats. *Beni-Suef University Journal of Basic and Applied Sciences, 4*(2), 150-156.

FAO. (2020). Crops and livestock products. https://www.fao.org/faostat/en/#data/QCL

Farhoosh, R., Kenari, R. E., & Poorazrang. (2009). Frying stability of canola oil blended with palm olein, olive and corn oils. *Journal of the American Oil Chemists' Society, 86*(1), 71-76.

Fedeli, E. (1988). The behaviour of olive oil during cooking and frying. In G. Varela, A. E. Bender, & I. D. Morton (Eds.), *Frying of food: principles, changes, new approaches* (pp. 52-81). New York: VCH Publishers.

Fellows, P. J. (2000). *Food Processing Technology: Principles and Practice*. Cambridge, UK: Woodhead Publishing.

Fenwick, G. R., & Hanley, A. B. (1990). *Onions and Allied Crops*. Boca Raton: CRC Press.

G.Baskar, G.Kalavathy, R.Aiswarya, & Selvakumari, I. A. (2019). *Advances in Eco-Fuels for a Sustainable Environment*. Cambridge: Woodhead Publishing Series in Energy.

Gao, Y., Liu, X., Xu, H., Zhao, J., Wang, Q., Liu, G., & Hao, Q. (2010). Optimization of supercritical carbon dioxide extraction of lutein esters from marigold (Tagetes erecta L.) with vegetable oils as continuous co-solvents. *Separation and Purification Technology, 71*(2), 214-219.

Godswill, A. C., Amagwula, I. O., Victory, I. S., & Gonzaga, A. I. (2018). Effects of repeated deep frying on refractive index and peroxide value of selected vegetable oils.

Gooch, J. W. (2007). *Encyclopedic Dictionary of Polymers.* . New York: Springer.

Goon, D. E., Kadir, S. H. S. A., Latip, N. A., Rahim, S. A., & Mazlan, M. (2019). Palm Oil in Lipid-Based Formulations and Drug Delivery Systems. *Biomolecules, 9*(64).

Gordon, M. H. (2004). *Understanding and Measuring the Shelf-Life of Food* (R. Steele Ed.). Cambridge: Woodhead Publishing.

Gyorgi, V., Kornel, N., & Karol, Y. (2008). *Medical Applications of Mass Spectrometry* (K. V. A. T. A. Vertes Ed.). Amsterdam: Elsevier Science.

Halim, Y., Natania, H. J., Soedirga, L., & Yakhi, L. (2016). Physical and chemical characteristics of frying oil in Indonesia in a repeated frying model. *Journal of Chemical and Pharmaceutical Research, 8*, 583-589.

UNIVERSITAS
GADJAH MADA
**Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain
Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam**
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hashem, H. A., Farag, R. S., Naser, A.-A., & Mohamed, M. A. (2021). Effects of Combining Antioxidants on the Oxidative Stability of Refined, Bleached and Deodorized Palm Olein during Continuous Deep Frying of Potato Chips. *Asian Journal of Chemical Sciences, 9*(3), 11-19.

Heydinger, J. A. (1999). Physical Properties of Medium-Chain Triglyceride and Application in Food. In N. Widlack (Ed.), *Physical properties of fats, oils, and emulsifiers.* (pp. 220-225). Champaign, Illinoi: AOCS Press.

Homayouni, A., Ebrahimi, B., Homayoonpour, F., SalmasI, D., & Baharbanafshe, M. (2018). Formulation of Stable Frying Oil for Food Industry by Using Various Edible Oils and Antioxidants. *Current Nutrition & Food Science, 15*.

Hou, W. C., Lin, R. D., Cheng, K. T., Hung, Y. T., Cho, C. H., Chen, C. H., . . . Lee, M. H. (2003). Free radical scavenging activity of Taiwanese native plants. *Phytomedicine, 10*, 170-175.

Iqbal, S., & Bhanger, M. (2007). Stabilization of sunflower oil by garlic extract during accelerated storage. *Food Chemistry, 100*(1), 246-254.

Irwin, J. W., & Hedges, N. (2004). *Understanding and Measuring the Shelf-Life of Food* (R. Steele Ed.). Cambridge: Woodhead Publishing.

Ismail, R. (2005). Palm oil and palm olein frying applications *Asia Pacific Journal of Clinical Nutrition, 14*(4), 414-419.

Jadhav, H. B., Gogate, P. R., Waghmare, J. T., & Annapure, U. S. (2022). Comparative assessment of thermo-oxidative stability of palm oil designer lipid and palm oil blends as frying medium. *Applied Food Research, 2*(1).

Johnson, D. C. (1972). *Factors affecting peroxide types in oxidizing fatty acid mixtures.* Iowa State University,

Joshi, D., & Nisha, A. (2019). An Overview on Common Organic Solvents and Their Toxicity. *Journal of Pharmaceutical Research International, 28*(3), 1-18.

Jurid, L. S., Zubairi, S. I., Kasim, Z. M., & Kadir, I. A. A. (2020). The effect of repetitive frying on physicochemicalproperties of refined, bleached and deodorized Malaysian tenera palm olein during deep-fat frying. *Arabian Journal of Chemistry, 13*(7), 6149-6160.

Kasai, M., Toyosaki, T., & Sakane, Y. (2016). Relationship between Maillard Reaction during Bread Baking and Medium-Chain Triacylglycerols (MCTs). *Advance Journal of Food Science and Technology, 9*, 498-502.

Kataoka, H. (2019). *Encyclopedia of Analytical Science (Third Edition)* (P. Worsfold, A. Townshend, & M. Miró Eds.). Amsterdam: Elsevier.

UNIVERSITAS
GADJAH MADA
**Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain
Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam**
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Keçili, R., Büyüktiryaki, S., Dolak, İ., & Hussain, C. M. (2019). *Handbook of Nanomaterials in Analytical Chemistry* (C. M. Hussain Ed.). Amsterdam: Elsevier.

Ketaren. (2012). *Pengantar Teknologi Minyak dan Lemak Pangan Edisi 1*. Jakarta: UI Press.

Ketaren, S. (1986). *Pengantar Teknologi Minyak dan Lemak Pangan*. Jakarta: UI Press.

Khan, M. I., R, A. M., & K, B. K. (2011). Studies on chemical and sensory parameters of coconut oiland its olein blends with sesame oil and palmoleinduring wheat flour-based product frying. *Journal of food science and technology*, *48*(2), 175-182.

Kılıç, V., Alankus, G., Horzum, N., Mutlu, A. Y., Bayram, A., & Solmaz, M. E. (2018). Single-image-referenced colorimetric water quality detection using a smartphone. *ACS Omega*, *3*(5), 5531-5536.

Kim, S. M., Kubota, K., & Kobayashi, A. (1997). Antioxidative Activity of Sulfur-containing Flavor Compounds in Garlic. *Bioscience, Biotechnology, and Biochemistry*, *61*(9).

Kong, F., & Singh, R. P. (2011). *Food and Beverage Stability and Shelf Life*. Cambridge: Woodhead Publishing.

KraftChemical. (2018). Specification Sheet. In *Organic Coconut MCT Oil*. New Jersey.

Krokida, M. K., Oreopoulou, V., & Maroulis, Z. B. (2000). Effect of frying conditions onshrinkage and porosity of fried potatoes. *Journal of Food Engineering, 43*(3), 147-154.

Kroon, P. G. (2005). Dietary components with established benefit to health? *Journal of the Science of Food and Agriculture, 85*, 1239-1240.

Kusucharid, C., Anuvat, J., & Porjai, T. (2009). Changes in characteristics of palm oil during vacuum and atmospheric frying conditions of sweet potato. *Journal of Natural Sciences, 43*, 298-304.

Lai, O. M., Lo, S. K., & Akoh, C. C. (2012). *Palm Oil*

Production, Processing, Characterization, and Uses (O.-M. Lai, C.-P. Tan, & C. C. Akoh Eds.): Academic Press and AOCS Press.

Lalas, S. (2009). *Quality of frying oil. Advances in Deep-fat Frying of Foods* New York: CRC Press.

UNIVERSITAS
GADJAH MADA
**Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain
Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam**
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lawson, L. D., Wang, Z. Y., & Hughes, B. G. (1991). Identification and HPLC quantitation of the sulfides and dialk(en)yl thiosulfinates in commercial garlic products. *Planta Medica, 57*, 363-370.

Limantoro, J. E. (2022). *Efek Gabungan Ekstrak Bawang Putih (Allium sativum L.), Tokoferol, dan Karoten Terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam*. Yogyakarta: Universitas Gadjah Mada.

Lizcano, S. C., Dávila, J. A., & Hernández, V. (2019). *Production and Management of Beverages* (A. M. Grumezescu & A. M. Holban Eds.). Cambridge: Woodhead Publishing.

Loh, S. K. (2012). Influence of a lubricant auxiliary from palm oil methyl esters on the performance of palm olein-based fluid. *Journal of Oil Palm Research, 24*, 1388-1396.

Low, C. T., Mohamad, R., Tan, C. P., Long, K., Ismail, R., Lo, S. K., & Lai, O. M. (2007). Lipase-catalyzed production of medium-chain triacylglycerols from palm kernel oil distillate: optimization using response surface methodology. *European Journal of Lipid Science and Technology, 109*, 107-119.

Ly, B., Dyer, E., Feig, J., Chien, A., & Bino, S. (2020). Research Techniques Made Simple: Cutaneous Colorimetry: A Reliable Technique for Objective Skin Color Measurement. *The Journal of investigative dermatology., 140*, 3-12.

Macit, A., & Kizil, M. (2021). The effect of olive leaf extract containing natural antioxidant on the formation of heterocyclic aromatic amines in oil free pan-cooked salmon. *Clinical Nutrition ESPEN, 46*, S635-S636.

Mäkinen, E. M., & Hopia, A. I. (2000). Effects of α-Tocopherol and Ascorbyl Palmitate on the Isomerization and Decomposition of Methyl Linoleate Hydroperoxides. *Lipids, 35*(11).

Man, Y. B. C., & Tan, C. P. (1999). Effects of natural antioxidants on changes in refined, bleached and deodorized palm olein during deep-fat frying of potato chips. *Journal of the American Oil Chemists' Society, 76*(3), 331-339.

Mardina, P., Faradina, E., & Setiawati, N. (2012). Penurunan angka asam pada minyak jelantah. *Jurnal kimia, 6*(2), 196-200.

Markovic1, I., Ilic, J., Markovic, D., Simonovic, V., & Kosanic, N. (2020). Color Measurement of Food Product Using CIE L* a* b* and RGB Color Space. *Journal of Hygienic Engineering and Design*.

Márquez-Ruíz, G., & Dobarganes, M. C. (2005). *Analysis of Lipid Oxidation*. Urbana: AOCS Press.

UNIVERSITAS GADJAH MADA
Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Martin, A. D., & Gilbert, D. (1968). Enzyme changes accompanying liver enlargement in rats treated with 3-tert.butyl-4-hydroxyanisole. *Biochemical Journal, 106*, 22-27.

Maskan, M. (2003). Change in colour and rheological behaviour of sunflower seed oil during frying and after adsorbent treatment of used oil. *European Food Research and Technology, 218*, 20-25.

Min, D. B. (1989). Flavor Chemistry of Lipid Foods. *The American Oil Chemists Society*, 144.

Miyoung, Y., Sunyoung, K., Sanghee, L., & Dongbin, S. (2014). Validated HPLC Method and Temperature Stabilities for Oil-Soluble Organosulfur Compounds in Garlic Macerated Oil. *Journal of Chromatographic Science, 52*.

Mizzi, B., Meyer, M., Prat, L., Augier, F., & Leinenkugel-le-cocq, D. (2016). General design methodology for reactive liquid-liquid extraction: Application to dicarboxylic acid recovery in fermentation broth. *Chemical Engineering and Processing*.

Mondal, S. (2020). Solvent. Retrieved from https://www.researchgate.net/publication/346963365_Solvent

Moore, Shor, J., Prat-Resina, X., Tim Wendorff, E. V., John, W., & Hahn, A. (2020). Foods- Acid Value and the Quality of Fats and Oils. Retrieved from https://chem.libretexts.org/@go/page/50899

Mukherjee, P. K. (2019). *Quality Control and Evaluation of Herbal Drugs*. Amsterdam: Elsevier.

Murdaka, B., Karyono, & Supriyatin. (2010). Penyetaraan Nilai Viskositas terhadap Indeks Bias pada Zat Cair Bening. *Jurnal Berkala Fisika, 13*, 119-124.

Naviglio, D., Scarano, P., Ciaravolo, M., & Gallo, M. (2019). Rapid Solid-Liquid Dynamic Extraction (RSLDE): A Powerful and Greener Alternative to the Latest Solid-Liquid Extraction Techniques. *Foods, 8*(7), 245.

Nawar, W. W. (1969). Thermal degradation of lipids. *Journal of Agricultural and Food Chemistry, 17*, 18-21.

Ngo, S. N., Williams, D. B., Cobiac, L., & Head, R. J. (2007). Does garlic reduce risk of colorectal cancer? A systematic review. *Journal of Nutrition, 137*(10), 2264–2269.

Nichols, L. (2020). Polar Protic and Aprotic Solvents. Retrieved from https://chem.libretexts.org/@go/page/11857

Nichols, L. (2021). Overview of Extraction. Retrieved from https://chem.libretexts.org/Bookshelves/Organic_Chemistry/Organic_Chemistry

UNIVERSITAS GADJAH MADA
Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

_Lab_Techniques_(Nichols)/04%3A_Extraction/4.02%3A_Overview_of_Extraction

Nirmala, Y. (2020). *Studi Literatur: Peluang Penambahan Antioksidan dari Cengkeh (Syzygium aromaticum) dan Kunyit (Curcuma Longa) untuk Mengatasi Ketengikan pada Minyak Nabati*. Universitas Katolik Soegijapranata Semarang, Semarang.

Nuutila, A. M., Puupponen-Pimia, R., Aarni, M., & Oksmancaldentey, K. (2003). Comparison of antioxidant activities of onion and garlic extracts by inhibition of lipid peroxidation and radical scavenging activity. *Food Chemistry, 81*, 485-493.

Orthoefer, F. T. (1988). Care of Food Service Frying Oils. *Journal of the American Chemical Society*, *65*, 1417– 1419.

Osada, Y., & Shibamoto, T. (2006). Antioxidative activity of volatile extracts from Maillard model system. *Food Chemistry, 98*, 522.

P. F. Cavagnaro, C. R. G. (2007). *Vegetables*. Berlin, Heidelberg: Springer.

Palazzolo, C. T., Paola, M. D., Quesada, I. M., & Camargo, A. B. (2020). 2-Vinyl-4H-1,3-Dithiin, a Bioavailable Compound from Garlic, Inhibits Vascular Smooth Muscle Cells Proliferation and Migration by Reducing Oxidative Stress. *Plant Foods for Human Nutrition, 75*(11).

Pande, G., Akoh, C. C., & Lai, O. M. (2012). *Palm Oil*

Production, Processing, Characterization, and Uses (O.-M. Lai, C.-P. Tan, & C. C. Akoh Eds.): Academic Press and AOCS Press.

Park, J. M., & Kim, J. M. (2016). Monitoring of Used Frying Oils and Frying Times for Frying Chicken Nuggets Using Peroxide Value and Acid Value. *Korean journal for food science of animal resources, 36*(5), 612-616.

Patel, K., Panchal, N., & Ingle, D. P. (2019). Review of Extraction Techniques. *International Journal of Advanced Research in Chemical Science (IJARCS), 6*(3), 6-21.

Paul, S., & Mittal, G. S. (1997). Regulating the use of degraded oil/fat in deep-fat/oil food frying. *Critical reviews in food science and nutrition, 37*(7), 635-662.

Perry, R., & Green, D. W. (1997). *Perry's Chemical Engineers' Handbook (7th ed.)*. New York: McGraw-Hill.

Pietro, M. E. D., Mannu, A., & Mele, A. (2020). NMR Determination of Free Fatty Acids in Vegetable Oils. *Recycling of Waste Oils: Technology and Application)*.

UNIVERSITAS
GADJAH MADA
**Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain
Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam**
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Pokorny, J. (2007). Are natural antioxidants better – and safer –than synthetic antioxidants? *European Journal of Lipid Science and Technology, 109,* 629-642.

Purwaningsih, E. (2005). *Manfaat Bawang Putih*: Ganeca Exact.

Rahardjo, A. P., Manaf, Y. N., Ambarita, M. D., & Nusantoro, B. P. (2020). *Minyak Goreng untuk Pengolahan Pangan*. Yogyakarta: Gadjah Mada University Press.

Rainy, G., Amita, S., Preeti, M., & Shukla, R. N. (2014). Study of Chemical Composition of Garlic Oil and Comparative Analysis of Co-Trimoxazole in Response to In Vitro Antibacterial Activity. *International Research Journal of Pharmacy, 5*(2).

Rheims, J., Köser, J., & Wriedt, T. (1999). Refractive-index measurements in the near- IR using an Abbe refractometer. *Measurement Science and Technology*.

Rohman, A. (2014). *Wheat and Rice in Disease Prevention and Health* (R. R. Watson, V. R. Preedy, & S. Zibadi Eds.). Cambridge: Academic Press.

Rusdy, A. (2010). Pengaruh pemberian ekstrak bawang putih terhadap mortalitas keong mas. *Jurnal Floratek, 5*, 172-179.

Sahin, S. (2019). Evaluation of Stability against Oxidation in Edible Fats and Oils. *Journal of Food Science and Nutrition Research, 2*(3), 283–298.

Sanders, T. H. (2003). *Encyclopedia of Food Sciences and Nutrition* (B. Caballero Ed.). Cambridge: Academic Press.

Sanhueza, J., Nieto, S., & Valenzuela, A. (2000). Thermal stability of some commercial synthetic antioxidants. *Journal of the American Oil Chemists' Society, 77*(9), 933-936.

Sapkale, G. N., Patil, S. M., Surwase, U. S., & Bhatbage, P. K. (2010). Supercritical Fluid Extraction. *International Journal of Chemical Science, 8*(2), 729-743.

Satyarthia, J. K., Srinivasa, D., & Ratnasamy, P. (2011). Hydrolysis of vegetable oils and fats to fatty acids over solid acid catalysts. *Applied Catalysis A: General, 391*(1-2), 427-435.

Sayyad, R. (2017). Effects of deep-fat frying process on the oil quality during French fries preparation. *Journal of food science and technology*, *54*(8), 2224–2229.

Serjouie, A., Tan, C. P., Mirhosseini, H., & Man, Y. B. C. (2010). Effect of vegetable-based oil blends on physicochemical properties of oils during deep-fat frying. *American Journal of Food Technology, 5*(5), 310-323.

UNIVERSITAS
GADJAH MADA
**Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain
Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam**
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Siew, W. L. (2002). Palm oil. In F. D. Gunstone (Ed.), *Vegetable Oils In Food Technology: Composition, Properties and Uses* (pp. 59-97). Boca Raton: CRC Press.

Silla, E., Arnali, A., & Tunon, I. (2019). Fundamental Principles Governing Solvents Use. In G. Wypych (Ed.), *Handbook of Solvents (Third Edition)* (Vol. 1, pp. 11-53). Toronto: ChemTec Publishing.

Snyder, H. E., & Wilson, L. A. (2003). SOY (SOYA) BEANS | Processing for the Food Industry. *Encyclopedia of Food Sciences and Nutrition (Second Edition)*, 5383-5389.

Soemiati, A. (2013). Perbandingan Metode Ekstraksi Maserasi dan Sokletasi Terhadap Kadar Piperin Buah Cabe Jawa (Piperis retrofracti fructus).

Spitz, L. (2016). *Soap Manufacturing Technology*. Cambridge: Academic Press and AOCS Press.

Srivastava, K. C., & Tyagi, O. D. (1993). Effects of a garlic-derived principle (ajoene) on aggregation and arachidonic acid metabolism in human blood platelets. *Prostaglandins, Leukotrienes & Essential Fatty Acids, 49*, 587–595.

Srivastava, N., Singh, A., Kumari, P., Nishad, J. H., Gautam, V. S., Yadav, M., . . . Kharwar, R. N. (2021). *Natural Bioactive Compounds* (R. P. S. a. D.-P. Häder Ed.). Cambridge: Academic Press.

Stajner, D., Milic, N., Kanadovic-Brunet, J., Kapor, A., & Popoviv, B. M. (2006). Exploring Allium species a source of potential medical agents. *Phytothermal, 20*(7), 581-584.

Sun, J., Sun, B., Ren, F., Chen, H., Zhang, N., & Zhang, Y. (2019). Influence of Different Frying Processes on the Flavor Characteristics and Sensory Profile of Garlic Oil. *Molecules, 24*(24), 4456.

Takeuchi, H., Sekine, S., & Seto, A. (2008). Medium-chain fatty acids-nutritional function and application to cooking oil. *Lipid Technology, 20*, 9-12.

Tarmizi, A. H. A., & Ismail, R. (2014). Use of pilot plant scale continuous fryer to simulate industrial production of potato chips: Thermal properties of palm olein blends under continuous frying conditions. *Food Science & Nutrition, 2*(1), 28-38.

Ternadi, C. O. (2021). *Peningkatan Stabilitas Oksidatif Minyak Goreng Sawit dengan Penambahan Ekstrak Bawang Putih (Allium sativum) pada Penggorengan Rendam.* (S1), Universitas Gadjah Mada, Yogyakarta.

Tiefenbacher, K. F. (2017). *Wafer and Waffle Processing and Manufacturing*. Cambridge: Academic Press.

UNIVERSITAS GADJAH MADA
Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Toyosaki, T., Sakane, Y., & Kasai, M. (2013). Effects of Medium-Chain Triacylglycerols (MCT) On the Maillard Reaction. *Journal of Food Processing & Technology, 4*(4).

Turner, C. (2006). Overview of Modern Extraction Techniques for Food and Agricultural Samples. *ACS Symposium Series*(926), 3-19.

Tyagi, V. K., & Vasishtha, A. K. (1996). Changes in characteristics and composition of oils during deep fat frying. *Journal of the American Chemical Society, 73*, 499-506.

Tynek, M., Hazuka, Z., Pawlowicz, R., & Dudek, M. (2007). Changes in The Frying Medium During Deep Frying of ood Rich in Proteins and Carbohydrates. *Journal of Food Lipids, 8*(4), 251-261.

Urbancic, S., Kolar, M. H., Dimitrijevic, D., Demsar, L., & b, R. V. (2014). Stabilisation of sunflower oil and reduction of acrylamide formation of potato with rosemary extract during deep-fat frying. *Food Science and Technology, 57*, 671-678.

USDA. (2010). *National Nutrient Database for Standard Reference Release 23*.

USDA. (2019). *Data Central* Retrieved from https://fdc.nal.usda.gov/.

Veillet, S., Tomao, V., & Chemat, F. (2010). Ultrasound assisted maceration: An original procedure for direct aromatisation of olive oil with basil. *Food Chemistry, 123*(3).

Volpe, S. L. (2020). Medium-Chain Triglycerides and Health. *ACSM's Health & Fitness Journal, 24*(1), 35-36.

Wahyudi, A., Kurniawan, W., & Hinode, H. (2017). Study on Deactivation and Regeneration of Modified Red Mud Catalyst Used in Biodiesel Production. *Green and Sustainable Chemistry, 7*, 247-258.

Wai, W. T., Saad, B., & Lim, B. P. (2009). Determination of TOTOX value in palm oleins using a fi-potentiometric analyzer. *Food Chemistry, 113*, 285-290.

Wibowo, S. (2009). *Budidaya Bawang: Bawang Putih, Bawang Merah, Bawang Bombay* Jakarta: Penebar Swadaya.

Winarno, F. (2004). *Kimia Pangan dan Gizi*. Jakarta: PT Gramedia Pustaka Utama.

Xu, X.-Q. (2003). A chromametric method for the rapid assessment of deep frying oil quality. *Journal of the Science of Food and Agriculture, 83*, 1293–1296.

Yang, X., & Boyle, R. A. (2016). Sensory Evaluation of Oils/Fats and Oil/Fat–Based Foods. In *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats* (pp. 157-185). Urbana, Illinois: Academic Press and AOCS Press.

UNIVERSITAS
GADJAH MADA
**Pengaruh Ekstrak Bawang Putih (Allium sativum) Hasil Maserasi Menggunakan Heksana dan Medium Chain
Triglycerides terhadap Stabilitas Oksidatif Minyak Goreng Sawit pada Penggorengan Rendam**
ORYZA RAMADHANIA, Bangun Prajanto Nusantoro, S.T.P., M.Sc., Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Yuniarto, K. (2007). Korelasi Nisbah Fraksi Kentang Terhadap Volume Minyak DenganPenurunan Mutu Fisik Dan Kimia Minyak Selama Penggorengan Hampa. *Jurnal Teknologi Pertanian, 8*(2), 103-109.

Yunus, W. M. M., Fen, Y. W., & Lim, M. Y. (2009). Refractive Index and Fourier Transform Infrared Spectra of Virgin Coconut Oil and Virgin Olive Oil. *American Journal of Applied Sciences, 6*(2), 328-331.

Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine, 13*.

Zia-ur-Rehman, Habib, F., & W.H.Shah. (2004). Utilization of potato peels extract as a natural antioxidant in soy bean oil. *Food Chemistry, 85*(2), 215-220.