

DAFTAR PUSTAKA

- Abdel-Mageed, W. M., M. Al-Saleem, M. S., Al-Wahaib, L. H., Gouda, Y. G., & Sayed, H. M. (2019). Antioxidant flavonoids from *Alhagi Maurorum* with hepatoprotective effect. *Pharmacognosy Magazine*, 15(65), 592. https://doi.org/10.4103/pm.pm_165_19
- Abdul Nasir. (2011). *Dasar-dasar Keperawatan Jiwa: Pengantar dan Teori* (Cet.1.). Jakarta: Salemba Medika.
- Agusbaha. (2019, May 16). *Moksibusi Sebagai Alternatif Penanganan Persalinan Sungsang*. STIKES Surabaya. Retrieved June 18, 2022, from <https://stikessurabaya.ac.id/2019/05/16/moksibusi-sebagai-alternatif-penanganan-persalinan-sungsang/>
- Agustina, D., & Novannisa, N. (2017). Pilates Exercise Dapat Menurunkan Indeks Massa Tubuh (IMT) Perempuan Obesitas Tingkat 1 di Perumahan Bumi Dirgantara Permai Bekasi. *Jurnal Ilmu Dan Teknologi Kesehatan*, 4, 111–122.
- Ahmady, S., Rezaei, M., & Khatony, A. (2019). Comparing effects of aromatherapy with lavender essential oil and orange essential oil on fatigue of hemodialysis patients: A randomized trial. *Complementary Therapies in Clinical Practice*, 36, 64–68. <https://doi.org/10.1016/j.ctcp.2019.05.005>
- Aisara, S., Azmi, S., & Yanni, M. (2018). Gambaran Klinis penderita penyakit ginjal kronis Yang Menjalani hemodialisis di rsup dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, 7(1), 42. <https://doi.org/10.25077/jka.v7i1.778>
- Akchurin, O. M., & Kaskel, F. (2015). Update on inflammation in chronic kidney disease. *Blood Purification*, 39(1-3), 84–92. <https://doi.org/10.1159/000368940>
- Alam, S., & Hadibroto, I. (2007). *Gagal Ginjal*. Gramedia Pustaka Utama.
- Al-Juboori, A. T., Mohammed, M., Rashid, J., Kurian, J., & El Refaey, S. (2013). Nutritional and medicinal value of camel (*camelus dromedarius*) milk. *WIT Transactions on Ecology and The Environment*. <https://doi.org/10.2495/fenv130201>
- Amira, O. C., & Okubadejo, N. U. (2007). Frequency of complementary and alternative medicine utilization in hypertensive patients attending an urban tertiary care centre in Nigeria. *BMC Complementary and Alternative Medicine*, 7(1). <https://doi.org/10.1186/1472-6882-7-30>
- Arab, H. H., Ashour, A. M., Alqarni, A. M., Arafa, E.-S. A., & Kabel, A. M. (2021). Camel milk mitigates cyclosporine-induced renal damage in rats: Targeting p38/ERK/JNK MAPKS, NF-KB, and matrix metalloproteinases. *Biology*, 10(5), 442. <https://doi.org/10.3390/biology10050442>
- Aryanti, K., Cristina, S., Nabilah, N., Fatmawati, S., & Suci, R. A. (2021). Terapi Akupunktur Pada Pasien penderita insomnia dengan penyakit PENYERTA (KOMORBIDITAS) Literatur Review. *BIMIKI (Berkala Ilmiah Mahasiswa Ilmu Keperawatan Indonesia)*, 9(1), 20–28. <https://doi.org/10.53345/bimiki.v9i1.168>
- Ayeka, P. A., Bian, Y., Mwitari, P. G., Chu, X., Zhang, Y., Uzayisenga, R., & Otachi, E. O. (2016). Immunomodulatory and anticancer potential of Gan Cao (*glycyrrhiza uralensis* Fisch.) Polysaccharides by CT-26 colon carcinoma cell

- growth inhibition and cytokine IL-7 upregulation in vitro. *BMC Complementary and Alternative Medicine*, 16(1), 1-8. <https://doi.org/10.1186/s12906-016-1171-4>
- Bankir, L., Bouby, N., & Trinh-Trang-Tan, M.-M. (1991). Vasopressin-dependent kidney hypertrophy: Role of urinary concentration in protein-induced hypertrophy and in the progression of chronic renal failure. *American Journal of Kidney Diseases*, 17(6), 661–665. [https://doi.org/10.1016/s0272-6386\(12\)80346-5](https://doi.org/10.1016/s0272-6386(12)80346-5)
- Bayhakki. (2012). *Seri Asuhan Keperawatan Klien Gagal Ginjal Kronis*. Jakarta: EGC.
- Brenner, B. M., Garcia, D. L., & Anderson, S. (1988). Glomeruli and blood pressure: Less of one, more the other? *American Journal of Hypertension*, 1(4 Pt 1), 335–347. <https://doi.org/10.1093/ajh/1.4.335>
- Buffet, L., & Ricchetti, C. (2012). Chronic kidney disease and hypertension: A destructive combination. *U.S. Pharmacist*, 37(06), 26-29. – The Leading Journal in Pharmacy. Retrieved July 15, 2022, from <https://www.uspharmacist.com/article/chronic-kidney-disease-and-hypertension-a-destructive-combination-35118>
- Busch, A. J., Webber, S. C., Brachaniec, M., Bidonde, J., Bello-Haas, V. D., Danyliw, A. D., Overend, T. J., Richards, R. S., Sawant, A., & Schachter, C. L. (2011). Exercise therapy for fibromyalgia. *Current Pain and Headache Reports*, 15(5), 358–367. <https://doi.org/10.1007/s11916-011-0214-2>
- Burns, P. B., Rohrich, R. J., & Chung, K. C. (2011). The levels of evidence and their role in evidence-based medicine. *Plastic and reconstructive surgery*, 128(1), 305–310. <https://doi.org/10.1097/PRS.0b013e318219c171>
- Cadnapaphornchai, P., Boykin, J. L., Berl, T., McDonald, K. M., & Schrier, R. W. (1974). Mechanism of effect of nicotine on renal water excretion. *American Journal of Physiology-Legacy Content*, 227(5), 1216–1220. <https://doi.org/10.1152/ajplegacy.1974.227.5.1216>
- Cao, Y.-J., He, X., Wang, N., & He, L.-C. (2013). Effects of imperatorin, the active component from Radix Angelicae (baizhi), on the blood pressure and oxidative stress in 2K,1C hypertensive rats. *Phytomedicine*, 20(12), 1048–1054. <https://doi.org/10.1016/j.phymed.2013.04.021>
- Catanzaro, D., Rancan, S., Orso, G., Dall'Acqua, S., Brun, P., Giron, M. C., Carrara, M., Castagliuolo, I., Ragazzi, E., Caparrotta, L., & Montopoli, M. (2015). Boswellia serrata preserves intestinal epithelial barrier from oxidative and inflammatory damage. *PLOS ONE*, 10(5), 1-15. <https://doi.org/10.1371/journal.pone.0125375>
- Centers for Disease Control and Prevention. (2021). *Chronic Kidney Disease in the United States, 2021*. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention; 2021. Retrieved November 18, 2021, from <https://www.cdc.gov/kidneydisease/publications-resources/ckd-national-facts.html>

- Centers for Disease Control and Prevention. (2021, August 19). *Chronic kidney disease basics*. Centers for Disease Control and Prevention. Retrieved November 21, 2021, from <https://www.cdc.gov/kidneydisease/basics.html>.
- Chapter 1: Definition and classification of CKD. (2013). *Kidney International Supplements*, 3(1), 19–62. <https://doi.org/10.1038/kisup.2012.64>
- Charles, C., & Ferris, A. H. (2020). Chronic kidney disease. *Primary Care: Clinics in Office Practice*, 47(4), 585–595. <https://doi.org/10.1016/j.pop.2020.08.001>
- Chen, D., Han, Z., & Si, J. (2021). Huangjing (polygonati rhizoma) is an emerging crop with great potential to fight chronic and hidden hunger. *Science China Life Sciences*, 64(9), 1564–1566. <https://doi.org/10.1007/s11427-021-1958-2>
- Chen, H., Du, Y., Li, Y., Zeng, J., Miao, J., & Jiang, X. (2019). ixuecao (Herba Centellae Asiaticae) alleviates mesangial cell proliferation in IgA nephropathy by inducing mitofusin 2 expression. *Journal of Traditional Chinese Medicine*, 39(3), 346–355.
- Chen, R., He, J., Tong, X., Tang, L., & Liu, M. (2016). The Hedyotis diffusa Willd. (Rubiaceae): A Review on Phytochemistry, Pharmacology, Quality Control and Pharmacokinetics. *Molecules (Basel, Switzerland)*, 21(6), 1–30. <https://doi.org/10.3390/molecules21060710>
- Cheng, D., Zhang, Y., Gao, D., & Zhang, H. (2014). Antibacterial and anti-inflammatory activities of extract and fractions from Pyrrosia petiolosa (christ et bar.) Ching. *Journal of Ethnopharmacology*, 155(2), 1300–1305. <https://doi.org/10.1016/j.jep.2014.07.029>
- Cheng, S., Sun, H., Li, X., Yan, J., Peng, Z., You, Y., Zhang, L., & Chen, J. (2019). Effects of *alismatis rhizoma* and *rhizoma SMILACIS glabrae* decoction on hyperuricemia in rats. *Evidence-Based Complementary and Alternative Medicine*, 2019, 1–12. <https://doi.org/10.1155/2019/4541609>
- Chon, T. Y., & Lee, M. C. (2013). Acupuncture. *Mayo Clinic Proceedings*, 88(10), 1141–1146. <https://doi.org/10.1016/j.mayocp.2013.06.009>
- Cruz-Ferreira, A., Fernandes, J., Gomes, D., Bernardo, L. M., Kirkcaldy, B. D., Barbosa, T. M., & Silva, A. (2011). Effects of pilates-based exercise on life satisfaction, physical self-concept and health status in adult women. *Women & Health*, 51(3), 240–255. <https://doi.org/10.1080/03630242.2011.563417>
- Cruz, M. C., Andrade, C., Urrutia, M., Draibe, S., Nogueira-Martins, L. A., & de Castro Cintra Sesso, R. (2011). Quality of life in patients with chronic kidney disease. *Clinics*, 66(6), 991–995. <https://doi.org/10.1590/s1807-59322011000600012>
- Dasgupta, P., & Chellappan, S. P. (2006). Nicotine-mediated cell proliferation and angiogenesis: New twists to an old story. *Cell Cycle*, 5(20), 2324–2328. <https://doi.org/10.4161/cc.5.20.3366>
- Debele, G. R., Hajure, M., Wolde, H. F., & Yenit, M. K. (2021). Incidence and predictors of chronic kidney disease among diabetes mellitus patients: A retrospective follow-up study at a tertiary health-care setting of Ethiopia. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, Volume 14*, 4381–4390. <https://doi.org/10.2147/dms0.s335572>

- Declèves, A.-E., & Sharma, K. (2015). Obesity and kidney disease. *Current Opinion in Nephrology and Hypertension*, 24(1), 28–36. <https://doi.org/10.1097/mnh.0000000000000087>
- Deng, Y. Y., Chen, Y. P., He, X. L., & Li, L. (2001). Study of Cordyceps on mechanism in delaying chronic renal failure. *Chin. J. Integrated Traditional West. Nephrol*, 2(7), 318-3.
- Dontas, A. S., Marketos, S. G., & Papanayiotou, P. (1972). Mechanisms of renal tubular defects in old age. *Postgraduate Medical Journal*, 48(559), 295–303. <https://doi.org/10.1136/pgmj.48.559.295>
- Duff, W. R. D., Andrushko, J. W., Renshaw, D. W., Chilibeck, P. D., Farthing, J. P., Danielson, J., & Evans, C. D. (2018). Impact of pilates exercise in multiple sclerosis. *International Journal of MS Care*, 20(2), 92–100. <https://doi.org/10.7224/1537-2073.2017-066>
- Elosta, A., Ghous, T., & Ahmed, N. (2012). Natural products as anti-glycation agents: Possible therapeutic potential for diabetic complications. *Current Diabetes Reviews*, 8(2), 92–108. <https://doi.org/10.2174/157339912799424528>
- Fauci, A.S., Kasper, D.L., Longo, D.L., Braunwald, E., Hauser, S.L., Jameson, J.L., Loscalzo, J. (2008). Harrison's Principles of Internal Medicine 17th Edition. [e-book] United States of America : McGraw-Hill. Available at : <http://accessmedicine.mhmedical.com/book.aspx?bookId=331>
- Fischer, M. J., Hsu, J. Y., Lora, C. M., Ricardo, A. C., Anderson, A. H., Bazzano, L., Cuevas, M. M., Hsu, C.-yuan, Kusek, J. W., Renteria, A., Ojo, A. O., Raj, D. S., Rosas, S. E., Pan, Q., Yaffe, K., Go, A. S., & Lash, J. P. (2016). CKD progression and mortality among Hispanics and Non-Hispanics. *Journal of the American Society of Nephrology*, 27(11), 3488–3497. <https://doi.org/10.1681/asn.2015050570>
- Fu, J., Wang, Z., Huang, L., Zheng, S., Wang, D., Chen, S., Zhang, H., & Yang, S. (2014). Review of the botanical characteristics, phytochemistry, and pharmacology of *astragalus membranaceus* (huangqi). *Phytotherapy Research*, 28(9), 1275–1283. <https://doi.org/10.1002/ptr.5188>
- Garcia, G. E., Ma, S.-X., & Feng, L. (2005). Acupuncture and kidney disease. *Advances in Chronic Kidney Disease*, 12(3), 282–291. <https://doi.org/10.1016/j.ackd.2005.04.002>
- Graf, J., Green, F., & Ryan, C. (2009). *An overview of chronic kidney disease in Australia 2009*. Australian Institute of Health and Welfare. <https://www.aihw.gov.au/reports/chronic-kidney-disease/overview-chronic-kidney-disease-australia-2009>
- Grant, M. J., & Booth, A. (2009). A typology of reviews: An analysis of 14 review types and associated methodologies. *Health Information & Libraries Journal*, 26(2), 91–108. <https://doi.org/10.1111/j.1471-1842.2009.00848.x>
- Gupta, J., Mitra, N., Kanetsky, P. A., Devaney, J., Wing, M. R., Reilly, M., Shah, V. O., Balakrishnan, V. S., Guzman, N. J., Girndt, M., Periera, B. G., Feldman, H. I., Kusek, J. W., Joffe, M. M., & Raj, D. S. (2012). Association between albuminuria, kidney function, and inflammatory biomarker profile in CKD in Cric. *Clinical Journal of the American Society of Nephrology*, 7(12), 1938–1946. <https://doi.org/10.2215/cjn.03500412>

- Gutama, R., Suradika, A., & Irawati, D. (2017). Efektifitas Pilates Exercise Terhadap Peningkatan Status Fisik dan Mental Pada Pasien Hemodialisi di RS Anna Medika Bekasi Tahun 2017. <http://perpus.fikumj.ac.id/index.php?p=fstream-pdf&fid=5873&bid=3997>
- Hall, J. E., Henegar, J. R., Dwyer, T. M., Liu, J., da Silva, A. A., Kuo, J. J., & Tallam, L. (2004). Is obesity a major cause of chronic kidney disease? *Advances in Renal Replacement Therapy*, 11(1), 41–54. <https://doi.org/10.1053/j.arrt.2003.10.007>
- Hamed, A., Farjadian, S., & Karami, M. R. (2015). Immunomodulatory properties of taranjebin (Camel's Thorn) manna and its isolated carbohydrate macromolecules. *Journal of Evidence-Based Complementary & Alternative Medicine*, 20(4), 269–274. <https://doi.org/10.1177/2156587215580490>
- Han, B., Zhu, C.-xia, Shi, W., Huang, H.-zhu, Hu, X.-guang, Zhou, X.-ming, Lei, M., & Li, Z. (2017). Effect of rhizoma polygoni cuspidati and Ramulus Cinnamomi compatibility on uric acid metabolism and urinary neutrophil gelatinase-associated lipocalin and kidney injury molecule-1 in rats with hyperuricemia. *Chinese Journal of Integrative Medicine*, 23(7), 535–542. <https://doi.org/10.1007/s11655-016-2649-0>
- Han, K., Kim, M., Kim, E. J., Park, Y. C., Kwon, O., Kim, A. R., Park, H. J., Park, Y. C., Cho, J. H., Kim, J. H., & Lee, J. H. (2021). Moxibustion for treating cancer-related fatigue: A Multicenter, assessor-blinded, randomized controlled clinical trial. *Cancer Medicine*, 10(14), 4721–4733. <https://doi.org/10.1002/cam4.4020>
- Hang, Y., Xiaohua, Y., Xiang, L., Sijun, Q., Guixiang, L., Tianyu, B., & Benzhen, W. (2022). Research on resting spontaneous brain activity and functional connectivity of acupuncture at uterine acupoints. *Digital Chinese Medicine*, 5(1), 59–67. <https://doi.org/10.1016/j.dcm.2022.03.006>
- Haryanti, I. A. P., & Nisa, K. (2015). Terapi Konservatif dan Terapi Pengganti Ginjal sebagai Penatalaksanaan pada Gagal Ginjal Kronis. *Majority*, 4, 49–54.
- Hasdianah, H. R. (2012). Mengenal Diabetes Mellitus pada Orang Dewasa dan Anak-anak dengan Solusi Herbal. Edisi pertama. Nuha Medika. Yogyakarta. Hal. 839
- Hasanah, K., Widajat, R. R., & Mellyana, O. (2020). Faktor Risiko prenatal TERHADAP Kejadian Penyakit ginjal kronis Derajat III-v Di RSUP Dr. Kariadi Semarang. *Sari Pediatri*, 22(2), 76–82. <https://doi.org/10.14238/sp22.2.2020.76-82>
- Hassan YASSIN, M., Mohamed Soliman, M., Abd-Elhafez Mostafa, S., & Ali, H. A. M. (2015). Antimicrobial effects of camel milk against some bacterial pathogens. *Journal of Food and Nutrition Research*, 3(3), 162–168. <https://doi.org/10.12691/jfnr-3-3-6>
- He, M., Huang, X., Liu, S., Guo, C., Xie, Y., Meijer, A. H., & Wang, M. (2018). The difference between white and red ginseng: Variations in ginsenosides and immunomodulation. *Planta Medica*, 84(12/13), 845–854. <https://doi.org/10.1055/a-0641-6240>
- He, X., Fang, J., Huang, L., Wang, J., & Huang, X. (2015). *Sophora flavescens* ait.: Traditional usage, phytochemistry and pharmacology of an important

- traditional Chinese medicine. *Journal of Ethnopharmacology*, 172, 10–29. <https://doi.org/10.1016/j.jep.2015.06.010>
- He, X., Wang, X., Fang, J., Chang, Y., Ning, N., Guo, H., Huang, L., & Huang, X. (2017). The genus *Achyranthes*: A review on traditional uses, phytochemistry, and pharmacological activities. *Journal of ethnopharmacology*, 203, 260–278. <https://doi.org/10.1016/j.jep.2017.03.035>
- Hemalatha, S., Wahi, A. K., Singh, P. N., & Chansouria, J. P. N. (2004). Hypoglycemic activity of *Withania coagulans* Dunal in streptozotocin induced diabetic rats. *Journal of Ethnopharmacology*, 93(2-3), 261–264. <https://doi.org/10.1016/j.jep.2004.03.043>
- Hemingway, P., & Brereton, N. (2009). *What is a systematic review? What is..?* series. Retrieved November 11, 2021, from www.whatisseries.co.uk
- Hitchcock, J.E, Schubert, P.E, Thomas S.A. (1999). *Community Health Nursing: Caring in Action*. USA: Delmar Publisher
- Hoseini , M. R., Amir , P. T., Hamid , E., Nikakhtar , Z., Taghipour , A., Hassan , R., Saeid, Z., Maryam, H., Mohammad , J. M., & Majid , A. (2020). The efficacy of camel milk and Tarangabin (manna of *Alhagi maurorum*) combination therapy on glomerular filtration rate in patients with chronic kidney disease: A randomized controlled trial. *Avicenna J Phytomed*, 10(2), 170–180.
- Hossen, M. J., Kim, M.-Y., Kim, J.-H., & Cho, J. Y. (2015). Codonopsis *Lanceolata*: A review of its therapeutic potentials. *Phytotherapy Research*, 30(3), 347–356. <https://doi.org/10.1002/ptr.5553>
- Hou, X.-D., Ge, G.-B., Weng, Z.-M., Dai, Z.-R., Leng, Y.-H., Ding, L.-L., Jin, L.-L., Yu, Y., Cao, Y.-F., & Hou, J. (2018). Natural constituents from cortex *Mori Radicis* as new pancreatic lipase inhibitors. *Bioorganic Chemistry*, 80, 577–584. <https://doi.org/10.1016/j.bioorg.2018.07.011>
- Hou, Z. J., Zhang, J. H., Zhang, X., Ling, Q. H., Zheng, C., Zhu, X. J., Zhou, Z. H., Li, M., Kong, X. N., Sun, X. H., Gao, Y. Q., & Chen, J. J. (2020). Long-Term Traditional Chinese Medicine Combined with NA Antiviral Therapy on Cirrhosis Incidence in Chronic Hepatitis B Patients in the Real-World Setting: A Retrospective Study. *Evidence-based complementary and alternative medicine : eCAM*, 2020, 1-8. <https://doi.org/10.1155/2020/3826857>
- Hua, Y., Wang, S., Chai, C., Liu, Z., Liu, X., Zou, L., Wu, Q., Zhao, H., & Ying, Y. (2016). Quality Evaluation of *Pseudostellariae Radix* Based on Simultaneous Determination of Multiple Bioactive Components Combined with Grey Relational Analysis. *Molecules (Basel, Switzerland)*, 22(1), 1-15. <https://doi.org/10.3390/molecules22010013>
- Huang, L., Luo, X., & Chen, M. (2022). Effects and safety of traditional Chinese medicine on the gut microbiota of an adult with chronic kidney disease. *Medicine*, 101(7), 1-3. <https://doi.org/10.1097/md.00000000000028847>
- Huang, Z., Bao, K., Jing, Z., Wang, Q., Duan, H., Zhu, Y., Zhang, S., & Wu, Q. (2020). Small auxin up RNAs influence the distribution of indole-3-acetic acid and play a potential role in increasing seed size in *Euryale Ferox* Salisb. *BMC Plant Biology*, 20(1), 1-13. <https://doi.org/10.1186/s12870-020-02504-2>

- Hussain, S., Malik, F., Hameed, A., Ahmed, S., Riaz, H., Abbasi, N., & Malik, M. (2012). Pakistani pharmacy students' perception about complementary and alternative medicine. *American Journal of Pharmaceutical Education*, 76(2), 1-7. <https://doi.org/10.5688/ajpe76221>
- Indrawati SW, Maslihah S, Wulandari A. 2009. Studi Tentang Religiusitas, Derajat Stres, dan Strategi Penanggulangan Stres (Coping Stres) Pada Pasangan Hidup Pasien Gagal Ginjal yang Menjalani Terapi Hemodialisa. http://repository.upi.edu/operator/upload/art_lppm_2010_swindrawatreliugisitas_coping-stres_gagal-ginjal.pdf
- Indonesia. Institute for Health Metrics and Evaluation. (2017, September 15). Retrieved November 20, 2020, from <http://www.healthdata.org/indonesia>.
- Institute of Medicine (US) Committee on the Use of Complementary and Alternative Medicine by the American Public. (2005). *Complementary and Alternative Medicine in the United States*. National Academies Press (US). <https://doi.org/10.17226/11182>
- Iseki, K. (2005). Factors influencing the development of end-stage renal disease. *Clinical and Experimental Nephrology*, 9(1), 5-14. <https://doi.org/10.1007/s10157-005-0341-3>
- Jia, Q., Zhu, R., Tian, Y., Chen, B., Li, R., Li, L., Wang, L., Che, Y., Zhao, D., Mo, F., Gao, S., & Zhang, D. (2019). *Salvia Miltiorrhiza* in diabetes: A review of its pharmacology, phytochemistry, and safety. *Phytomedicine*, 58, 1-17. <https://doi.org/10.1016/j.phymed.2019.152871>
- Jia, Y.-juan, Li, T.-yu, Han, P., Chen, Y., Pan, L.-jia, & Jia, C.-sheng. (2022). Effects of different courses of moxibustion treatment on intestinal flora and inflammation of a rat model of knee osteoarthritis. *Journal of Integrative Medicine*, 20(2), 173-181. <https://doi.org/10.1016/j.joim.2022.01.004>
- Jin, Y., Qu, C., Tang, Y., Pang, H., Liu, L., Zhu, Z., Shang, E., Huang, S., Sun, D., & Duan, J.-ao. (2016). Herb pairs containing *Angelica sinensis* radix (Danggui): A review of bio-active constituents and compatibility effects. *Journal of Ethnopharmacology*, 181, 158-171. <https://doi.org/10.1016/j.jep.2016.01.033>
- Jing, G., Hongdong, C., Xiyan, Z., Linhua, Z., & Xiaolin, T. (2017). Diabetic kidney disease treated with a modified Shenzhuo formula derived from traditional Chinese medicine: A case report. *Journal of Traditional Chinese Medicine*, 37(6), 854-861. [https://doi.org/10.1016/s0254-6272\(18\)30051-7](https://doi.org/10.1016/s0254-6272(18)30051-7)
- Joanna Briggs Institute (JBI). (2013). JBI Levels of Evidence. Diakses dari https://jbi.global/sites/default/files/2019-05/JBI-Levels-of-evidence_2014_0.pdf
- Johnston, C. S. (2009). Medicinal uses of vinegar. *Complementary and Alternative Therapies and the Aging Population*, 433-443. <https://doi.org/10.1016/b978-0-12-374228-5.00022-6>
- Jun, M., Venkataraman, V., Razavian, M., Cooper, B., Zoungas, S., Ninomiya, T., Webster, A. C., & Perkovic, V. (2012). Antioxidants for chronic kidney disease. *Cochrane Database of Systematic Reviews*, (10), 1-65. <https://doi.org/10.1002/14651858.cd008176.pub2>

- Kamaluddin, R. (2010). Petimbangan dan Alasan Pasien Hipertensi Menjalani Terapi Alternatif Komplementer Bekam di Kabupaten Banyumas. *Jurnal Keperawatan Soedirman*, 5(2), 95–104. <https://doi.org/10.20884/1.jks.2010.5.2.276>
- Kapoor, A. (B., & Dang, P. G. (2020). Role of ayurveda in the management of chronic kidney disease: A case study. *Journal of Ayurveda Case Reports*, 3(1), 14-19. https://doi.org/10.4103/jacr.jacr_4_20
- Karaman, A., Yuksel, I., Kinikli, G. I., & Caglar, O. (2017). Do pilates-based exercises following total knee arthroplasty improve postural control and quality of life? *Physiotherapy Theory and Practice*, 33(4), 289–295. <https://doi.org/10.1080/09593985.2017.1289578>
- Kazancioğlu, R. (2013). Risk factors for chronic kidney disease: An update. *Kidney International Supplements*, 3(4), 368–371. <https://doi.org/10.1038/kisup.2013.79>
- Kefale, B., Alebachew, M., Tadesse, Y., & Engidawork, E. (2019). Quality of life and its predictors among patients with chronic kidney disease: A hospital-based Cross Sectional Study. *PLOS ONE*, 14(2), 1-16. <https://doi.org/10.1371/journal.pone.0212184>
- Kementerian Kesehatan Republik Indonesia (KEMENKES RI).(2017). penyakit ginjal kronis. <http://p2ptm.kemkes.go.id/kegiatan-p2ptm/subdit-penyakit-jantung-dan-pembuluh-darah/ginjal-kronis>.
- Kementerian Kesehatan RI. 2013. Pengobatan Komplementer Tradisional-Alternatif. Tersedia:http://buk.depkes.go.id/index.php?option=com_content&view=article&id=66:pengobatan-komplementer-tradisional-alternatif
- Kementerian Kesehatan RI . (2017, March 9). *Situasi Penyakit Ginjal Kronis*. Pusat Data dan Informasi Kementerian Kesehatan RI. Retrieved July 20, 2022, from <https://pusdatin.kemkes.go.id/resources/download/pusdatin/infodatin/infodatin-ginjal-2017.pdf>
- Kessler, C. S., Dhiman, K. S., Kumar, A., Ostermann, T., Gupta, S., Morandi, A., Mittweide, M., Stapelfeldt, E., Spoo, M., Icke, K., Michalsen, A., & Witt, C. M. (2018). Effectiveness of an ayurveda treatment approach in knee osteoarthritis – a randomized controlled trial. *Osteoarthritis and Cartilage*, 26(5), 620–630. <https://doi.org/10.1016/j.joca.2018.01.022>
- Khan, I. A., Nasiruddin, M., Haque, S. F., & Khan, R. A. (2014). Evaluation of rhubarb supplementation in stages 3 and 4 of chronic kidney disease: A randomized clinical trial. *International Journal of Chronic Diseases*, 2014, 1–6. <https://doi.org/10.1155/2014/789340>
- Kim, K. H., Lee, M. S., Kim, T.-H., Kang, J. W., Choi, T.-Y., & Lee, J. D. (2016). Acupuncture and related interventions for symptoms of chronic kidney disease. *Cochrane Database of Systematic Reviews*, 2016(6), 1-131. <https://doi.org/10.1002/14651858.cd009440.pub2>
- Kopple, J. D. (2010). Obesity and chronic kidney disease. *Journal of Renal Nutrition*, 20(5), 529-530. <https://doi.org/10.1053/j.jrn.2010.05.008>

- Kopple, J. D., & Feroze, U. (2011). The effect of obesity on chronic kidney disease. *Journal of Renal Nutrition*, 21(1), 66–71. <https://doi.org/10.1053/j.jrn.2010.10.009>
- Koppe, L., & Fouque, D. (2019). The role for protein restriction in addition to renin-angiotensin-aldosterone system inhibitors in the management of CKD. *American Journal of Kidney Diseases*, 73(2), 248–257. <https://doi.org/10.1053/j.ajkd.2018.06.016>
- Köttgen, A., Glazer, N. L., Dehghan, A., Hwang, S.-J., Katz, R., Li, M., Yang, Q., Gudnason, V., Launer, L. J., Harris, T. B., Smith, A. V., Arking, D. E., Astor, B. C., Boerwinkle, E., Ehret, G. B., Ruczinski, I., Scharpf, R. B., Ida Chen, Y.-D., de Boer, I. H., ... Fox, C. S. (2009). Multiple loci associated with indices of renal function and chronic kidney disease. *Nature Genetics*, 41(6), 712–717. <https://doi.org/10.1038/ng.377>
- Law, B. Y.-K., Mo, J.-F., & Wong, V. K.-W. (2014). Autophagic effects of Chaihu (dried roots of *Bupleurum chinense* DC or *Bupleurum scorzoneraefolium* wild). *Chinese Medicine*, 9(1), 1-8. <https://doi.org/10.1186/1749-8546-9-21>
- Lee, H. S., Yu, Y. C., Kim, S. T., & Kim, K. S. (1997). Effects of moxibustion on blood pressure and renal function in spontaneously hypertensive rats. *The American Journal of Chinese Medicine*, 25(01), 21–26. <https://doi.org/10.1142/s0192415x97000056>
- Levey, A. S., Coresh, J., Bolton, K., Culleton, B., Harvey, K. S., Ikizler, T. A., Johnson, C. A., Kausz, A., Kimmel, P. L., Kusek, J., Levin, A., Minaker, K. L., Nelson, R., Rennke, H., Steffes, M., Witten, B., Hogg, R. J., Furth, S., Lemley, K. V., ... Briggs, J. (2002). K/DOQI clinical practice guidelines for chronic kidney disease: Evaluation, classification, and stratification. *American Journal of Kidney Diseases*, 39(2 SUPPL. 1), i-ii+S1-S266
- Levey, A. S., Andreoli, S. P., DuBose, T., Provenzano, R., & Collins, A. J. (2007). Chronic kidney disease: Common, harmful and treatable—World Kidney Day 2007. *Pediatric Nephrology*, 22(3), 321–325. <https://doi.org/10.1007/s00467-006-0423-9>
- Li, F., Liu, B., Li, T., Wu, Q., Xu, Z., Gu, Y., Li, W., Wang, P., Ma, T., & Lei, H. (2020). Review of Constituents and Biological Activities of Triterpene Saponins from *Glycyrrhizae Radix* et Rhizoma and Its Solubilization Characteristics. *Molecules (Basel, Switzerland)*, 25(17), 3904. <https://doi.org/10.3390/molecules25173904>
- Li, P. K.-T., Garcia-Garcia, G., Lui, S.-F., Andreoli, S., Fung, W. W.-S., Hradsky, A., Kumaraswami, L., Liakopoulos, V., Rakhimova, Z., Saadi, G., Strani, L., Ulasi, I., & Kalantar-Zadeh, K. (2020). Kidney Health for everyone everywhere – from prevention to detection and equitable access to care. *Brazilian Journal of Medical and Biological Research*, 53(3), 1-10. <https://doi.org/10.1590/1414-431x20209614>
- Li, S., Rao, X.-R., Dai, X.-W., Pei, K., Wang, L., Huo, B.-M., Wang, X.-J., Kong, L.-X., Zhang, N.-N., & Lian, F.-M. (2017). Beneficial effects of Fu-Zheng-qu-zhuo oral liquid combined with standard integrated therapy in patients with

- chronic kidney disease (stage 3–4). *Medicine*, 96(28), 1–9. <https://doi.org/10.1097/md.0000000000007448>
- Li, X., Wu, L., Wu, R., Sun, M., Fu, K., Kuang, T., & Wang, Z. (2022). Comparison of medicinal preparations of ayurveda in India and five traditional medicines in China. *Journal of Ethnopharmacology*, 284, 114775. <https://doi.org/10.1016/j.jep.2021.114775>
- Liang, Z., Zhang, J., Wong, L., Yi, T., Chen, H., & Zhao, Z. (2013). Characterization of secondary metabolites from the raphides of calcium oxalate contained in three Araceae family plants using laser microdissection and ultra-high performance liquid chromatography-quadrupole/time of flight-mass spectrometry. *European Journal of Mass Spectrometry*, 19(3), 195–210. <https://doi.org/10.1255/ejms.1224>
- Liu, X., Li, S.-L., Zhou, Y., Song, J.-Z., Zheng, Y.-F., Peng, G.-P., & Xu, H.-X. (2010). Characterization of protostane triterpenoids in *Alisma orientalis* by ultra-performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry. *Rapid Communications in Mass Spectrometry*, 24(11), 1514–1522. <https://doi.org/10.1002/rcm.4548>
- Liu, S. Y., Huang, P., & Zhang, N. (2019). Efficacy and safety of the Fu-Zheng-Qu-Zhuo method on retarding the progress of chronic kidney disease (stage 3–4): a systematic review and meta-analysis. *Annals of translational medicine*, 7(6), 114. <https://doi.org/10.21037/atm.2018.12.29>
- Long, B. C. (1996). *Perawatan Medikal Bedah (Suatu Pendekatan Proses Keperawatan) Jilid 3*. Bandung : Yayasan Ikatan Alumni Pendidikan Keperawatan.
- Lora, C. M., Daviglus, M. L., Kusek, J. W., Porter, A., Ricardo, A. C., Go, A. S., & Lash, J. P. (2009). Chronic kidney disease in United States Hispanics: a growing public health problem. *Ethnicity & disease*, 19(4), 466–472.
- Lu, Y. F., Li, D. X., Zhang, R., Zhao, L. L., Qiu, Z., Du, Y., Ji, S., & Tang, D. Q. (2022). Chemical Antioxidant Quality Markers of *Chrysanthemum morifolium* Using a Spectrum-Effect Approach. *Frontiers in pharmacology*, 13, 809482. <https://doi.org/10.3389/fphar.2022.809482>
- Lukela, MD, J. R., Sy, PharmD , A. Z., Saran, MBBS , R., Mahallati, MD , A., Jimbo, MD, M., & Harrison, PhD , R. V. (2019). *Chronic kidney management of chronic kidney disease*. Guidelines for Clinical Care Ambulatory. Retrieved November 18, 2021, from <http://www.med.umich.edu/1info/FHP/practiceguides/kidney/CKD.pdf>.
- Luyckx, V. A., Cherney, D. Z. I., & Bello, A. K. (2020). Preventing CKD in developed countries. *Kidney International Reports*, 5(3), 263–277. <https://doi.org/10.1016/j.ekir.2019.12.003>
- Macdonald, G. (2008). Harrison's internal medicine, 17th edition. - by A. S. Fauci, D. L. Kasper, D. L. Longo, E. Braunwald, S. L. Hauser, J. L. Jameson and J. Loscalzo. *Internal Medicine Journal*, 38(12), 932–932. <https://doi.org/10.1111/j.1445-5994.2008.01837.x>

- Mamedov, N. A., & Egamberdieva, D. (2019). Phytochemical constituents and pharmacological effects of Licorice: A Review. *Plant and Human Health, Volume 3*, 1–21. https://doi.org/10.1007/978-3-030-04408-4_1
- Mastwyk, M. (1999). Complementary/Alternative Therapies Nursing (3rd ed.) Mariah Snyder and Ruth Lindquist (eds.). New York: Springer Publishing Company, 1998, 364 pp., \$US 48.95. *International Psychogeriatrics, 11*(3), 336–337. <https://doi.org/10.1017/s1041610299245899>
- Matsumoto-Miyazaki, J., Miyazaki, N., Murata, I., Yoshida, G., Ushikoshi, H., Ogura, S., & Minatoguchi, S. (2016). Traditional thermal therapy with indirect moxibustion decreases renal arterial resistive index in patients with chronic kidney disease. *The Journal of Alternative and Complementary Medicine, 22*(4), 306–314. <https://doi.org/10.1089/acm.2015.0276>
- McClellan, W. M., & Flanders, W. D. (2003). Risk factors for progressive chronic kidney disease. *Journal of the American Society of Nephrology, 14*(suppl 2). <https://doi.org/10.1097/01.asn.0000070147.10399.9e>
- McLachlan, M. S., Guthrie, J. C., Anderson, C. K., & Fulker, M. J. (1977). Vascular and glomerular changes in the ageing kidney. *The Journal of Pathology, 121*(2), 65–78. <https://doi.org/10.1002/path.1711210202>
- Meenakshi, K., Vinteshwari, N., Minaxi, J., & Vartika, S. (2021). Effectiveness of ayurveda treatment in URDHWAGA AMLAPITTA: A clinical evaluation. *Journal of Ayurveda and Integrative Medicine, 12*(1), 87–92. <https://doi.org/10.1016/j.jaim.2020.12.004>
- Melo, G. A., Aguiar, L. L., Silva, R. A., Pereira, F. G., Silva, F. L., & Caetano, J. Á. (2020). Effects of acupuncture in patients with chronic kidney disease: A systematic review. *Revista Brasileira De Enfermagem, 73*(4). <https://doi.org/10.1590/0034-7167-2018-0784>
- Milton, C. L. (1999). Ethical issues from nursing theoretical perspectives. *Nursing Science Quarterly, 12*(1), 20–21. <https://doi.org/10.1177/089431849901200108>
- Moreillon, J. J., Bowden, R. G., Deike, E., Griggs, J., Wilson, R., Shelmadine, B., Cooke, M., & Beaujean, A. (2013). The use of an anti-inflammatory supplement in patients with chronic kidney disease. *Journal of Complementary and Integrative Medicine, 10*(1), 143–152. <https://doi.org/10.1515/jcim-2012-0011>
- Moyad, M. and Hawks, J.H. (2009) *Medical Surgical Nursing Clinical Management for positive outcomes, 8th edition*. Saunders.
- National Center for Complementary and Integrative Health (NCCIH). (2018). Complementary, Alternative, or Integrative Health: What's In a Name? | NCCIH. Diakses pada 9 November, 2021, dari National Center of Complementary and Integrative Health website: <https://www.nccih.nih.gov/health/complementary-alternative-or-integrative-health-whats-in-a-name>
- Natour, J., Cazotti, L. de, Ribeiro, L. H., Baptista, A. S., & Jones, A. (2014). Pilates improves pain, function and quality of life in patients with chronic low back pain: A randomized controlled trial. *Clinical Rehabilitation, 29*(1), 59–68. <https://doi.org/10.1177/0269215514538981>

- Nayak-Rao, S., Castelino, L. R., & Shenoy, M. P. (2019). Prevalence of use of complementary and alternative medicine in chronic kidney disease: A cross-sectional single-center study from South India. *Saudi Journal of Kidney Diseases and Transplantation*, 30(1), 185. <https://doi.org/10.4103/1319-2442.252909>
- Nemati Cherati, B., & Habibian, M. (2020). Possible effect of pilates exercises and vitamin D on renal function parameters in overweight men: A randomized clinical trial. *Qom Univ Med Sci J*, 14(7), 1–11. <https://doi.org/10.29252/qums.14.7.1>
- Nian Afrian Nuari, Dhina Widayati, Joko Setyono. (2018). Peningkatan Motivasi dan Penerimaan Keluarga dalam Merawat Pasien GKG dengan Terapi Hemodialisa melalui *supportive Educative Group Therapy*. 9(2). ISSN 2548-5695 (Online) <http://ejurnal.poltekkes-tjk.ac.id/index.php/JK>
- Nursalam, 2006. *Asuhan Keperawatan Pada Pasien dengan Gangguan Sistem Perkemihan*. Jakarta : Salemba Medika.
- Noble, H., & Smith, J. (2018). Reviewing the literature: Choosing a review design. *Evidence Based Nursing*, 21(2), 39–41. <https://doi.org/10.1136/eb-2018-102895>
- Okoli, C. (2015). A guide to conducting a standalone systematic literature review. *Communications of the Association for Information Systems*, 37, 1-33. <https://doi.org/10.17705/1cais.03743>
- Osman, N. A., Hassanein, S. M., Leil, M. M., & NasrAllah, M. M. (2015). Complementary and alternative medicine use among patients with chronic kidney disease and kidney transplant recipients. *Journal of Renal Nutrition*, 25(6), 466–471. <https://doi.org/10.1053/j.jrn.2015.04.009>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-Wilson, E., McDonald, S., Moher, D. (2021). The Prisma 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*, 1-9. <https://doi.org/10.1136/bmj.n71>
- Paré , G., Kitsiou, S., Lau F, & Kuziemy C. (2017). Chapter 9 Methods for Literature Reviews. In *Handbook of eHealth Evaluation: An Evidence-based Approach* (pp.161-172). Canada: University of Victoria. Retrieved June 29, 2022, from <https://www.ncbi.nlm.nih.gov/books/NBK481583/>.
- Patel, M., Patel, M., Patel, K., Wischnowsky, M., Stapelfeldt, E., Kessler, C. S., & Gupta, S. N. (2020). Deceleration of disease progress through Ayurvedic treatment in nondialysis stages IV–V patients with chronic renal failure: A quasi-experimental clinical pilot study with one group pre- and postdesign and two premeasurements. *The Journal of Alternative and Complementary Medicine*, 26(5), 384–391. <https://doi.org/10.1089/acm.2019.0419>
- Paterno, J. C., Bergamaschi, C. T., Campos, R. R., Higa, E. M. S., Soares, M. F., Schor, N., Freire, A. O., & Teixeira, V. P. (2012). Electroacupuncture and moxibustion decrease renal sympathetic nerve activity and retard progression of renal disease in rats. *Kidney and Blood Pressure Research*, 35(5), 355–364. <https://doi.org/10.1159/000336095>

- Pawlak, K., Mysliwiec, M., & Pawlak, D. (2008). Oxidative stress, phosphate and creatinine levels are independently associated with vascular endothelial growth factor levels in patients with chronic renal failure. *Cytokine*, 43(1), 98–101. <https://doi.org/10.1016/j.cyto.2008.03.011>
- Peretz D. I. (2002). Moxibustion. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*, 167(5), 448.
- PERNEFRI. 2003. Konsensus Dialisis. Jakarta : PERNEFRI (perhimpunan nefrologi Indonesia. Hal 16
- Pinzon, R. T., & Herwanto, J. (2020). Pengaruh Pemberian Terapi Tambahan Curcuma Longa Dan Boswellia serrata pada NSAID TERHADAP aktivitas fungsional pada Pasien osteoarthritis. *Pharmacon: Jurnal Farmasi Indonesia*, 17(2), 121–132. <https://doi.org/10.23917/pharmacon.v17i2.11738>
- Pollak, M. R., Genovese, G., & Friedman, D. J. (2012). APOL1 and kidney disease. *Current Opinion in Nephrology and Hypertension*, 21(2), 179–182. <https://doi.org/10.1097/mnh.0b013e32835012ab>
- Price, S. A., & Wilson, L. M. (2006). *Patofisiologi: Konsep Klinis Proses-proses Penyakit* (6th ed., Vol. 1). EGC, Jakarta.
- Qi, W., Tuerxun, J., Li, J., Wang, C., Luo, R., & Liu, C. (2020). Identification of Bupleurum (Apiaceae) seeds by allele-specific PCR based on its sequences. *3 Biotech*, 10(6), 1-18. <https://doi.org/10.1007/s13205-020-02233-1>
- Qi, Y., Gao, F., Hou, L., & Wan, C. (2017). Anti-inflammatory and immunostimulatory activities of Astragalosides. *The American Journal of Chinese Medicine*, 45(06), 1157–1167. <https://doi.org/10.1142/s0192415x1750063x>
- Rachana, M. S., Totad, M., Girish , K. J., Vasantha, B., & Powar , V. (2019). Ayurvedic management of Chronic Kidney Disease : A Case Report. *Journal of Ayurveda and Integrated Medical Sciences*, 4(6), 285–290.
- Rahimimoghadam, Z., Rahemi, Z., Sadat, Z., & Mirbagher Ajorpaz, N. (2019). Pilates exercises and quality of life of patients with chronic kidney disease. *Complementary Therapies in Clinical Practice*, 34, 35–40. <https://doi.org/10.1016/j.ctcp.2018.10.017>
- Rifkin, D. E., Coca, S. G., & Kalantar-Zadeh, K. (2012). Does aki truly lead to CKD? *Journal of the American Society of Nephrology*, 23(6), 979–984. <https://doi.org/10.1681/asn.2011121185>
- Rivandi, J., & Yonata, A. (2015). Hubungan Diabetes Melitus dengan Kejadian Gagal Ginjal Kronis. *Majority*, 4(9), 27–34. <http://repository.lppm.unila.ac.id/22414/1/DM%20vs%20Ginjal%20Kronis.pdf>
- Rohaeti, S. E., Ibrahim, K., & Pratiwi, S. H. (2021). Hubungan Terapi Komplementer Dengan psychological well being Pada Pasien Penyakit Ginjal kronis stadium 5. *The Indonesian Journal of Health Science*, 13(1), 12–24. <https://doi.org/10.32528/ijhs.v13i1.4004>
- Rosana, N., & Maeda, C. (2021). Penyembuhan gangguan mental dengan Terapi Shirodhara Dalam pengobatan ayurveda. *JURNAL YOGA DAN KESEHATAN*, 4(2), 216-227. <https://doi.org/10.25078/jyk.v4i2.2693>
- Ruqiao, L., Yueli, C., Xuelan, Z., Huifen, L., Xin, Z., Danjie, Z., Le, S., & Yanxue, Z. (2020). *Rhizoma Atractylodis macrocephalae*: a review of photochemistry,

- pharmacokinetics and pharmacology. *Die Pharmazie*, 75(2), 42–55. <https://doi.org/10.1691/ph.2020.9738>
- Samadian, F., Dalili, N., Poor -reza Gholi, F., Fattah, M., Malih, N., Nafar, M., Firoozan, A., Ahmadpoor, P., Samavat, S., & Ziaie, S. (2017). Evaluation of curcumin's effect on inflammation in hemodialysis patients. *Clinical Nutrition ESPEN*, 22, 19–23. <https://doi.org/10.1016/j.clnesp.2017.09.006>
- Sarmiento, L. A., Pinto, J. S. S. T., da Silva, A. P. P., Cabral, C. M. N., & Chiavegato, L. D. (2016). Effect of conventional physical therapy and pilates in functionality, respiratory muscle strength and ability to exercise in hospitalized chronic renal patients: A randomized controlled trial. *Clinical Rehabilitation*, 31(4), 508–520. <https://doi.org/10.1177/0269215516648752>
- Sarnak, M. J., Bloom, R., Muntner, P., Rahman, M., Saland, J. M., Wilson, P. W. F., & Fried, L. (2015). Kdoqi US commentary on the 2013 KDIGO clinical practice guideline for lipid management in CKD. *American Journal of Kidney Diseases*, 65(3), 354–366. <https://doi.org/10.1053/j.ajkd.2014.10.005>
- Setyawan, Y. (2021). Merokok Dan Gangguan Fungsi Ginjal. *e-CliniC*, 9(2), 388–396. <https://doi.org/10.35790/ecl.v9i2.33991>
- Shao, B.-M., Xu, W., Dai, H., Tu, P., Li, Z., & Gao, X.-M. (2004). A study on the immune receptors for polysaccharides from the roots of astragalus membranaceus, a Chinese medicinal herb. *Biochemical and Biophysical Research Communications*, 320(4), 1103–1111. <https://doi.org/10.1016/j.bbrc.2004.06.065>
- Sharma, D., Kaur, J., Rani, M., Bansal, A., Malik, M., & Kulandaivelan, S. (2018). Efficacy of pilates based mat exercise on quality of life, quality of sleep and satisfaction with life in type 2 diabetes mellitus. *Romanian Journal of Diabetes Nutrition and Metabolic Diseases*, 25(2), 149–156. <https://doi.org/10.2478/rjdnmd-2018-0017>
- Shelmadine, B. D., Bowden, R. G., Moreillon, J. J., Cooke, M. B., Yang, P., Deike, E., Griggs, J. O., & Wilson, R. L. (2017). A pilot study to examine the effects of an anti-inflammatory supplement on eicosanoid derivatives in patients with chronic kidney disease. *The Journal of Alternative and Complementary Medicine*, 23(8), 632–638. <https://doi.org/10.1089/acm.2016.0007>
- Siedlecki, S. L. (2020). Quasi-experimental research designs. *Clinical Nurse Specialist*, 34(5), 198–202. <https://doi.org/10.1097/nur.0000000000000540>
- Snyder, S., & Pendergraph, B. (2005). Detection and Evaluation of Chronic Kidney Disease. *American Family Physician*, 72(9), 1723–1732.
- Song, E.-Y., McClellan, W. M., McClellan, A., Gadi, R., Hadley, A. C., Krisher, J., Clay, M., & Freedman, B. I. (2009). Effect of community characteristics on familial clustering of end-stage renal disease. *American Journal of Nephrology*, 30(6), 499–504. <https://doi.org/10.1159/000243716>
- Su, S.-L., Lu, K.-C., Lin, Y.-F., Hsu, Y.-J., Lee, P.-Y., Yang, H.-Y., & Kao, S.-Y. (2011). Gene polymorphisms of angiotensin-converting enzyme and angiotensin II type 1 receptor among chronic kidney disease patients in a Chinese population. *Journal of the Renin-Angiotensin-Aldosterone System*, 13(1), 148–154. <https://doi.org/10.1177/1470320311430989>

- Suleymanlar, G., Utas, C., Arinsoy, T., Ates, K., Altun, B., Altiparmak, M. R., Ecdar, T., Yilmaz, M. E., Camsari, T., Basci, A., & Serdengeci, K. (2010). A population-based survey of chronic renal disease in Turkey--the credit study. *Nephrology Dialysis Transplantation*, 26(6), 1862–1871. <https://doi.org/10.1093/ndt/gfq656>
- Sun, X., Huang, Y., Zhu, S., Yan, J., Gan, K., Xu, Z., Wang, S., Kang, X., Zhang, J., & Sun, W. (2022). Yishen Qingli Heluo granule in the treatment of chronic kidney disease: Network Pharmacology Analysis and experimental validation. *Drug Design, Development and Therapy, Volume 16*, 769–787. <https://doi.org/10.2147/dddt.s348335>
- Suyono, Slamet. (2001). *Buku Ajar Ilmu Penyakit Dalam* (3rd ed.). FKUI: Jakarta.
- Suzanne C. Smeltzer & Brenda G. Bare (Editor). (2001). *Buku Ajar Keperawatan Medikal-Bedah Brunner & Suddarth, Ed. 8, Vol. 1*. EGC, Jakarta.
- Suzanne C. Smeltzer & Brenda G. Bare (Editor). (1996). *Brunner & Suddarth's textbook of medical-surgical nursing, Vol. 3*. Lippincott, Jakarta.
- Takamatsu, N., Abe, H., Tominaga, T., Nakahara, K., Ito, Y., Okumoto, Y., Kim, J., Kitakaze, M., & Doi, T. (2009). Risk factors for chronic kidney disease in Japan: A community-based study. *BMC Nephrology*, 10(1), 1-10. <https://doi.org/10.1186/1471-2369-10-34>
- Tan, Y.-Q., Chen, H.-W., Li, J., & Wu, Q.-J. (2020). Efficacy, chemical constituents, and pharmacological actions of radix paeoniae rubra and radix paeoniae Alba. *Frontiers in Pharmacology*, 11, 1-11. <https://doi.org/10.3389/fphar.2020.01054>
- Tantisattamo, E., Dafoe, D. C., Reddy, U. G., Ichii, H., Rhee, C. M., Streja, E., Landman, J., & Kalantar-Zadeh, K. (2019). Current management of patients with acquired Solitary Kidney. *Kidney International Reports*, 4(9), 1205–1218. <https://doi.org/10.1016/j.ekir.2019.07.001>
- Thapa, P., Gu, Y., Kil, Y. S., Baek, S. C., Kim, K. H., Han, A. R., Seo, E. K., Choi, H., Chang, J. H., & Nam, J. W. (2020). N-Acetyldopamine derivatives from Periostracum Cicadae and their regulatory activities on Th1 and Th17 cell differentiation. *Bioorganic chemistry*, 102, 1-8. <https://doi.org/10.1016/j.bioorg.2020.104095>
- Tobiasz-Adamczyk, B., Brzyski, P., & Brzyska, M. (2014). Health-related quality of life in older age and a risk of being a victim of domestic violence. *Archives of Gerontology and Geriatrics*, 58(3), 388–398. <https://doi.org/10.1016/j.archger.2013.11.012>
- Tzu, IC. (2010). Aromatherapy: The Challenges for Community Nurses. *Journal of Community Nursing*, 24(1), 18-21
- Umar, S., Umar, K., Sarwar, A. H., Khan, A., Ahmad, N., Ahmad, S., Katiyar, C. K., Husain, S. A., & Khan, H. A. (2014). Boswellia serrata extract attenuates inflammatory mediators and oxidative stress in collagen induced arthritis. *Phytomedicine*, 21(6), 847–856. <https://doi.org/10.1016/j.phymed.2014.02.001>
- UnitedStatesRenalDataSystem:United States Renal Data System 2018 Annual Data Report. Available at: <https://www.usrds.org/annual-data-report/previous-adrs/>. Accessed October 10, 2020.

- Vancini, R. L., Rayes, A. B., Lira, C. A., Sarro, K. J., & Andrade, M. S. (2017). Pilates and aerobic training improve levels of depression, anxiety and quality of life in overweight and obese individuals. *Arquivos De Neuro-Psiquiatria*, 75(12), 850–857. <https://doi.org/10.1590/0004-282x20170149>
- Villanego, F., Naranjo, J., Vigar, L. A., Cazorla, J. M., Montero, M. E., García, T., Torrado, J., & Mazuecos, A. (2020). Impact of physical exercise in patients with chronic kidney disease: Systematic review and meta-analysis. *Nefrología (English Edition)*, 40(3), 237–252. <https://doi.org/10.1016/j.nefro.2020.06.012>
- Vollmer, W. M., Sacks, F. M., Ard, J., Appel, L. J., Bray, G. A., Simons-Morton, D. G., Conlin, P. R., Svetkey, L. P., Erlinger, T. P., Moore, T. J., & Karanja, N. (2001). Effects of diet and sodium intake on blood pressure: Subgroup analysis of the dash-sodium trial. *Annals of Internal Medicine*, 135(12), 1019–1028. <https://doi.org/10.7326/0003-4819-135-12-200112180-00005>
- Wager, E., & Wiffen, P. J. (2011). Ethical issues in preparing and publishing systematic reviews. *Journal of Evidence-Based Medicine*, 4(2), 130–134. <https://doi.org/10.1111/j.1756-5391.2011.01122.x>
- Wagner, H., Bauer, R., Melchart, D., Xiao, P.-G., & Staudinger, A. (2011). Rhizoma pinelliae — Banxia. *Chromatographic Fingerprint Analysis of Herbal Medicines*, 71–81. https://doi.org/10.1007/978-3-7091-0763-8_7
- Wang, H., Zhang, H. M., Xu, J. M., Fan, R. Y., & Lü, J. (2018). [Effect of Moxibustion on Renal Hemodynamics in Patients with Chronic Kidney Disease]. *Zhen Ci Yan Jiu = Acupuncture Research*, 43(11), 722–724. <https://doi.org/10.13702/J.1000-0607.170539>
- Wang, L., Zhang, J., Hong, Y., Feng, Y., Chen, M., & Wang, Y. (2013). Phytochemical and Pharmacological Review of da chuanxiong formula: A famous herb pair composed of *chuanxiong rhizoma* and *gastrodiae rhizoma* for headache. *Evidence-Based Complementary and Alternative Medicine*, 2013, 1–16. <https://doi.org/10.1155/2013/425369>
- Wang, X.-H., Xie, P.-S., Lam, C. W. K., Yan, Y.-Z., & Yu, Q.-X. (2009). Study of the destructive effect to inherent quality of Angelicae dahuricae radix (baizhi) by sulfur-fumigated process using chromatographic fingerprinting analysis. *Journal of Pharmaceutical and Biomedical Analysis*, 49(5), 1221–1225. <https://doi.org/10.1016/j.jpba.2009.03.009>
- Wang, X., Yu, S., Jia, Q., Chen, L., Zhong, J., Pan, Y., Shen, P., Shen, Y., Wang, S., Wei, Z., Cao, Y., & Lu, Y. (2017). Niaoduqing granules relieve chronic kidney disease symptoms by decreasing renal fibrosis and anemia. *Oncotarget*, 8(34), 55920–55937. <https://doi.org/10.18632/oncotarget.18473>
- Wahono, R. S. (2016). *Literature review: Pengantar Dan Metode*. RomiSatriaWahono.Net. Retrieved January 13, 2022, from <https://romisatriawahono.net/2016/05/07/literature-review-pengantar-dan-metode/>
- Wei, M., Sun, W., He, W., Ni, L., Cai, X., Cheng, Z., Gao, K., Li, F., Chen, L., & Zhang, X. (2014). Qiguiyishen decoction reduced the accumulation of extracellular matrix in the kidneys of rats with adriamycin-induced

- nephropathy. *Journal of Traditional Chinese Medicine*, 34(3), 351–356. [https://doi.org/10.1016/s0254-6272\(14\)60101-1](https://doi.org/10.1016/s0254-6272(14)60101-1)
- Weinstein, J. R., & Anderson, S. (2010). The aging kidney: Physiological changes. *Advances in Chronic Kidney Disease*, 17(4), 302–307. <https://doi.org/10.1053/j.ackd.2010.05.002>
- Wieland, L. S., Manheimer, E., & Berman, B. M. (2011). Development and classification of an operational definition of complementary and alternative medicine for the Cochrane collaboration. *Alternative therapies in health and medicine*, 17(2), 50–59.
- Wijaya, S. (2013). Akupunktur Metode Penghilang Nyeri dari Masa ke Masa . *Jurnal Ilmiah Kedokteran Universitas Sumatera Utara*, 1, 59–62.
- Wu, H., Xu, J., Wang, J., Qin, X., Wu, L., Li, Z., Lin, S., Lin, W., Zhu, Q., Khan, M. U., & Lin, W. (2017). Insights into the mechanism of proliferation on the special microbes mediated by phenolic acids in the radix pseudostellariae rhizosphere under continuous monoculture regimes. *Frontiers in Plant Science*, 8, 1-15. <https://doi.org/10.3389/fpls.2017.00659>
- Xi, Y., Lu, X., Zhu, L., Sun, X., Jiang, Y., He, W., & Wei, M. (2020). Clinical trial for conventional medicine integrated with Traditional Chinese Medicine (TCM) in the treatment of patients with chronic kidney disease. *Medicine*, 99(21), 1–6. <https://doi.org/10.1097/md.00000000000020234>
- Xie, H.-hui, Xu, J.-ya, Xie, T., Meng, X., Lin, L.-li, He, L.-li, Wu, H., Shan, J.-jun, & Wang, S.-chuan. (2016). Effects of pinellia ternata (thunb.) Berit. on the metabolomic profiles of placenta and amniotic fluid in pregnant rats. *Journal of Ethnopharmacology*, 183, 38–45. <https://doi.org/10.1016/j.jep.2016.02.030>
- Xiong, W., He, F.-F., You, R.-Y., Xiong, J., Wang, Y.-M., Zhang, C., Meng, X.-F., & Su, H. (2018). Acupuncture application in chronic kidney disease and its potential mechanisms. *The American Journal of Chinese Medicine*, 46(06), 1169–1185. <https://doi.org/10.1142/s0192415x18500611>
- Xu, F., Huang, M., Jin, Y., Kong, Q., Lei, Z., & Wei, X. (2017). Moxibustion treatment for primary osteoporosis: A systematic review of randomized controlled trials. *PLOS ONE*, 12(6), 1-15. <https://doi.org/10.1371/journal.pone.0178688>
- XU, R. O. N. G., & ZUO, L. I. (2010). Low birthweight and chronic kidney disease. *Nephrology*, 15, 18–22. <https://doi.org/10.1111/j.1440-1797.2010.01306.x>
- Yahya, K. (2012). *Pengaruh Elektroakupunktur Titik shenshu 9BL-23) Dan Zusanli (ST-36) Terhadap Gambaran histologis glomerulus Ginjal Pada Tikus Yang diinduksi streptozotocin*. Institutional Repository UNS. Retrieved June 18, 2022, from <https://digilib.uns.ac.id/dokumen/detail/25360>
- Yamagata, K., Ishida, K., Sairenchi, T., Takahashi, H., Ohba, S., Shiigai, T., Narita, M., & Koyama, A. (2007). Risk factors for chronic kidney disease in a community-based population: A 10-year follow-up study. *Kidney International*, 71(2), 159–166. <https://doi.org/10.1038/sj.ki.5002017>
- Yang, F., Dong, X., Yin, X., Wang, W., You, L., & Ni, J. (2017). radix bupleuri: A review of traditional uses, botany, phytochemistry, pharmacology, and toxicology. *BioMed Research International*, 2017, 1–22. <https://doi.org/10.1155/2017/7597596>

- Yang, M., Zhao, Y., Qin, Y., Xu, R., Yang, Z., & Peng, H. (2021). Untargeted Metabolomics and Targeted Quantitative Analysis of Temporal and Spatial Variations in Specialized Metabolites Accumulation in *Poria cocos* (Schw.) Wolf (Fushen). *Frontiers in plant science*, 12, 1-24. <https://doi.org/10.3389/fpls.2021.713490>
- Yang, W., Xie, D., Anderson, A. H., Joffe, M. M., Greene, T., Teal, V., Hsu, C.-yuan, Fink, J. C., He, J., Lash, J. P., Ojo, A., Rahman, M., Nessel, L., Kusek, J. W., & Feldman, H. I. (2014). Association of kidney disease outcomes with risk factors for CKD: Findings from the Chronic Renal Insufficiency Cohort (CRIC) study. *American Journal of Kidney Diseases*, 63(2), 236–243. <https://doi.org/10.1053/j.ajkd.2013.08.028>
- Yin, D. D., Wang, Y. L., Yang, M., Yin, D. K., Wang, G. K., & Xu, F. (2019). Analysis of chuanxiong rhizoma substrate on production of ligustrazine in endophytic *bacillus subtilis* by ultra high performance liquid chromatography with quadrupole time-of-flight mass spectrometry. *Journal of Separation Science*, 42(19), 3067–3076. <https://doi.org/10.1002/jssc.201900030>
- Yu, C.-H., Dai, X.-Y., Chen, Q., Zang, J.-N., Deng, L.-L., Liu, Y.-H., & Ying, H.-Z. (2013). Hypolipidemic and antioxidant activities of polysaccharides from *Rosae Laevigatae fructus* in rats. *Carbohydrate Polymers*, 94(1), 56–62. <https://doi.org/10.1016/j.carbpol.2013.01.006>
- Yu, W., Wu, J., Cai, F., Xiang, J., Zha, W., Fan, D., Guo, S., Ming, Z., & Liu, C. (2012). Curcumin alleviates diabetic cardiomyopathy in experimental diabetic rats. *PLoS ONE*, 7(12), 1-11. <https://doi.org/10.1371/journal.pone.0052013>
- Yu, J.-S., Ho, C.-H., Wang, H.-Y., Chen, Y.-H., & Hsieh, C.-L. (2017). Acupuncture on renal function in patients with chronic kidney disease: A single-blinded, randomized, preliminary controlled study. *The Journal of Alternative and Complementary Medicine*, 23(8), 624–631. <https://doi.org/10.1089/acm.2016.0119>
- Yuan, F.-H. (2012). Efficacy of Yan-shen capsule on advanced chronic kidney disease (CKD) patients: An open, randomized, prospective, comparative study. *African Journal of Pharmacy and Pharmacology*, 6(43), 2966–2972. <https://doi.org/10.5897/ajpp12.192>
- Yuan, H., Jiang, S., Liu, Y., Daniyal, M., Jian, Y., Peng, C., Shen, J., Liu, S., & Wang, W. (2020). The flower head of *Chrysanthemum Morifolium* Ramat. (Juhua): A paradigm of flowers serving as Chinese Dietary Herbal Medicine. *Journal of Ethnopharmacology*, 261, 1-22. <https://doi.org/10.1016/j.jep.2020.113043>
- Yun, T. K. (2001). Brief introduction of *Panax ginseng* C.A. meyer. *Journal of Korean Medical Science*, 16(Suppl), 53-55. <https://doi.org/10.3346/jkms.2001.16.s.s3>
- Zabor, E. C., Kaizer, A. M., & Hobbs, B. P. (2020). Randomized Controlled Trials. *Chest*, 158(1), 579-587. <https://doi.org/10.1016/j.chest.2020.03.013>
- Zhang, C. H., Yang, X., Wei, J. R., Chen, N. M., Xu, J. P., Bi, Y. Q., Yang, M., Gong, X., Li, Z. Y., Ren, K., Han, Q. H., Zhang, L., Li, X., Ji, M. Y., Wang, C. C., & Li, M. H. (2021). Ethnopharmacology, Phytochemistry, Pharmacology, Toxicology and Clinical Applications of *Radix Astragali*. *Chinese journal of*

- integrative medicine*, 27(3), 229–240. <https://doi.org/10.1007/s11655-019-3032-8>
- Zhang, H. W., Lin, Z. X., Xu, C., Leung, C., & Chan, L. S. (2014). Astragalus (a traditional Chinese medicine) for treating chronic kidney disease. *Cochrane Database of Systematic Reviews*, (10), 1-74. <https://doi.org/10.1002/14651858.cd008369.pub2>
- Zhang, H. W., Lin, Z. X., Tung, Y. S., Kwan, T. H., Mok, C. K., Leung, C., & Chan, L. S. (2014). Cordyceps sinensis (a traditional Chinese medicine) for treating chronic kidney disease. *Cochrane Database of Systematic Reviews*, (12), 1-50 <https://doi.org/10.1002/14651858.cd008353.pub2>
- Zhang, L., Shergis, J. L., Yang, L., Zhang, A. L., Guo, X., Zhang, L., Zhou, S., Zeng, L., Mao, W., & Xue, C. C. (2019). Astragalus membranaceus (Huang Qi) as adjunctive therapy for diabetic kidney disease: An updated systematic review and meta-analysis. *Journal of Ethnopharmacology*, 239, 1-13. <https://doi.org/10.1016/j.jep.2019.111921>
- Zhao, J., Sun, W., Chen, J., Sun, Z., Chen, D., Cao, C., Yang, M., Ma, J., Wang, L., Xing, C., Chen, Y., Sheng, M., Zhou, E., Xu, L., Gao, K., Liu, L., Liu, Q., Yi, L., He, W., & Zhu, Y. (2020). Efficacy and safety of Chinese herbal formula granules in treating chronic kidney disease stage 3: A multicenter, randomized, placebo-controlled, double-blind clinical trial. *Evidence-Based Complementary and Alternative Medicine*, 2020, 1–13. <https://doi.org/10.1155/2020/4073901>
- Zhao, S., Zhao, Y., & Xiang, Z. (2019). A novel symmetrical cyclooctenone from radix glycyrrhizae. *Natural Product Research*, 35(1), 88–91. <https://doi.org/10.1080/14786419.2019.1614580>
- Zheng, Y., Cai, G.-Y., He, L.-Q., Lin, H.-L., Cheng, X.-H., Wang, N.-S., Jian, G.-H., Liu, X.-S., Liu, Y.-N., Ni, Z.-H., Fang, J.-A., Ding, H.-L., Guo, W., He, Y.-N., Wang, L.-H., Wang, Y.-P., Yang, H.-T., Ye, Z.-M., Yu, R.-H., ... Chen, X.-M. (2017). Efficacy and safety of NIAODUQING particles for delaying moderate-to-severe renal dysfunction. *Chinese Medical Journal*, 130(20), 2402–2409. <https://doi.org/10.4103/0366-6999.216407>
- Zhou, X., Siu, W. S., Zhang, C., Liu, C. L., Cheng, L., Kwok, H. F., Fung, C. H., Tam, J. C., Lau, C. P., Lau, C. B., Leung, P. C., Hung, L. K., & Ko, C. H. (2017). Whole extracts of Radix Achyranthis Bidentatae and Radix Cyathulae promote angiogenesis in human umbilical vein endothelial cells *in vitro* and in zebrafish *in vivo*. *Experimental and therapeutic medicine*, 13(3), 1032–1038. <https://doi.org/10.3892/etm.2017.4053>
- Zhu, J.-S., Halpern, G. M., & Jones, K. (1998). The scientific rediscovery of an ancient Chinese herbal medicine: Cordyceps sinensis part I. *The Journal of Alternative and Complementary Medicine*, 4(3), 289–303. <https://doi.org/10.1089/acm.1998.4.3-289>
- Zhuang, Y., Xing, J.-jing, Li, J., Zeng, B.-Y., & Liang, F.-rong. (2013). History of acupuncture research. *International Review of Neurobiology*, 1–23. <https://doi.org/10.1016/b978-0-12-411545-3.00001-8>
- Zyoud, S. H., Al-Jabi, S. W., Sweileh, W. M., Tabeeb, G. H., Ayaseh, N. A., Sawafta, M. N., Khdeir, R. L., Mezyed, D. O., Daraghmeh, D. N., & Awang, R. (2016). Use of complementary and alternative medicines in haemodialysis

patients: A cross-sectional study from Palestine. *BMC Complementary and Alternative Medicine*, 16(1), 1-8. <https://doi.org/10.1186/s12906-016-1196-8>