

## DAFTAR PUSTAKA

- Abe, M. M., Julia R. M., Paula B. S., João V. M., Marcia C. B., Peter H., Vagner R. B., Michel B. 2021. Advantages and Disadvantages of Bioplastics Production from Starch and Lignocellulosic Components. *Polymers (Basel)* 13(15):2484.
- Aidah, Siti N. 2020. *Ensiklopedi Kentang*. Penerbit KBM Indonesia: Yogyakarta.
- Ali, H. S., A. G. Abdel-Razek, M. M. Kamil. 2012. Effect of Pre-Frying Treatments of French Fried Potatoes to Achieve Better Oil Uptake Reduction for Health and Technological Aspects. *Journal of Applied Sciences Research* 8(10):5018–5024.
- AOAC.2005.Official Method of Analysis: Crude Fat in Feeds, Cereal Grains, and Forages. AOAC International.
- Archana, G., P. A. S. Babu, K. Sudharsan, K. Sabina, R. P. Raja, M. Sivarajan, M. Sukumar. 2016. Evaluation of Fat Uptake of Polysaccharide Coatings on Deep-Fat Fried Potato Chips by Confocal Laser Scanning Microscopy. *International Journal of Food Properties* 19(7):1583-1592.
- Azkenazi N, Mizrahi S, Berk Z. 1984. Heat and Mass Transfer in Frying. Di dalam : Mc KennaBM, editor. Engineering and Food. Volume ke-1.London : Elsevier Apllied Science Publisher.
- Badan Pusat Statistik. 2020. Produksi Tanaman Sayuran 2020. <https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html>. Diakses pada 13 Februari 2022.
- Bergo, P. dan P. J. A. Sobral. 2007. Effect of *Plasticizer* of Physical Properties of Pigskin Gelatin Films. *Food Hydrocoll.* 21: 1285-1289.
- Bharat, A. n.d. *Handbook of Quick-Frozen French Fried Potatoes*. Indian Institute of Food Processing Technology: India.
- Brody, A.L. 2005. Packaging. *Food Technology* 59: 65-66.
- Burton, W. G. 1989. *The Potato. Third edition*. Longman Scientific and Technical: Singapore.
- Cervera, M. F., Heinämäki, J., Krogars, K., Jörgensen, A. C., Karjalainen, M., Colarte, A. I., Yliruusi, J. 2004. Solid-State and Mechanical Properties of Aqueous Chitosan-Amylose Starch Films Plasticized with Polyols. *AAPS PharmSciTech* 5(1):109–114.
- Chang Chang, Gangcheng Wu, Hui Zhang, Qingzhe Jin, Xingguo Wang. 2020. Deep-Fried Flavor: Characteristics, Formation Mechanisms, and Influencing Factors. *Critical Reviews in Food Science and Nutrition* 60(9): 1496-1514.



- Ciolacu, L., Nicolau, A.I., Hoorfar, J. 2014. *A Handbook of Best Practice, Innovative Commercial Solutions and Case Studies*. Woodhead Publishing Limited: UK.
- Costanza, V., Bonanomi, L., Moscato, G., Wang, L., Choi, Y. S., & Daraio, C. 2019. Effect Of Glycerol on the Mechanical and Temperature-Sensing Properties of Pectin Films. *Applied Physics Letters* 115(19):193702.
- Dana, D. dan Saguy, I. S. 2006. Review: Mechanism of Oil Uptake During Deep-Fat Frying and the Surfactant Effect-Theory and Myth. *Advances in Colloid and Interface Science* 128-130:267–272.
- Darni, Y., Herti U., Rina S., Rizka A.F. 2017. Comparative Studies of the Edible Film Based on Low Pectin Methoxyl with Glycerol and Sorbitol Plasticizers. *Jurnal Bahan Alam Terbarukan* 6(2):158-167.
- Direktorat Jenderal Kesehatan Masyarakat. 2018. Tabel Komposisi Pangan Indonesia 2017. <http://repo.stikesperintis.ac.id/1110/1/32%20Tabel%20Komposisi%20Pangan%20Indonesia.pdf>. Diakses pada 14 Februari 2022.
- Ernie. 2012. Pengaruh *Plasticizer* pada Karakteristik *Edible Film* dari Pektin. *Journal Food Science* 14(1):61-67.
- Food and Agriculture Organization of the United Nations. 2020. FAOSTAT Crops and Livestock Products 2020. <https://www.fao.org/faostat/en/#data/QCL>. Diakses pada 13 Februari 2022.
- Fuchsman, C.H. 1980. *Industrial Chemistry and Technology*. Academic Press Elsevier Inc.: UK.
- Garmakhany, A.D., N. Aghajani, M. Kashiri. 2011. Use of Hydrocolloids as Edible Covers to Produce Low Fat French Fries. *Latin American Applied Research* 41:211-216.
- Garcia, A.V., Nuria B., Alfonso J., Maria C.G. 2015. Natural Pectin Polysaccharides as *Edible coatings*. *Coatings* 5: 865-886.
- Garcia, M. A., Ferrero, C., Bertola, N., Martino, M., & Zaritzky, N. 2002. *Edible coating* from Cellulose Derivatives to Reduce Oil Uptake in Fried Products. *Innovative Food Science and Emerging Technologies* 3(4): 391-397.
- Garmakhany, A.D., H. O. Mirzaei, Y. Maghsudlo, M. Kashaninejad, S. M. Jafari. 2014. Production of Low Fat French-Fries with Single and Multi-Layer Hydrocolloid Coatings. *J Food Sci Technology* 51(7):1334–1341.
- Gawkoswka, D. Justyna C., Artur Z. 2018. Structure-Related Gelling of Pectins and Linking with Other Natural Compounds: A Review. *Polymers* 10(7): 762.



- Ghavidel, R.A. 2014. Assessment of Application of Pectin, Whey Protein Concentrate, Soy Protein Isolated and Methyl Cellulose Films to Improve Quality of Potato Strips. *International Journal of Biosciences* 5(4):125-132.
- Hua, X.; Wang, K.; Yang, R.; Kang, J.; Yang, H. *Edible coatings* from Sunflower Head Pectin to Reduce Lipid Uptake in Fried Potato Chips. *LWT-Food Sci. Technol.* 62: 1220–1225.
- Huang, P.Y. dan Fu, Y.C. 2014. Relationship Between Oil Uptake and Water Content During Deep-Fat Frying of Potato Particulates Under Isothermal Temperature. *Journal of the American Oil Chemists' Society* 91(7):1179–1187.
- Isik, B., S. Sahin, G. Sumnu. 2016. Pore Development, Oil and Moisture Distribution in Crust and Core Regions of Potatoes During Frying. *Food and Bioprocess Technology* 9:1653-1660.
- Jafar Al-Hakkak dan Fadia Al-Hakkak. 2010. Functional Egg White–Pectin Conjugates Prepared by Controlled Maillard Reaction. *Journal of Food Engineering* 100(1):152-159.
- Jouki, M., N. Khazaei, M. Ghasemlou, M. Hadinezhad. 2013. Effect of Glycerol Concentration on Edible Film Production from Cress Seed Carbohydrate Gum. *Carbohydrate Polymers* 96 (1): 39-46.
- Kalogianni, E.P. dan Efthimios P., 2014. Crust Pore Characteristics and Their Development during Frying of French Fries. *Journal of Food Engineering* 120: 175-182.
- Ketaren, S. 2008. Pengantar Teknologi Minyak dan Lemak Pangan. Universitas Indonesia: Jakarta.
- Kurek, M., Mario S., dan Kata G. 2017. *Edible coating* Minimize Fat Uptake in Deep Fat Fried Product: A Review. *Food Hydrocolloids* 71:225-235.
- Kuswanto, Redy. 2017. *Mari Mengenal Bahan Makanan Pokok Pengganti dari Tanah Nusantara*. Badan Pengembangan dan Pembinaan Bahasa: Jakarta.
- Libertya, J. T., Dehghannya, J., & Ngadi, M. O. 2019. Effective Strategies for Reduction of Oil Content in Deep-Fat Fried Foods: A Review. *Trends in Food Science & Technology* 92:172-183.
- Lin Yu, Jinwei Lu, Shaodong Ding, Feng Hang, Liuping Fan. 2016. Effect of Guar Gum with Glycerol Coating on the Properties and Oil Absorption of Fried Potato Chips. *Food Hydrocolloids* 54:211-219.
- Loon, W. 2005. Process Innovation and Quality Aspects of French Fries. *Thesis*. Wageningen University, Belanda.



- Lund, M.N. dan Colin A.R. 2017. Control of Maillard Reaction in Foods: Strategies and Chemical Mechanisms. *J. Agric. Food Chem* 65 (23): 4537-4552.
- Marquez, G. dan M.C. Anon. 1986. Influence of Reducing Sugars and Amino Acids in the Color Development of Fried Potatoes. *Journal of Food Science* 51:157-160.
- Noviana, D., Bambang S.A., Edhi N. 2013. Aplikasi Blanching Kalsium Klorida ( $\text{CaCl}_2$ ) dan Edible coating Pektin Kulit Pisang Raja (*Musa sapientum*) dengan Plasticizer Gliserol untuk Mengurangi Penyerapan Minyak pada Keripik Pisang Kepok (*Musa paradisiaca formatypica*). *Jurnal Teknosains Pangan* 2(3):86-95.
- Ogutu, B., Ye-Joo K., Dae-Wook K., Sang-Chul O., Dong-Lee H., Yang-Bong L. 2017. Optimization of Maillard Reaction between Glucosamine and Other Precursors by Measuring Browning with a Spectrophotometer. *Prev Nutr Food Sci* 22(3):211-215.
- Oke, K.E., Michael A. I., Sobukola O. P., Akinjide O. A. 2017. Frying of Food: A Critical Review. *Journal of Culinary Science and Technology*:1-21.
- Oses J., I. Fernandez-Pan, M. Mendoza, J. I. Mate. 2009. Stability of Mechanical Properties of Edible Film Based on Whey Protein Isolate during Storage at Different Relative Humidity. *J. Food Hydrocol.* 23: 125-131.
- Perkins, E and Errickson, M. 1996. Deep Frying : Chemistry; Nutrition and Practical Applications. AOCS Press: Illinois.
- Pokorny, J. 1981. Browning from Lipid-Protein Interaction. *Progress in Food & Nutrition Science* 5 (1-6):421-8.
- Pokorny, J. 1999. *Changes of Nutrients at Frying Temperatures*. Di dalam: Boskou, D dan I. Elmadfa (ed). *Frying of Food*. Technomic Publishing Co Inc.: Lancaster.
- PubChem. 2004. Glycerol (Compound). <https://pubchem.ncbi.nlm.nih.gov/compound/Glycerol>. Diakses pada 21 Februari 2022.
- Pusat Data dan Sistem Informasi Pertanian. 2020. Statistik Konsumsi Pangan. <http://epublikasi.setjen.pertanian.go.id/epublikasi/StatistikPertanian/2020/StatistikKonsumsiPanganTahun2020/files/assets/basic-html/page116.html>. Diakses pada 10 Februari 2022.
- Riley, A., 2012. *Packaging Technology*. Woodhead Publishing: Cambridge.
- Riset Kesehatan Dasar (Riskesdas). 2018. Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018. <https://dinkes.kalbarprov.go.id/wp-content/uploads/2019/03/Laporan-Riskesdas-2018-Nasional.pdf>. Diakses 10 Februari 2022.



- Rosida, D.F., Nur, H., Retno, D. 2018. *Edible coating* dan Film dari Biopolimer Bahan Alam Terbuka. Uwais Inspirasi Indonesia: Sidoarjo.
- Saha, D., & Bhattacharya, S. 2010. Hydrocolloids as Thickening and Gelling Agents in Food: A Critical Review. *Journal of Food Science and Technology* 47(6): 587-597.
- Sahin, S., Gulum S., Bilge A. 2005. Effects of Batters Containing Different Gum Types on the Quality of Deep-Fat Fried Chicken Nuggets. *J. Sci Food Agric* 85:2375-2379.
- Sudaryati, H.P., Tri Mulyani S., Egha R.H. 2010. Sifat Fisik dan Mekanis Edible Film dari Tepung Porang (*Amorphophallus oncophyllus*) dan Karboksimetilselulosa. *Jurnal Teknologi Pertanian* 11(3):196-201.
- Suryana, Dayat. 2013. *Budidaya Kentang*. Createspace Independent Pub: California.
- Todd, C.S., David M. W., Jing Guo. 2018. Characterization of the Distribution of Oil Uptake in French Fries. *Microscopy Today* 26(1):30-35.
- Ulfah, F. 2012. Perlakuan Blansir dan *Edible coating* Dari Pektin untuk Mereduksi Senyawa Akrilamida pada Proses Penggorengan Keripik Pisang Ambon. *Skripsi*. Institut Pertanian Bogor. Bogor.
- Utomo, Pramono P. dan Sukma B. A. 2019. Pengaruh Konsentrasi Pektin Citrus dan Gliserol terhadap Sifat Mekanik *Edible Film* yang Diinkorporasi Minyak Atsiri Kemangi. *Prosiding Seminar Nasional II Hasil Litbangyasa Industri*, Palembang.
- Warmbier, H. C., Schnlckels, R. A., Labuza, T. P. 1976. Effect Of Glycerol on Nonenzymatic Browning In A Solid Intermediate Moisture Model Food System. *Journal of Food Science* 41(3):528-531.
- Whitfield, F. B., and D. S. Mottram. 1992. Volatiles from Interactions of Maillard Reactions and Lipids. *Critical Reviews in Food Science and Nutrition* 31 (1-2):1-58.
- Wong, C. W., Wijayanti, H. B., Bhandari, B. R. 2015. Maillard Reaction in Limited Moisture and Low Water Activity Environment. *Water Stress in Biological, Chemical, Pharmaceutical and Food Systems* 41-63.
- Ziaiiifar, A.M., Courtois F., Trystram, G. 2010. Porosity Development and its Effect on Oil Uptake during Frying Process. *Journal of Food Process Engineering* 33(2):191-212.