



## **DAFTAR PUSTAKA**

- Ahaniazad, M., M. Bagheri, V. Roumi and M. A. Akrami. 2018. An efficient and non-destructive DNA extraction method for oribatid mites. Archives of Phytopathology and Plant Protection, 1-11.
- Anonim. 2017. Genomic DNA Mini Kit (Tissue). <<https://GeneAid.com/data/files/1605685391109197921.pdf>>. Diakses online pada 24 Januari 2022.
- Badan Pusat Statistik. 2022. Produksi Padi Tahun 2021 Turun 0,43 persen (Angka Tetap). <<https://www.bps.go.id>>. Diakses online pada 8 Juli 2022.
- Bala, S. and Khan M. 2004. Observation on *Hirschmanniella* species associated with rice in West Bengal. Environ Ecol, 22: 449-453.
- Balai Pengkajian Teknologi Pertanian. 2009. Budidaya Tanaman Padi. Badan Ketahanan Pangan dan Penyuluhan Pertanian, Aceh.
- Beesa, N., A. Sasnarukkit, K. Jindapunnapat, F. Tivet, S. Bellafiore, and B. Chinnasri. 2021. Species characterization and population dynamics of *Hirschmanniella mucronata* in lowland rice fields managed under conservation agriculture in Cambodia. Journal of the Saudi Society of Agriculture Sciences, 20: 137-145.
- Bridge, J., R. A. Plowright, and D. Peng. 2005. Nematode parasites of rice. Wallingford UK. CAB International Publishing. hlm. 87-130.
- Bridge J. and J. L. Starr. 2007. Plant Nematodes Of Agricultural Importance A Colour Handbook. Mansion Publishing Ltd. London.
- Chen, H., M. Rangasamy, S. Y. Tan, H. Wang, and B. D. Siegfried. 2010. Evaluation of five methods for total DNA extraction from western corn rootworm beetles. Plos One, 6(8): 1-6.
- Chyntia. 2014. Jenis Larutan Buffer. Fakultas Biologi Unsoed, Purwokerto.
- European and Mediterranean Plant Protection Organization. 2009. *Hirschmanniella* spp. Bulletin, 39: 369-375.
- Fitriya, R. T., M. Ibrahim, dan L. Lisdiana. 2015. Keefektifan metode isolasi DNA Kit dan CTAB/NaCl yang dimodifikasi pada *Staphylococcus aureus* dan *Shigella dysentriae*. Lentera Bio, 4(1): 87-92.
- Garibyan, L. dan N. Avashia. 2013. Research techniques made simple: polymerase chain reaction (PCR). The Journal of Investigative Dermatology, 133(3): 6.
- Hall, T. 1999. BioEdit: user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. In Nucleic Acids Symp. Series, 41: 95-98.



Hopper, D. J. 1985. Extraction of Nematodes from Plant Material, In J.F. Southey (Ed.), Laboratory Methods for Work with Plant and Soil Nematodes (hlm 51-58). London (UK): Her Majesty's Stationery Office.

Htay, C.C., H. Peng, W. Huang, L. Kong, W. He, R. Holgado, and D. Peng. 2016. The development and molecular characterization of a rapid detection method for Rice root-knot nematode (*Meloidogyne graminicola*). Eur. J. Plant Pathol, 146: 281-291.

Indarti, S., Taryono, Supriyanta, dan A. S. Wulandari. 2019. Penapisan pendahuluan berbagai aksesi padi (*Oryza sativa* L) terhadap serangan hama serangga dan nematoda parasit tanaman. Agrinova : Journal of Agriculture Innovation, 2(2): 1-8.

Indarti, S., A. Soffan, and M. M. F. Andrasmara. 2020. Short communication: first record of *Hirschmanniella mucronata* (Nematoda: Pratylenchidae) in Yogyakarta, Indonesia. Biodiversitas, 21(5): 2068-2073.

International Rice Research Institute. 2004. Nematode parasite of rice. Departement for International Development, Manila; Philippines.

Irawan, R., C. Eward, dan Seprido. 2020. Karakteristik morfologi batang dan daun pada 14 genotipe padi lokal (*Oryza sativa* L.) Kabupaten Kuantan Singingi. Jurnal Agroqua, 18(2): 157-167.

Irdani, T. 2008. Molecular identification of some plant parasitic nematode species. Redia, 91: 125-128.

Khun, K., W. Decraemer, M. Couvreur, G. Karssen, H. Stell and W. Bert. 2015. Deceptive morphological variation in *Hirschmanniella mucronata* (Nematoda: Pratylenchidae) and polytomous key to the genus. Nematology, 9: 471.

Koyama, Y., S. P. Thar, C. Kizaki, K. Toyota, E. Sawada, and N. Abe. 2013. Development of specific primers to *Hirschmanniella* spp. causing damage to lotus and their economic threshold level in Tokushima prefecture in Japan. Nematology, 15: 851-858.

Lestari, P. 2011. Metode PCR (*Polymerase Chain Reaction*) cara mengidentifikasi padi bermutu rasa tinggi. Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian.

Luc, M., R. A. Sikora and J. Bridge. 1990. Plant Parasitic Nematodes in Subtropical and Tropical Agriculture. London (UK): CABI Publishing. hlm 87-130.

Maaty, Nadia A. F. and H. A. S. Oraby. 2019. Extraction of high-quality genomic DNA from different plant orders applying a modified CTAB-based method. Bulletin of the National Research Centre, 43(25): 1-10.

Maggenti, A. R. 1991. Nemata, Higher Classification. In, Nickle, W. R. (Ed.), *Manual of Agricultural Nematology*, Marcel Decker, New York, 1035pp.



Maharani, R. I., D. Mustikaningtyas, dan K. Widyaningrum. 2020. *Vegetable oil* sebagai pengganti *immersion oil*. Biologi Educational Science & Technology Journal, 3(2): 37-43.

Maung, Z. T. Z., P. P. Kyi, Y. Y. Myint, T. Lwin, and D. de Waele. 2010. Occurrence of the rice root nematode *Hirschmanniella oryzae* on monsoon rice in Myanmar. Tropical Plant Pathology, 35(1): 3-10.

Mirabella, F. M. 2011. Pendekatan Pohon dalam Filogenetik. Bandung: Institut Teknologi Bandung.

Mustika, I. 2005. Konsepsi dan strategi pengendalian nematoda parasit tanaman perkebunan di Indonesia. Perspektif, 4(1): 20-32.

Nunn, G. B. 1992. Nematode molecular evolution. U. K.: Ph.D. dissertation University of Nottingham.

Rambaut, A. 2018. How to read phylogenetic tree. <<https://artic.network/how-to-read-a-tree.html>>. Diakses online pada 7 April 2022.

Regmi, H., B. D. Nongmaithem, and A. K. Ngangbam. 2016. Biotic constraints in rice productivity with special reference to rice root nematode: *Hirschmanniella spp.* a review. Journal of Global Agriculture and Ecology, 5: 127-133.

Sakai, H. 2010. A DNA extraction method SDS from single nematodes for direct application to PCR amplification. Japanese Journal of Nematology, 40(1): 13-14.

Sloan, S., C. J. Jenvey, D. Piedrafita, S. Preston, and M. J. Stear. 2021. Comparative evaluation of different molecular methods for DNA extraction from individual *Teladorsagia circumcincta* nematodes. BMC Biotechnology, 21(35): 1-13.

Subandiyah, S. 2003. Cara Kerja Ekstraksi DNA menggunakan CTAB. Workshop and training course on molecular detection for plant and environmental protection. Fakultas Pertanian. Universitas Gadjah Mada, Yogyakarta.

Subbotin, S. A., D. Sturhan, V. Chzhov, N. Volvas and J. G. Baldwin. Phylogenetic analysis of Tylenchida Thorne, 1949 as inferred from D2 and D3 expansion fragments of the 28S rRNA gene sequences. Nematology, 8(3): 455-474.

Van den Berg, E., Subbotin, S. A., Handoo, Z. A., and Tiedt, L. R. 2009. *Hirschmanniella kwazuna* spp. n. from South Africa with notes on a new record of *H. spinicaudata* (Schuurmans Stekhoven, 1944) Luc and Goodey, 1964 (Nematoda: Pratylenchidae) and on the molecular phylogeny of *Hirschmanniella* Luc and Goodey, 1964. Nematology, 11(4): 523-540.

Yustinadewi, P. D., P. S. Yustiantara, dan I. Narayani. 2018. Teknik perancangan primer untuk sekuen gen MDR-1 varian 1199 pada sampel *buffy coat* pasien anak dengan LLA. Jurnal Metamorfosa, 5(1): 105-111.



**OPTIMASI METODE EKSTRAKSI DNA NEMATODA PARASIT AKAR PADI *Hirschmanniella* spp.,  
(NEMATODA:  
PRATYLENCHIDAE)**

NIKKIE RATYA ALMA, Dr. Ir. Siwi Indarti, M. P.; Dr. Ir. Sedyo Hartono, M. P.

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yuwono, T. 2006. Teori dan Aplikasi Polymerase Chain Reaction. Andi Offset,  
Yogyakarta.