

DAFTAR PUSTAKA

- Abdullah, G.Z., Abdulkarim, M.F., Mallikarjun, C., Mahdi, E.S., Basri, M., Sattar, M.A., dkk., 2013. Carbopol 934, 940 and Ultrez 10 as viscosity modifiers of palm olein esters based nano-scaled emulsion containing ibuprofen. *Pakistan Journal of Pharmaceutical Science*, 26: 9.
- Acker, S., Hloucha, M., dan Osterwalder, U., 2014. The Easy Way to Make a Sunscreen. *SOFW Journal*, 7: 25–29.
- Alam, F.M., Kurnianingsih, N., dan Fatchiyah, F., 2022. Phytochemical Analysis of Purple Sweet Potatoes (*Ipomoea batatas*) Roots Extract From Lawang and Kawi Mountain Cultivar, East Java, Indonesia. *International Journal of Food Science*, 12: 17–19.
- Allen, L. dan Ansel, H.C., 2013. Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems. *Lippincott Williams & Wilkins*, 10: 316-341
- Alsaraf, K.M., Abbas, I.S., dan Hassan, E.F., 2019. Extraction and Clinical Application of *Calendula officinalis* L. Flowers Cream. *IOP Conference Series: Materials Science and Engineering*, 571: 1–8.
- Ande, B., 2014. Pengaruh Penambahan Konsentrasi Carbopol 940 pada Sediaan Sunscreen Gel Ekstrak Temu Giring (*Curcuma heyneana* Val.) terhadap Sifat Fisik dan Stabilitas Sediaan dengan Sorbitol sebagai Humectant. *Skripsi*. Universitas Sanata Dharma, Yogyakarta.
- Aryani, R., Hidayat, A.F., Darma, G.C.E., dan Utami, O., 2019. Effect of solid lipid nanoparticles system on the stability of Green Tea leaves (*Camellia sinensis* L. Kuntze) extract as sunscreen. *Journal of Physics: Conference Series*, 1375: 2–5.
- Beersma, D.G.M. dan Gordijn, M.C.M., 2007. Circadian control of the sleep-wake cycle. *Physiology & Behavior*, 90: 190–195.
- Bhattacharya, S. dan Sherje, A.P., 2020. Development of resveratrol and green tea sunscreen formulation for combined photoprotective and antioxidant properties. *Journal of Drug Delivery Science and Technology*, 60: 1–4.
- Buso, P., Radice, M., Baldisserotto, A., Manfredini, S., dan Vertuani, S., 2019. Guidelines for the Development of Herbal-Based Sunscreen, dalam: F. Builders, P. (Editor), *Herbal Medicine*. IntechOpen, 4: 44-46.
- Cefali, L.C., Ataide, J.A., Moriel, P., Foglio, M.A., dan Mazzola, P.G., 2016. Plant-based active photoprotectants for sunscreens. *International Journal of Cosmetic Science*, 38: 346–353.
- Chen, L.L., Hu, J.Y., dan Wang, S.Q., 2012. The role of antioxidants in photoprotection: a critical review. *Journal of the American Academy of Dermatology*, 67: 1013–1017.
- Chingu by Kiyowo, 2022, Greentea Cooling Sunscreen Spray Chingu by Kiyowo, URL: <https://www.instagram.com/p/CSYqsR4FsHr/?hl=en> (diakses tanggal 16/06/2022).
- Cosrx, 2022, Aloe Soothing Sun Cream SPF50+/ PA+++, URL: <https://www.cosrx.com/products/aloe-soothing-sun-cream-spf50-pa> (diakses tanggal 16/06/2022).

- Cui, L., Liu, X., Tian, Y., Xie, C., Li, Q., Cui, H., dkk., 2016. Flavonoids, Flavonoid Subclasses, and Esophageal Cancer Risk: A Meta-Analysis of Epidemiologic Studies. *Nutrients*, 8: 350.
- Daud, N.S., Musdalipah, M., dan Idayati, I., 2018. Optimasi Formula Lotion Tabir Surya Ekstrak Kulit Buah Naga Super Merah (*Hylocereus costaricensis*) Menggunakan Metode Desain D-Optimal. *Jurnal Sains Farmasi & Klinis*, 5: 72–77.
- Dayan, N. (Editor), 2017. Handbook of Formulating Dermal Applications: A Definitive Practical Guide. *John Wiley & Sons, Inc*, Hoboken, New Jersey : Beverly, Massachusetts : Scrivener Publishing, 21: 591–602.
- Departemen Kesehatan, 2019. 'Aglikon Adalah: Pengertian, Arti dan Definisinya', URL: <https://www.depkes.org/blog/aglikon/> (diakses tanggal 6/6/2022).
- Diniayu, L.E.C., 2016. Optimasi Carbopol sebagai Gelling Agent dan Virgin Coconut Oil sebagai Fase Minyak dalam Sediaan Emulgel Sunscreen Ekstrak Lidah Buaya dengan Metode Desain Faktorial. *Skripsi*. Universitas Sanata Dharma, Yogyakarta.
- Dipahayu, D., 2020. Formulation Sunscreen Emulgel of Sweet Potatoes Leaves Extract (*Ipomoea batatas* (L.)) Antin-3 Variety. *Journal of Pharmacy and Science*, 5: 49–54.
- Dipahayu, D. dan Arifiyana, D., 2020. Uji Efektivitas Tabir Surya (In Vitro) Ekstrak Etanol Daun Ubi Jalar Ungu (*Ipomoea Batatas* (L.)) Varietas Antin-dari Dua Metode Pengeringan Daun yang Berbeda, *Journal of Pharmacy and Science*, 7: 123–126.
- Diprahayu, D., Arifiyana, D., Indramaya, D.M., dan Anggraeni, S., 2019. Safety Study of Purple Sweet Potatoes Leaves Extract (*Ipomoea batatas* (L.) Lamk) Antin-3 Variety as a Sunscreen Active Ingredient on Human Skin. *International Journal of Drug Delivery Technology*, 9: 121–123.
- D'Orazio, J., Jarrett, S., Amaro-Ortiz, A., dan Scott, T., 2013. UV Radiation and the Skin. *International Journal of Molecular Sciences*, 14: 12222–12248.
- Fajrin, A. dan Tunjung, W.A.S., 2015. The Flavonoids Content in Leaves and Fruits of Papaya (*Carica papaya* L.) Var. California and Var. Gandul. *KnE Life Sciences*, 2: 154.
- Fiume, M.M., 2018. Amended Safety Assessment of Triglycerides as Used in Cosmetics. *Cosmetic Ingredient Review*, Washington DC.
- Ginting, E., Utomo, J.S., dan Yulifianti, R., 2011. Potensi Ubijalar Ungu sebagai Pangan Fungsional. *Iptek Tanaman Pangan*, 6: 23.
- González, S., Gilaberte, Y., dan Juarranz, Á., 2016. Oral and Systemic Photoprotection, *Principles and Practice of Photoprotection*, 22: 390–394.
- Hassan, I., Dorjay, K., Sami, A., dan Anwar, P., 2013. Sunscreens and Antioxidants as Photo-protective Measures: An update. *Our Dermatology Online*, 4: 369–374.
- Heinrich, U., Moore, C.E., De Spirt, S., Tronnier, H., dan Stahl, W., 2011. Green Tea Polyphenols Provide Photoprotection, Increase Microcirculation, and Modulate Skin Properties of Women. *The Journal of Nutrition*, 141: 1202–1208.

- Holick, M.F., 2008. Vitamin D: a D-Lightful health perspective. *Nutrition Reviews*, 66: 182-194.
- Hsu, S., 2005. Green tea and the skin. *Journal of the American Academy of Dermatology*, 52: 1049–1059.
- Johnson, J., 2021. 'Caprylic triglyceride: Uses, benefits, and side effects.'. URL: <https://www.medicalnewstoday.com/articles/caprylic-capric-triglyceride> (diakses tanggal 16/6/2022).
- José, M.T. de A.F., Pedrita, A.S., Emanuella, C.V.P., Raimundo, G. de O.J., Fabrício, S.S., Jackson, R.G. da S.A., dkk., 2016. Flavonoids as photoprotective agents: A systematic review. *Journal of Medicinal Plants Research*, 10: 848–864.
- Kalangi, S.J.R., 2013. Histofisiologi Kulit. *Jurnal Biomedik (JBM)*, 5: 13–16.
- Khoo, H.E., Azlan, A., Tang, S.T., dan Lim, S.M., 2017. Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & Nutrition Research*, 61: 1–3.
- Kim, J., Kim, J.-S., dan Park, E., 2013. Antioxidative and antigenotoxic effects of onion peel extracts in non-cellular and cellular systems. *Food Science and Biotechnology*, 22: 1–8.
- Kodama, D.H., Gonçalves, A.E. de S.S., Lajolo, F.M., dan Genovese, M.I., 2010. Flavonoids, total phenolics and antioxidant capacity: comparison between commercial green tea preparations. *Ciência e Tecnologia de Alimentos*, 30: 1077–1082.
- Korać, R. dan Khambholja, K., 2011. Potential of herbs in skin protection from ultraviolet radiation. *Pharmacognosy Reviews*, 5: 164.
- Kostyuk, V., Potapovich, A., Albuhaydar, A.R., Mayer, W., De Luca, C., dan Korkina, L., 2018. Natural Substances for Prevention of Skin Photoaging: Screening Systems in the Development of Sunscreen and Rejuvenation Cosmetics. *Rejuvenation Research*, 21: 91–101.
- Kusumaningtyas, F.A., Wahyuningsih, I., dan Sugihartini, N., 2020. Formulasi Ekstrak Etanol Daging Buah Pepaya (*Carica papaya* Linn) dalam Basis Lotion, Uji Sifat Fisik dan Nilai SPFnya. *Jurnal Ilmiah Ibnu Sina*, 5: 180–190.
- Kwartiningsih, E., 2016. Ekstraksi dan Uji Stabilitas Antosianin dari Kulit Buah Naga Super Merah (*Hylocereus costaricensis*). *Pengembangan Teknologi Kimia untuk Pengolahan Sumber Daya Alam Indonesia*, 7: 1–3.
- Laverius, M.F., 2011. Optimasi Tween 80 dan Span 80 sebagai Emulsifying Agent serta Carbopol sebagai Gelling Agent dalam Sediaan Emulgel Photoprotector Ekstrak Teh Hijau (*Camellia sinensis* L.) Aplikasi Desain Faktorial. *Skripsi*. Universitas Gadjah Mada. Yogyakarta.
- Lu, Y.-P., Lou, Y.-R., Xie, J.-G., Peng, Q.-Y., Liao, J., Yang, C.S., dkk., 2002. Topical applications of caffeine or (–)-epigallocatechin gallate (EGCG) inhibit carcinogenesis and selectively increase apoptosis in UVB-induced skin tumors in mice. *Proceedings of the National Academy of Sciences*, 99: 12455–12460.
- Manikrao, D.M. dan Laxman, D.S., 2016. Sunscreens: A review. *Pharmacognosy Journal*, 8: 171–179.

- Martono, C. dan Suharyani, I., 2018. Formulasi Sediaan Spray Gel Antiseptik dari Ekstrak Etanol Lidah Buaya (*Aloe vera*). *Jurnal Farmaku (Farmasi Muhammadiyah Kuningan)*, 3: 29–37.
- Martono, Y., 2010. Potency of Industrial Tea Waste: Comparison Between Green And Black Tea Industrial Wastes as UV Filter for Sunscreen. *Indonesian Journal of Cancer Chemoprevention*, 1: 54.
- Mescher, A.L., 2011. *JUNQUEIRA'S Basic Histology*, 12th ed. *Mc Graw Hill*, 21: 591–602.
- Mogollon, J.A., Boivin, C., Lemieux, S., Blanchet, C., Claveau, J., dan Dodin, S., 2014. Chocolate flavanols and skin photoprotection: a parallel, double-blind, randomized clinical trial. *Nutrition Journal*, 13: 66.
- Morton, C.A., McKenna, K.E., Rhodes, L.E., dan British Association of Dermatologists Therapy Guidelines and Audit Subcommittee and the British Photodermatology Group, 2008. Guidelines for topical photodynamic therapy: update. *The British Journal of Dermatology*, 159: 1245–1266.
- Nacif, 2022, Fresh Herb Origin Sunblock, URL: <https://en.nacif.com/product/fresh-herb-origin-sunblock/653/> (diakses tanggal 16/06/2022).
- Nishikawa, D.O., Peres, D.D., Oliveira, C.A. de, Silva, V.R.L. e, Kaneko, T.M., Velasco, M.V.R., dkk., 2013. Stability and efficacy of sunscreens containing inorganic filters and quercetin. *Journal Biomedical and Biopharmaceutical Research*, 10: 91–100.
- Nugrahani, A.P., Rahmadina, S.A., Lestari, N.D., dan Mulyani, S., 2020. Inovasi Sunscreen dari Ekstrak Kulit Bawang Putih dan Bawang Merah sebagai Anti-Kusam, Anti-Jerawat, dan Anti-Aging, *Seminar Nasional Kimia dan Pendidikan Kimia XIII*, 13: 154–163.
- Nugroho, A., Heryani, H., Choi, J.S., dan Park, H.-J., 2017. Identification and quantification of flavonoids in *Carica papaya* leaf and peroxynitrite-scavenging activity. *Asian Pacific Journal of Tropical Biomedicine*, 7: 208–213.
- Nurjannah, D.A., Retnowati, R., dan Juswono, U.P., 2013. Aktivitas Antioksidan Dari Minyak Bunga Cengkeh (*Syzygium Aromaticum*) Kering Berdasarkan Aktivitas Antiradikal Yang Ditentukan Menggunakan Electron Spin Resonance. *Jurnal Ilmu Kimia Universitas Brawijaya*, 1: 283–287.
- Osterwalder, U., Sohn, M., dan Herzog, B., 2014. Global state of sunscreens: Global state of sunscreens. *Photodermatology, Photoimmunology & Photomedicine*, 30: 62–80.
- Pawar, D.B., Doijad, R.C., Sankpal, P.S., Pawar, D.A., 2014. Study on Anti-Solar Activity of Ethanolic Extract of Leaves of *Ipomoea Batatas* Linn. *World Journal of Pharmaceutical Research*, 3: 382–386.
- Polefka, T.G., Meyer, T.A., Agin, P.P., dan Bianchini, R.J., 2012. Effects of Solar Radiation on the Skin: Effects of Solar Radiation on the Skin. *Journal of Cosmetic Dermatology*, 11: 134–143.
- Puspitasari, D.P., Mulangsri, D.A.K., Herlina, 2018. Formula Krim Tabir Surya Ekstrak Etanol Daun Kersen (*Muntingia calabura* L.) untuk Kesehatan Kulit. *Media Litbangkes*, 28: 263–270.

- Reddy, P.S., Suresh Kumar, A., dan Jain, V., 2018. Sunscreens: Developments and Challenges. *International Journal of Applied Pharmaceutics*, 10: 54.
- Rowe, R.C., Paul J.S., Marian, E.Q., 2009. Handbook of Pharmaceutical Excipients. *Pharmaceutical Press and American Pharmacist Association*, USA, 110–114, 155–156, 242–243, 441–444, 488–489, 517–521, 596–598, 622–624, 651–653, 697–699.
- Saewan, N. dan Jimtaisong, A., 2013. Photoprotection of Natural Flavonoids. *Journal of Applied Pharmaceutical Science*, 3: 130–135.
- Salwa, S., Kadir, M.B.A., dan Sulistyowati, Y., 2020. 'Formulasi dan Evaluasi Sediaan Spray Gel Tabir Surya Fraksi Etil Asetat Daun Cempedak (*Artocarpus integer* (Thunb.) Merr.) dengan Kombinasi Basis HPMC dan Karbopol 940', . *Jurnal Kesehatan Mahasiswa UNIK*, 2: 12–20.
- Sami, F.J., Nur, S., dan Martani, M.M., 2015. Uji Aktivitas Tabir Surya pada Beberapa Spesies dari Family *Zingiberaceae* dengan Metode Spektrofotometri. *Jurnal Ilmiah As-Syifaa*, 7: 164–173.
- Sarnoff, D.S., 2022. Skin Cancer Information. *The Skin Cancer Foundation*, URL: <https://www.skincancer.org/skin-cancer-information/> (diakses tanggal 4/4/2022).
- Scalia, S., Marchetti, N., dan Bianchi, A., 2013. Comparative Evaluation of Different Co-Antioxidants on the Photochemical- and Functional-Stability of Epigallocatechin-3-gallate in Topical Creams Exposed to Simulated Sunlight. *Molecules*, 18: 574–587.
- Seppic, 2020, Sepineo D.E.R.M Marketing Leaflet. URL: http://gyrmed.hu/pdf/-3673_Leaflet_Sepineo_SE_68_gb.pdf (diakses tanggal 16/06/2022).
- Serpone, N., 2021. Sunscreens and their usefulness: have we made any progress in the last two decades? *Photochemical and Photobiological Sciences*, 20: 189–244.
- Shoviantari, F. dan Agustina, L., 2020. Penyuluhan Pencegahan Kanker Kulit dengan Penggunaan Tabir Surya. *Journal of Community Engagement and Employment*. 3: 40–41.
- Sinala, S., Ibrahim, I., Salasa, A.M., dan Dewi, R., 2021. Potensi Aktivitas Tabir Surya Ekstrak Daun dan Kulit Batang Dengan (*Dillenia serrata*) secara In Vitro. *Media Farmasi*, 16: 109.
- Sopyan, I., Permata, R.D., Gozali, D., dan Syah, I.S.K., 2019. Formulation of Lotion from Black Tea Extract (*Camellia Sinensis Linnaeus*) as Sunscreen. *International Journal of Applied Pharmaceutics*, 11: 205.
- Souto, E.B., Sampaio, A.C., Campos, J.R., Martins-Gomes, C., Aires, A., dan Silva, A.M., 2019. Polyphenols for skin cancer: Chemical properties, structure-related mechanisms of action and new delivery systems. *Studies in Natural Products Chemistry*. Elsevier, 2: 21–42.
- Supriadi, D. dan Gozali, D., 2014. Formulasi Sediaan Krim Ekstrak Etanol Daun Teh Hijau (*Camellia Sinensis* L.) sebagai Pelindung Sinar Ultra Violet 1: 5.
- Tanner, P.R., 2006. Sunscreen Product Formulation. *Dermatologic Clinics*, 24: 53–62.

- Ulaen, S.P.J., Banne, Y.S., Ririn, A., 2012. Pembuatan Salep Anti Jerawat dari Ekstrak Rimpang Temulawak (*Curcuma xanthoriza* Roxb.). *Jurnal Ilmiah Farmasi*, 3: 45-49.
- Vicentini, F.T.M.C., He, T., Fonseca, M.J.V., Verri, W.A., Fisher, G.J., dan Xu, Y., 2011. Quercetin inhibits UV irradiation-induced inflammatory cytokine production in primary human keratinocytes by suppressing NF- κ B pathway. *Journal of Dermatological Science*, 61: 162–168.
- Wang, H., Provan, G.J., dan Helliwell, K., 2000. Tea Flavonoids: Their functions, Utilisation and Analysis. *Food Science and Technology*, 11: 152–160.
- Widyastuti, W., Fratama, R.I., dan Seprialdi, A., 2015. Pengujian Aktivitas Antioksidan Dan Tabir Surya Ekstrak Etanol Kulit Buah Naga Super Merah (*Hylocereus costaricensis* (F.A.C. Weber) Britton & Rose). *Scientia : Jurnal Farmasi dan Kesehatan*, 5: 69.
- Wiraningtyas, A., Ruslan, R., Agustina, S., dan Hasanah, U., 2019. Penentuan Nilai Sun Protection Factor (SPF) dari Kulit Bawang Merah. *Jurnal Redoks : Jurnal Pendidikan Kimia Ilmu Kimia*, 2: 34–43.
- Wulandari, L., Suhartinah, dan Nopiyanti, V., 2021. Formulasi dan Uji Aktivitas Perlindungan Tabir Surya Emulgel Ekstrak Etanol Kulit Bawang Merah (*Allium cepa* L.) secara In Vitro dan In Vivo, *CERATA Jurnal Ilmu Farmasi*, 12: 1–8.
- Yang, Z., Price, N.E., Johnson, K.M., Wang, Y., dan Gates, K.S., 2017. Interstrand cross-links arising from strand breaks at true abasic sites in duplex DNA. *Nucleic Acids Research*, 45: 6275–6283.
- Zhang, Q., Shen, X., Chang, S., Ou, W., dan Zhang, W., 2021. Effect of oil properties on the formation and stability of Pickering emulsions stabilized by ultrafine pearl powder. *Journal of Molecular Liquids*, 1375: 1–5.