

DAFTAR PUSTAKA

- Adiat, K. A. N., Nawawi, M. N. M., dan Abdullah, K., 2012, Assessing the accuracy of GIS-based elementary multi criteria decision analysis as a spatial prediction tool—A case of predicting potential zones of sustainable groundwater resources: *Journal of Hydrology*, v. 440, p. 75-89
- Agarwal, E., Agarwal, R., Garg, R. D., dan Garg, P. K., 2013, Delineation of groundwater potential zone: An AHP/ANP approach: *Earth System Science*, v. 122, p. 887-898, doi.org/10.1007/s12040-013-0309-8
- Agarwal, R., dan Garg, P. K., 2015, Remote Sensing and GIS Based Groundwater Potential & Recharge Zones Mapping Using Multi-Criteria Decision Making Technique: *Water Resour Manage*, v. 30, p. 243 – 260, doi.org/10.1007/s11269-015-1159-8
- Ahirwar, R., Malik, M. S., AHIRWAR, S., dan Shukla, J. P., 2021, Groundwater potential zone mapping of Hoshangabad and Budhni industrial area, Madhya Pradesh, India: *Groundwater for Sustainable Development*, v. 14, p. 100631-100642, doi.org/10.1016/j.gsd.2021.100631
- Arulbalaji, P., Padmalal, D., dan Sreelash, K., 2019, GIS and AHP Techniques Based Delineation of Groundwater Potential Zones: a case study from Southern Western Ghats, India: *Scientific Reports*, v. 9, p. 2082-2099, doi.org/10.1038/s41598-019-38567-x
- Arunbose, S., Srinivas, Y., Rajkumar, S., Nair, N. C., dan Kaliraj, S., 2021, Remote sensing, GIS and AHP techniques based investigation of groundwater potential zones in the Karumeniyar river basin, Tamil Nadu, southern India: *Groundwater For Sustainable Development*, v. 14, p. 100586-100599, doi.org/10.1016/j.gsd.2021.100586
- Atmadja, R. S., Maury, R. C., Bellon, H., Pringgoprawiro, H., Polve, M., dan Priadi, B., 1994, Tertiary Magmatic Belts in Java: *Journal of Southeast Asian Earth Sciences*, v. 9, p. 13-27, doi: 10.1016/0743-9547(94)90062-0
- Atmaja, R. R. S., 2019, Identifikasi Zona Potensi Air Tanah Di Daerah Air Tanah Langka, Banjarnegara Bagian Selatan, Jawa Tengah (Unpublished M.Eng thesis): Yogyakarta, Universitas Gadjah Mada, 144 p.
- Aykut, T., 2021, Determination of groundwater potential zones using Geographical Information Systems (GIS) and Analytic Hierarchy Process (AHP) between Edirne-Kalkansogut (northwestern Turkey): *Groundwater For Sustainable Development*, v.12, p. 100545-100561, doi.org/10.1016/j.gsd.2021.100545
- Barianto, D. H., Margono, U., Husein, S., Novian, M. I., dan Permana, A. K., 2017, Peta Geologi Lembar Wonosari (1408-31), Jawa: Pusat Survei Geologi, skala 1:50.000, 1 lembar
- Brunelli, M., 2015, Introduction to the Analytic Hierarchy Process: SpringerBriefs in Operations Research, 83 p., doi.org/10.1007/978-3-319-12502-2



Chairunnisa, N.(2020, 2 September). Kekeringan Melanda 15 dari 18 Kecamatan di Gunung Kidul. *Tempo.co*. Diambil dari <https://nasional.tempo.co/read/1381761/kekeringan-melanda-15-dari-18-kecamatan-di-gunungkidul>

Djaeni, A., 1982, Peta Hidrogeologi Indonesia Lembar IX Yogyakarta (Jawa), Bandung: Direktorat Geologi Tata Lingkungan, Skala 1:250.000, 1 lembar

Doke, A. B., Zolekar, R. B., Patel, H., dan Das, S., 2021, Geospatial mapping of groundwater potential zones using multi-criteria decision-making AHP approach in a hardrock basaltic terrain in India: Ecological Indicators, v. 127, p. 107685-107701, doi.org/10.1016/j.ecolind.2021.107685

Freeze, R. A., dan Cherry, J. A., 1979, Groundwater: United States of America, Prentice Hall Inc., 624 p.

Hasibuan, H., Rafsanjani, A. H., Putra, D. P. E., Surjono, S. S., Identification of groundwater potential zones in the Southern Mountains, Yogyakarta Special Region, 7 p., doi:10.1088/1755-1315/926/1/012086

Husein, S., dan Sriyono., 2007, Tinjauan Geomorfologi Pegunungan Selatan DIY/Jawa Tengah: telaah peran faktor endogenik dan eksogenik dalam proses pembentukan pegunungan: ResearchGate, 10 p., DOI: 10.13140/RG.2.1.2784.0727

Kementerian ESDM, 2021, One Map ESDM Kegeologian. Diambil dari <https://onemap.esdm.go.id/map/geologi.html>

Mandal, P., Saha, J., Bhattacharya, S., dan Paul, S., 2021, Delineation of groundwater potential zones using the integration of geospatial and MIF techniques: A case study on Rarh region of West Bengal, India: Environmental Challenges, v. 5, p. 100396-100411, doi.org/10.1016/j.envc.2021.100396

Mukherjee, I., dan Singh, U., K., 2020, Delineation of groundwater potential zones in a drought-prone semi-arid region of east India using GIS and analytical hierarchical process techniques: Catena, v. 194, p. 104681-104699, doi.org/10.1016/j.catena.2020.104681

Navarre-Sitchler, A., dan Brantley, S. L., 2015, How Porosity Increases During Incipient Weathering of Crystalline Silicate Rocks: Reviews in Mineralogy & Geochemistry, v. 80, p. 331-354, <https://doi.org/10.2138/rmg.2015.80.10>

Naves, A., Samper, J., Pisani, B., Mon, A., Dafonte, J., Montenegro, L., dan Garcia-Tomillo, A., 2021, Hydrogeology and groundwater management in a coastal granitic area with steep slopes in Galicia (Spain): Hydrogeology Journal, v. 29, p. 2655-2669 <https://doi.org/10.1007/s10040-021-02349-5>

Novian, M. I., Setiawan, P. K. D., Husein, S., dan Rahardjo, W., 2007, Stratigrafi Formasi Semilir Bagian Atas di Dusun Boyo, Desa Ngalang, Kecamatan Gedangsari, Kabupaten Gunung Kidul, DIY: Pertimbangan Untuk Penamaan Anggota Buyutan: Kumpulan Makalah Workshop Yogyakarta, p. 201-214

Patra, S., Mishra, P., dan Mahapatra, S. C., 2018, Delineation of Groundwater Potential Zone for Sustainable Development: A Case Study from Ganga Alluvial Plain Covering Hooghly



District of India using Remote Sensing, Geographic Information System and Analytic Hierarchy Process: Journal of Cleaner Production, v. 172, p. 2485-2502, doi.org/10.1016/j.clepro.2017.11.161

Pertana, P. R.(2018, 19 Oktober). Kemarau, Gunungkidul Bagian Utara juga Krisis Air Bersih. *Detiknews*. Diambil dari <https://news.detik.com/berita-jawa-tengah/d-4264815/kemarau-gunungkidul-bagian-utara-juga-krisis-air-bersih>

Prasetyadi, C., Sudarno, I., Indranadi, V. B., dan Surono., 2011, Pola dan Genesa Struktur Geologi Pegunungan Selatan, Provinsi Daerah Istimewa Yogyakarta dan Provinsi Jawa Tengah: Jurnal Sumber Daya Geologi, v. 20(2), p. 91-107

Pratistho, B., Pratiknyo, P., Rodhi, A., Prasetyadi, C., Massora, M. R., dan Munandar, Y. K., 2018, Hubungan Struktur Geologi dan Sistem Air Tanah: Yogyakarta, LPPM UPN Yogyakarta Press, 91p

Pulunggono, A., dan Martodjojo, S., 1994, Perubahan tektonik Paleogen-Neogen merupakan peristiwa tektonik penting di Jawa, Kumpulan Makalah Seminar Geologi dan Geotektonik Pulau Jawa sejak Akhir Mesozoik hingga Kuarter: Yogyakarta, Jurusan Teknik Geologi Universitas Gadjah Mada, p. 1 – 14.

Rahardjo, W., 2007, Foraminiferal Biostratigraphy of Southern Mountains Tertiary Rocks, Yogyakarta Special Province:-

Rahardjo, W., Sukandarrumidi., Rosidi, H. M. D., 1995, Peta Geologi Lembar Yogyakarta, Jawa: Pusat Penelitian dan Pengembangan Geologi, skala 1:100.000, 1 lembar

Rahmati, O., Samani, A. N., Mahdavi, M., Pourghasemi, H. R., dan Zeinivand, H., 2014, Groundwater potential mapping at Kurdistan region of Iran using analytic hierarchy process and GIS: Arabian Journal of Geosciences, v. 8(9), p. 7059-7071, DOI 10.1007/s12517-014-1668-4

Rao, N. S., 2006, Groundwater potential index in a crystalline terrain using remote sensing data: Environmental Geology, v. 50, p. 1067 – 1076, DOI 10.1007/s00254-006-0280-7

Saaty, T. L., 2008, Decision making with the analytic hierarchy process: International Journal of Service Science, v. 1, p. 83 – 98, DOI: 10.1504/IJSSCI.2008.017590

Satyana, A. H., 2005, Structural Indentation of Central Java: A Regional Wrench Segmentation: Proceeding Joint Convention, p. 193 – 204.

Shaban, A., Khawlie, M., dan Abdallah, C., 2006, Use of remote sensing and GIS to determine recharge potential zones: the case of Occidental Lebanon: Hydrogeology Journal, v. 14, p. 433 – 443, DOI 10.1007/s10040-005-0437-6

Shao, Z., Huq, M., E., Cai, B., Altan, O., dan Li, Y., 2020, Integrated remote sensing and GIS approach using Fuzzy-AHP to delineate and identify groundwater potential zones in semi-arid Shanxi Province, China: Environmental Modelling and Software, v. 134, p. 104868, doi.org/10.1016/j.envsoft.2020.104868



Singhal, B. B. S., dan Gupta, R. P., 2010, Applied Hydrogeology of Fractured Rocks Second Edition: London, New York, Springer Dordrecht Heidelberg, 429 p., DOI 10.1007/978-90-481-8799-7

Smyth, H., Hall, R., Hamilton, J., dan Kinny, P., 2005, EAST JAVA: CENOZOIC BASINS, VOLCANOES AND ANCIENT BASEMENT: Proceedings Indonesian Petroleum Association, p 251-266., DOI:10.29118/ipa.629.05.g.045

Surono., 2008, Litostratigrafi dan Sedimentasi Formasi Kebo dan Formasi Butak di Pegunungan Baturagung, Jawa Tengah Bagian Selatan: Jurnal Geologi Indonesia, v. 3(4), p. 183-193

Surono., 2009, Litostratigrafi Pegunungan Selatan Bagian Timur Daerah Istimewa Yogyakarta dan Jawa Tengah: Jurnal Sumber Daya Geologi, v. 19(3), p. 31-43

Surono., dan Permana, A., 2011, Lithostratigraphic and Sedimentological Significants of Deepening Marine Sediments of The Sambipitu Formation Gunung Kidul Residence, Yogyakarta: Bulletin MGI, v. 26, p. 15-30

Surono., Toha, B., dan Sudarno, I., 1992, Peta Geologi Lembar Surakarta-Giritontro, Jawa: Pusat Penelitian dan Pengembangan Geologi, Skala 1:100.000, 1 lembar

Sutanto., 2003, Himpunan Batuan dan Keanekaragaman Proses Pada Batuan Vulkanik di Lingkungan Busur Kepulauan dan Tepi Benua Aktif: Jurnal Ilmu Kebumian Teknologi Mineral, v. 16(2), p. 58-120

Wicaksono, P.(2018, 26 Juni). Masuki Kemarau, Gunungkidul Bagian Selatan Mulai Alami Kekeringan. *Tempo.co*. Diambil dari <https://nasional.tempo.co/read/1101109/masuki-kemarau-gunungkidul-bagian-selatan-mulai-alami-kekeringan>

Yuwono, M.(2021, 21 Mei). Kekeringan Mulai Landa Gunungkidul, Warga Harus Bayar hingga Rp.200.000 untuk Beli Air. *Kompas.com*. Diambil dari <https://regional.kompas.com/read/2021/05/21/183000678/kekeringan-mulai-landa-gunungkidul-warga-harus-bayar-hingga-rp-200000-untuk?page=all>