

DAFTAR PUSTAKA

- Aher, R.B., Wanare, G., Kawathekar, N., Kumar, R.R., Kaushik, N.K., Sahal, D., and Chauhan, V.S., 2011, Dibenzylideneacetone analogues as novel Plasmodium falciparum inhibitors, *Bioorganic Med. Chem. Lett.*, 21 (10), 3034–3036.
- Alidmat, M.M., Khairuddean, M., Norman, N.M., Asri, A.N.M., Suhaimi, M.H.M., and Sharma, G., 2021, Synthesis, characterization, docking study and biological evaluation of new chalcone, pyrazoline, and pyrimidine derivatives as potent antimalarial compounds, *Arab. J. Chem.*, 14 (9), 1-15.
- Anisa, D.N., Anwar, C., and Hapin, A., 2020, Sintesis Senyawa Analog Kurkumin Berbahan Dasar Veratraldehida Dengan Metode Ultrasound, *Analit*, 5 (1), 74–81.
- Anonim, 2019, *Profil Kesehatan Indonesia*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Anonim, 2020, *World Malaria Report 2020: 20 years of global progress and challenges*, World Health Organization, Luxembourg.
- de Araújo, R.S., de Alcântara, A.M., Abegão, L.M.G., de Souza, Y.P., Brandão Silva, A.C., Machado, R., Joatan Rodrigues, J., Rodriguez Pliego, J., d’Errico, F., Siqueira Valle, M., and de Alencar, M.A.R.C., 2020, Second harmonic generation in pyrazoline derivatives of dibenzylideneacetones and chalcone: A combined experimental and theoretical approach, *J. Photochem. Photobiol. A. Chem.*, 388, 1-10.
- Aronimo, B.S., Okoro, U.C., Ali, R., Ibeji, C.U., Ezugwu, J.A., and Ugwu, D.I., 2021, Synthesis, molecular docking and antimalarial activity of phenylalanine-glycine dipeptide bearing sulphonamide moiety, *J. Mol. Struct.*, 1246, 1-7.
- Astuti, E., Raharjo, T.J., Boangmanalu, P.M., Putra, I.S.R., Waskitha, S.S.W., and Solin, J., 2021, Synthesis, molecular docking, and evaluation of some new curcumin analogs as antimalarial agents, *Indones. J. Chem*, 21 (2), 452–461.
- Balaji, S.N., Ahsan, M.J., Jadav, S.S., and Trivedi, V., 2019, Molecular modelling, synthesis, and antimalarial potentials of curcumin analogues containing heterocyclic ring, *Arab. J. Chem.*, 12 (8), 2492–2500.
- Batista, R., de Jesus Silva Júnior, A., and de Oliveira, A.B., 2009, Plant-derived antimalarial agents: new leads and efficient phytomedicines. part II. non-alkaloidal natural products, *Molecules*, 14 (8), 3037-3072.
- Chaniad, P., Mungthin, M., Payaka, A., Viriyavejakul, P., and Punsawad, C., 2021, Antimalarial properties and molecular docking analysis of compounds from *Dioscorea bulbifera* L. as new antimalarial agent candidates, *BMC Complement. Med. Ther.*, 21 (1), 144.

- Chugh, A., Kumar, A., Verma, A., Kumar, S., and Kumar, P., 2020, A review of antimalarial activity of two or three nitrogen atoms containing heterocyclic compounds, *Med. Chem. Res.*, 29 (10), 1723-1750.
- Congpuong, K., Sirtichaisinthop, J., Tippawangkosol, P., Suprakrob, K., Na-Bangchang, K., Tan-Ariya, P., and Karbwang, J., 1998, Incidence of antimalarial pretreatment and drug sensitivity in vitro in multidrug-resistant *Plasmodium falciparum* infection in Thailand, *Tran. R. Soc. Trop. Med. Hyg.*, 92 (1), 84–86.
- Deck, L.M., Hunsaker, L.A., vander Jagt, T.A., Whalen, L.J., Royer, R.E., and vander Jagt, D.L., 2018, Activation of antioxidant Nrf2 signaling by enone analogues of curcumin, *Eur. J. Med. Chem.*, 143, 854–865.
- Dohutia, C., Chetia, D., Gogoi, K., and Sarma, K., 2017, Design, in silico and in vitro evaluation of curcumin analogues against *Plasmodium falciparum*, *Exp. Parasitol.*, 175, 51–58.
- Ekawati, L., 2019, Sintesis Senyawa N-Fenil dan N-Asetilpirazolina melalui Intermediet Dibenzalaseton dan Uji Aktivitas Antimalariannya, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Fadare, O.A., Iwalewa, E.O., Obafemi, C.A., and Olatunji, F.P., 2017, In-silico Antimalarial Study of Monocarbonyl Curcumin Analogs and Their 2,4-Dinitro Phenylhydrazones Using the Inhibition of Plasmepsin II as Test Model, *Am. J. Pharmacol. Sci.*, 5 (2), 18–24.
- Farooq, S. and Ngaini, Z., 2020, One-Pot and Two-Pot Synthesis of Chalcone Based Mono and Bis-Pyrazolines, *Tetrahedron Lett.*, 61 (4), 1–14.
- Frengki, Saura, E.R., and Rinidar, 2013, Studi Interaksi Kurkumin-Artemisin dan Turunannya Terhadap Reseptor Sarcoendoplasma Reticulum Ca^{+2} Secara in Silico, *J. Med. Vet.*, 7 (2), 138-141
- Hakim, L., 2011, Malaria: Epidemiologi dan Diagnosis, *Aspirator*, 3 (2), 107–116.
- Hawaiz, F.E. and Shekh Omer, D.A., 2017, Ultrasound-assisted Synthesis of Some New Curcumin Analogs and Their Corresponding Pyrazoline Derivatives, *ARO Sci. J.*, 5 (1), 30–35.
- Jain, S.K. and Singhal, R., 2020, A Review on Pyrazoline Derivatives as Antimicrobial Agent, *Int. J. Pharm. Pharm. Sci.*, 12 (6), 15–24.
- Jung, H.J., Kyoung Lee, A., Park, Y.J., Lee, S., Kang, D., Jung, Y.S., Young Chung, H., and Ryong Moon, H., 2018, (2E,5E)-2,5-Bis(3-hydroxy-4-methoxybenzylidene) cyclopentanone exerts anti-melanogenesis and anti-wrinkle activities in B16F10 melanoma and hs27 fibroblast cells, *Molecules*, 23 (6), 1-13.
- Kumar, P., Kandi, S.K., Manohar, S., Mukhopadhyay, K., and Rawat, D.S., 2019, Monocarbonyl Curcuminoids with Improved Stability as Antibacterial Agents against *Staphylococcus aureus* and Their Mechanistic Studies, *ACS Omega*, 4 (1), 675–687.

- Manohar, S., Khan, S.I., Kandi, S.K., Raj, K., Sun, G., and Yang, X., 2013, Synthesis, antimalarial activity, and cytotoxic potential of new monocarbonyl analogues of curcumin, *Bioorganic Med. Chem. Lett.*, 23 (1), 112–116.
- Mantzanidou, M., Pontiki, E., and Hadjipavlou-Litina, D., 2021, Pyrazoles and pyrazolines as anti-inflammatory agents, *Molecules*, 26 (11). 1-18.
- Matiadis, D. and Sagnou, M., 2020, Pyrazoline hybrids as promising anticancer agents: An up-to-date overview, *Int. J. Mol. Sci.*, 21 (15), 1–41.
- Min, Z., Zhu, Y., Hong, X., Yu, Z., Ye, M., Yuan, Q., and Hu, X., 2020, Synthesis and biological evaluations of monocarbonyl curcumin inspired pyrazole analogues as potential anti-colon cancer agent, *Drug Des. Devel. Ther.*, 14, 2517–2534.
- Mulyana, F.E., 2020, Sintesis Turunan Kalkon dan Pirazolina dari 2,4 Dimetoksiasetofenon serta Uji Aktivitasnya sebagai Senyawa Antimalaria, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Mustofa, 2009, *Obat Antimalaria Baru: Antara Harapan dan Kenyataan*, Pidato pengukuhan jabatan Guru Besar, Yogyakarta.
- Nagargoje, A.A., Akolkar, S. v., Siddiqui, M.M., Bagade, A. v., Kodam, K.M., Sangshetti, J.N., Damale, M.G., and Shingate, B.B., 2019, Synthesis and evaluation of pyrazole-incorporated monocarbonyl curcumin analogues as antiproliferative and antioxidant agents, *J. Chin. Chem. Soc.*, 66 (12), 1658–1665.
- Nehra, B., Rulhania, S., Jaswal, S., Kumar, B., Singh, G., and Monga, V., 2020, Recent advancements in the development of bioactive pyrazoline derivatives, *Eur. J. Med. Chem.*, 205, 1-34.
- Nguyen, P.T.V., Nguyen, G.L.T., Thi Dinh, O., Duong, C.Q., Nguyen, L.H., and Truong, T.N., 2022, In search of suitable protein targets for anti-malarial and anti-dengue drug discovery, *J. Mol. Struct.*, 1256, 1-20.
- Pandey, A.K., Sharma, S., Pandey, M., Alam, M.M., Shaquiquzzaman, M., and Akhter, M., 2016, 4, 5-Dihydrooxazole-pyrazoline hybrids: Synthesis and their evaluation as potential antimalarial agents, *Eur. J. Med. Chem.*, 123, 476–486.
- Pandey, P., Singh, S., Tewari, N., Srinivas, K.V.N.S., Shukla, A., Gupta, N., Vasudev, P.G., Khan, F., Pal, A., Bhakuni, R.S., Tandon, S., Kumar, J.K., and Banerjee, S., 2015, Hairy root mediated functional derivatization of artemisinin and their bioactivity analysis, *J. Mol. Catal. B Enzym.*, 113, 95–103.
- Patel, K., Karthikeyan, C., Hari Narayana Moorthy, N.S., Deora, G.S., Solomon, V.R., Lee, H., and Trivedi, P., 2012, Design, synthesis and biological evaluation of some novel 3-cinnamoyl-4-hydroxy-2H-chromen-2-ones as antimalarial agents, *Med. Chem. Res.*, 21 (8), 1780–1784.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.R., 2013, *Introduction to Spectroscopy*, 5th, Cengage Learning, Washington.

- Pinzi, L. and Rastelli, G., 2019, Molecular docking: Shifting paradigms in drug discovery, *Int. J. Mol. Sci.*, 20, 1-23.
- Piras, F.R., 2012, Gambaran Perilaku Kesehatan Terhadap Penyakit Malaria Pada Masyarakat di Desa Pondok Kecamatan Umbu Ratu Nggay Barat Kabupaten Sumba Tenga, *Skripsi*, Universitas Kristen Satya Wacana, Salatiga.
- Raghuvanshi, D.S., Verma, N., Singh, S.V., Khare, S., Pal, A., and Negi, A.S., 2019, Synthesis of thymol-based pyrazolines: An effort to perceive novel potent-antimalarials, *Bioorg. Chem.*, 88, 1-11.
- Rodrigues, F.C., Kumar, N.A., and Thakur, G., 2021, The potency of heterocyclic curcumin analogues: An evidence-based review, *Pharmacol. Res.*, 166, 1-27.
- Ross, L.S. and Fidock, D.A., 2019, Elucidating Mechanisms of Drug-Resistant *Plasmodium falciparum*, *Cell Host Microbe*, 26 (1), 35-47.
- Sardjiman, 2000, Synthesis of Some New Series of Curcumin Analogues, *Disertasi* Gadjah Mada University, Yogyakarta.
- Shetty, D., Kim, Y.J., Shim, H., and Snyder, J.P., 2015, Eliminating the heart from the curcumin molecule: Monocarbonyl curcumin mimics (MACs), *Molecules*, 20 (1), 249-292.
- Singh, A., Singh, J.V., Rana, A., Bhagat, K., Gulati, H.K., Kumar, R., Salwan, R., Bhagat, K., Kaur, G., Singh, N., Kumar, R., Singh, H., Sharma, S., and Bedi, P.M.S., 2019, Monocarbonyl curcumin based molecular hybrids as potent antibacterial agents, *ACS Omega*, 4 (7), 1-50.
- Slater, L., Betson, M., Ashraf, S., Sargison, N., and Chaudhry, U., 2021, Current methods for the detection of antimalarial drug resistance in *Plasmodium* parasites infecting humans, *Acta. Trop.*, 216, 105828.
- Staines, H.M. and Krishna, S., 2012, *Treatment and Prevention of Malaria: Antimalarial Drug Chemistry, Action and Use*, Springer, London.
- Stansyah, Y.M., 2019, Sintesis Turunan Kalkon dan N-Fenil Pirazolina Berbahan Dasar p-anisaldehyda dan Uji Aktivitas Antimalariannya, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Syahri, J., 2017, Sintesis Senyawa Turunan Kalkon sebagai Antimalaria Berdasarkan Studi Quantitative Structure-Activity Relationships (Qsar) Synthesis of Chalcone Derivatives as Antimalarial Activity Based on Quantitative Structure-Activity Relationships (Qsar) Studies, *Disertasi*, Universitas Gadjah Mada, Yogyakarta.
- Syahri, J., Nasution, H., Nurohmah, B.A., Purwono, B., Yuanita, E., Zakaria, N.H., and Hassan, N.I., 2020, Design, synthesis and biological evaluation of aminoalkylated chalcones as antimalarial agent, *Sains Malays.*, 49 (11), 2667-2677.
- Syamsudin, 2005, Mekanisme Kerja Obat Antimalaria, *J. Ilm. Kefarm. Indones.*, 3 (1), 37-40.

- Tahghighi, A., Mohamadi-Zarch, S.M., Rahimi, H., Marashiyani, M., Maleki-Ravasan, N., and Eslamifar, A., 2020, In silico and in vivo anti-malarial investigation on 1-(heteroaryl)-2-((5-nitroheteroaryl) methylene) hydrazine derivatives, *Malar. Journal*, 19 (1), 1-12.
- Thaçi, V., Hoti, R., Berisha, A., and Bogdanov, J., 2020, Corrosion study of copper in aqueous sulfuric acid solution in the presence of (2E,5E)-2,5-dibenzylidenecyclopentanone and (2E,5E)-bis[(4-dimethylamino) benzylidene] cyclopentanone: Experimental and theoretical study, *Open Chem. J.*, 18 (1), 1412–1420.
- Tuha, A., Bekhit, A.A., and Seid, Y., 2014, Synthesis and biological screening of some thienyl and phenyl pyrazoline derivatives as antimalarial agent, *Thai J. Pharm. Sci.*, 38 (3), 121–129.
- Vahedpour, T., Hamzeh-Mivehroud, M., Hemmati, S., and Dastmalchi, S., 2021, Synthesis of 2-Pyrazolines from Hydrazines: Mechanisms Explained, *ChemistrySelect*, 6 (25), 6483-6506.
- Vyas, V.K., Bhati, S., Patel, S., and Ghate, M., 2021, Structure- and ligand-based drug design methods for the modeling of antimalarial agents: a review of updates from 2012 onwards, *J. Biomol. Struct. Dyn.*, 1-26
- Wang, Z., Mu, W., Li, P., Liu, G., and Yang, J., 2021, Anti-inflammatory activity of ortho-trifluoromethoxy-substituted 4-piperidione-containing monocarbonyl curcumin derivatives in vitro and in vivo, *Eur. J. Pharm. Sci.*, 160, 1-12.
- Yadav, N., Dixit, S.K., Bhattacharya, A., Mishra, L.C., Sharma, M., Awasthi, S.K., and Bhasin, V.K., 2012, Antimalarial Activity of Newly Synthesized Chalcone Derivatives In Vitro, *Chem. Biol. Drug Des.*, 80, 340-347
- Ye, L., Chen, X., Wang, M., Jin, L., Zhuang, Z., Yang, D., Guan, X., Samorodov, A. v., Pavlov, V.N., Chattipakorn, N., Feng, J., Wang, Y., Luo, W., and Liang, G., 2021, Curcumin analogue C66 attenuates obesity-induced myocardial injury by inhibiting JNK-mediated inflammation, *Biomed. Pharmacother.*, 143, 1-11.
- Yusuf, A.S., Sada, I., Hassan, Y., Olomola, T.O., Adeyemi, C.M., and Ajibade, S.O., 2018, Synthesis, Antimalarial Activity, and Docking Studies of Monocarbonyl Analogues of Curcumin, “*Ovidius*” *Univ. Ann. Chem.*, 29 (2), 92–96.
- Zamrus, S.N.H., Akhtar, M.N., Yeap, S.K., Quah, C.K., Loh, W.S., Alitheen, N.B., Zareen, S., Tajuddin, S.N., Hussin, Y., and Shah, S.A.A., 2018, Design, synthesis and cytotoxic effects of curcuminoids on HeLa, K562, MCF-7 and MDA-MB-231 cancer cell lines, *Chem. Cent. J.*, 12 (1), 1-10.