

DAFTAR PUSTAKA

- Ahmad, M. and Khan, M.S. 2011. Plant growth promoting fungicides-tolerant rhizobium improved growth and symbiotic characteristics of lentil (*Lens esculentus*) in fungicide applied soil. *Journal of Plant growth Regulation*, 23: 32–39. doi: 10.1007/s00344.011.9195.y.
- Aksoy, O., A. Deveci, S. Kizilirmak., and G.B. Akdeniz. 2013. Phytotoxic Effect of Quizalofop-P-Ethyl on Soybean (*Glycine max* L.). *J Biol Environ Sci*, 7:49-55. doi: 10.1080/00087114.2016.1275931.
- Aldila, H. F., Fariyanti, A., dan Tinaprilla, N. 2017. Daya Saing Bawang Merah Di Wilayah Sentra produksi Di Indonesia. *Jurnal Manajemen dan Agribisnes*, 14, 1: 43-53. doi: 10.17358/jma.14.1.43.
- Allen, R. D., Webb. R. P., Schake, S. A. 1997. Use of transgenic plants to study antioxidant defenses. *Free Rad Biol Med*, 23: 472– 479. doi: 10.1016/s0891.5849.97.00107.x.
- Aryanta, I. W. R. 2019. Bawang Merah Dan Manfaatnya Bagi Kesehatan. *Widya Kesehatan*, 1, 1: 29–35. doi: 10.32795/widyakesehatan.v1i1.280.
- Aqa, Mohammad., Yan, C., Mohammad, A., Bello, H. J., M. Hnin, W., Kangzhuo, Y., Xiaoxue, H., Tiantian, Luo., Li Ye., Chunxing Dong., Bin Hu., S. V. G. N. Priyadarshani., G. Wang-Pruski. and Yuan, Q. 2021. Phosphite Triggered Plants Defense Response Systems in Plants Under Biotic and Abiotic Stresses: Revisiting the Crucial Role of Phosphite Triggered Plants DefenseResponse.*Front Microbial*.12:631318.doi:10.3389/fmicb.2021.631318.
- Badan Litbang Pertanian. 2006. *Prospek dan Arah Pengembangan Agribisnis Bawang Merah*. Badan Penelitian dan Pengembangan Pertanian Kementerian Pertanian. Jakarta.
- Badan Pusat Statistik. 2018. *Statistik Tanaman Sayuran dan Buah-buahan Semusim Indonesia*. Badan Pusat Statistik Republik Indonesia. Jakarta.
- Bashir, F., Siddiqi, T.O., Mahmooduzzafar Iqbal, M. 2007. The antioxidative response system in *Glycine max* (L.) Merr. exposed to deltamethrin, a synthetic pyrethroid insecticide. *Environ Pollut*, 147: 94–100. doi: 10.1016/j.envpol.2006.08.013.
- Cakmak I, Horst W J. 1991. Effect of aluminium on lipid peroxidation,

- superoxide dismutase, catalase, and peroxidase activities in root tips of soybean (*Glycine max*). *Physiol Plant*, 83: 463–468. doi: 10.1111/j.1399-3054.1991.tb00121.x.
- Černý, M., Habánová, H., Berka, M., Luklová, M., and Brzobohatý, B. 2018. Hydrogen peroxide: its role in plant biology and crosstalk with signalling networks. *Int. J. Mol. Sci*, 19: 2812. doi:10.3390/ijms19092812.
- Das, K., and Royschoudhury. 2014. Reactive Oxygen Species (ROS) and Response of Antioxidants as ROS-Scavengers During Environmental Stress in Plants. *Frontiers in Environmental Science*, 1-13. doi: 10.3389/fenvs.2014.00053.
- De Vos, C. H. R., Schat, H. 1991. *Free radicals and heavy metal tolerance*. In: *Ecological Responses to Environmental Stress* (Rozema J., Verkleij J. A. C., eds.). USA, Boston: Kluwer Academic Publishers. ISSN: 0167-9406.
- Dey A., and De J.N. 2012. Antioxidative potential of bryophytes: stress tolerance and commercial perspectives: a review. *Pharmacologia*, 3: 151–159. doi: 10.17311/pharmacologia.2012.151.159.
- Dias, M. C. 2012. Phytotoxicity: An Overview of the Physiological Responses of Plants Exposed to Fungicides. *Journal of Botany*, Volume 2012, 4: 1-5. doi: 10.1155.2012.135479.
- Dinakar, N., P.C. Nagajyothi, S. Suresh., Y. Udaykiran., T. Damodharam. 2007. Phytotoxicity of cadmium on protein, proline, and antioxidant enzyme activities in growing *Arachis hypogaea* L. seedlings. *Journal of Environmental Sciences*, 20: 199–206. doi: 10.1016/s1001-0742.08.60032.7.
- Djojsumarto, P. 2008. *Panduan Lengkap Pestisida & Aplikasinya*. PT AgroMedia Pustaka: Jakarta. Hal: 1-17: 279-291. ISBN: 979-006-145-5.
- EPA. 2005. *Reregistration Eligibility Decision for Mancozeb*. United States Environmental Protection Agency.
- Faize, M., L. Burgos, L. F., A. Piquereas., E. Nicolas., G. Barba-Espin., M.J. Clemente M., R. Alcobendas., T. Artlip., and J.A. Hernandez. 2011. Involvement of Cytosolic Ascorbate Peroxidase and Cu/Zn-Superoxide Dismutase for Improves Tolerance Against Drought Stress. *J Exp Bot*, 62: 2599-2613. doi: 10.1093/jxb/erq432.
- Fatma, F., Kamal, A., dan Srivastava, A. 2017. Morphotoxicity of Fungicide

- Mancozeb on Two Genotypes of Vigna. *International Journal of Botany and Research (IJBR)*, 7,2: 7-14. ISSN: 2319-4456.
- Fatma, F., Verma, S., Kamal, A., & Srivastava, A. 2018. Phytotoxicity of pesticides mancozeb and chlorpyrifos: correlation with the antioxidative defence system in *Allium cepa*. *Physiology and Molecular Biology of Plants*, 24, 1: 115–123. doi:10.1007/s12298.017.0490.3.
- Fensia, A. S., Hattu, N., Huliselan, M. 2019. Uji Aktivitas Antioksidan Ekstrak Metanol Biji Kesumba Keling (*Bixa orellana* L). *Indo. J. Chem. Res*, 7, 1: 25-31. doi: 10.30598//ijcr.2019.7.fas.
- Foyer, C. H, Descourviers P, Kunert K.J. 1994. Protection against oxygen radicals: An important defense mechanism studied in transgenic plants. *Plant Cell Environ*, 17: 507–523. doi: 10.1111/j.1365-3040.1994.tb00146.x.
- Geneve, R.L., Baskin, C.C., Baskin, J.M., Gehan Jayasuriya, K.M.G. and GamaArachchige, N.S. 2018. Functional Morpho-Anatomy of Water-Gap Complexes in Physically Dormant Seed. *Seed Science Research*, 28: 186-191. doi: 10.1017/S0960258518000089.
- Gill, S.S., and Tuteja, N. 2010. Reactive Oxygen Species and Antioxidant Machinery in Abiotic Stress Toleranse in Crop Plants. *Plant Physiol Biochem*, 28: 909-30. doi: 10.1016/j.plaphy.2010.08.016.
- Habtamu A, Shelema M, Kedar R, Ebsa S. 2013. Seed germination and seedling growth of Haricot bean (*Phaseolus vulgaris*) cultivars as influenced by copper sulphate. *World Sci Res J*, 10: 312–317.
- Ighodaro, O. M., and Akinloye, O. A. 2018. First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): Their fundamental role in the entire antioxidant defence grid. *Alexandria Journal of Medicine*, 54(4) 287-293. doi: 10.1016/j.ajme.2017.09.001.
- ITIS. 2021. *Allium ascalonicum* L. <https://www.itis.gov/>. Diakses tanggal 1 Oktober 2021 pukul 20.05 WIB.
- Jin XF, Yang XE, Islam E, Liu D, Mahmood Q, Li H, Li J. 2008. Ultrastructural changes, zinc hyperaccumulation and its relation with antioxidants in two ecotypes of *Sedum alfredii* Hance. *Plant Physiol Biochem*, 46: 997–1006. doi:

10.1016/j.plaphy.2008.06.012.

- Jogaiah, S. (Rd). 2020. *Biocontrol Agents and Secondary Metabolites: Application and Immunization for Plant growth and protection*. Wooshead Publishing. United Kingdom. P. 347-382. ISBN: 9780128230947.
- Kanazawa S, Sano S, Koshiba T, Ushimaru T. 2000. Changes in antioxidative in cucumber cotyledons during natural senescence: Comparison with those during dark-induced senescence. *Physiol Plant*, 109: 211–216. doi: 10.1034/j.1399-3054.2000.100214.x.
- Karlina, L., Daud, A., & Ruslan. 2013. *Cabai Rawit Di Pasar Terong Dan Lotte Mart Kota Makassar*. Fakultas Kesehatan Masyarakat UNHAS. Makassar.
- Kilic, S., R.E. Duran., and Y. Coskun. 2015. Morphological and Physiological Responses of Maize (*Zea mays* L.) Seeds Grown Under Increasing Concentrations of Chlorantraniliprole Insecticide. *Pol J Environ Stud*, 24: 1069-1075. doi: 10.15244/pjoes/31339.
- Lodovica, M., Kemmitt, G., Bacci, L., and Sheppard, B. 2010. Mancozeb Past, Present, and Future. *Plant Disease*, Vol. 94(9) 1-12. doi: 10.1094/ PDIS.94.9.1076.
- Mahmood, Q., Bilal, M., and Jan, S. 2014. Herbicides, Pesticides, and Plant Tolerance: An Overview. An Overview. In *Emerging Technologies and Management of Crop Stress Tolerance: Biological Techniques*, (Vol. 1).
- Moekasan, T. K., dan Prabaningrum, L. 2011. *Penggunaan pestisida Berdasarkan Konsepsi Pengendalian Hama Terpadu (PHT)*. Yayasan Bina Tani Sejahtera. Bandung. Hal. 6.
- Pandey KB, Rizvi SI. 2010. Markers of oxidative stress in erythrocytes and plasma during aging in humans. *Oxid Med Cell Longev*, 3:2–12. doi: 10.4161/oxim.3.1.10476.
- Paraviz, A., and Saiema, R. 2014. *Emerging Technologies and Management of Crop Stress Tolerance 1st Edition*. Academic Press. London. Page: 215- 248. ISBN: 9780128010877.
- Parween T, Jan S, Mahmooduzzafar FatmaT. 2012. Evaluation of oxidative stress in *Vigna radiata* L. in response to chlorpyrifos. *Int J Environ Sci Technol*, 9:605–612. doi: 10.1007/s13762-012-0095-x.

- Pérez-Portuondo, I., Serrat-Díaz, M., Pérez-Silva, R.M. and Ábalos-Rodríguez, A. 2021. Phytotoxic Effects of 4-Chlorophenol and 2,4-Dichlorophenol in the Germination of Seeds of *Phaseolus vulgaris* and *Zea mayz*. *American Journal of Plant Sciences*, 12, 614-623. doi: 10.4236/ajps.2021.124041.
- Prasad, K. V.S. K., Pardha, S. P., Sharmila, P. 1999. Concerted action of antioxidant enzymes and curtailed growth under zinc toxicity in *Brassica juncea*. *Environ Exp Bot*, 42: 1–10. doi: 10.1016/S0098-8472(99)00013-1.
- Purba, D. W., Surjaningsih, D. R., Simarmata, M. M., Wati, C., Zakia, A., Arsi, A., Purba, S. R., Wahyuni, A., Herawati, J., dan Sitawati, S. 2021. *Agronomi Tanaman Hortikultura*. Yayasan Kita Menulis Press. Jakarta. Hal: 59-61. ISBN: 978-623-6840-75-7.
- Rahayu, E., dan Berlian, N. 2004 *Bawang Merah*. Penebar Swadaya. Jakarta. Hal. 8-22. ISBN: 979-489-253-X.
- Rosyidah, N. 2019. Analisis Penetapan Harga Jual Bawang Merah Dalam Perspektif Ekonomi Islam di Desa Sengon kec. Tanjung Kab. Brebes. Skripsi. Semarang: Universitas Islam Negeri Walisongo.
- Sachdev, S., Ansari, S. A., Ansari, M. I., Fujita, M., Hasanuzzaman, M. 2021. Abiotic Stress and Reactive Oxygen Species: generation, Signaling, and Defens Mechanisms. *Antioxidants*, 10, 277. doi: 10.3390/antiox10020277.
- Saputra, P. E. 2016. Respon Tanaman Bawang Merah (*Allium ascalonicum* L.) Akibat Aplikasi Pupuk Hayati dan Pupuk Majemuk NPK dengan Berbagai Dosis. *Skripsi*. Universitas Lampung. Lampung. hal. 11.
- Shakir, S. K., Kanwal, M., Murad, W., Zia ur Rehman, Shafiq ur Rehman, Daud, M. K., & Azizullah, A. 2016. Effect of some commonly used pesticides on seed germination, biomass production and photosynthetic pigments in tomato (*Lycopersicon esculentum*). *Ecotoxicology*, 25(2), 329–341. doi: 10.1007/s10646-015-1591-9.
- Sharma, P., Jha, A. B., Dubey, R. S., & Pessarakli, M. 2012. Reactive Oxygen Species, Oxidative Damage, and Antioxidative Defense Mechanism in Plants under Stressful Conditions. *Journal of Botany*, 1–26. doi: 10.1155/2012/217037.
- Shigeoka, S., Ishikawa, T., Tamoi, M., Miyagawa, Y., Takeda, T., Yabuta, Y., and

- Yoshimura, K. 2002. Regulation and function of ascorbate peroxidase isoenzymes. *J Exp Bot*, 53(372) 1305-19. PMID: 11997377.
- Singh, S., Eapen, S., D'Souza, S.F. 2006. Cadmium accumulation and its influence on lipid peroxidation and antioxidative system in an aquatic plant *Bacopa monnieri* L. *Chemosphere*, 62:233–246. doi: 10.1016/j.chemosphere.2005.05.017.
- Singh, K., and Kaur, D. 2016. Studies on the Antioxidative stress responses of fungicides carbendazim and mancozeb in seedlings of brassica (*Brassica campestris* L.). *International Research Journal of Environment Sciences*. Vol. 5, 2: 57-62. E-ISSN: 2319–1414.
- Smykal, P., Vernoud, V., Blair, M.W., Soukup, A. & Thompson, R.D. 2014. The role of the testa during development and in establishment of dormancy of the legume seed. *Front Plant Sci*, 5: 351. doi: 10.3389/fpls.2014.00351.
- Songa E.A., Okonkwo J.O. 2016. Recent approaches to improving selectivity and sensitivity of enzyme-based biosensors for organophosphorus pesticides: a review. *Talanta*, 155:289–304. doi: 10.1016/j.talanta.2016.04.046.
- Supriadi. 2013. Optimasi Pemanfaatan Beragam Jenis Pestisida Untuk Mengendalikan Hama dan Penyakit Tanaman. *Litbang Pert.*, 32, 1: 1-9. doi: 10.21082/jp3.v32n1.2013.p1-9.
- Surajudeen, Y. A., Sheu, R. K., Ayokulehin, K. M., & Olatunbosun, A. G. (2014). Oxidative stress indices in Nigerian pesticide applicators and farmers occupationally exposed to organophosphate pesticides. *International Journal of Applied and Basic Medical Research*, 4, 3: 37. doi: 10.4103/2229-516x.140730.
- Swacita, I.B. 2017. *Bahan ajar kesehatan masyarakat: pestisida dan dampaknya bagi lingkungan*. Universitas Udayana, Bali. pp. 6-7.
- Udiarto, B. K., Setiawati, W., Suryaningsih, E. 2005. *Pengenalan Hama dan Penyakit pada Tanaman Bawang Merah dan Pengendaliannya*. Balai Penelitian Tanaman Sayuran. Bandung. hal 1-20. ISBN: 979-8304-48-9.
- Walia, A., Preeti, M., Shiwani, G., Anjali, C., and C. K. Shirkot. 2014. Impact of Fungicide Mancozeb at Different Application Rates on Soil Microbial Populations, Soil Biological Processes, and Enzyme Activities in Soil. *Hindawi*

Publishing Corporation Scientific World Journal Volume 2014, Article ID 702909, 9. doi: 10.1155/2014/702909.

Wang, S. H., Yang, Z. M., Yang, H., Lu, B., Li, S. Q., & Lu, Y. P. 2004. Copper-induced stress and antioxidative responses in roots of *Brassica juncea* L. *Botanical Bulletin of Academia Sinica*, 45, 3: 203–212. doi: 10.7016/BBAS.200407.0203.

Willekens., Hilde, S. C., Mark, D., Martina, S., and Christian, L. 1997. Catalase Is A Sink For H₂O₂ And Is Indispensable For Stress Defence In C3 Plants. *The EMBO Journal*, 16: 4806–4816. doi: 10.1093/emboj/16.16.4806.

Yumarto, A G, Sylvia S. (2012). Uji Residu Pestisida pada Cabai (*Capsicum annum* L.) di Kabupaten Pinrang Provinsi Sulawesi Selatan. *Tesis*. Fakultas Pertanian UNHAS. Makassar.