



DAFTAR PUSTAKA

- Adisewoyo, S. (1992). *Genetika*. Gadjah Mada University Press. Yogyakarta. Hal: 334.
- Arias, H. R., Tae, H. S., Micheli, L., Yousuf, A., Ghelardini, C., Adams, D. J., & di Cesare Mannelli, L. (2020). Coronaridine congeners decrease neuropathic pain in mice and inhibit $\alpha 9\alpha 10$ nicotinic acetylcholine receptors and CaV2.2 channels. *Neuropharmacology*, 175, 108194. <https://doi.org/10.1016/j.neuropharm.2020.108194>.
- Aristya, G.R., Daryono, B.S., Handayani, N.S.N., dan Arisuryanti, T. (2015). *Karakterisasi Kromosom Tumbuhan dan Hewan* (1st ed). Gadjah Mada University Press. Yogyakarta.
- Billa, A. T. (2021). Pengaruh Induksi Bio-Catharantin Terhadap Karakter Fenotipik dan Jumlah Kromosom Bawang Merah (*Allium cepa* L. var. *ascalonicum* 'Tajuk'). *Skripsi*. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Bourge, M., Brown, S. C., & Siljak-Yakovlev, S. (2018). Flow cytometry as tool in plant sciences, with emphasis on genome size and ploidy level assessment. *Genetics & Applications*, 2(2), 1. <https://doi.org/10.31383/ga.vol2iss2pp1-12>.
- Cahyono, B. (1996). *Budidaya Semangka Hibrida Jenis Semangka Unggul Berbiji dan Tidak Berbiji* (Cetakan ke-1 ed.). CV Aneka. Solo.
- Cires, E., Cuesta, C., Fernández Casado, M. N., Nava, H. S., Vázquez, V. M., & Fernández Prieto, J. A. (2011). Isolation of plant nuclei suitable for flow cytometry from species with extremely mucilaginous compounds: an example in the genus *Viola* L. (Violaceae). *Anales Del Jardín Botánico de Madrid*, 68(2), 139–154. <https://doi.org/10.3989/ajbm.2273>.
- Crowder, L. V., Kusdiarti, L., & S. (1986). *Genetika tumbuhan*. Gadjah Mada University Press. Yogyakarta. Hal: 499.
- Darjanto dan S. Satifah, (1982). *Pengetahuan Dasar Biologi Bunga dan Teknik Penyerbukan Silang Buatan*. Gramedia. Jakarta.
- Dart, S., Kron, P., & Mable, B. K. (2004). Characterizing polyploidy in *Arabidopsis lyrata* using chromosome counts and flow cytometry. *Canadian Journal of Botany*, 82(2), 185–197. <https://doi.org/10.1139/b03-134>.
- Desireddy, S., Rasineni, K., Bellamkonda, R., & Singareddy, S. (2010). Antihyperglycemic activity of Catharanthus roseus leaf powder in streptozotocin-induced diabetic rats. *Pharmacognosy Research*, 2(3), 195. <https://doi.org/10.4103/0974-8490.65523>.
- Dhooghe, E., van Laere, K., Eeckhaut, T., Leus, L., & van Huylenbroeck, J. (2010). Mitotic chromosome doubling of plant tissues in vitro. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 104(3), 359–373. <https://doi.org/10.1007/s11240-010-9786-5>
- ECPGR. (2008). *Minimum descriptors for Cucurbita spp., cucumber, melon, watermelon*. ECPGR Secretariat. Rome. Hal: 11-13.
- Friska, M. (2016). Karakter Fenotip dan Derajat Ploidji Jahe Merah *Zingiber officinale* Roxb. var. *rubrum* Rosc.) Hasil Induksi Kolkhisin. *Tesis*. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta. Hal: 40.



- Gurunathan, S., & Raja Ramadoss, B. (2019). Induction of tetraploids in watermelon (*Citrullus lanatus* Thunb.) through chromosome doubling. *Journal of Innovative Agriculture*, 6(4), 1. <https://doi.org/10.37446/jinagri/6.4.2019.1-3>.
- Hanini, H. (2018). Karakterisasi Fenotip dan Ploidi Semangka (*Citrullus lanatus* (Thunberg.) Matsum & Nakai) Hibrida Oranye Tetraploid Hasil Induksi Kolkhisin. *Skripsi*. Fakultas Biologi Universitas Gadjah Mada.
- ITIS. (2011). *Citrullus lanatus* var. *lanatus* (Thunb.) Matsum. & Nakai. *Taxonomic Serial No.: 527396*. Cucurbitaceae of North America Update database (version 2011). Updated for ITIS by the Flora of North America Expertise Network, in connection with an update for USDA PLANTS. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=527396#null. Diakses tanggal 28 April 2020.
- Jaafar, H. Z. E., Lam, P. F., & Malaysian Society of Plant Physiology. (2003). *Challenges in Plant Productivity and Food Security in a Changing Environment*. Malaysian Society of Plant Physiology. <https://agris.fao.org/agris-search/search.do?recordID=MY2021006849>
- Jedrzejczyk, I., & Sliwinska, E. (2010). Leaves and Seeds as Materials for Flow Cytometric Estimation of the Genome Size of 11 Rosaceae Woody Species Containing DNA-Staining Inhibitors. *Journal of Botany*, 2010, 1–9. <https://doi.org/10.1155/2010/930895>
- Kalie, M. B. (2008). *Bertanam Semangka* (Revisi ed.). Niaga Swadaya. Jakarta. Hal: 4-11, 25.
- Kementan. (2019). Tanda Daftar Varietas Tanaman : Citra Jingga. No : 704/PVHP/2019, issued 2019.
- Macey, M. G. (2007). *Flow Cytometry: Principles and Applications*. Humana Press.
- McKinnon, K. M. (2018). Flow Cytometry: An Overview. *Current Protocols in Immunology*, 120(1). <https://doi.org/10.1002/cpim.40>.
- Menezes-Sá, T. S. A., Arrigoni-Blank, M. D. F., Santos Da Costa, A., Santos-Serejo, J. D. A., Fitzgerald Blank, A., Alves Soares, C., & Santos Moura, G. M. (2019). Chromosome doubling in *Cattleya tigrina* A. Rich. *Scientia Plena*, 15(11). <https://doi.org/10.14808/sci.plena.2019.110202>
- Misra, R., & Easton, M. D. (1999). Comment on analyzing flow cytometric data for comparison of mean values of the coefficient of variation of the G1 peak. *Cytometry*, 36(2), 112–116. [https://doi.org/10.1002/\(SICI\)1097-0320\(19990601\).1](https://doi.org/10.1002/(SICI)1097-0320(19990601).1)
- Mizrahi, O., Ish Shalom, E., Baniyash, M., & Klieger, Y. (2017). Quantitative Flow Cytometry: Concerns and Recommendations in Clinic and Research. *Cytometry Part B: Clinical Cytometry*, 94(2), 211–218. <https://doi.org/10.1002/cyto.b.21515>.
- Mo, L., Chen, J., Lou, X., Xu, Q., Dong, R., Tong, Z., Huang, H., & Lin, E. (2020). Colchicine-Induced Polyploidy in *Rhododendron fortunei* Lindl. *Plants*, 9(4), 424. <https://doi.org/10.3390/plants9040424>.
- Muarifin, A. (2015). Karakterisasi Fenotip dan Ploidi Kacang Tanah (*Arachis hypogaea* L. 'Talam') hasil Induksi Biocatharantine. *Skripsi*. Fakultas Biologi Universitas Gadjah Mada.



- Muarifin, A., Bahana Ilh, A., Sartika, D., & Daryono, B., S. (2021). Induced Polyploidy in *Arachis hypogaea* L. var. Talam using *Catharanthus roseus* Phenolic Extract. *Asian Journal of Plant Sciences*, 20(2), 263–270. <https://doi.org/10.3923/ajps.2021.263.270>.
- Ormerod, M. G. (2000). *Flow cytometry* (Third Edition) [E-book]. Oxford University Press. Retrieved November 20, 2021, from https://www.google.co.id/books/edition/Flow_Cytometry/esgk7dXTaOcC?hl=id&gbpv=0.
- Prajnanta, F. (2003). *Agribisnis Semangka Non-biji* (Cetakan ke-5). Penebar Swadaya. Yogyakarta
- Price, H. (2000). Sunflower (*Helianthus annuus*) Leaves Contain Compounds that Reduce Nuclear Propidium Iodide Fluorescence. *Annals of Botany*, 86(5), 929–934. <https://doi.org/10.1006/anbo.2000.1255>.
- Putri, S. (2008). Pengaruh Perlakuan Kolkisin Pada Benih Semangka (*Citrullus lanatus* (Thunberg) Matsum & Nakai) terhadap Keragaan Tanaman. Skripsi. Institut Pertanian Bogor.
- Rukmana, R. 2006. *Budidaya Semangka Hibrida*. Kanisius. Yogyakarta.
- Sertel, S., Fu, Y., Zu, Y., Rebacz, B., Konkimalla, B., Plinkert, P. K., Krämer, A., Gertsch, J., & Efferth, T. (2011). Molecular docking and pharmacogenomics of Vinca alkaloids and their monomeric precursors, vindoline and catharanthine. *Biochemical Pharmacology*, 81(6), 723–735. <https://doi.org/10.1016/j.bcp.2010.12.026>.
- Setiyobudi, R. H. (2021). Karakter Fenotipik dan Derajat Ploidi Semangka Oranye (*Citrullus lanatus* (Thunberg) Matsum & Nakai ‘Citra Jingga’) Hasil Induksi Kolkhisin dan Biocatharantin. Skripsi. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Sobir, S., & D. Siregar, F. (2010). *Budi Daya Semangka : Panen 60 Hari* [E-book]. Penebar Swadaya. Retrieved April 20, 2020, from https://books.google.nl/books?id=EIjcRG4AXisC&pg=PA21&hl=nl&source=gbs_selected_pages&cad=2#v=onepage&q&f=false.
- Sujadmiko, H., Daryono, B. S., Haniini, H., & Supriyadi, S. (2021). Pengembangan Benih Unggul Semangka Citra Jingga Melalui Teknik Kastrasi dan Polinasi di Desa Depokrejo, Purworejo, Jawa Tengah. *Jurnal Pengabdian Kepada Masyarakat (Indonesian Journal of Community Engagement)*, 6(2), 129. <https://doi.org/10.22146/jpkm.40610>.
- Sumarji, S., & Suparno, S. (2011). The Effectiveness of Colchisin Giving on Watermelon Ploidization (*Citrullus vulgaris* Schard). *International Journal of Applied Environmental Sciences*, 12(11), 1951–1967.
- Sunarto, B. (2006). Pengaruh kombinasi pupuk bokashi dan pupuk urea terhadap pertumbuhan dan hasil tanaman semangka. Skripsi. Fakultas Pertanian. Universitas Bengkulu.
- Sunyoto, S., Sudarso, D., & Budiyanto, T. (2006). *Petunjuk Teknis Budidaya Semangka* (iv ed.) [E-book]. Balai Penelitian Tanaman Buah Tropika. Solok. Retrieved April 29, 2020, from <http://repository.pertanian.go.id/handle/123456789/13256?show=full>
- Wahyudi, A. (2013). Peningkatan Produksi Buah Semangka Menggunakan Inovasi Teknologi Budidaya Sistem “ToPAS”. *Jurnal Kelitbangan*. 2 (02), 94-97.



- Wei, C., Chen, X., Wang, Z., Liu, Q., Li, H., Zhang, Y., Ma, J., Yang, J., & Zhang, X. (2017). Genetic mapping of the LOBED LEAF 1 (CILL1) gene to a 127.6-kb region in watermelon (*Citrullus lanatus* L.). *PLOS ONE*, 12(7), e0180741. <https://doi.org/10.1371/journal.pone.0180741>.
- Wihardjo, S. (1993). *Bertanam Semangka*. Kanisius. Yogyakarta. Hal: 11, 15-16.
- Yudiwanti, S., Hadi, S., Karama, S., Sukarti, S., and Mattjik, A.A. (1998). Genotypic Correlation Between Yield and Resistance Levelto Late Leafspot of Peanut. *Bulletin Agronomi*. 26(01), 16-21.
- Zhang, N., Bao, Y., Xie, Z., Huang, X., Sun, Y., Feng, G., Zeng, H., Ren, J., Li, Y., Xiong, J., Chen, W., Yan, C., & Tang, M. (2019). Efficient Characterization of Tetraploid Watermelon. *Plants*, 8(10), 419. <https://doi.org/10.3390/plants8100419>