



DAFTAR PUSTAKA

- Akihara dan Kolondam, 2020. Pemanfaatan Gen *16S rRNA* Sebagai Perangkat Identifikasi Bakteri untuk Penelitian-penelitian di Indonesia. *PHARMACON Jurnal Ilmiah Farmasi*. 9(1): 16-23
- Apriliyanto, V., dan Sembiring, L. 2016. Filogenetika Molekuler, Teori dan Aplikasi. Innosain: Yogyakarta.
- Azlan, A., Yoza, D., Mardhiansyah, M. 2016. Tingkat Keberhasilan Perpindahan Kolono trigona spp. Pada Sarang Buatan Di Hutan Larangan Adat Desa Rumbio Kabupaten Kampar. *Jom Faperta UR*. 3(2): 1-7
- Chanchao, C., 2013. Bioactivity of Honey and Propolis of Tetragonula laeviceps in Thailand. *Springer*. New York. p 495-505
- Cockerell, T.D.A. 1911. Descriptions and records of bees – LXXX. *Annals and Magazine of Natural History*. 2: 384-390
- Dharmayanti, N.L.P.I. 2011. Filogenetika molekuler: metode taksonomi oorganisme berdasarkan sejarah evolusi. *Wartazoa*. 21(1): 1-10
- Dollin, A.E.L., Dollin, J., and Sakagami, S.F. 1997. Australian stingless bees of the genus Trigona (Hymenoptera: Apidae). *Invertebrate Taxonomy*. 11: 861–896
- Efin, A., Atmowidi, T., and Prawasti, T.S. 2019. Morphological characteristics and morphometric of Stingless Bee (Apidae: Hymenoptera) from Banten Province, Indonesia. *Biodiversitas*. 20: 1693-1698.
- Febrianti, Iskandar, A.M. Muflihat. 2020. Bentuk Pintu Keluar Masuk Sarang Trigona Spp di Kawasan Hutan Mangrove Surya Perdana Mandiri Kelurahan Setapuk Besar Singkawang Utara. *Jurnal Hutan Lestari*. 8(3): 620-627
- Gaston, K.J., Jackson, S., Salazar, L.C., Pinon, G.C. 2008. The Ecological Performance of Protected Areas. *The Annual Review of Ecology, Evolution and Systematics*. 39: 93-113
- Gruter, C. 2020. Stingless Bee Their Behaviour, Ecology, and Evolution. Springer. Cham. pp. 7 – 15.
- Halcroft, M., Hart, R. R., Dollin, A. 2013. Australian Stingless Bees. *Springer*. New York. p:9



- Harjanto, S., Mujianto, M., Arbainsyah., Ramlan, A. 2020. Budidaya Lebah kelulut Sebagai Altenatif Mata pencaharian Masyarakat. Jakarta: Goodhope Asia Holdings Ltd: 3 -25
- Jolliffe L. T. 2002. Principal Component Analysis, Second Edition. *Springer-Verlag*. New York. p 1-10
- Iqbal, M., Yoza, D., Budiani, E.S. 2016. Karakteristik Habitat *Trigona* spp. Di Hutan Larangan Adat Desa Rumbio Kabupaten Kampar. *Jom Faperta UR*. 3(2): 1-5
- Kahono, S., Lupiyaningdyah, P., Erniwati, dan Nugroho, H. 2012. Potensi dan pemanfaatan serangga penyerbuk untuk meningkatkan produksi kelapa sawit di perkebunan kelapa sawit desa Api-API, kecamatan Waru, kabupaten Penajam Paser Utara, Kalimantan Timur. *Zoo Indonesia*. 21(2): 23-34.
- Kahono, S.P., Chantawannakul, dan Engel, M.S. 2018. Social bees and the current status of beekeeping in Indonesia. In P. Chantawannakul, G. Williams & P. Neumann, eds. *Asian Beekeeping in the 21st Century*. *Springer Verlag*. 287-306.
- Keller, I., Fluri, P., Imdorf, A. 2005. Pollen Nutrition and Colony Development in Honey Bees: Part II. *Beeworld*. 86(02): 27-34
- Kumar, M.S., Singh, A.J.A.R., and Alagumuthu, G. 2012. Traditional beekeeping of stingless bees (*Trigona* sp.) by kani tribes of Western Ghats, Tamil Nadu, India. *Indian J Tradit Knowledge*. 11(12): 342-345.
- Kwapong, P., Aido, K., Combey, R., Karikari. 2010. Stingless Bees: Importance, Management and Utilisation: A Training Manual for Stingless Bee Keeping. Accra North: Unimax Macmillan: 3 -24
- Lamerkabel, J.S.A., Siahaya, V.G., Saepuloh, W., Lastriyanto, A., Junus, M., Batoro, J., Firman, J., Masyitoh. 2021. Karakteristik Morfologi dan Morfometrik Lebah Madu Tak Bersengat (Apidae; Melliponinae) pada Koloni di Daerah Pesisir Pulau Ambon. *Jurnal Budidaya Pertanian*. 17(1): 28-35
- Michener, C.D. 2013. *Pot-Honey: A Legacy of Stingless bees*. Vit P, Pedro SRM, Roubik DW. Editor. New York (US): Springer Pr. 3-17 p.



- Nugrahaningrum.A. 2018. Fluktuasi populasi capung jarum *Drepanosticta spatulifera* Lief tinck, 1929, endemik jawa (Odonata: Plastystictidae) di aliran sungai Hutan Lindung Petungkriyono, Pekalongan, Jawa Tengah. *Skripsi*. Universitas Gadjah Mada.
- Nugroho, R.B., Soesilohadi, R.C.H. 2014. Identification foods sources of stingless bee, *Trigona* sp (Hymenoptera: Apidae) in Gunungkidul District. *Jurnal Biomedika* 7 (2): 42-45
- Nur'aini and Purwanto, H. 2021. Morphology, morphometrics, and molecular characteristics of *Apis cerana* and *Apis nigrocincta* from Central Sulawesi, Indonesia. *Jurnal Biologi Tropis*. 21(2): 368-382
- Pangastuti, A. 2006. Definisi Spesies Prokaryota Berdasarkan Urutan Basa Gen Penyandi 16S rRNA dan Gen Penyandi Protein. *Biodiversitas* 7(3): 292-296
- Petti, P. A. 2007. Detection and identification of microorganisms by gene Amplification and Sequencing. *Clin. Infect Disc.* 44(8):1108-1114.
- Pribadi, A. 2020. Produktivitas Panen Propolis Mentah Lebah trigona Itama Cockerell (Hymenoptera: Apidae) Menggunakan Propolis Trap dan Manipulasi Lingkungan di Riau. *A Scientific Journal*. 37(2): 60-68
- Purwanto, H and Trianto, M. 2021. Species Description Morphometric Measuremen and Molecular Identification of Stingless Bee (Hymenoptera: Apidae: Meliponini) in Meliponiculture Industry in West Java Province, Indonesia. *Serangga*, 26 (1): 13 -33
- Purwanto,H., Soesilohadi, R.C.H., Trianto, M. 2022. Stingless bees from meliponiculture in South Kalimantan, Indonesia. *Serangga*. 23 (3): 1254 – 1256
- Rasmussen, C. 2008. Catalog of the Indo-Malayan/Australasian stingless bees (Hymenoptera: Apidae: Meliponini). *Zootaxa*. 1935:1–80
- Rasmussen, C., and Cameron, S.A. 2007. A molecular phylogeny of the old world Lebah tak bersengat (Hymenoptera: Apidae: Meliponini) and the nonmonophyly of the large genus *Trigona*. *Systematic Entomology*. 32:26-39.



- Rasmussen, C., and Cameron, S.A. 2010. Global stingless bee phylogeny supports ancient divergence, vicariance, and long-distance dispersal. *Biological Journal of the Linnean Society*. 99:206-232.
- Roubik, D.W. 2006. Stingless bee nesting biology. *Apidologie*. 37: 124-143.
- Sadam, B., Hariani, N., & Fachmy, S. (2016). Jenis lebah madu tanpa sengat (Stingless Bee) di Tanah Merah Samarinda. *Prosiding Seminar Tugas Akhir FMIPA Universitas Mulawarman*. 374-378
- Saepudin, R., Badarina, I., Nurhayati, Y. 2017. Residu Pestisida *Apis cerana* di Kawasan Holtikultura. *Jurnal Sains Peternakan Indonesia*. 12 (3) : 1-9
- Sakagami, S.F., Salmah, S., Abbas, I., and Yusuf, I. 1985. Foraging behavior of individual workers and foraging dynamics of colonies of three Sumatran stingless bees. *Res Popul Ecol*. 27: 373-392.
- Sakagami, S.F., Inoue, T., and Salmah, S. 1990. Stingless bees of Central Sumatra. Sakagami, S.F., Ohgushi, R., dan Roubik, D.W. Editor. Sapporo (JP): Hokkaido Univ. Pr. 125-137.
- Sakagami, S.F. 1978. *Tetragonula* stingless bee of the continental Asia and Sri Lanka (Hymenoptera: Apidae). *Journal of The Faculty of Agriculture Hokkaido University*. 21(2): 165-247.
- Sayusti, T., Raffiudin, R., Kahono, S., Nagir, Teguh, N. 2020. Stingless bees (Hymenoptera: Apidae) in South and West Sulawesi, Indonesia: morphology, nest structure, and molecular characteristics. *Journal of Apicultural Research*. 60(1): 143-156
- Schwarz, H.F. 1939. The Indo-Malayan species of *Trigona*. *Bull AMNH*. 76: 83–141.
- Slaa, J.E., Alejandro, Chaves, L.A.S., Braga, K.S.M.B., Hofstede, F.E. 2006. Stingless bees in Applied Pollination: Practice and Perspectives. *Apidologie*. 37: 293-315
- Smith, D.R. 2012. Key to workers of Indo-Malayan stingless bees. For use in the Stingless Bees Workshop. 1(1): 1-42.
- Smith, D.R., and Hagen, R.H. 1996. The biogeography of *Apis cerana* as revealed by mitochondrial DNA sequence data. *Journal of the Kansas Entomological Society*. 69: 294-310



- Suriawanto, N., Kahono, S., Atmowidi, T. 2017. Nesting Sites Characteristics of Stingless Bees (Hymenoptera: Apidae) in Central Sulawesi, Indonesia. *Journal of Insect*. 5(10): 1-9
- Syafrizal, D., Tarigan, and Yusuf, R. 2014. Biodiversity and habitat of Trigona at secondary tropical rain forest of Lempake education forest, Samarinda, Kalimantan Timur. *JTP*. 9(1): 34-38.
- Thummajitsakul, S., Silprasit, K., S. Klinbunga, and Sittipraneed, S. 2013. The partial mitochondrial sequence of the Old-World stingless bee, *Tetragonula pagdeni*. *Journal of Genetics*, 92 (2): 1 – 5.
- Trianto, M., and Purwanto, H. 2020. Morphological and morphometrics characteristics of Stingless Bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *BIODIVERSITAS*. Vol. 6(21): 2619-2628.
- Trianto, M., Marisa, F., Kisman, M.D. 2020. *Tetragonula laeviceps* (Hymenoptera: Apidae: Meliponini): Morphology, Morphometric, and Nest Structure. *Bioeduscience*. 4(2): 188-194
- Whitmore, T.C. 1975. Tropical Rain Forest of The Far East. Oxford: Clarendon Press.
- Will, K. W., and D. Rubinoff. 2004. Myth of the molecule: DNA barcodes for species cannot replace morphology for identification and classification. *Cladistics*. 20: 47–55.
- Yacoob, MN. F. Rajab, S. Sahar, and R. Sharif. 2018. Stingless bee honey and its potential value: a systematic review. *Journal Food Research*, 2 (2): 124 – 133.
- Zemlak, T.S., Ward, R.D., Connell, A.D., Holmes, B.H., and Hebert, P.D.N. 2009. DNA barcoding reveals overlooked marine fisher. *Molecular Ecology Resources*. 9: 237-242