

DAFTAR PUSTAKA

- Adiwinarti, R., I.P. Kusuma, dan C.M.S. Lestari. 2010. Penampilan produksi sapi PO dan PFH jantan yang mendapat pakan konsentrat dan “hay” rumput gajah. *Sains Peternakan* 8(1):1-7.
- Agarwal, N., D.N. Kamra, and L.C. Chaudhary. 2015. Rumen Microbial Ecosystem of Domesticated Ruminants. In: *Rumen Microbiology From Evolution to Revolution* pp 17. Springer, India.
- Agus, A. and T.S.M. Widi. 2018. Current situation and prospect of beef cattle production in Indonesia. *Asian-Austral.as J.Anim.Sci.* 31:1-8.
- Agus, A., I.G.S. Budisatria, dan N. Ngadiyono. 2014. Road map of beef cattle industry in Indonesia. APFINDO and Faculty of Animal Science, Universitas Gadjah Mada. Yogyakarta, Indonesia.
- Al-Arif, M.A., L.T. Suwanti, A.T.S. Estoepangestie, and M. Lamid. 2017. The nutrients contents, dry matter digestibility, organic matter digestibility, total digestible nutrient, and NH₃ rumen production of three kinds of cattle feeding models. pp 338—343 in *The Veterinary Medicine International Conference 2017*. Faculty of Veterinary Medicine, Universitas Airlangga, Indonesia.
- Allen, M.S. 1997. Relationship between fermentation acid production in the rumen and the requirement for physically effective fiber. *J. Dairy Sci.* 80: 1447-1462.
- Annison, E.F. and Lewis, D. 1959. *Metabolism in The Rumen*. Methuen. London.
- Antari, R., G.P. Ningrum, D. Pamungkas, D.E. Mayberry, Marsetyo, and D.P. Poppi. 2016. Growth rates and feed conversion rate of ongole, limausin-ongole, and brahman bulls fed elephant grass (*Pennisetum purpureum*). *Livestock Livest. Research Res. for Rural Development*. 28 (9): 2016.
- Antari, R., T.M. Syahniar, D.E. Mayberry, D. Pamungkas, Marsetyo, S.P. Quigley, and D.P. Poppi. 2014. Crude protein requirements for growth of ongole (*Bos indicus*) and Bali (*Bos javanicus*) bulls. *Proc. Aust. Soc. Anim. Prod.* 30:393 (Abstr.).
- AOAC. 2005. Determination of Moisture, Ash, Protein, and Fat. Official Method of Analysis Association of Analytical Chemists. 18th ed., AOAC, Washington DC.
- Archer, J.A., A. Reverter, R.M. Herd, D.J. Johnston, and P.F. Arthur. 2002. Genetic variation in feed intake and efficiency of mature beef cows and relationships with post-weaning measurements. *Proc. 7th World Cong. Genet. Appl. Livest. Prod., Comm.* 10-7, Montpellier, France.
- Arora, S.P. 1995. *Pencernaan Mikroba Pada Ruminansia*. Gadjah Mada University Press, Yogyakarta.
- Aschenbach, J.R., S. Bilk, G. Tadesse, F. Stumpff, and G. Gäbel. 2009. Bicarbonate-dependent and bicarbonate-independent mechanisms contribute to nondiffusive apical uptake of acetate in the ruminal epithelium of sheep. *Am. J. Physiol. Gastrointest. Liver Physiol.* 296: 1098-1107.

- Astutik, S. I. B., M. Arifin, dan W. S. Dilaga. 2002. Respon sapi PO berbasis pakan jerami padi terhadap berbagai formula “urea molases blok”. Seminar Nasional Teknologi Peternakan dan Veteriner. Fakultas Peternakan, Universitas Diponegoro, Semarang.
- Ba, N.X., N.H. Van, L.D. Ngoan, C.M. Leddin, and P.T. Doyle. 2008. Amount of cassava powder fed as a supplement affects feed intake and live weight gain in laisind cattle in Vietnam. *Asian-Austral. J. Anim. Sci.* 21: 1143-50.
- Bakrie, B., J. Hogan, J.B. Liang, A.M.M. Tareque., and R.C. Upadhyay. 1996. Ruminant nutrition and production in the tropics and sub tropics. Australian Centre for International Agricultural Research (ACIAR). Canberra.
- Barboza, P.S., K.L. Parker, and I.D. Hume. 2009. Carbohydrates: Sugars, Fiber and Fermentation. In: *Integrative Wildlife Nutrition* pp. 97-118. Springer, Berlin.
- Bauman, T.A., G.P. Lardy, J.S. Caton, and V.L. Anderson. 2004. Effect of energy source and ruminally degradable protein addition on performance of lactating beef cows and digestion characteristics of steers. *J. Anim. Sci.* 82: 2667-2678.
- Block, E. 2006. Rumen microbial protein production: Are we missing an opportunity to improve dietary and economic efficiencies in protein nutrition of the high producing dairy cow. High Plains Dairy Conference.
- Buharman, B. 2011. Pemanfaatan teknologi pakan berbahan baku lokal mendukung pengembangan sapi potong di Provinsi Sumatera Barat. *Wartazoa*. 21(3): 133-144.
- Chaney, A. L. and E. P. Marbach. 1962. Modified reagents for determination of urea and ammonia. *Clin. Chem.* 8: 130-132.
- Chanthakhoun, V., M. Wanapat, and J. Berg. 2012. Level of crude protein in concentrate supplements influenced rumen characteristics, microbial protein synthesis and digestibility in swamp buffaloes (*Bubalus bubalis*). *Liv. Sci.* 144(3): 197-204.
- Chizzotti, M.L., L.O. Tadeschi, and S.C. Valadares Filho. 2008. A meta-analysis of energy and protein requirements for maintenance and growth of Nellore cattle. *J. Anim. Sci.* 86: 1588-1597.
- Chowdhury, S.A. and E.R. Ørskov. 1997. Protein energy relationships with particular references to energy under nutrition: A review. *Small Ruminant. Res.* 26: 1-7.
- Church, D.C. 1988. *The Ruminant animal: digestive physiology and nutrition*. 2nd Ed. Prentice Hall. New Jersey.
- Chuzaemi, S. 1994. Potensi jerami padi sebagai pakan ternak ditinjau dari kinetik degradasi dan retensi jerami di dalam rumen. Disertasi Doktor. Fakultas Peternakan. Universitas Gadjah Mada, Yogyakarta.
- Chuzaemi, S. 2012. *Fisiologi Nutrisi Ruminansia*. Universitas Brawijaya Press. Malang.
- CSIRO. 2007. *Nutrien requirements of domesticated ruminants*. CSIRO Publishing. Melbourne.

- Danes, M.A.C, L.J. Chagas, A.M. Pedroso, and F.A.P Santos. 2013. Effect of protein supplementation on milk production and metabolism of dairy cows grazing tropical grass. *J. Dairy Sci.* 96: 407-419.
- del Campo, M., G. Brito, J.M. Soares de Lima, D. Vaz Martins, C. Sanudo, R. San Julian, P. Jernandez, and F. Montossi. 2008. Effect of feeding strategies including different proportion of pasture and concentrate, on carcass and meat quality traits in Uruguayan steers. *Meat Science.* 80: 753:760.
- Dijkstra, J., J.L. Ellis, E. Kebreab, A.B. Strathe, S. López, J. France, and A. Bannink. 2012. Ruminant pH regulation and nutritional consequences of low pH. *J. Anim. Feed Sci. Technol.* 172: 22-33.
- Duffield T., J.C. Plaizier, A. Fairfield, R. Bagg, G. Vessie, P. Dick, J. Wilson, J. Aramini, and B. McBride. 2004. Comparison of techniques for measurement of rumen pH in lactating dairy cows. *J. Dairy Sci.* 87: 59-66.
- Filípek, J. and R. Dvořák. 2009. Determination of the volatile fatty acid content in the rumen liquid: comparison of gas chromatography and capillary isotachophoresis. *Acta Vet. Brno.* 78: 627-633.
- Geishauser, T. 1993. An instrument for collection and transfer of ruminal fluid and for administration of water soluble drugs in adult cattle. *Bovine Pract.* 27: 38-42.
- Ginting, S.P. 2005. Sinkronisasi degradasi protein dan energi dalam rumen untuk memaksimalkan produksi protein mikroba. *Wartazoa* 15(1): 1-10.
- Givens, D.I., E. Owen, and A.T. Adesogan. 2000. Current procedures, future requirements and the need for standardization. In: D.I. Givens, E. Owen, R.F.E. Axford dan H.M. Omed eds. *Forage Evaluation in Ruminant Nutrition*. CABI Publishing, Wallingford, UK. pp. 449-474.
- Gunawan, D.E., Wahyono, dan P.W. Prihandini. 2003. Strategi penyusunan pakan murah sapi potong mendukung agribisnis. *Pros. Lokakarya Nasional Sistem Integrasi Kelapa Sawit-Sapi*. Departemen Pertanian, Pemerintah Provinsi Bengkulu dan PT. Agricinal. Bengkulu.
- Haryanto, S. 2012. Perkembangan penelitian nutrisi ruminansia. *Wartazoa.* 12(4):169-177.
- Hasbullah, E. L. 2003. Kinerja pertumbuhan dan reproduksi sapi persilangan Simmental dengan Peranakan Ongole dan sapi Peranakan Ongole di Kabupaten Bantul Daerah Istimewa Yogyakarta. Tesis Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.
- Haskell, M.J., J.A. Rooke, R. Roehe, S.P. Turner, J.J. Hyslop, A. Waterhouse, and C. Duthie. 2019. Relationships between feeding behaviour, activity, dominance and feed efficiency in finishing beef steers. *Appl. Anim. Behav. Sci.* 210: 9-15.
- Hoover, W.H. 1986. Chemical factors involved in ruminal fiber digestion. *J. Dairy Sci.* 74: 3640-3644.
- Huhtanen, P., S. Ahvenjärvi, M.R. Weisbjerg and P. Nørgaard. 2008. Digestion and passage of fibre in ruminants. In: *Ruminant Physiology*. pp 87-126. Wageningen Academic Publishers, The Netherlands.

- Hungate, R.E. 1966. The Rumen and Its Microbes. Academic Press, New York and London.
- Indriani, N., T.R. Sutardi, dan Suparwi. 2013. Fermentasi limbah soun dengan menggunakan *Aspergillus niger* ditinjau dari konsentrasi *volatile fatty acids* (VFA) total dan amonia (NH₃) secara *in vitro*. J. Ilmiah Peternakan 1: 804-812.
- Jacobs, J. and A. Hargreaves. 2002. Feeding Dairy Cows: A Manual for Use in the Target 10 Nutrition Program. 3rd ed. Department of Natural Resources and Environment Victorian State Government. Melbourne.
- Jordano, P. 2000. Fruits and Frugivory. In: Fenner, M. ed. Seeds: The Ecology Of Regeneration In Plant Communities, 2nd Editioned. pp. 125-166. CABI Publishing. Wallingford.
- Kamal, M. 1998. Nutrisi Ternak I. Laboratorium Makanan Ternak Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.
- Kartadisastra, H. R. 1997. Penyediaan dan Pengelolaan Pakan ternak ruminansia. Kanisius. Yogyakarta.
- Kearl, L.C. 1982. Nutrient Requirements of Ruminants in Developing Countries. International Feedstuff Institute Utah Agricultural Experiment Station, Utah State University. Utah.
- Khampa, S. and M. Wanapat. 2006. Supplementation levels of concentrate containing high levels of cassava chip on rumen ecology and microbial protein synthesis in cattle. Pakistan J. Nut. 5: 501-506.
- Knoblich, H.V., F.L. Fluharty, and S.C. Loerch. 1997. Effects of programmed gain strategies on performance dan carcass characteristics of steers. J. Anim. Sci. 75: 3094 3094-3102.
- Leng, R.A. 1990. Factors affecting the utilisation of 'poorquality' forages by ruminants particularly under tropical conditions. Nutr. Res. Rev. 3: 277-303.
- Leng, R.A. 1991. Application of biotechnology to nutrition of animal in developing countries. Animal Production and Health Paper, FAO. Rome.
- Lestari, C.M.S., R. Adiwiniarti, M. Arifin, and A. Purnomoadi. 2011. The performance of java dan ongole crossbreed bull under intensive feeding management. J. Indonesia Trop. Anim. Agric. 36(2):109-113.
- Mardiana, S. 2021. Efek pembatasan ransum dengan kandungan protein tinggi terhadap pencernaan *in vivo* bahan kering dan bahan organik sapi peranakan ongole jantan. Skripsi. Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.
- Mayulu, H., B. Suryanto, Sunarso, M. Christiyanto, F. I. Ballo and Refa'i. 2009. Feasibility of Complete feed based on ammoniated fermented rice straw utilization on the beef cattle farming. J. I. Tropic. Anim. Agri. 34: 74-78.
- McDonald, P., R.A. Edwards, J.F.D. Greenhalgh, C.A. Morgan, L.A. Sinclair, dan and R.G. Wilkinson. 2010. Animal Nutrition. 7th ed. Pearson, London.
- Moe, P.W., and H.F. Tyrell. 1976. Estimating metabolisable and net energies of feeds. Pages 232-236 in Proc. of 1st International Symposium on Feed

Composition, Nutrient Requirements and Computerisation of Diets. Utah State University, Logan, Utah.

National Research Council (NRC). 1984. Nutrient Requirements of Beef Cattle. The National Academies Academics Press. Washington DC.

Ngadiyono, N., G. Murdjito, A. Agus, and U. Supriyana. 2008. Performances of male ongole crossbred cattle on two kind of concentrate with different quality. J. Indon. Trop. Anim. Agric. 33: 282-289.

Ørskov, E.R. 1992. Protein Nutrition in Ruminants. 2nd ed. Academic Press Ltd. London.

Owens, F.N. and A.L. Goetsch. 1988. Ruminal fermentation. Pages 145-171 in The Ruminant Animal: Digestive Physiology and Nutrition. Church, D.C. (Ed.). Prentice-Hall. Englewood Cliffs, New Jersey.

Parakkasi, A. 1999. Ilmu Nutrisi dan Makanan Ternak Ruminan. UI-Press. Jakarta.

Paul, S.S., A.B. Mandal, G.P. Mandal, A. Kannan, and N.N. Pathak. 2003. Deriving nutrient requirements of growing Indian sheep under tropical condition using performance and intake data emanated from feeding trials conducted in different research institutes. Small Ruminant. Res. 50: 97-107.

Pilachai, R., J.T. Schonewille, and C. Thamringyoswittayakul. 2012. The effects of high levels of rumen degradable protein on rumen pH and histamine concentrations in dairy cows. J. Anim. Physio. Anim. Nutr. 96: 206-213.

Playne, M.J. 1978. Differences between cattle and sheep in their digestion and relative intake of a mature tropical grass hay. Anim. Feed Sci. Tech. 3: 41-49.

Plummer, D.T. 1987. An Introduction to Practical Biochemistry. Tata McGraw Hill Publ. Co.Ltd. Bombay, New Delhi.

Pond, W.G., D.C. Church, and K.R. Pond. 1995. Basic Animal Nutrition and Feeding. 4th ed. John Wiley & Sons, New York.

Prasetyono, B. W. H. E., Suryahadi, T. Toharmat, dan R. Syarief. 2007. Strategi suplementasi protein ransum sapi potong berbasis jerami dan dedak padi. Media Peternakan 30: 207-217.

Prayitno, R.S., F. Wahyono, dan E. Pangestu. Pengaruh suplementasi sumber protein hijauan leguminosa terhadap produksi amonia dan protein total ruminal secara *in vitro*. J. Peternakan Indonesia. 20(2): 116-123.

Priyanti, A., I. G. A. P. Mahendri, F. Cahyadi and R. A. Cramb. 2012. Income over feed cost for small-to medium-scale beef cattle fattening operation in East Java. <http://www.jppt.undip.ac.id>. Accessed 23 Juli 2022.

Purbowati, E., E. Rianto, W.S. Dilaga, C.M.S. Lestari, dan R. Adiwinarti. 2014. Karakteristik cairan rumen, jenis, dan jumlah mikrobia dalam rumen sapi jawa dan peranakan ongole. Buletin Peternakan 38(1): 21-26.

Putri, L.D.N.A., E. Rianto dan M. Arifin. 2013. Pengaruh imbalanced protein dan energi pakan terhadap produk fermentasi di dalam rumen pada sapi madura jantan. Anim. Agri. J. 2(3): 94-103.

- Ratnawati, D., F. Cowley, D. Mayberry, D. Pamungkas, and D. Poppi. 2015. Concentrate supplementation for crossbred bulls to increase profitability of smallholder fattening operation in east java, Indonesia. *JITV*. 20(1): 41-47.
- Riaz, M.Q., K.H. Sudekum, M. Clauss, and A. Jayanegara. 2014. Voluntary feed intake and digestibility of four domestic ruminant species as influenced by dietary constituents: a meta-analysis. *Livest. Sci.* 162: 78-85.
- Rossi, J.E., S.C. Loerch, S.J. Moeller, and J.P. Schoonmaker. 2001. Effects of programmed growth rate and days fed on performance and carcass characteristics of feedlot steers. *J. Anim. Sci.* 79: 1394-1401.
- Russel, J.B., J.D. O'connors, D.G. Fox, P.J. Van Soest, and C.J. Sniffen. 1992. A net carbohydrate and protein system for evaluating cattle diets: I. Ruminant fermentation. *J. Anim. Sci.* 70: 3551-3561.
- Sauvant, D., J. Dijkstra, and D. Mertens. 1995. Optimisation of ruminal digestion: a modeling approach. In: M. Journet, E. Grenet, M.H. France, M. Theriez and C. Dermaquilly eds. *Recent Developments in the Nutrition of Herbivores*. INRA Editions, Paris. pp. 161-166.
- Shabi, Z., A. Arieli, I. Bruckental, Y. Aharoni, S. Zamwel, A. Bor, and H. Tagari. 1998. Effect of synchronization of the degradation of dietary crude protein and organic matter and feeding frequency on ruminal fermentation and flow of digesta in the abomasums of dairy cows. *J. Dairy Sci.* 81: 1991-2000.
- Soeharsono., R.A. Saptati, dan K. Dwiyanto. 2010. Penggemukan Sapi Lokal Hasil Inseminasi Buatan dan Sapi Bakalan Impor Dengan Menggunakan Bahan Pakan Lokal. *Seminar Nasional Teknologi Peternakan dan Veteriner 2010*.
- Straalen, W.M. and S. Tamminga. 1990. Protein Degradation of Ruminant Diet. In: *Feedstuff Evaluation*. Wiseman, J. and D.J.A. Cole (eds). Butterworths, London.
- Suryani, N.N., I.K.M. Budiasa, and I.P.A. Astawa. 2014. Beragam dan level konsentrat berbeda rumen fermentation and microbial protein synthesis of ettawah grade (PE) goat fed various compisition composition of forage. *Majalah Ilmiah Peternakan* 17 (2): 56-60.
- Tarmidi, A.R. 2004. Pengaruh pemberian ransum yang mengandung ampas tebu hasil biokonversi oleh jamur tiram putih (*Pleurotus ostreatus*) terhadap performans domba priangan. *JITV* 9(3): 157-163.
- Thang, C.M., I. Ledin, and J. Bertilsson. 2010. Effect of using cassava products to vary the level of energy and protein in the diet on growth and digestibility in cattle. *Livest. Sci.* 128(1-3): 166-172.
- Thanh, L. P. and W. Suksombat. 2015. Milk production and income over feed costs in dairy cows fed medium-roasted soybean meal and corn dried distiller's grains with solubles. *Asian-Aust. J. Anim. Sci.* 28: 519-529.
- Tillman, A.D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, dan S. Lebdoesoekojo. 1998. *Ilmu Makanan Ternak Dasar*. Gadjah Mada University Press. Yogyakarta.

- Umar, M., M. Arifin, and A. Purnomoadi. 2011. Ruminal condition between Madura cattle and ongole crossbred cattle raised under intensive feeding. *J. Indon. Trop. Anim. Agric.* 36(3): 213-128.
- Utomo, R. 2004. Review hasil-hasil penelitian pakan sapi potong. *Wartazoa* 14(3): 116-124.
- Utomo, R. 2012. Evaluasi Pakan dengan Metode Noninvasif. PT. Citra Aji Parama. Yogyakarta.
- Van Soest, P.J. 1994. *Nutritional Ecology of The Ruminant*, 2nd Editioned. Cornell University Press, Ithaca, NY.
- Van Soest, P.J., J.B. Robertson, and B.A. Lewis. 1991. Methods for dietary fiber, neutral detergent fiber, and nonstarch polysaccharides in relation to animal nutrition. *J. Dairy Sci.* 74: 3583-3597.
- Wallace, R.J. and M.A. Cotta, 1988. Metabolism of nitrogen containing compounds. In: *The Rumen Microbial Ecosystem*, . Hobson, P.N. (eds). pp 217-249. Elsevier. London.
- Wanapat, M. and S. Khampa. 2006. Effect of level supplementation of concentrate containing high level of cassava chip on rumen ecology, microbial N supply and digestibility of nutrients in beef cattle. *Asian-Aust. J. Anim. Sci.* 20(1): 75-81.
- Weimer, P.J. 1996. Why don't ruminal bacteria digest cellulose faster? *J. Dairy Sci.* 79: 1496-1502.
- Widyobroto, B. P., S. P. S. Budhi, dan A. Agus. 2007. Pengaruh aras undegraded protein dan energi terhadap kinetika fermentasi rumen dan sintesis protein mikroba pada sapi. *J. Indon. Trop. Anim. Agric.* 32: 194-200.
- Widyobroto, B.P. and S.P.S. Budhi. 2010. Effect of difference tropical fibrous feeds on feed intake and digestibility in swamps buffaloes compared to Ongole cattle. *Anim Prod.* 12: 86-90.
- Widyobroto. B.P. 1992. Pengaruh konsentrat dalam ransum terhadap pencernaan dan sintesis N mikroba didalam rumen pada sapi perah produksi tinggi. *Buletin Peternakan (Edisi Khusus)*. : 241-249.
- Xia, C., M.A. Ur Rahma, H. Yang, T. Shao, Q. Qiu, H. Su, and B. Cao. 2018. Effect of increased dietary crude protein levels on production performance, nitrogen utilisation, blood metabolites and ruminal fermentation of Holstein bulls. *Asia-Austral. J. Anim. Sci.* 31(10) :1643-1653.
- Zinn, R.A. and E.J. DePeters. 1991. Comparative feeding value of tapioca pellets for feedlot cattle. *J. Anim. Sci.* 69(12): 4726-4733.