



DAFTAR PUSTAKA

- Acora, R., Irigoyen, J.J., Draz, M.S. 2001. Photosynthetic characteristic and protective mechanism against oxidative stress during chilling and subsequent recovery in two maize varieties differing in chilling sensitivity. *Plant Science* 161: 719-726
- Ahmad P (2014) Oxidative damage to plants: antioxidant networks and signaling. Elsevier Science, Academic Press, Amsterdam, p 672. ISBN 9780128004609
- Ain-Lhout F M, Zunzunequi M C, Diaz Barradas, R Tirado, A Clavijo and Garcia Novo. (2001). Comparison of proline accumulation in two mediterranean shrubs subjected to natural and experimental water deficit. *Plant and Soil.* 230:175-183.
- Ashraf, M., and M.R. Foolad. 2007. Roles of glycine betaine and proline in improving plant abiotic stress resistance. *Environmental and Experimental Botany* 59(2): 206–216.
- Berkowitz, G. A. 1998. Water and Salt Stress. In:Raghavendra AS (ed). *Photosynthesis: A Comprehensive Treatise.* Cambridge : Cambridge University Pr. p. 226-237
- Bray, E.A. 2001. Plant Responses to Water Deficit. *Trends in Plant Sciences.* 2 (21): 48-54
- Castillo, E.G., T.P. Tuong, U. Singh, K. Inubushi, and J. Padilla. 2006. Drought response of dry seeded rice to water stress timing, N-fertilizer rates and sources. *Soil Sci. Plant Nutr.* 52:249-508.
- Chang, T., and Bardenas, E.A. 1965. *The Morphology and Varietal Characteristics of The Rice Plant.* The International Rice Research Institute. Manila, Pp.5-15
- Chaudhary, R.C. 2003. Specialty rices of the world: Effect of WTO and IPR on its production trend and marketing. *J. Food Agric. Environ.* 1(2): 34–41.



- Deng, G. F., X. R. Xu, Y. Zhang, D. Li, R. Y. Gan, and H. Bin. 2013. Phenolic Compounds and Bioactivities of Pigmented Rice. *Critical Reviews in Food Science and Nutrition*. 53(3) : 296–306.
- Du, H., Wu, J., Ji, K. X., Zeng, Q. Y., Bhuiya, M. W., Su, S., Shu, Q. Y., Ren, H. X., Liu, Z. A., & Wang, L. S. 2015. Methylation Mediated by An Anthocyanin, O-Methyltransferase, Is Involved in Purple Flower Coloration in *Paeonia*. *Journal of Experimental Botany* 66 (21): 6563 – 6577
- Ekowati, N.Y., dan Purwestri, Y.A. 2016. Analisis Kandungan Gamma Aminobutyric Acid (GABA) Fenol Total dan Aktivitas Antioksidan “Beras Kecambah” Kultivar Lokal (*Oryza sativa* L.). *Agricola*. 6 (2):117-127
- Fabregas, N., dan Fernie, A.R. 2019. The Metabolic Response to Drought. *Journal of Experimental Botany*. 70 (4) : 1077-1085.
- Ferrier, D.R. 2014. *Biokimia Edisi 6 (1)*. Tangerang. Binarupa Aksara Publisher
- Foley J A, Ramankutty N, Braumann K A, Cassidy E S, Gerber J S, Johnston M, Mueller N D, O’Connell C, Ray D K, West P C, Balzer C, Bennett E M, Carpenter S R, Hill J, Monfreda C, Polasky S, Rockström J, Sheehan J, Siebert S, Tilman D, Zaks D P M. 2011. Solutions for a cultivated planet. *Nature*, 478: 337–342
- Guo, R., W. Hao, and D. Gong. 2012. Effect of water stress on germination and growth of linseed seedling (*Linum usitatissimum* L.) photosynthetic efficiency and accumulation of metabolites. *Journal of Agricultural Science* 4(10):253-265.
- Hamim, Jusuf, M., Sopandie, D. 1996. Beberapa Karakteristik Morfologi dan Fisiologi Kedelai Toleran dan Peka Terhadap Cekaman Kekeringan. *Hayati* 3 (1): 30-34
- Hamim, K. Ashri, Miftahudin, dan Triadiati. 2008. Analisis Status Air, Prolin dan Aktivitas Enzim Antioksidan beberapa Kedelai Toleran dan Peka Kekeringan serta Kedelai Liar. *Agrivita* 30 (30) : 201 - 210.



- Hamim. 2004. Underlaying drought stress effects on plant : inhibition of photosynthesis. *Hayati* 11: 164-169
- Haque, S., Roy, P., Anandan, A., Samantaray, S., Pradhan, S.K., and Singh, O.N. 2015. Genetic Diversity Study of Seed Proteins in Rice Drought Tolerant Donor Accessions. *Rice Genomics and Genetics*. 6 (2):1-5
- Hasegawa, P. M., R. A. Bressan, J.K. Zhu and H. J. Bohnert. 2000. Plant Cellular and Molecular Responses to High Salinity. *Annu. Rev. Plant Physiol. Plant Mol. Biol*, 51:463-499
- Heuer, B. 2016. Role of Proline in Plant Response to Drought and Salinity. *Handbook of Plant and Crop Stress*. 213-238
- Hosoda, K., Sasahara, H., Matsushita, K., Tamura, Y., Miyaji, M., dan Matsuyama, H. 2018. Anthocyanin and proanthocyanidin contents, antioxidant activity, and in situ degradability of black and red rice grains. *Asian-Australas J Anim Sci.* 31 (8) : 1213-1220
- Hu C. A, A J Delauney, and D P S Verma. (1992). A bifunctional enzyme (delta pyrroline-carboxylate synthetase) catalyzez the first two steps in proline biosynthesis in plants. *PNAS* 89:9354-9358.
- Jones, M.M. and N.C. Turner. 1980. Osmotic adjustment in expanding and fully expanded leaves of sunflower in response to drought deficit. *Proc. Indian. Nat. Sci. Acad.* 3 (57) : 288-304.
- Kadir, A. 2011. Respon genotipe padi mutan hasil iradiasi sinar gamma terhadap cekaman kekeringan. *J. Agrivivor* 10(3):235-246.
- Kang, M.Y., Rico, C.W., Bae, H.J., and Lee, S.C. 2013. “Antioxidant Capacity of Newly Developed Pigmented Rice Rice Cultivars in Korea”. *Cereal Chemistry*, 90(5):497-501
- Kiyosue, T., Yoshioka, Y., Yamaguchi-Shinozaki, K., and Shinozaki, K. (1996). A nuclear gene encoding mitochondrial proline dehydrogenase, an enzyme



involved in proline metabolism, is upregulated by proline but downregulated by dehydration in *Arabidopsis*. *Plant Cell* 8: 1323–1335.

Korn, M., Peterek, S., Mock, H.P., Heyer, A., and Hincha, D.K. 2008. Heterosis in The Freezing Tolerance, and Sugar and Flavonoid Contents of Crosses Between *Arabidopsis thaliana* Accessions of Widely Varying Freezing Tolerance. *Plant Cell and Environment*. 31 (6) : 813-27.

Lakitan, B. 1993. *Dasar-dasar fisiologi tumbuhan*. Raja Grafindo Persada. Jakarta
Lapanjang, I., B.S. Purwoko, S.W. Hariyadi, Budi dan M. Melati. (2008). Evaluasi beberapa Ekotipe Jarak Pagar untuk Toleransi Tanaman Kekeringan. *Buletin Agronomi*. 36(3) : 263-269.

Lawlor, D.W. and Cornic, G. (2002) Photosynthetic Carbon Assimilation and Associated Metabolism in Relation to Water Deficits in Higher Plants. *Plant, Cell and Environment*. 25 : 275-294.

Li, X., Lv, X., Wang, X., Wang, L., Zhang, M., dan Ren, M. 2018. Effect of Abiotic Stress On Anthocyanin Accumulation and Grain Weight in Purple Wheat. *Crop and Pasture Science*. 69 : 1208-1214.

Mackill DJ, WR Coffman and DP Garity. 1996. *Rainfield Lowland Rice Improvement*. IRRI, Los Banos, Philippines

Maclean, J, B. Hardy, G. Hettel. 2013. *Rice Almanac, 4th edition: Source Book for One of the Most Important Economic Activities on Earth*. IRRI. Los Banos. P: 4-6.

Madan S, HS Nainawatee, RK Jain, dan JB Chowdhury. (1995). Proline and proline metabolising enzymes in vitro selected NaCl-tolerant *Brassica juncea* L. under salt stress. *Annals of Botany* 76:51-57.

Maestri, M., Da Matta, F. M., Regazzi, A. J., & Barros, R. S. (1995). Accumulation of proline and quaternary ammonium compounds in mature leaves of water stressed coffee plants (*Coffea arabica* and *C. canephora*). *Journal of Horticultural Science*, 70(2), 229–233.



Makarim, K., dan E. Suhartatik. 2007. *Morfologi dan Fisiologi Tumbuhan Padi*.
Balai Besar Penelitian Tumbuhan Padi. Sukamandi. Subang.

Manikavelu A, Nadarajan N, Ganesh S K, Gnanamalar R P, Chandra Babu R. 2006.
Drought tolerance in rice: Morphological and molecular genetic consideration. *Plant Growth Regul*, 50(2/3): 121–138.

Marrur, C.J., L. Sodek, and A.C. Magalhes. 1994. Free Amino Acids In Leaves of Cotton Plants Under Water Deficit. *R. Brass. Physiol. Veg.* 6 : 103 - 108.

Martin, J., Navas, M.J., Jimenez-Moreno, A. M., dan Asuero, A.G. 2017.
Anthocyanin Pigments : Importance, Sample Preparation and Extraction. *Natural Sources, Importance and Application*. 5 : 117-152

Meena, M., Divyanshu, K., Kumar, S., dan Swapnil, P. 2019. Regulation of L-proline Biosynthesis, Signal Transduction, Transport, Accumulation And Its Vital Role in Plants During Variable Environmental Condition. *Helion*. 5 (2019) : e02952

Mostajeran, A. and V.R. Eichi. 2009. Effects of drought stress on growth and yields of rice (*Oryza sativa L.*) cultivars and accumulation of proline and soluble sugars in sheath and blades of their different ages leaves. *American-Eurasian J. Agric. & Environ. Sci.* 5(2):264-272.

Mundree, S. G., B. Baker, S. Mowla, S. Peters, S. Marais, C. V. Willigen, K. Govender, A. Maredza, S. Muyanga, J. M. Farrant and J. A. Thomson. 2002. Physiological and molecular insights into drought tolerance. *African Journal of Biotechnology* 1(2):28-38

Naiola, B.P. (2005). Akumulasi dan regulasi osmotik dalam sel tumbuhan pada kondisi stres Air. *Berita Biologi*, 7(6), 333-340.

Nakabayashi R, Yonekura-Sakakibara K, Urano K, Suzuki M, Yamada Y, Nishizawa T, Matsuda F, Kojima M, Sakakibara H, Shinozaki K, et al. Enhancement of oxidative and drought tolerance in *Arabidopsis* by overaccumulation of antioxidant flavonoids. *Plant J* 2014. 77:367



- Nakabayashi, R., Mori, T., dan Saito, K. 2014. Alternation of Flavonoid Accumulation Under Drought Stress in Arabidopsis Thaliana. *Plant Signaling & Behavior*. 9:8. e29518
- Obata, T., Witt, S., Liseic, J., Palacios-Rojas, N., Florez-Sarasa, I., Yousfi, S., Araus, J.L., Cairns, J.E., dan Fernie, A.R. 2015. Metabolite profiles of maize leaves in drought, heat, and combined stress field trials reveal the relationship between metabolism and grain yield. *Plant Physiology*. 169 : 2665-2683.
- Ouk, M., J. Basnayake, M. Tsubo, S. Fukai, K.S. Fischer, M. Cooper, H. Nesbitt. 2006. Use of drought response index for identification of drought tolerant genotypes in rainfed lowland rice. *Field Crops Research*. 99:48-58.
- Pandey, S., H. Bhandari. 2008. Drought: economic costs and research implications. p. 3-17.
- Pandey, V., and A. Shukla. 2015. Acclimation and Tolerance Strategies of Rice under Drought Stress. *Rice Science*. 22 (4): 147–161.
- Pengkumsri, N., C. Chaiyasut, C. Saenjum, S. Sirilun, S. Peerajan, P. Suwannalert, S. Sirisattha, et al. 2015. Physicochemical and Antioxidative Properties of Black, Brown and Red Rice Varieties of Northern Thailand. *Food Science and Technology*. 35 (2): 331-338
- Pitono, J., H. Nurhayati, dan Setiawan. 2008. Seleksi ketahanan terhadap stres kekeringan pada tiga nomor somaklon nilam di lapangan. Laporan Teknis Penelitian TA. 2008. Balitetro. (tidak dipublikasikan). hal. 201-212.
- Prihastati, E. 2012. Peran dan Pola Akumulasi Proline Tanaman Pada Adaptasi Cekaman Kekeringan. *Jurnal Biologi FMIPA Universitas Diponegoro*. 594-597
- Priska, M., Peni, N., Carvallo, L., dan Ngapa, Y.D. 2018. Review : Antosianin dan Pemanfaatannya. *Cakra Kimia*. 6 (2) : 79-97



Raye R, Tran HD, Xuan TD, Khank TD (2018) Imposed water deficit after anthesis for the improvement of macronutrients, quality, phytochemical, and antioxidants in rice grain. *Sustainability* 10:4843

Rhodes, D. 2009. *Proline, Ornithine and Arginine Metabolism Main Pathway of Proline Synthesis In Higher Plants*. Department of Horticulture and Landscape Architecture. Purdue University, West Lafayette.

Rosawanti, P. 2016. Pengaruh Cekaman Kekeringan Terhadap Kandungan Klorofil dan Prolin Daun Kedelai. *Anterior Jurnal* 15 (2): 172-179

Saati, E. A., Theovilla, R. R. D., Simon, B. W., & Aulanni'am. 2011. Optimalisasi Fungsi Pigmen Bunga Mawar Sortiran sebagai Zat Pewarna Alami dan Bioaktif pada Beberapa Produk Industri. *Jurnal Teknik Industri* 12 (2): 133 – 140.

Santoro, M.M., Y. Lau, S.M.A. Khan, L. Hou and D.W. Bolen. (1992). Increased thermal stability of proteins in the presence of naturally occurring osmolytes. *Biochem.*, 31: 5278–83

Santoso, W. E. A., & Estiasih, T. 2014. Kopigmentasi Ubi Jalar Ungu (*Ipomoea batatas* var. *Ayamurasaki*) dengan Kopigmen Na-Kaseinat dan Protein Whey serta Stabilitasnya terhadap Pemanasan. *Jurnal Pangan dan Agroindustri* 2 (4): 121 – 127.

Seawan, N., Vichit, W., Thakam, A., Thitipramote, N., Chaiwut, P., Pintathong, P., Thitilertdecha, N. 2014. Antioxidant capacities, phenolic, anthocyanin and proanthocyanidin contents of pigmented rice extracts obtained by microwave-assisted method. *Suranaree J. Sci. Technol.* 21 (4) : 301-306

Sebastian, A., Nugroho, I.C., Putra, H. S. D., Susanto, F.A., Wijayanti, P., Yamaguchi, N., Nuringtyas, T.R., Purwestri, Y.A. 2022. Identification and Characterization of Drought-Tolerance Local Pigmented Rice From Indonesia. *Physiol Mol Biol Plants*.



- Silveira JAG, Silva SLF, Silva EN, Viegas RA. 2010. *Mecanismos biomoleculares envolvidos com a resistencia ao estresse salino em plantas*. In: Ghey HR, da Dias NS, de Lacerda CF (eds) *Manejo da salinidade na agricultura: Estudos basicos e aplicados 1st edn*. Expressão Grafica e Editora, Fortaleza, p. 161–180
- Stewart, C.R., Boggess, S.F., Aspinall, D., and Paleg, L.G. (1977). Inhibition of proline oxidation by water stress. *Plant Physiology* 59: 930.
- Sumastuti, E., dan Pradono, N.S. 2016. *Dampak Perubahan Iklim Pada Tanaman Padi Di Jawa Tengah*. Journal of Economic Education. 5 (1) : 31-38
- Sytar, O., Bosko, P., Zivcak, M., Brestic, M., dan Smentanska, I. 2018. Bioactive Phytochemicals and Antioxidant Properties of the Grains and Sprouts of Colored Wheat Genotypes. *Molecules*. 23 (9) : 2282
- Szabados, L., dan Savoure, A. 2010. Proline: a multifunctional amino acid. *Trends in Plant Science*. 15 : 89-97.
- Szekely, G. 2004. The Role of Prolin *Arabidopsis thaliana* Osmotic Strees Response. *Acta Biologica Szegediensis*. 48 : 81.
- Tamayo, P. R. and N. P. Bonjoch. 2003. *Free Proline Quantification*. In Roger (ed). *Hand Book of Plant Ecophysiology Techniques*. Kluwer Academic Publisher.
- Thippeswamy, S.; Mohana, D. C.; Abhishek, R. U.; Manjunath, K., 2014. Inhibitory effect of alkaloids of *Albizia amara* and *Albizia saman* on growth and fumonisin B₁ production by *Fusarium verticillioides*. *Int. Food Res. J.* 21 (3): 947-952
- Thoruan-Mathius, N., T. Liwang, M.I. Danuwiksa, G. Suryatmana, H. Djajasukanta, D. Saodah, dan I. G. P. W. Astika. 2004. Respon biokimia beberapa progeni kelapa sawit (*Elaeis guineensis* Jacq) terhadap cekaman kekeringan pada kondisi lapang. *Jurnal Menara Perkebunan*. 72(2):38-56.
- Todaka, D., Zhao, Y., dan Yoshida, T. 2017. Temporal and spatial changes in gene expression, metabolite accumulation and phytohormone content in rice



seedlings grown under drought stress conditions. *The Plant Journal.* 90 : 61-78.

Trojak, M., & Skowron, E. 2017. Role of Anthocyanins in High-Light Stress Response. *World Scientific News* 81 (2): 150 – 168.

Umezawa, T., Fujita, M., Fujita, Y., Yamaguchi-Shinozaki, K., Shinozaki, K. 2006. *Engineering drought tolerance in plants: discovering and tailoring genes to unlock the future.* Current Opinion in Biotechnology. 17: 113–122.

Uyprasert, S., T. Toojida, N. Udomprasert, S. Tragoonrung, and Vanavichit. 2004. Prolin Accumulation and Rooting Patern in Rice in Response to Water Deficits Under Rainfed Lowland. *Sci. Asia* 30 : 301 - 311.

Vaughan, D. A., B. R. Lu, and N. Tomooka. 2008. The evolving story of rice evolution. *Plant Science.* 174(4) : 394–408.

Violita. 2007. *Komparasi Respon Fisiologis Tanaman Kedelai yang Mendapat Cekaman Kekeringan dan Perlakuan Herbisida Paraquat* (tesis). Bogor : Program pascasarjana. Institiut Pertanian Bogor.

Wang J H, Geng L H, Zhang C M. 2012. Research on the weak signal detecting technique for crop water stress based on wavelet denoising. *Adv Mat Res*, 424/425: 966–970.

Wang, L., Xie, W., Chen, Y., Tang, W., Yang, J., Ye, R., Liu, L., Lin, Y., Xu, C., Xiao, J., Zhang, Q. A dynamic gene expression atlas covering the entire life cycle of rice. *Plant J.* 61(5): 752-66

Yoshiba, Y., T. Kirosue, K. Nakashima, S. Yamaguchi, and K. Shinozaki. (1997). Regulation of Levels of Proline as an Osmolyte in Plants Underwater Stress. *Plant & Cell Physiology.* 38 : 1095-1102.

Zhang, Y., Liu, Y., Hu, W., Sun, B., Chen, Q., and Tang. H. 2018. Anthocyanin Accumulation and Related Gene Expression Affected by Low Temperature During Strawberry Coloration. *Acta Physiologiae Plantarum.* 192



Zhu, F., Cai, Y. Z., Bao, J. S., and Corke, H. 2010. Effect of γ -irradiation on phenolic compounds in rice grain. *Food. Chem.* 120:74–77.