

DAFTAR PUSTAKA

- A. Ali, S. Ahmed, *A review on chitosan and its nanocomposites in drug delivery*, Int. J. Biol. Macromol. 109 (2018) 273.
- A. Ray, K. Kundu, K. Kundu, S.K. Nayak, S. Bhattacharya, *Spectroscopic and theoretical insights on non-covalent interaction between fullerenes and xantheno-linked benzo-15-crown 5 receptor in solution*, J. Mol. Liq. 220 (2016) 92–100.
- Afreen, S., Muthoosamy, K., Manickam, S., Hashim, U., 2014, *Functionalized Fullerene (C₆₀) as a potential nanomediator in the fabrication of highly sensitive biosensors*, Biosens Bioelectron 63, 354-364.
- Ali Ali Shokuhi Rad, Mohammad Hassan Shahavi, Milad Rabbani Esfahani, Neusha Darvishinia, Sadaf Ahmadizadeh., 2020. *Are nickel- and titanium-doped fullerenes suitable adsorbents for dopamine in an aqueous solution? Detailed DFT and AIM studies*. Journal of Molecular Liquids 322 (2021) 114942 <https://doi.org/10.1016/j.molliq.2020.114942>
- Alyar, dkk., 2019, *Synthesis, spectroscopic characterizations, enzyme inhibition, molecular docking study and DFT calculations of new Schiff bases of sulfa drugs*, Journal of Molecular Structure, 1185, hal. 416–424.
- Arbogast, J.W., Darmany, A.P., Foote, C.S., Rubin, Y., Diederich, F.N., Alvarez, M.M., Anz, S.J., Whetten, R.L., 1991. *Photophysical properties of C₆₀*. J. Phys. Chem. 95 (1), 11–12 <https://dx.doi.org/10.1021/j100154a006>.
- Ariswan. (2010). Semikonduktor. Yogyakarta. FMIPA Universitas Negeri Yogyakarta.
- Arvid Carlsson, Margit Lindqvist, Tor Magnusson (1957). "3,4-Dihydroxyphenylalanine and 5-hydroxytryptophan as reserpine antagonists". Nature. 180 (4596): 1200. doi:10.1038/1801200a0. PMID 13483658.
- B. Gao, G. Chen, *oksidasi CO dikatalisis oleh B, N, dan fullerene co-doped mereka : investigasi prinsip pertama*, RSC Adv. 9 (2019) 21626.

- Bashiri, S., Vessally, E., Bekhradnia, A., Hosseinian, A., Edjlali, L, 2017, *Utility of extrinsic [60] fullerenes as work function type sensors for amphetamine drug detection: DFT studies*, Vacuum, 136, 156162.
- Bhushan, B., 1999, Principles and Applications of Tribology, John Wiley & Sons, Inc., New York, USA, hal. 14
- Bibi, S. dkk., 2021, *Metal doped fullerene complexes as promising drug delivery materials against COVID-19*, Chemical Papers, 75 (12), hal. 6487–6497.
- Born, M., Oppenheimer, R., 1927, *Zur Quantentheorie der Molekeln*. Ann. Phys, 389, 457.
- Bouachrine, dkk., 2011, *Oligothiophenes bridged by silicon groups, DFT study of structural and electronic properties*, Physical and Chemical News, 58, hal. 61–66.
- Burke, K., dan Wagner, L. O. (2013): *DFT in a nutshell*, International Journal of Quantum Chemistry. 113, 96-101
- C. Ramachandran, *Structure, stability, and properties of boron encapsulated complexes of C60, C59B, dan C59N*, J. Phys. Chem. A 121 (2017) 1708.
- Calabresi P, Picconi B, Tozzi A, Di Fillippo M. *Dopamine-mediated regulation of corticostriatal synaptic plasticity*. Trends in Neurosciences. 2007;30(5):211-219
- Cioslowski, J., 1991, Endohedral Chemistry : Electronic Structure of Molecules Trapped Inside the C60 Cage, J.Am.Chem.Soc 113, 4139-4141.
- Dugan, L.L., Lovett, E.G., Quick, K.L., Lotharius, J., Lin, T.T., OMalley, K.L., 2001. *Fullerene-based antioxidants and neurodegenerative disorders. Parkinsonism Relat. Disord.* 7 (3), 243–246. [https://doi.org/10.1016/s1353-8020\(00\)00064-x](https://doi.org/10.1016/s1353-8020(00)00064-x).
- Dugan, L.L., Turetsky, D.M., Du, C., Lobner, D., Wheeler, M., Almli, C.R., Shen, C.K.F., Luh, T.Y., Choi, D.W., Lin, T.S., 1997. *Carboxyfullerenes as*

neuroprotective agents. Proc. Natl. Acad. Sci. U.S.A. 94 (17), 9434–9439.
<https://doi.org/10.1073/pnas.94.17.9434>.

- Esrafil, M.D., Janebi, H., 2020, B-, N- doped dan BN codoped C60 heterofullerenes for environmental monitoring of NO and NO2: a DFT study, *Molecular Physics*, 118:5.
- Fekri, dkk., 2020, *Adsorption of Metronidazole drug on the surface of nano fullerene C60 doped with Si, B and Al: A DFT study*, *International Journal of Nano Dimension*, 11 (4), hal. 346–354.
- Fowler, J.D., Allen, M.J., Tung, V.C., Yang, Y., Kaner, R.B., Weiler, B.H., 2009 *Practical Chemical Sensors from Chemically Derived Graphene*, *AACS Nano*, 301-306.
- Friedman, S.H., DeCamp, D.L., Sijbesma, R.P., Srdanov, G., Wudl, F., Kenyon, G.L., 1993. *Inhibition of the HIV-1 protease by fullerene derivatives: model building studies and experimental verification*. *J. Am. Chem. Soc.* 115 (15), 6506–6509. [https://doi.org/ 10.1021/ja00068a005](https://doi.org/10.1021/ja00068a005).
- Georgakilas, V., Pellarini, F., Prato, M., Guldi, D.M., Melle-Franco, M., Zerbetto, F., 2002, *Supramolecular Self-Assembled Fullerene Nanostructures*, *PNAS* 99, 5075-5080.
- Griffiths, D. J. (1994): *Introduction to Quantum Mechanics*: Englewood Cliffs, NJ Prentice-Hall.
- Hagar, dkk., 2020, *Investigation of some antiviral N-heterocycles as COVID 19 drug: Molecular docking and DFT calculations*, *International Journal of Molecular Sciences*, 21(11).
- Hartree, D. R. (1928): *The Wave Mechanics of an Atom with a Non-Coulomb Central Field. Part I. Theory and Methods*, *Mathematical Proceedings of the Cambridge Philosophical Society*, 24, 89.

- Hassani, F., Tavakol, H., 2014, *A DFT, AIM and NBO study of adsorption and chemical sensing of iodine by S-doped fullerenes*, *Sensors and Actuators B: Chemical*, 196, 624630.
- Hazrati, M. K. dan Hadipour, N. L., 2016, *Adsorption behavior of 5-fluorouracil on pristine, B-, Si-, and Al-doped C₆₀ fullerenes: A first-principles study*, *Physics Letters, Section A: General, Atomic and Solid State Physics*, 380 (7–8), hal. 937–941.
- Igumbor, E. (2017): *Hybrid functional study of point defects in germanium*. Tesis, Fakultas Ilmu Pengetahuan Alam dan Pertanian, Universitas Pretoria.
- Inglezakis, V. J. and Zorpas, A. A., 2012, *Heat of adsorption, adsorption energy and activation energy in adsorption and ion exchange systems*, *Desalination and Water Treatment*, 39 (1–3), hal. 149–157.
- J. Kaur, G.S. Gill, K. Jeet, in: *Application of carbon nanotubes in drug delivery: A comprehensive review*, 2019, p. 113.
- J. Shi, B. Wang, L. Wang, T. Lu, Y. Fu, H. Zhang, Z. Zhang, *Fullerene (C₆₀)-based tumor-targeting nanoparticles with “off-on” state for enhanced treatment of cancer*, *J. Control. Release* 235 (2016) 245–258.
- Kaviani, B. (2015): *Theoretical Investigation of Luminescent Defects in Diamond*. Universitaatsbibliothek Bremen, diambil dari <https://elib.suub.uni-bremen.de/edocs/00104254-1.pdf>
- Kohn, W. (1999): *Electronic structure of matter-wave functions and density functionals*, Department of Physics, University of California, Santa Barbara, Nobel Lecture.
- Kohn, W., dan Sham, L. (1965): *Self-Consistent Equations Including Exchange and Correlation Effects*, *Physical Review*, 140, 33-38.
- Kroto, H., Heath, J., O'Brien, S. et al, 1985, *C₆₀: Buckminsterfullerene*. *Nature* 318, 162163.

- Lens, M., 2009. *Use of fullerenes in cosmetics. Recent Pat. Biotechnol.* 3 (2), 118–123. <https://doi.org/10.2174/187220809788700166>.
- Lens, M., 2011. *Recent progresses in application of fullerenes in cosmetics. Recent Pat. Biotechnol.* 5(2), 67–73. <https://doi.org/10.2174/187220811796365707>.
- Lewandowski, dkk., 2020, *Correlations between molecular structure and biological activity in “logical series” of dietary chromone derivatives*, PLoS ONE, 15, hal. 1–26.
- M. Kia, M. Golzar, K. Mahjoub, A. Soltani, *A first-principles study of functionalized clusters and carbon nanotubes or fullerenes with 5-Aminolevulinic acid as vehicles for drug delivery*, Superlattices Microstruct. 62 (2013) 251.
- M. Kumar, K. Raza, *C₆₀-Fullerene as drug delivery carriers for anticancer agents: promises and hurdles*, Pharm. Nanotechnol. 5 (2017) 169.
- Medrek, M., Plucinski, F., Mazurek, A.P, 2013, *Endohedral Complexes of Fullerene C60 with small covalent molecules (H₂O, NH₃, H₂, 2H₂, 3H₂, 4H₂, O₂, O₃) in the context of potential drug transport system*, Acta Poloniae Pharmaceutica Drug Research, 70-4, 659-665.
- Moradi, M., Nouraliei, M., Moradi, R, 2017, *Theoretical study on the phenylpropanolamine drug interaction with the pristine, Si and Al doped [60] fullerenes*, Physica E, 87, 186191.
- Ö. Alver, C. Parlak, M. Şenyel, 1H, 13C NMR, and nJCH coupling constants investigation of 4-phenylpyridine: a combined experimental and theoretical study, Phys. Lett. A 371 (2007) 300–306.
- Triyana, K., 2004, *Heterojunction Organic Devices Based on Phthalocyanine and Perylene*, Dissertation, Graduate School of Engineering Science Kyushu University

- Padmanabhan, dkk., 2006, *Group philicity and electrophilicity as possible descriptors for modeling ecotoxicity applied to chlorophenols*, *Chemical Research in Toxicology*, 19 (3), hal. 356–364.
- Padmanabhan, dkk., 2007, *Electrophilicity-based charge transfer descriptor*, *Journal of Physical Chemistry A*, 111 (7), hal. 1358–1361.
- Parlak, C., Alver, O, 2017, *A density functional theory investigation on amantadine drug interaction with pristine and B, Al, Si, Ga, Ge doped C60 fullerenes*, *Chem. Phys. Lett*, 678, 8590.
- Parr, dkk., 1999, *Electrophilicity index*, *Journal of the American Chemical Society*, 121 (9), hal. 1922–1924.
- Parr, R. G., dan Weitao, Y. (2015): *Density-Functional Theory of Atoms and Molecules*, Oxford University, diambil dari <http://public.ebib.com/choice/publicfullrecord.aspx=4702301>.
- Peer D, Karp JM, Hong S, Farokhzad OC, Margalit R, Langer R (2020) Nanocarriers as an emerging platform for cancer therapy. *Nano-Enabled Med App*:61–91
- Perdew, J. P., Chevary, J. A., Vosko, S. H., Jackson, K. A., Pederson, M. R., Singh, D. J., dan Fiolhais, C. (1992): *Atoms, molecules, solids, and surfaces: Applications of the generalized gradient approximation for exchange and correlation*, *Physical Review B*. 46, 6671-6687.
- R. Langer, *New methods of drug delivery*, *Science* 249 (4976) (1990) 1527–1533.
- Raphey V, Henna T, Nivitha K, Mufeedha P, Sabu C, Pramod K (2019) Biomedical applications from carbon nanotube applications. *Mater Sains Ind*, C 100: 616–630. <https://doi.org/10.1016/j.mdtk.2019.03.043>
- Sachs, M., *Solid State Theory*, (New York, McGraw-Hill Book Company, 1963), pp159-160;238-242.
- Shoji, M., Takahashi, E., Hatakeyama, D., Iwai, Y., Morita, Y., Shirayama, R., Echigo, N., Kido, H., Nakamura, S., Mashino, T., Okutani, T., Kuzuhara,

- T., 2013. *Anti-Influenza activity of C60 fullerene derivatives*. PLoS One 8 (6), e66337. <https://doi.org/10.1371/journal.pone.0066337>.
- Sholihun, 2015, *First-Principles Calculations of Vacancies in Semiconductors*, thesis University of Kanazawa, Japan.
- Sholihun, 2009, *Komputasi Parameter Internal Sel Surya Organik dan Penentuan Pola Keterkaitannya Terhadap Intensitas Menggunakan Metode Lanbv*, Thesis, Universitas Gadjah Mada, Yogyakarta. Hal 8-9.
- Sijbesma, R., Srdanov, G., Wudl, F., Castoro, J.A., Wilkins, C., Friedman, S.H., Decamp, D.L., Kenyon, G.L., 1993. *Synthesis of a fullerene derivative for the inhibition of HIV enzymes*. J. Am. Chem. Soc. 115 (15), 6510–6512. <https://doi.org/10.1021/> N. Sumi and K.C. Chitra Aquatic Toxicology 210 (2019) 196–206 205 ja00068a006.
- Slater, J.C. (1951): *A simplification of the Hartree-Fock method*, Physical Review, 81 (3), p.385.
- Wang, P., Yan, G., Zhu, X., du, Y., Chen, D., Zhang, J., 2021, *Heterofullerence MC59 (M = B, Si, Al) as Potential Carriers for Hydroxyurea Drug Delivery*, Nanomaterials 11, 115.
- X. Sun, Z. Liu, K. Welsher, J.T. Robinson, A. Goodwin, S. Zaric, H. Dai, *Nanographene oxide for cellular imaging and drug delivery*, Nano Res. 1 (2008) 203.