

DAFTAR PUSTAKA

- Abdel-Aal, E.S.M., Young, J.C., & Rabalski, I. (2006). Anthocyanin Composition In Black, Blue, Pink, Purple, And Red Cereal Grains. *J. Agric. Food Chem.* 54. p. 4696 – 4704.
- Abubakar, A. R., & Haque, M. (2020). Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes. *J Pharm Bioallied Sci.* 12(1). p. 1 – 10.
- Adi, A. C., Rifqy, M. A., Adriani, M., Farapti, Haryana, N. R., & Astina, J. (2020). Effect of Cooking Methods and Rice Variety on the Sensory Quality and Consumer Acceptance. *Media Gizi Indonesia (National Nutrition Journal)*. 15(3). p. 159 – 166.
- Agustin, A. T., Safitri, A., & Fatchiyah, F. (2021). Java Red Rice (*Oryza sativa*L.) Nutritional Value and Anthocyanin Profiles and Its Potential Role as Antioxidant and Anti-Diabetic. *Indones. J. Chem.* 21(4). p. 968 – 978.
- Anggraeni, V.J., Ramdanawati, L., & Ayuantika, W. (2019). Optimization of Total Anthocyanin Extraction from Brown Rice (*Oryza nivara*). In *Journal of Physics: Conference Series*. 1338(1). p. 012006.
- Arroy, J. D. V., Ruiz-Espinosa, H., Luna-Guevara, J. J., Luna-guevara, M. L., Hernandez-Carranza, P., Avuka-Sosa, R., & Ochoa-Velasco, C. E. (2017). Effect of Solvents and Extraction Methods on Total Anthocyanins, Phenolic Compounds and Antioxidant Capacity of *Renealmia alpinia* (Rottb.) Maas Peel. *Food Sci.* 35(5). p. 456 – 465.
- Bae, I. Y., An, J. S., Oh, I. K., & Lee, H. G. (2017). Optimized Preparation of Anthocyanin-Rich Extract from Black Rice and Its Effects on In Vitro Digestibility. *Food Sci Biotechnol.* 26(5). p. 1415 – 1422.
- Bao, J. (2019). *Rice: Chemistry and Technology*. 4th edition. Amsterdam: Elsevier Science. pp. 31 – 36
- Chen, X. Q., Nagao, N., Itani, T., & Irifune, K. (2012). Anti-Oxidative Analysis, and Identification and Quantification of Anthocyanin Pigments In Different Coloured Rice. *Food Chemistry*. 135. p. 2783 – 2788.

- Concenco, F. I. G. da R., Stringheta, P. C., Ramos, A. M., & Oliveira, I. H. T. (2014). Blueberry: Functional Traits and Obtention of Bioactive Compounds. *American Journal of Plant Sciences*. 5. p. 2633 – 2645.
- Damodaran, S., & Parkin, K. L. (2017). *Fennema's Food Chemistry*. 5th edition. Boca Raton: CRC Press. pp. 708 – 716.
- Fatonah, N., Indriawati, N., & Harlia. (2016). Uji Stabilitas Zat Warna Antosianin Ekstrak Buah Senggani (*Melastoma malabathricum* L.). *JKK*. 5(1). p. 29 – 35.
- Francavilla, A., & Joye, I. J. (2020). Anthocyanins in Whole Grain Cereals and Their Potential Effect on Health. *Nutrients*. 12. p. 1 – 20.
- Guofo, P., & Trindade, H. (2013). Rice Antioxidants: Phenolic Acids, Flavonoids, Anthocyanins, Proanthocyanidins, Tocopherols, Tocotrienols, C-Oryzanol, and Phytic Acid. *Food Science & Nutrition*. 2(2). p. 75 – 104.
- Hernawan, E., & Meylani V. 2016. Analisis Karakteristik Fisikokimia Beras Putih, Beras Merah, dan Beras Hitam (*Oryza sativa* L., *Oryza nivara* L., *Oryza sativa* L. *indica*). *Jurnal Kesehatan Bakti Tunas Husada*. 15(1). p. 79 – 91.
- Hosoda, K., Sasahara, H., Matsushita, K., Tamura, Y., Miyaji, M., & Matsuyama, H. (2018). Anthocyanin and Proanthocyanidin Contents, Antioxidant Activity, and In Situ Degradability of Black And red Rice Grains. *Asian-Australas J Anim Sci*. 31(8). p. 1213 – 1220.
- Iosub, I., Kajzar, F., Makowska-Janusik, M., Meghea, A., Tane, A., & Rau, I. (2012). Electronic Structure and Optical Properties of Some Anthocyanins Extracted From Grapes. *Optical Materials*. 34. p. 1644 – 1650.
- Kabeakan, N. T. M. B. (2020). Deskripsi Sikap dan Keputusan Pembelian Konsumen Terhadap Beras Merah. *Journal of Agribusiness Science*. 3(2). Pp. 94 – 99.
- Kafle, B. P. (2020). *Chemical Analysis and Material Characterization by Spectrophotometry*. Amsterdam: Elsevier Science, pp. 1 – 21
- Kim, M. K., Kim, H. A., Koh, K., Kim, H. S., Lee, Y. S., & Kim, Y. H. (2008). Identification and Quantification of Anthocyanin Pigments in Colored Rice. *Nutrition Research and Practice* 2(1). p. 46 – 49.

- Kim, C. K., Cho, M. A., Choi, Y. H., Kim, J. A., Kim, Y. H., Kim, Y. K., & Park, S. H. (2011). Identification and Characterization of Seed-Specific Transcription Factors Regulating Anthocyanin Biosynthesis in Black Rice. *Journal of Applied Genetics*. 52. p. 161 – 169.
- Kurniasih, N. S., Susandarini, R., Susanto, F. A., Nuringtyas, T. R., Jenkins, G., Purwestri, Y. A. (2019). Characterization of Indonesian Pigmented Rice (*Oryza sativa*) Based on Morphology and Single Nucleotide Polymorphisms. *Biodiversitas*. 20(4). p. 1208 – 1214.
- Laleh, G. H., Frydoonfar, H., Heidary, R., Jameei, R., & Zare, S. (2006). The Effect of Light, Temperature, pH and Species on Stability of Anthocyanin Pigments in Four Berberis Species. *Pakistan Journal of Nutrition*. 5(1). p. 90 – 92.
- Li, X., Zhu, F., & Zeng, Z. (2021). Effects of Different Extraction Methods on Antioxidant Properties of Blueberry Anthocyanins. *Open Chemistry*. 19(1). p. 138 – 148.
- Limtrakul, P., Semmarath, W., & Mapoung, S. (2019). Anthocyanins and Proanthocyanidins in Natural Pigmented Rice and Their Bioactivities. *Phytochemicals in Human Health*. p. 1 – 24.
- Mardiah, Z., Septianingrum, E., Handoko, D. D., & Kusbiantoro, B. (2017). Improvement of Red Rice Eating Quality Through One-Time Polishing Process and Evaluation on Its Phenolic and Anthocyanin Content. *International Journal of Agriculture, Forestry and Plantation*. 5. p. 22 – 28.
- Maulana, Z. (2017). *Keragaman Plasma Nutfah Padi Lokal Sulawesi Selatan*. Makassar: CV Sah Media. pp. 14 – 20
- Maylinda, E. V., Rinadi, A., Putri, E. A., Fadilah, G., & Wayuningsih, S. (2019). Color Stability of Anthocyanins Copigmentation from Red Rica (*Oryza sativa* L.) Bran by Spectrophotometry UV-Vis. *IOP Conf. Series: Material Science and Engineering*. p. 578.
- Nikkhah, E., Khaiamy, M., Heidary, R., & Azar, A. S. (2010). The Effect of Ascorbic Acid and H₂O₂ Treatment on the Stability of Anthocyanin Pigments In Berries. *Turk J Biol*. 34. p. 47 – 53.
- Olivas-Aguirre, F. J., Rodrigo-García, J., Martínez-Ruiz, N. D., Cárdenas-Robles, A. I., Mendoza-Díaz, S. O., Álvarez-Parrilla, E., González-Aguilar, G. A., de

- la Rosa, L. A., Ramos-Jiménez, A., & Wall-Medrano, A. (2016). Cyanidin-3-O-glucoside: Physical-Chemistry, Foodomics and Health Effects. *Molecules*. 21(9). p. 1264.
- Ongkowijoyo, P., Luna-Vital, D. A., & de Meija, E. G. (2018). Extraction Techniques and Analysis of Anthocyanins from Food Sources by Mass Spectrometry: An Update. *Food Chemistry*. 250. p. 113 – 126.
- Pedro, A. C., Granato, D., & Rosso, N. D. (2016). Extraction of Anthocyanins and Polyphenols from Black Rice (*Oryza sativa* L.) by Modelling and Assessing Their Reversibility and Stability. *Food Chemistry*. 191. p. 12 – 20.
- Pengkumsri, N., Chaiyasut, C., Saenjum, C., Sirilun, S., Peerajan, S., Suwannalert, P., Surusatha, S., & Sivamruthi, B. S. (2015). Physicochemical and Antioxidative Properties of Black, Brown and Red Rice Varieties of Northern Thailand. *Food Science and Technology*. 35(2). p. 331 – 338.
- Pradini, Ulfa, W., Marchianti, A. C. N., & Riyanti, R. (2017). Efektivitas Nasi Merah untuk Menurunkan Kadar Kolesterol Total Pasien DM Tipe 2. *Journal of Agromedicine and Medical Science*. 3(1). p. 7 – 12.
- Priya, R., Nelson, A. R. L. E., Ravichandran, K., & Antony, U. (2019). Nutritional and Functional Properties of Coloured Rice Varieties of South India: A Review. *Journal of Ethnic Foods*. 6. p. 1 – 11.
- Purbaningtias, T. E., Aprilia, A. C., & Fauzi'ah, L. (2017). The Study of Temperature and UV Light Effect in Anthocyanin Extract from Dragon Fruit (*Hylocereus costaricensis*) Rind Using UV-Visible Spectrophotometer. *AIP Conference Proceedings*. 1911. 020014.
- Roobha, J. J., Saravanakumar, M., Aravindhan, K. M., & Devi, P. S. (2011). The Effect of Light, Temperature, pH on Stability of Anthocyanin Pigments in *Musa acuminata* bract. *Research in Plant Biology*. 1(5). p. 5 – 12.
- Siregar, Y. D. I., & Nurlela. (2011). Ekstraksi dan Uji Stabilitas Zat Warna Alami dari Bunga Kembang Sepatu (*Hibiscus rosa-sinensis* L) dan Bunga Rosela (*Hibiscus sabdariffa* L). *Valensi*. 2(3) p. 459 – 467.
- Sumartini, Hasnelly, & Sarah. (2018). Kajian Peningkatan Kualitas Beras Merah (*Oryza nivara* L.) Instan dengan Cara Fisik. *Pasundan Food Technology Journal*. 5(1). p. 84 – 90.



- Taghavi, T., Patel, H., Akande, O. E., & Galam, D. C. A. (2022). Total Anthocyanin Content of Strawberry and the Profile Changes by Extraction Methods and Sample Processing. *Foods*. 11. p. 1072.
- Tena, N., & Asuero, A. G. (2022). Up-To-Date Analysis of the Extraction Methods for Anthocyanins: Principles of the Techniques, Optimization, Technical Progress, and Industrial Application. *Antioxidants*. 11(2). p. 286 – 325.
- Wijaya, D. N., Susanto, F. A., Purwestri, Y. A., Ismoyowati, D., & Nuringtyas, T. R. (2017). NMR Metabolite Comparison of Local Pigmented Rice in Yogyakarta. *Indonesian Journal of Biotechnology*. 22(2). p. 68 – 75.
- Zhou, Y., & Singh, B. R. (2004). Effect of Light on Anthocyanin Levels in Submerged, Harvested Cranberry Fruit. *Journal of Biomedicine and Biotechnology*. 5. p. 259 – 263.