

DAFTAR PUSTAKA

- Akbar, N., P. Neviaty, Zamani, H. H. Madduppa. 2014. Keragaman genetic ikan tuna sirip kuning (*Thunnus albacares*) dari dua populasi di Laut Maluku, Indonesia. Jurnal Ilmu Ilmu Perairan, Pesisir, dan Perikanan, 3(1): 65-73.
- Akihary, C.V., B.J. Kolondam. 2020. Pemanfaatan gen 16s rRNA sebagai perangkat identifikasi bakteri untuk penelitian-penelitian di Indonesia. Pharmacon. 9.1: 16-22.
- Anggraeni D, A.D. Nurjanah, T. Hidayat. 2019. Kelayakan industri pengolahan ikan dan mutu produk UMKM pindang tongkol di Kabupaten Banyuwangi. Jurnal Pengolahan Hasil Perikanan Indonesia. 2019;22(1):14-23.
- Arisandi, A. 2017. Jumlah koloni pada media kultur bakteri yang berasal dari thallus dan perairan sentra budidaya *Kappaphycus alvarezii* di Sumenep. Jurnal Ilmiah Perikanan dan Kelautan. 9(1).
- Arulkumar, A., S. Paramithiotis, S. Paramasivam. 2021. Biogenic amines in fresh fish and fishery products and emerging control. Aquac Fish. 1(2)
- Astutiningsih, C., W. Setyani, H. Hindratna. 2014. Uji daya antibakteri dan identifikasi isolat senyawa katekin dari daun teh (*Camellia sinensis* L. var *Assamica*). Jurnal Farmasi Sains dan Komunitas (Journal of Pharmaceutical Sciences and Community). 11(2).
- Aune, T.F., R.L. Olsen, L. Akse., E. Ytterstad, M. Esaiassen. 2014. Influence of different cold storage temperatures during the rigor mortis phase on fillet contraction and longer-term quality changes of Atlantic cod fillets. LWT - Food Sci. Technol. 59(1): 583–586.
- Bjornsdottir-Butler, K., A. Abraham, A. Harper, P.V. Dunlap, R.A. Benner. 2018. Biogenic amine production by and phylogenetic analysis of 23 photobacterium species. J. Food prot. 81(1): 1264–1274.
- Burhanis, B., D.G. Bengen, M.S. Baskoro. 2018. Karakteristik morfometrik dan asosiasi tuna sirip kuning (*thunnus albacares*) dan tuna bambulo (*gymnosarda unicolor* (ruppell)) di Perairan Simeulue, Provinsi Aceh. J. Ilmu dan Teknologi Kelautan Tropis. 10(1): 455–466.
- Butler, K.B., G.E. Bolton, L.A. Jaykus, P.D.M. Green, D.P. Green. 2010. Development of molecular-based methods for determination of high histamin producing bacteria in fish. International Journal of Food Microbiology, 139(3):161- 167.

- Comas-Basté, O., S. Sánchez-Pérez, M.T. Veciana-Nogués, M.Latorre-Moratalla, M. del C. Vidal-Carou. 2020. Histamine intolerance: the current state of the art. *biomolecules* 10(8): 1181
- Corral-Lugo, A., M.A. Matilla, Martín-Mora, D. Silva Jiménez, H. Mesa Torres, N. Kato, J. Hida, A. Oku, S. Conejero-Muriel, M. Gavira, J.A. Krell. 2018. High-affinity chemotaxis to histamine mediated by the tlpq chemoreceptor of the human pathogen *Pseudomonas aeruginosa*. *mBio*. 9(6): e01894-18.
- Cowan, S.T., K.J. Steel, G.I. Barrow, and R.K.A. Feltham. 1993. *Cowan and Steel's Manual for The Identification of Medical Bacteria*. 3rd ed. Cambridge University Press, Australia.
- Dadakova, E., T. Pelikanova, P. Kalac. 2012. Contents of biologically active polyamines in duck meat and giblets after slaughter and their changes during meat storage and cooking. *Food Research International*, 48 (12): 28–33.
- Dawson, P., W. Al-Jeddawi, N. Remington. 2018. Effect of freezing on the shelf life of salmon. *International Journal Food Science*. 20(18): 1–12.
- de Lira, A.D., I.M.S. de Castro, M.B. Mann, L.P. Mallmann, C.I. Kothe, A.P.M. Varela, A.P.G. Frazzon, J. Frazzon. 2020. Evaluating sardinella brasiliensis quality indicators through the quantification of histamine and bacterial communities. *Heliyon*. 6(8): e04461.
- Decimo, M., Morandi, S., Silveti, T., Brasca, M. 2014. Characterization of gram-negative psychrotrophic bacteria isolated from italian bulk tank milk: gram-negative psychrotrophs in milk. *Journal Food Science*. 79(10): M2081-M2090.
- Dirjen KKP RI. 2018. *Laporan Tahunan Kementerian Kelautan dan Perikanan Tahun 2018*. Jakarta Pusat: Dirjen KKP RI.
- Dirjen KKP RI. 2019. *Laporan Tahunan Kementerian Kelautan dan Perikanan Tahun 2019*. Jakarta Pusat: Dirjen KKP RI.
- Economou, V., M.M. Brett, C. Papadopoulou, S. Frilingos, T. Nichols. 2007. Changes in histamine and microbiological analyses in fresh and frozen tuna muscle during temperature abuse. *Food Addit. Contam.* 24(1): 820–832.
- EFSA. 2011. Scientific opinion on risk based control of biogenic amine formation in fermented foods. *EFSA Journal*. 9(10): 2393.

- Emborg, J., and P. Dalgaard. 2008. Growth, inactivation and histamine formation of *Morganella psychrotolerans* and *Morganella morganii* — development and evaluation of predictive models. *International Journal Food Microbiology* 128(2): 234-243.
- Emborg, J., P. Dalgaard, P. Ahrens. 2006. *Morganella psychrotolerans* sp. nov., a histamine-producing bacterium isolated from various seafoods. *International Journal System Evolution Microbiology*. 56(10): 2473–2479.
- Ercolini, D., A. Casaburi, A. Nasi, I. Ferrocino, R. Di Monaco, P. Ferranti, G. Mauriello, F. Villani. 2010. Different molecular types of *Pseudomonas fragi* have the same overall behaviour as meat spoilers. *International Journal Food Microbiolgy*. 142(1), 120–131.
- Fatuni, Y.S., S. Ruddy, A.M. Jaecob. 2014. Identifikasi kadar histamin dan bakteri pembentuk histamin dari pindang bandeng tongkol. *Jurnal Pengolahan Hasil perikanan*, 17(2): 112-118.
- Fransisco, J., Hidalgo, J. L. Navarro, R.M. Delgado, R. Zamora. 2013. Histamin formation by lipid oxidation products. *Food Research International*, 52(13): 206-213.
- Firman, N.A., M. Rais, A. Mustarin. 2021. Analisis kandungan histamin ikan cakalang (*Ktsuwonus pelamis*) dengan kemasan dan suhu penyimpanan yang berbeda. *Jurnal Teknologi Pertanian*. 7(1): 21 – 30.
- Fernandez, P.H., I.S. Dharma, I.N.G. Putra, A. Sembiring, A. Yusmalinda, D. Al Malik, P.D. Pertiwi. 2021. Analisis Filogenetik Ikan Tuna (*Thunnus* spp.) yang didaratkan di Pelabuhan Benoa, Bali. *Journal of Marine Research and Technology*. 4(2): 37-41.
- Giongo, A., A. Ambrosini, J.R.J. Freire, M.H.B. Zanettini, L.M.P. Passaglia. 2007. Amplification of 16S rRNA gene sequences to differentiate two highly related bradyrhizobia species. *Pesquisa Agropecuária Brasileira*. 42(1): 1361–1364.
- Gounot, A.M. 1986. Psychrophilic and psychrotrophic microorganisms. *Experientia*. 42(11): 1192–1197.
- Haghighi, M., 2021. Introduce of *Pseudomonas psychrophila*, as a new pathogen causing disease in cultured rainbow trout (*Oncorhynchus mykiss*). *Survey in Fisheries Sciences*. 8(1): 65–75.
- Hasanah, U. 2014. Identifikasi Bakteri Asam Laktat Pada Jeroan Peda Ikan Kembung (*Rastrelinger* sp.). *Jurnal Penelitian Sainika*. 14(1): 64-75

- Hattu, N., J. Latupeirissa, C.A Seumahu, E.G. Fransina. A. Latupeirissa. 2014. Pengaruh ekstrak asam jawa (*Tamarindus indica L.*) terhadap kandungan histamin daging ikan komu (*Auxis rochei*). Infonesian Journal of Chemical Reserch. 2(1): 131 – 135.
- Hattu, N., I. Telussa, E.G. Fransina, C.A. Seumahu. 2014. Kandungan histamin dalam olahan ikan komu (*Auxis thazard*) yang direbus dengan variasi konsentrasi NaCl. Indonesian Journal of Chemical Reserch. 2(1): 149 – 154.
- Hattu, N., E.G. Fransina, C.A. Seumahu, J.M. Sopacua. 2016. Pengaruh asam cuka terhadap kandungan ghistamin dalam daging ikan komu (*Auxis rochei*). Indonesian Journal of Chemical Reserch. 3(2): 319 – 325.
- Heruwati, E.S., R.A. Sophia, W. Mangunwardoyo. 2008. Penghambatan enzim L-histidine decarboxylase dari bakteri pembentuk histamin menggunakan asam benzoate. Jurnal Pasca Panen dan Bioteknologi. 3(2): 97 – 106.
- Huang, Z., C. Dong, Z. Shao. 2016. *Paraphotobacterium marinum* gen. nov., sp. nov., a member of the family *Vibrionaceae*, isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology. 66(8): 3050-3056.
- Hungerford, J.M. 2010. Scombroid poisoning: a review. Toxicon. 56(1): 23 – 43.
- Husna, F., S.R. Mita. 2017. Identifikasi Bahan Kimia Obat Dalam Obat Tradisional Stamina Pria Dengan Metode Kromatografi Lapis Tipis. Jurnal Farmaka. 18(2): 16-25.
- Indriati, N., R.E.S. Heruwati. 2006. Studi bakteri pembentukan histamin pada ikan kembung peda selama proses pengolahan. Jurnal Pasca Panen dan Bioteknologi. 1(2): 117 – 123.
- Ingraham, J.L. 1958. Growth Of Psychrophilic Bacteria. Journal of bacteriology. 76(1): 75-80.
- Jinadasa, B.K.K.K., Galhena, C.K., Liyanage, N.P.P. 2015. Histamine formation and the freshness of yellowfin tuna (*Thunnus albacares*) stored at different temperatures. Cogent Food & Agriculture. 1(1): 1028735.
- Kanki, M., T. Yoda, M. Ishibashi, T. Tsukamoto. 2004. *Photobacterium phosphoreum* caused a histamine fish poisoning incident. International journal of food microbiology. 92(1): 79-87.
- Khusnuryani, A., E. Martani, T. Wibawa, J. Widada. 2015. Karakterisasi bakteri pendegradasi fenol dan pembentuk biofilm dari sumber alami dan artifisial. Jurnal Kaunia. 11(1): 40-50.

- Kim, S.H., H. An, R.J. Price. 1999. Histamin formation and bacterial spoilage of albacore harvested off the U.S. Northwest coast. *Journal of Food Science*, 64(2).
- Kim, S.H., K.G. Field, M.T. Morrissey, R.J. Price. 2001. Source and identification of histamin-producing bacteria from fresh and temperature-abused albacore. *Journal of Food Protection*, 64(7): 1035-1044.
- Kung, H.-F., T.Y. Wang, Huang, Y.R., Lin, C.S. Wu, W.S. Lin, C.M. Tsai. 2009. Isolation and identification of histamine-forming bacteria in tuna sandwiches. *Food Control*. 20(11): 1013-1017.
- Kurnia, D.R.D., I., Permatasari, Y. Rafika. 1970. Isolasi mikroorganisme anaerob limbah cair tekstil menggunakan desikator sebagai inkubator anaerobik. *Fluida*. 11(1): 26-33.
- Kurniawan, A. 2018. Produksi MOL (Mikroorganisme Lokal) dengan pemanfaatan bahan-bahan organik yang ada di sekitar. *Hexagro Journal*. 2(2)
- Lestari, S., A. Solichin, S.W. Saputra. 2015. Program revitalisasi tuna di Kabupaten Gunung Kidul, Yogyakarta. *Management of Aquatic Resources Journal (Maquares)*. 4(2): 82-88.
- Litaay, C., H.W.Sugeng, H. John, H. Bambang. 2017. Penagruh perbedaan metode pendinginan dan waktu penyimpanan terhadap mutu organoleptic ikan cakalang segar. *Jurnal Teknologi Kelautan Tropis*. 9(2): 717-726.
- Lurie-Weinberger, M.N., L. Gomez-Valero, N. Merault, G. Glöckner, C. Buchrieser, U. Gophna. 2010. The origins of eukaryotic-like proteins in *Legionella pneumophila*. *International Journal of Medical Microbiology*. 300(7): 470-481.
- Maijala, R.L. 1993. Formation of histamine and tyramine by some lactic acid bacteria in MRS-broth and modified decarboxylation agar. *Letters in Applied Microbiology*. 17(1): 40-43.
- Maleki, F. 2016. Bacterial heat shock protein activity. *Journal of clinical and diagnostic research: JCDR*. 10(3): BE01.
- Mangunwardoyo, W., R.A. Sophia, E.S. Heruwati. 2007. Seleksi Dan Pengujian Aktivitas Enzim L-Histidine Decarboxylase Dari Bakteri Pembentuk Histamin. *Makara Journal of Science*. 1(1)

- McBirney, S.E., K. Trinh, A. Wong-Beringer, A.M. Armani. 2017. Using wavelength-normalized optical spectroscopy to improve the accuracy of bacteria growth rate quantification, In *Imaging, Manipulation, and Analysis of Biomolecules, Cells, and Tissues XV* (Vol. 10068, pp. 133-138). SPIE.
- Morii, H., K. Kasama. 2004. activity of two histidine decarboxylases from photobacterium phosphoreum at different temperatures, pH, and NaCl concentrations. *Journal of food protection*. 67(8): 1736-1742.
- Moyer, C.L., E.R. Collins, R.Y. Morita. 2017. Psychrophiles and Psychrotrophs, in: *Reference Module in Life Sciences*. Encyclopedia of life sciences. 1(6).
- Nento, W.R., T. Nurhayati, R. Suwandi. 2014. Perubahan mutu daging terang ikan tuna *yellowfin* di perairan Teluk Tomini Propinsi Gorontalo. *Jurnal Pengolahan Hasil Perikanan*, 17(3): 225-232.
- Niven, C.F., M.B. Jeffrey, D.A. Corlett. 1981. Differential plating medium for quantitative detection of histamin producing bacteria. *Journal of Applied Environmental Microbiology*. 41:321-322.
- Norita, N., M. Nurilmala, A. Abdullah. 2019. Quality of longtail tuna (*thunnus tonggol*) in different storage conditions. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 22(3): 490-497.
- Nugroho, S.C., I. Jatmiko, A.R.P. Tampubolon. 2018. Struktur ukuran, hasil tangkapan per unit dan musim penangkapan tuna mata besar (*Thunnus obesus* Lowe, 1939) di bagian Timur Samudera Hindia. *Jurnal Penelitian Perikanan Indonesia*, 24(3): 217-225.
- Oh, W.T., J.H. Kim, J.W. Jun, S.S. Giri, S. Yun, H.J. Kim, S.G. Kim, S.W. Kim, S.J. Han, J. Kwon, S.C. Park. 2019. Genetic characterization and pathological analysis of a novel bacterial pathogen, *Pseudomonas tructae*, in Rainbow Trout (*Oncorhynchus mykiss*). *Microorganisms*. 7(10): 432.
- Pavlatos, C., & V. Vita. 2016. Linguistic representation of power system signals. In *Electricity Distribution* (pp. 285-295). Springer, Berlin, Heidelberg.
- Pambudiono, A., E. Suarsini, M. Amin. 2016. Isolasi DNA genom bakteri potensial pengkelat logam berat kadmium dari limbah cair penepungan agar. 5(1).
- Paramasivam, S., A. Arulkumar, K. Malarvizhi. 2014. Histamin level and histamin producing bacteria in *Chirocentrus dorab*, *Gerres filamentous*, dan *Siganus oramin* at ambient temperature (34°C). *Basic Research Journal of Food Science and Technology* 1(7): 60-66.

- Pardamean, E.S., H. Syawal, M. Riau waty. 2021. Identification of pathogenic bacteria in *Cyprinus carpio* reared in floating cages. *Jurnal Perikanan dan Kelautan*. 26(1): 26-32.
- Pertiwi, R.M., M. Nurimala, A. Abdullah, Nurjannah, N Yusfiandayani, M. Fedi, Sondita. 2020. Deteksi bakteri pembentuk amino biogenik pada ikan *scombridae* secara *multiplex* PCR. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 23(2): 359 – 371.
- Prasetyawan, N.R., T.W. Agustini, W.F. Ma'ruf. 2013. Penghambat pembentukan histamin pada daging ikan tongkol (*Euthynnus affinis*) oleh quercetin selama penyimpanan. *Jurnal Pengolahan Hasil Perikanan*, 16(2): 150-158.
- Priggenies, D., & S. Sejati. 2004. Isolasi dan determinasi bakteri luminesensi yang bersimbiosis pada cumi cumi *Loligo duvauceli*. *Jurnal Ilmu Kelautan*. 8(1): 26 – 30.
- Punch, J.D., & J.C. Olson. 1964. Comparison between standard methods procedure and a surface plate method for estimating psychrophilic bacteria in milk. *Journal of Milk and Food Technology*. 27(2): 43-47.
- Quan, S.F., M.L. Witten, N.N. Dambro, R.J. Lemen. 1992. Canine parainfluenza type 2 and bordetella bronchiseptica infection produces increased bronchoalveolar lavage thromboxane concentrations in *Beagle puppies*. *Prostaglandins, Leukotrienes and Essential Fatty Acids (PLEFA)*. 44(3): 171-175.
- Rachmawati, N., & R. Triwibowo. 2021. Skrining dan identifikasi bakteri pembentuk histamin yang diisolasi dari tuna, tongkol, dan cakalang segar di wilayah Jawa Barat, DKI Jakarta, dan Banten. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*. 16(2): 93-104.
- Refai, M., El-Hariri, M., A. M. Ahmed, Z., El Jakee, J. 2020. Histamine producing bacteria in fish. Egypt. *Egyptian Journal of Aquatic Biology and Fisheries*. 24(7): 1-11.
- Ristiati, N.P., I.A.P. Suryanti, I.M.Y. Indrawan. 2018. Isolasi dan karakterisasi bakteri tanah pada tempat pemrosesan akhir di desa Bengkala Kabupaten Buleleng. *Wahana Matematika dan Sains: Jurnal Matematika, Sains, dan Pembelajarannya*, 12(1): 64-77.
- Romano. 2013. Potensi produksi dan kinerja investasi industri pengolahan kelapa terpadu di Provinsi Aceh. *Jurnal Agrisep*. 14(1): 1 – 9.
- Rozinov, M.N., A.A. Dain, Y.L. Shumakov, I.A. Lapaeva, T.A. Holzmayer. 1988. All species of the genus bordetella contain genes for pertussis toxin of bordetella pertussis. *Zentralblatt für Bakteriologie, Mikrobiologie und Hygiene. Series A: Medical Microbiology, Infectious Diseases, Virology, Parasitology*. 269(2): 205-210.

- Ryser, E.T., E.H. Marth, S.L. Taylor. 1984. Histamine Production by Psychrotrophic Pseudomonads Isolated from Tuna Fish. *Journal of food protection*. 47(5): 378-380.
- Saanin, H. 1984. *Taksonomi dan Kunci Identifikasi Ikan*, Jakarta: Bina Cipta.
- Sabbathani, G.C., S. Pujiyanto, Wijanarka, P. Lisdiyanti. 2017. Isolasi dan identifikasi bakteri genus *Sphingomonas* dari daun padi (*Oryza sativa*) di area persawahan Cibinong. *Jurnal Biologi*, 6(1):59-64.
- Sanger, F., S. Nicklen, A.R. Coulson. 1977. DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci.* 74(1): 5463–5467.
- Santoso, A., N.S. Palupi, H.D. Kusumaningrum. 2020. Pengendalian histamin pada rantai proses produk ikan tuna beku ekspor. *Jurnal Standardisasi*, 22(2): 131-142.
- Satomi, M. 2014. *Shewanella*, in: *Encyclopedia of Food Microbiology*. Elsevier. 397–407.
- Seo, H.J., S.S. Bae, J.H. Lee, S.J. Kim. 2005. *Photobacterium frigidiphilum* sp. nov., a psychrophilic, lipolytic bacterium isolated from deep-sea sediments of Edison Seamount. *International journal of systematic and evolutionary microbiology*. 57(11): 2618-2622.
- Silva, M.V., O. Pinho, I.P.L. Plestilova, P.A. Gibbs. 2002. Production of histamin and tyramine by bacteria isolated from Portuguese vacuum-packed cold-smoke fish. *Food Control*, 13(6): 457 – 461.
- Simora, R.M.C., & E.M. Peralta, 2018. Occurrence of Histamine and Histamine-forming Bacteria in Philippine Traditional Dried-salted Fish Products. *Asian Fish Science*. 311(1): 73-88.
- Statistika KKP. 2021 Produksi Tuna di Wilayah Daerah Istimewa Yogyakarta. <https://statistik.kkp.go.id/home.php?m=total&i=2#panel-footer>. Diakses pada tanggal 31 Mei, Pukul 15.25 WIB.
- Sterniša, M., A. Klančnik, S.S. Možina. 2019. Spoilage *Pseudomonas* biofilm with *Escherichia coli* protection in fish meat at 5 °C. *Journal of the Science of Food and Agriculture*. 99(10): 4635-4641
- Suprpto, H. 2017. Isolasi dan identifikasi bakteri pada benih ikan kerapu cantang (*Epinephelus* sp.) dari kolam pendederan Balai Perikanan Budidaya Air Payau (BPBAP) Situbondo, Jawa Timur. *Journal of Aquaculture and Fish Health*, 6(2), 57-66.

- Tapotubun, A.M., & I.K.E. Savitri. 2016. Penghambat bakteri patogen pada ikan segar yang diaplikasi *Caulerpa lentillifera*. Jurnal Pengolahan Hasil Perikanan Indonesia. 19(3): 299-308.
- Tavares, J., A. Martins, L.G. Fidalgo, V. Lima, R.A. Amaral, C.A. Pinto, A.M. Silva, J.A. Saraiva. 2021. Fresh fish degradation and advances in preservation using physical emerging technologies. Foods. 10(4): 780.
- Trevisena, M., M. Cecchini, G. Fedrizzi, A. Corradini, R. Mancus, I.E. Tothill. 2019. Biosensing the histamisin producing potential of bacteria in tuna. Frontiers in Microbiology, 10:1844.
- Tomaś, N., K. Myszka, Ł. Wolko. 2022. Black pepper and tarragon essential oils suppress the lipolytic potential and the type II secretion system of *P. psychrophila* KM02 Scientific reports. 12(1): 1-16.
- Torido, Y., H. Takahashi, T. Kuda, B. Kimura. 2012. Analysis of the growth histamin producing bacteria and histamine accumulation in fish during storage at low temperatures. Food Control. 26(1): 174 – 177.
- Utami, P.B., T. Kusumastanto, N. Zulfainarni, N. Ayunda. 2020. Ananlisis bioekonomi perikanan tuna sirip kuning di Larantuka, Kabupaten Flores Timur, Indonesia. Jurnal Kebijakan Sosial Ekonomi Kelautan dan Perikanan, 10(1).
- Visciano, P., M. Schirone, A. Paparella. 2020. An overview of histamine and other biogenic amines in fish and fish products. Foods. 9(12): 1795.
- Wang, G., M. Li, F. Ma, H. Wang, X. Xu, G. Zhou. 2017. Physicochemical properties of *Pseudomonas fragi* isolates response to modified atmosphere packaging. FEMS microbiology letters. 364(11).
- Wang, Y., C. Qin, J. Gan, N. Sun, C.G. Yang, T. Bae, M. Wu, , L. Lan. 2021. Histamine activates HinK to promote the virulence of *Pseudomonas aeruginosa*. Science Bulletin. 66(11): 1101-1118.
- Wei, J., X. He, H. Yang, X. Xiang, S. Hu, S. Li, Y. Liu. 2017. Histamin reduction by mailard reaction with glucose. Food Control, 82: 136-144.
- Wibisono, F.J. 2016. Deteksi cemaran *Salmonella* sp. pada ikan bandeng (*Chanos chanos*) di Pasar Ikan Sidoarjo. Jurnal Kajian Veteriner. 5(1): 1 – 10.
- Widiastuti, I., & S. Putro. 2010. Analisis mutu ikan tuna selama lepas tangkap. Jurnal Maspari, 1(1): 22-29.

- Wodi, S.I., W. Trilaksani, M. Nurilmala. 2019. Histamin dan identifikasi bakteri pembentuk histamin dari tuna mata besar (*thunnus obesus*). Jurnal Teknologi Perikanan dan Kelautan. 9(2): 185-192.
- Yumoto, I., T. Kusano, T. Shingyo, Y. Nodasaka, H. Matsuyama, H. Okuyama. 2001. Assignment of *Pseudomonas* sp. strain E-3 to *Pseudomonas psychrophila* sp. nov., a new facultatively psychrophilic bacterium. Extremophiles. 5(5): 343-349.
- Yusra, M., D.A. Hamzah, D.S. Syahnur, M. Si. 2014. Analisis Permintaan Tuna Sirip Kuning (Yellowfin) Indonesia Di Pasar Jepang. Jurnal Ilmu Ekonomi: Program Pascasarjana Unsyiah. 2(2).