

REFERENCES

- Abdizadeh, R., Hadizadeh, F., and Abdizadeh, T., 2020, QSAR analysis of coumarin-based benzamides as histone deacetylase inhibitors using CoMFA, CoMSIA and HQSAR methods, *J. Mol. Struct.*, 1199, 126961.
- Abu-Aisheh, M.N., Al-Aboudi, A., Mustafa, M.S., El-Abadelah, M.M., Ali, S.Y., Ul-Haq, Z., and Mubarak, M.S., 2019a, Coumarin derivatives as acetyl- and butyrylcholinesterase inhibitors: An in vitro, molecular docking, and molecular dynamics simulations study, *Heliyon*, 5, e01552.
- Anand, P., Singh, B., and Singh, N., 2012, A review on coumarins as acetylcholinesterase inhibitors for Alzheimer's disease, *Bioorg. Med. Chem.*, 20, 1175–1180.
- Baruah, P., Basumatary, G., Yesylevskyy, S.O., Aguan, K., Bez, G., and Mitra, S., 2019, Novel coumarin derivatives as potent acetylcholinesterase inhibitors: insight into efficacy, mode and site of inhibition, *J. Biomol. Struct. Dyn.*, 37, 1750–1765.
- Bekdash, R.A., 2021a, The cholinergic system, the adrenergic system and the neuropathology of Alzheimer's disease, *Int. J. Mol. Sci.*, 22, 1–18.
- Bretonnet, J.L., 2017, Basics of the density functional theory, *AIMS Mater. Sci.*, 4, 1372–1405.
- Brühlmann, C., Ooms, F., Carrupt, P.A., Testa, B., Catto, M., Leonetti, F., Altomare, C., and Carotti, A., 2001, Coumarins derivatives as dual inhibitors of acetylcholinesterase and monoamine oxidase, *J. Med. Chem.*, 44, 3195–3198.
- Catto, M., Pisani, L., Mora, E.D. Ia, Belviso, B.D., Mangiatordi, G.F., Pinto, A., Palma, A. de, Denora, N., Caliandro, R., Colletier, J.P., Silman, I., Nicolotti, O., and Altomare, C.D., 2020a, Chiral separation, X-ray structure, and biological evaluation of a potent and reversible dual binding site ache inhibitor, *ACS Medicinal Chem. Lett.*, 11, 869–876.
- Dahlan, M., 2017, Desain Senyawa Turunan 2-Metilitio-5-(4-Amino-2-Metilpirimidin-5-Il)-1,3,4-Oxadiazol Sebagai Anti-Tobacco Mosaic Virus (TMV) Berdasarkan Hasil Analisis Hubungan Kuantitatif Struktur-Aktivitas (HKSA), *Tesis*, Jurusan Kimia Fakultas Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Dastmalchi, S., Hamzeh-Mivehroud, M., and Sokouti B., 2018, Quantitative Structure-Activity Relationship: A Practical Approach, Taylor & Francis Group.

- Ghanei-Nasab, S., Hadizadeh, F., Foroumadi, A., and Marjani, A., 2021, A QSAR Study for the Prediction of Inhibitory Activity of Coumarin Derivatives for the Treatment of Alzheimer's Disease, *Arab. J. Sci. Eng.*, 46, 5523–5531.
- Gramatica, P., 2007, Principles of QSAR models validation: Internal and external, *QSAR and Combinatorial Science*, 26, 694–701.
- Hampel, H., Mesulam, M.M., Cuello, A.C., Farlow, M.R., Giacobini, E., Grossberg, G.T., Khachaturian, A.S., Vergallo, A., Cavedo, E., Snyder, P.J., and Khachaturian, Z.S., 2018, The cholinergic system in the pathophysiology and treatment of Alzheimer's disease, *Brain*, 141, 1917–1933.
- Hao, Y., Sun, G., Fan, T., Sun, X., Liu, Y., Zhang, N., Zhao, L., Zhong, R., and Peng, Y., 2019, Prediction on the mutagenicity of nitroaromatic compounds using quantum chemistry descriptors based QSAR and machine learning derived classification methods, *Ecotoxicol. Environ. Saf.*, 186, 109822.
- Hasan, A.H., Amran, S.I., Saeed Hussain, F.H., Jaff, B.A., and Jamalis, J., 2019a, Molecular Docking and Recent Advances in the Design and Development of Cholinesterase Inhibitor Scaffolds: Coumarin Hybrids, *ChemistrySelect*, 4, 14140–14156.
- Hu, Y.H., Yang, J., Zhang, Y., Liu, K.C., Liu, T., Sun, J., and Wang, X.J., 2019, Synthesis and biological evaluation of 3-(4-aminophenyl)-coumarin derivatives as potential anti-Alzheimer's disease agents, *J. Enzyme. Inhib. Med Chem.*, 34, 1083–1092.
- Ibrahim, Z.Y. u., Uzairu, A., Shallangwa, G., and Abechi, S., 2020, Theoretical design of novel antimalarial agents against *P. falciparum* strain, Dd2 through the QSAR modeling of synthesized 2'-substituted triclosan derivatives, *Heliyon*, 6, e05032.
- Karakaya, S., Koca, M., Yilmaz, S.V., Yıldırım, K., Pınar, N.M., Demirci, B., Brestic, M., and Sytar, O., 2019, Molecular docking studies of coumarins isolated from extracts and essential oils of *zosima absinthifolia* link as potential inhibitors for Alzheimer's disease, *Molecules*, 24, 722.
- Kasmi, R., Hadaji, E., Chedadi, O., el Aissouq, A., Bouachrine, M., and Ouammou, A., 2020, 2D-QSAR and docking study of a series of coumarin derivatives as inhibitors of CDK (anticancer activity) with an application of the molecular docking method, *Heliyon*, 6, e04514.
- Kiani, A., Jalili-Baleh, L., Abdolahi, Z., Nadri, H., Foroumadi, A., Ebrahimi, S.E.S., and Khoobi, M., 2019, Cholinesterase inhibition activity and docking simulation study of coumarin Mannich base derivatives, *J. Sci. Islam. Repub. Iran*, 30, 5–12.
- Krishnasamy, K., 2020, Synthesis, Spectral techniques, X-ray Crystal structure, DFT method, Hirshfeld surface analysis and Molecular docking studies of 1-(furan-2-yl)methyl-4,5-diphenyl-2-(p-tolyl)-1H-imidazole, *Chem. Data Collect.*, 100421.

- Lipinski, C.A., Lombardo, F., Dominy, B.W., dan Feeney, P.J., 2001, Experimental and Computational Approaches to Estimate Solubility and Permeability in Drug Discovery and Development Settings, *Adv. Drug Deliv. Rev.*, 46, 3–26.
- Macklin, L.J. and Schwans, J.P., 2020, Synthesis, biochemical evaluation, and molecular modeling of organophosphate-coumarin hybrids as potent and selective butyrylcholinesterase inhibitors, *Bioorganic Med. Chem. Lett.*, 30, 127213.
- McHugh, M.L., 2008, Standard Error: Meaning and Interpretation, *Biochem. Med.*, 18(1), 7-13
- Mercader, A.G., Duchowicz, P.R., and Sivakumar, P.M., 2016, Chemometrics applications and research: QSAR in medicinal chemistry, Apple Academic Press.
- Mogren, M., Mogren, A., Zerroug, A., and Belaidi, S., 2020, Molecular Structure, Drug Likeness and QSAR modeling of 1,2-Diazole Derivatives as Inhibitors of Enoyl-acyl carrier protein reductase, *Bioorganic Med. Chem. Lett.*, 32(4), 2301-2310
- Moss, D.E., 2020, Improving anti-neurodegenerative benefits of acetylcholinesterase inhibitors in alzheimer's disease: Are irreversible inhibitors the future?, *Int. J. Mol. Sci.*, 21(10), 3438.
- Nantasenamat, C., Isarankura-Na-Ayudhya, C., Naenna, T., and Prachayasittikul, V., 2009, A Practical Overview of Quantitative Structure Activity Relationship, *World. J. Pharm. Pharm. Sci.*, 8, 74-88.
- Nguyen, K., Hoffman, H., Chakkamparambil, B., and Grossberg, G.T., 2021, Evaluation of rivastigmine in Alzheimer's disease, *Neurodegener Dis Manag.*, 11, 35–48.
- Rasyid, H., 2019, Desain, Interaksi, dan Simulasi Dinamika Molekul Senyawa Turunan Quinazolin Sebagai Inhibitor EGFR, *Disertasi*, Jurusan Kimia Fakultas Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Razavi, S.F., Khoobi, M., Nadri, H., Sakhteman, A., Moradi, A., Emami, S., Foroumadi, A., and Shafiee, A., 2013, Synthesis and evaluation of 4-substituted coumarins as novel acetylcholinesterase inhibitors, *Eur. J. Med. Chem.*, 64, 252–259.
- Roy, K., Kar, S., 2017, Advances in QSAR Modeling: Applications in Pharmaceutical, Chemical, Food Agricultural and Environmental Science, Springer.
- Roy, K., Kar, S., and Das, R.N., 2015a, A Primer on QSAR/QSPR Modeling: Fundamental Concepts, Springer.
- Roy, K., Kar, S., and Das, R.N., 2015b, Understanding the Basics of QSAR for Applications in Pharmaceutical Sciences and Risk Assessment, Elsevier.

- Sahu, N.K., Sharma, M., Mourya, V., and Kohli, D. v., 2012, QSAR study of some substituted 4-quinoliny and 9-acridiny hydrazones as antimalarial agents, *Acta Pol Pharm*, 69, 1153–1165.
- Sepehri, N., Mohammadi-Khanaposhtani, M., Asemanipoor, N., Hosseini, S., Biglar, M., Larijani, B., Mahdavi, M., Hamedifar, H., Taslimi, P., Sadeghian, N., and Gulcin, I., 2020, Synthesis, characterization, molecular docking, and biological activities of coumarin–1,2,3-triazole-acetamide hybrid derivatives, *Arch. Pharm. (Weinheim)*, 353(10), 2000109
- Shi, D.H., Min, W., Song, M. qiu, Si, X.X., Li, M.C., Zhang, Z. yuan, Liu, Y.W., and Liu, W.W., 2020, Synthesis, characterization, crystal structure and evaluation of four carbazole-coumarin hybrids as multifunctional agents for the treatment of Alzheimer's disease, *J. Mol. Struct.*, 1209, 127897.
- Singh, A., Sharma, S., Arora, S., Attri, S., Kaur, P., Kaur Gulati, H., Bhagat, K., Kumar, N., Singh, H., Vir Singh, J., and Mohinder Singh Bedi, P., 2020, New coumarin-benzotriazole based hybrid molecules as inhibitors of acetylcholinesterase and amyloid aggregation, *Bioorganic Med. Chem. Lett.*, 30, 127477.
- Stanciu, G.D., Luca, A., Rusu, R.N., Bild, V., Chiriac, S.I.B., Solcan, C., Bild, W., and Ababei, D.C., 2020, Alzheimer's disease pharmacotherapy in relation to cholinergic system involvement, *Biomolecules*, 10, 1–20.
- Syahri, J., 2017, Desain dan Sintesis Senyawa Antimalaria dari Turunan Kalkon, *Disertasi*, Jurusan Kimia Fakultas Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Syaifudin, M., 2019, studi QSAR dan Desain Senyawa Turunan Antrapirazonol Sebagai Agen Anti Kanker, *Tesis*, Jurusan Kimia Fakultas Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Takomthong, P., Waiwut, P., Yenjai, C., Sripanidkulchai, B., Reubroycharoen, P., Lai, R., Kamau, P., and Boonyarat, C., 2020, Structure-activity analysis and molecular docking studies of coumarins from toddalia asiatica as multifunctional agents for alzheimer's disease, *Biomedicines*, 8, 1–16.
- Tanoli, N.U., Tanoli, S.A.K., Ferreira, A.G., Mehmood, M., Gul, S., Monteiro, J.L., Vieira, L.C.C., Venâncio, T., Correa, A.G., and Ul-Haq, Z., 2018, Characterization of the interactions between coumarin-derivatives and acetylcholinesterase: Examination by NMR and docking simulations, *J Mol Model*, 24(8), 1-11.
- Tehrani, M.B., Rezaei, Z., Asadi, M., Behnammanesh, H., Nadri, H., Afsharirad, F., Moradi, A., Larijani, B., Mohammadi-Khanaposhtani, M., and Mahdavi, M., 2019, Design, Synthesis, and Cholinesterase Inhibition Assay of Coumarin-3-carboxamide-N-morpholine Hybrids as New Anti-Alzheimer Agents, *Chem. Biodivers*, 16(7), e1900144
- Utri, C.A., 2021, Desain Senyawa Turunan 4-chlorophenyloxy N-alkyl phosphoramidates sebagai Agen Anti Kanker Serviks Menggunakan Model

QSAR, *Tesis*, Jurusan Kimia Fakultas Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.

- Vafadarnejad, F., Mahdavi, M., Karimpour-Razkenari, E., Edraki, N., Sameem, B., Khanavi, M., Saeedi, M., and Akbarzadeh, T., 2018, Design and synthesis of novel coumarin-pyridinium hybrids: In vitro cholinesterase inhibitory activity, *Bioorg. Chem.*, 77, 311–319.
- Veerasamy, R., Rajak, H., Jain, A., Sivadasan, S., Varghese, C.P., and Agrawal, R.K., 2011, Validation of QSAR Models-Strategies and Importance, *Int. J. Drug Discov.*, 3(2), 511-519.
- Waskitha, S.S.W., 2020, Desain Turunan Kalkon Senyawa Antimalaria Berdasarkan Hubungan Kuantitatif Struktur-Aktivitas dan Penambatan Molekuler Terhadap Plasmodium Falciparum Dihidrorotat Dehidrogenase, *Skripsi*, Jurusan Kimia Fakultas Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Yang, J., Zhang, P., Hu, Y., Liu, T., Sun, J., and Wang, X., 2019, Synthesis and biological evaluation of 3-arylcoumarins as potential anti-Alzheimer's disease agents, *J. Enzyme Inhib. Med. Chem.*, 34, 651–656.
- Young, D.C., 2001, Computational Chemistry: A Practical Guide for Applying Techniques to Real-World Problems, John Wiley & Sons
- Yuanita, E., Sudirman, Dharmayani, N.K.T., Ulfa, M., and Syahri, J., 2020, Quantitative structure–activity relationship (QSAR) and molecular docking of xanthone derivatives as anti-tuberculosis agents, *J. Clin. Tuberc. Other Mycobact. Dis.*, 21, 100203.
- Yun, Y., Yang, J., Miao, Y., Wang, X., and Sun, J., 2020, Synthesis and biological evaluation of 4-arylcoumarins as potential anti-Alzheimer's disease agents, *Bioorganic Med. Chem. Lett.*, 30, 126900.
- Yusufzai, S.K., Khan, M.S., Sulaiman, O., Osman, H., and Lamjin, D.N., 2018, Molecular docking studies of coumarin hybrids as potential acetylcholinesterase, butyrylcholinesterase, monoamine oxidase A/B and β -amyloid inhibitors for Alzheimer's disease, *Chemistry Central Journal*, 12, 1–57.
- Zambre, V.P., Patil, R.B., Sangshetti, J.N., and Sawant, S.D., 2019, Comprehensive QSAR studies reveal structural insights into the NR2B subtype selective benzazepine derivatives as N-Methyl-D-Aspartate receptor antagonists, *J. Mol. Struct.*, 1197, 617–627.
- Zemek, F., Drtinova, L., Nepovimova, E., Sepsova, V., Korabecny, J., Klimes, J., and Kuca, K., 2014, Outcomes of Alzheimer's disease therapy with acetylcholinesterase inhibitors and memantine, *Expert Opin Drug Saf.*, 13, 759–774.

Zhang, X., Rakesh, K.P., Bukhari, S.N.A., Balakrishna, M., Manukumar, H.M., and Qin, H.L., 2018, Multi-targetable chalcone analogs to treat deadly Alzheimer's disease: Current view and upcoming advice, *Bioorg. Chem.*, 80, 86–93.